Interview Cake

Given a list of integers, find the highest product you can get from three of the integers.

The input `list_of_ints` will always have at least three integers.

Gotchas

Does your function work with negative numbers? If `list_of_ints` is $[-10, -10, 1, 3, 2]$ we should return 300 (which we get by taking $-10 * -10 * 3$).

We can do this in $O(n)$ time and $O(1)$ space.

Breakdown

This part requires full access (/upgrade)

You've already used up your free full access questions!

If you subscribe to our weekly newsletter (/free-weekly-coding-interview-problem-newsletter), you'll get another free full access question every week.

To see the full solution and breakdown for *all* of our questions, you'll have to upgrade to full access (/upgrade).

Upgrade now ➜ (/upgrade)

Solution

This part requires full access (/upgrade)

You've already used up your free full access questions!

If you subscribe to our weekly newsletter (/free-weekly-coding-interview-problem-newsletter), you'll get another free full access question every week.

To see the full solution and breakdown for *all* of our questions, you'll have to upgrade to full access (/upgrade).

Upgrade now ➜ (/upgrade)

Complexity

$O(n)$ time and $O(1)$ additional space.

Bonus

1. What if we wanted the highest product of 4 items?
2. What if we wanted the highest product of k items?
3. If our highest product is really big, it could overflow. How should we protect against this?

What We Learned

This part requires full access (/upgrade)

You've already used up your free full access questions!

If you subscribe to our weekly newsletter (/free-weekly-coding-interview-problem-newsletter), you'll get another free full access question every week.

To see the full solution and breakdown for *all* of our questions, you'll have to upgrade to full access (/upgrade).

Upgrade now ➜ (/upgrade)

Want more coding interview help?

Check out **interviewcake.com** for more advice, guides, and practice questions.