




MARKET STRUCTURE MULTI TF CHART

— Quick Guide —

1. GETTING STARTED


Install from MQL5 Market and Attach MS 1.1

MS 1.1 is purchased from the MQL5 Market. After purchase/activation, it already appears inside MetaTrader 5 under Navigator > Expert Advisors > Market. There is no separate file-copy or manual installation step for the normal end user.



1.1 MS 1.1 In Navigator / MQL5 Market

Open Navigator, expand Expert Advisors, then expand Market. Drag MS 1.1 onto the chart you want to analyze.



1.2 Example chart after attachment


The exact objects on your chart depend on the active timeframe, the selected preset, the enabled Reference TFs and the current market state.

2. FIRST SETUP

Wait for the Final Chart State

After attachment, MS 1.1 prepares chart history, the Main TF structure and any enabled Reference TF context. Do not judge the chart while an update cycle is still running.

History is loaded using the HistoryRenderBars input. The default preset value is 250 bars, and this can be changed later from the EA Inputs if you want a shorter or deeper history load.




2.1 First-load history progress

Wait until loading completes. During this stage the EA is building the required chart state.

Market Structure Multi -TF Chart 1.1 1.06 (USTEC,M1)	
Common <u>Inputs</u>	
Variable	Value
01 HistoryRenderBars	250

2.2 HistoryRenderBars Input

This image is shown as a settings reference only. The value can be changed from Inputs before attaching the EA or later when adjusting settings.



2.3 Completed chart state

Once the update cycle is complete, you will see the final chart state with trend structure, levels, labels and any active zones.

3. LEARN THE SCREEN

Your Chart in 60 Seconds

Use the numbered guide below to identify the information layers you will read repeatedly.

#	What it points to	How to read it
1	Trend arrows	Accepted directional structure chain.
2	BOL / key levels	Horizontal breakout-validation levels.
3	POI / SM areas	Demand / Supply areas from confirmed structure.
4	Right-side object stack	Type, timeframe and lifecycle labels.
5	Higher-timeframe context	Reference TF structure overlaid on the Main TF.
6	Range	Active consolidation structure and breakout context.

Reading order **Trend -> Range -> BOL -> nearest POI/SM -> Reference TF context -> alerts/patterns.**

3.1 Trend arrows



How It is created

Created when MS 1.1 confirms a new directional structural leg. The arrow connects accepted structural pivots and shows the committed UP or DOWN trend direction.



Read the confirmed arrow chain first. A confirmed leg can extend only when a stronger valid endpoint appears.

3.2 BOL / key levels



How It is created

Created when a confirmed structure level qualifies as the active breakout-validation level. The level is extended and monitored for a valid break or structural change.



A wick through a level is not enough by itself; the breakout must satisfy the closed-candle confirmation rules.

3.3.1 POI / SM areas




How It is created

Created from confirmed structure when a valid Demand / Supply origin qualifies as a POI. Stronger qualified POI structures can be upgraded to SM.



Zones are context, not stand-alone signals. Read them together with Trend, Range and the nearest structural level.

3.3.2 POI / SM areas




How It is created

The same POI / SM logic can produce several visible areas at different structural prices. Their labels show direction, timeframe and lifecycle state.


How It is created

The same POI / SM logic can produce several visible areas at different structural prices. Their labels show direction, timeframe and lifecycle state.



 Fresh and historical depth depends on the active preset or Custom settings.

3.4 Right-side object stack




How It is created

Created automatically from the objects currently displayed on the chart. Each label identifies the object, timeframe and lifecycle state and is connected back to its line or zone.



Read the labels closest to current price first, then move outward through the stack.

3.5 Higher-timeframe context



How It is created

Created when a Reference TF is enabled. MS 1.1 calculates that timeframe and overlays its confirmed structure directly on the Main TF chart.



Higher-TF objects are context for the Main TF; the timeframe in the label tells you where the structure comes from.

3.6 Range



How It is created

Created when the Range state machine confirms a valid consolidation structure. The visible range is tracked until it shifts or a valid Range breakout is confirmed.



A wick outside that closes back inside can be treated as a sweep / fake breakout rather than a valid Range BO.

4. ESSENTIAL CONTROLS

Control Panel Essentials

The screenshot shows the 'MS Multi-TF Chart - Control Panel' interface. On the left, a red box highlights the 'REFERENCE TFs' section, which includes three dropdown menus for 'Ref TF 1', 'Ref TF 2', and 'Ref TF 3', all currently set to 'OFF'. Below these are 'Select All' and 'Reset' buttons. To the right, the 'CHART DISPLAY PRESET MAIN TF - M1' section shows a 'Basic' preset dropdown. A 'BASIC DISPLAY' box lists: 'MAIN TF: BOL Active Lines + Zones', 'Executed BOL: X1 (Lines Only)', 'REF TFs: BOL Lines Only', and 'Executed BOL: X1 | POI / SM: OFF'. At the bottom, there are buttons for 'Apply' (with a checkmark icon), 'ALERTS' (with a bell icon and a toggle switch), 'TIMER' (with a clock icon and a toggle switch), and 'Theme' (with a globe icon and a dropdown arrow).

4.1 Reference TF block

Ref TF1, Ref TF2 and Ref TF3 choose which higher timeframes are added as Reference TFs. Leave a slot on OFF when you do not want that timeframe.


Important - Reference TF zones

Selecting a Reference TF here only selects the timeframe. It does not turn on its zones. If you want Reference-TF BOL / POI / SM zones, switch the Main TF preset to Custom and enable the required Zone controls for that Ref TF.

This screenshot shows the 'REFERENCE TFs' section with example selections. 'Ref TF 1' is set to 'M5', 'Ref TF 2' is set to 'M15', and 'Ref TF 3' is set to 'H1'. The 'Select All' and 'Reset' buttons are at the bottom.

4.2 Example Reference TF selection

These values are examples only. Choose Reference TFs that make sense relative to your Main TF and workflow.




REFERENCE TFs

Ref TF 1	M5	▼
Ref TF 2	M15	▼
Ref TF 3	H1	▼

Select All
Reset

4.3 Select All and Reset

Select All applies the available selections across the current Reference TF setup. Reset clears the current selection state so you can start again from a clean configuration.



SM Executed
OFF ▼

Select All
Reset

✓ Apply
🔔 ALERTS
🕒 TIMER
🎨 Theme ▼


4.4 Global bottom controls

Press Apply after changing settings. Alerts toggles the alert engine, Timer toggles the current-candle timer and Theme changes the panel appearance. Telegram remains optional.

5. DISPLAY PRESETS


Choose the Right Preset

MS 1.1 provides five display modes: Basic, Performance, Standard, Full and Custom. Start with Standard for a balanced everyday view, then reduce or add detail as needed.



5.1 Basic display

Basic is the cleanest preset. It focuses on active BOL context and keeps the chart light for a minimal structure view.



5.2 Performance display

Performance adds SM visibility while remaining lighter than the richer presets.



CHART DISPLAY PRESET MAIN TF - M1

Standard



STANDARD DISPLAY

MAIN TF: BOL / POI / SM Lines + Zones

Executed: X1 (Lines Only)

REF TFs: BOL / POI / SM Lines Only

Executed: X1 | POI / SM Zones: OFF

5.3 Standard display

Standard adds POI alongside BOL and SM. This is the balanced everyday view.



CHART DISPLAY PRESET MAIN TF - M1

Full



FULL DISPLAY

MAIN TF: BOL / POI / SM Lines + Zones

Fresh POI / SM: F2 | Executed: X2 (Lines Only)

REF TFs: BOL / POI / SM Lines Only

Fresh POI / SM: F2 | Executed: X2

5.4 Full display

Full shows the deepest standard structure context with richer fresh / executed visibility.



CHART DISPLAY PRESET MAIN TF - M1

Custom



CUSTOM DISPLAY

MAIN TF & REF TFs: Manual Setup

5.5 Custom display summary

Custom opens manual object controls for both the Main TF and Reference TF slots.


CHART DISPLAY PRESET MAIN TF - M1

Custom ▾

CUSTOM DISPLAY
 MAIN TF & REF TFs: Manual Setup


MAIN TF M1

 BOL	Lines ☒	Zones ☒	Executed 1 ▾
 POI	Lines ☐	Zones ☐	Executed OFF ▾
 SM	Lines ☐	Zones ☐	Executed OFF ▾

5.6 Main-TF Custom controls

In Custom mode, BOL, POI and SM can be controlled separately on the Main TF. Each block has Lines and Zones toggles plus an Executed selector.


Executed selector

OFF hides executed history. 1 and 2 control the visible executed depth for the selected object group.

6. MULTI-TIMEFRAME

Main TF and Reference TFs

The Main TF is the active MetaTrader chart timeframe. Reference TFs add higher-timeframe structure on top of the same chart so execution context and broader structure can be read together.



6.1 Main TF + active Reference TFs

MS Multi-TF Chart - Control Panel

REFERENCE TFs

Ref TF 1 M5

- Show BOL Zones OFF
- BOL Executed OFF
- POI Lines OFF
- POI Zones OFF
- POI Executed OFF
- SM Lines OFF
- SM Zones OFF
- SM Executed OFF

Ref TF 2 M15

- Show BOL Zones OFF
- BOL Executed OFF
- POI Lines OFF
- POI Zones OFF
- POI Executed OFF
- SM Lines OFF
- SM Zones OFF
- SM Executed OFF

Ref TF 3 H1

- Show BOL Zones OFF
- BOL Executed OFF
- POI Lines OFF
- POI Zones OFF
- POI Executed OFF
- SM Lines OFF
- SM Zones OFF
- SM Executed OFF

CHART DISPLAY PRESET MAIN TF - M1

Custom

CUSTOM DISPLAY

MAIN TF & REF TFs: Manual Setup

MAIN TF M1


BOL	Lines ON	Zones ON	Executed 1
POI	Lines OFF	Zones OFF	Executed OFF
SM	Lines OFF	Zones OFF	Executed OFF

Select All Reset

Apply ALERTS TIMER Theme


6.2 Expanded Reference-TF configuration

For each Reference TF slot, Custom mode lets you choose BOL Zones / Executed, POI Lines / Zones / Executed and SM Lines / Zones / Executed independently.



6.3 Full Custom panel view

Use Custom when presets are not specific enough. This view gives direct per-object control for the Main TF and all enabled Reference TFs, including zones.




6.4 Higher-timeframe labels on Main TF

7. LABELS YOU WILL SEE

Fresh, Historical and Reference-TF Labels

The right-side label rail tells you what an object is, which timeframe it belongs to and, where applicable, its lifecycle state. Read the nearest labels around current price first.



Label family	Examples
Current structure	High M1 / Low M1
Key levels	Up KL M1 / Down KL M1
Historical structure	High M1 [X1] / Low M1 [X2]
Historical KL	Up KL M1 [X1] / Down KL M1 [X2]
Main-TF POI	POI Demand M1 [F1] / POI Supply M1 [X1]
Post-Range-BO POI	R-POI Demand M5 [F1] / R-POI Supply M5 [X1]
SM / SM*	SM Demand / Supply <TF> [state]; * = Premium SM

Lifecycle markers

F1 / F2 = fresh visibility slots or depth. X1 / X2 = executed / historical visibility slots or depth. R- indicates an object created after a confirmed Range Breakout (Range BO); it does not mean Reference TF. M1, M5, M15, H1, etc. identify the source timeframe. An asterisk * marks Premium / sweep-confirmed SM where supported.

Quick rule Object name + timeframe + optional lifecycle suffix. High / Low and KL labels may be active without an F/X suffix.



7.1 Structural label example

Read a label from left to right

[R- after Range BO] + [Object / direction] + [Timeframe] + [Lifecycle]

Not every label uses every part. Current High / Low labels, for example, may have no lifecycle suffix.

High M5	Higher-timeframe structural High.
Up KL M1 [X1]	Main-TF bullish key level retained as executed / historical depth 1.
POI Demand M1 [F1]	Main-TF fresh Demand POI, fresh slot 1.
R-POI Supply M1 [F1]	Supply POI created after a confirmed Range BO on M1, fresh slot 1.
SM Supply M15 [X2*]	Premium / sweep-confirmed SM Supply example in executed / historical depth 2, where that premium state is shown.

Visibility note The exact labels shown depend on the selected preset or Custom controls, the active / fresh / executed lifecycle state and which Reference TFs are enabled.

8. DAILY USE

A Simple Daily Workflow

1. Attach MS 1.1 from Navigator > Expert Advisors > Market.
2. Wait for the loading cycle to finish.
3. Choose a preset (Standard is a practical starting point).
4. Enable only the Reference TFs you really want to see.
5. Press Apply after changing settings.
6. Read the chart in order: Trend → Range → BOL → nearest POI/SM → Reference TF context.
7. Use alerts and Telegram only if you need notification support; Telegram remains optional.

For deeper explanations, more examples and full object reference details, continue with the full MS 1.1 User Manual.

Document scope: Quick Start Guide only. Product name: MS 1.1.

9. TIPS & BEST PRACTICES

Practical habits for a cleaner, faster MS 1.1 workflow

9.1 Wait for the chart to finish updating

Do not judge missing lines, zones or labels while MS 1.1 is still loading or synchronizing. Evaluate the chart only after the update cycle has completed.

9.2 Start simple

Begin with Standard and one useful Reference TF. Add more structure only when the extra information answers a specific question.

9.3 Use Custom when you need zones

The basic Reference TF selector chooses the timeframe. For individual BOL / POI / SM Lines, Zones and Executed visibility, switch to Custom mode.

9.4 Use the same reading order every time

Read the chart in this order: Trend -> Range -> BOL -> nearest POI/SM -> Reference TF context -> alerts/patterns.

9.5 Read the nearest structure first

When many labels are visible, start with the objects closest to current price and then move outward through the label stack.

Practical workflow tips

9.6 Remember what R- means

R- identifies structure created after a confirmed Range Breakout. It does not mean Reference TF. The timeframe is shown separately by M1, M5, M15, H1 and so on.

9.7 Keep space on the right side of the chart

Use Chart Shift and a sensible zoom level so the label rail and connectors remain readable and do not crowd the live candles.

9.8 Do not overload the chart

If the chart becomes difficult to read, reduce Reference TF count or historical depth before adding more objects.

9.9 Allow synchronization after major changes

After changing timeframe or symbol, or after the computer resumes from sleep, allow MS 1.1 to complete synchronization before judging the final chart state.

9.10 Use alerts as assistance

Alerts and Telegram can notify you about events, but they do not replace the actual Trend, Range, BOL and POI/SM structure on the chart.

BEST STARTING SETUP

Standard + 1 useful Reference TF

Keep the chart clean first. Add more Reference TFs or Custom detail only when needed.

10. TRADING TIPS

How to read directional bias from market structure

10.1 Start with directional bias

Read the confirmed Trend chain first. A sequence of accepted UP arrows supports a bullish structural bias; accepted DOWN arrows support a bearish structural bias. Do not flip bias because of one opposite candle.

10.2 Check whether a Range is active

Price inside an Active Range is a waiting / neutral state. A valid Range BO UP strengthens upside structure; a valid Range BO DOWN strengthens downside structure. A wick outside that closes back inside is not a confirmed Range BO.

10.3 Use BOL as the next decision point

BOL shows where structural confirmation must occur. Bullish trend plus a confirmed break above the relevant upper BOL strengthens continuation. Bearish trend plus a confirmed break below the lower BOL strengthens downside continuation.

10.4 Read price relative to POI / SM

Reaction from Demand while structure is bullish supports upside. Rejection from Supply while structure is bearish supports downside. A strong opposing zone directly ahead is an obstacle and should reduce directional confidence.

Building a stronger directional case

10.5 Check Reference TF alignment

Example: M1 bullish + M5 bullish + higher-TF Demand below price gives stronger bullish context. If M1 is bullish but M15/H1 is bearish or strong Supply sits directly above, the lower-TF rise may be only a correction.

10.6 Separate continuation from reversal

An opposite arrow alone does not guarantee a full reversal. A stronger reversal case needs a real structural change: important level break -> new opposite structure -> continuation in the new direction.

10.7 Bullish bias checklist

Bullish bias becomes stronger when Trend is UP, there is no blocking Active Range (or Range BO is UP), bullish BOL confirmation appears, Demand POI/SM supports price, Reference TFs align and no major Supply sits immediately above.

10.8 Bearish bias checklist

Bearish bias becomes stronger when Trend is DOWN, there is no blocking Active Range (or Range BO is DOWN), bearish BOL confirmation appears, Supply POI/SM rejects price, Reference TFs align and no major Demand sits immediately below.

When to act - and when to wait

10.9 When NOT to choose a direction

Do not force a bullish or bearish bias when Range is active, Main TF and Reference TFs strongly conflict, price is trapped between nearby Demand and Supply, or the chart is still synchronizing.

10.10 The 10-second reading formula

TREND -> RANGE -> BOL -> POI/SM -> REF TF -> DIRECTIONAL BIAS. Use this order before considering alerts or patterns.

BULLISH BIAS

UP structure + bullish breakout + Demand support + higher-TF alignment.

BEARISH BIAS

DOWN structure + bearish breakout + Supply rejection + higher-TF alignment.

WAIT

Active Range or strong multi-timeframe conflict = do not force a directional call.

Directional bias is not a price guarantee

MS 1.1 organizes confirmed market structure and context. Treat the result as a structural probability framework, not certainty or a stand-alone trading signal.