

BATI AL FACADES SRL
 Jud. Ilfov, Oras Pantelimon, Calea Bucurestilor, Nr.1, Corp C3
 Romania



İSTANBUL 9.10.2025
 INVOICE YCE202500000387

INVOICE

Project	Glass Code	DESCRIPTION	SIZES		PIECE	QUANTITY	UNIT	UNIT PRICE	AMOUNT EURO
COMNORD STICLA STANDARD ETAJ 8	T2-SB1	88.2 tempered clear laminated glass, polished edges	1550	1100	14	23,94	M ²	45,00	1077,30
COMNORD STICLA STANDARD ETAJ 8	T2-SB1	88.2 tempered clear laminated glass, polished edges	1550	1100	14	23,94	M ²	45,00	1077,30
COMNORD STICLA STANDARD ETAJ 8	T2-SB1	88.2 tempered clear laminated glass, polished edges	1550	1100	14	23,94	M ²	45,00	1077,30
ALCONS CAZARMA		IGU : 6 mm ESG + 18 Alu WE; Ar 90 %, PU + 6 mm tempered, Full printed RAL 7031 #3	925	1195	2	2,22	M ²	55,00	122,10
ALCONS CAZARMA		IGU : 6 mm ESG + 18 Alu WE; Ar 90 %, PU + 6 mm tempered, Full printed RAL 7031 #3	846	1195	4	4,04	M ²	55,00	222,20
ALCONS CAZARMA		IGU : 6ESG (Temperable Solar Control Low-E Neutral 62/44) / 16 Alu WE; Ar 90% ,PU / 44.2	925	1160	4	4,28	M ²	58,00	248,24
ALCONS CAZARMA		IGU : 6ESG (Temperable Solar Control Low-E Neutral 62/44) / 16 Alu WE; Ar 90% ,PU / 44.2	690	925	4	2,56	M ²	58,00	148,48
ALCONS CAZARMA		IGU : 6ESG (Temperable Solar Control Low-E Neutral 62/44) / 16 Alu WE; Ar 90% ,PU / 44.2	846	2345	8	15,84	M ²	58,00	918,72
COCOSESTI		IGU : 6 Clear, Tempered / 16mm Alu; Ar 90% / 6 Clear / 16mm Alu; Ar 90% /6 mm Şişecam 71/53, Tempered	2878	2258	1	6,50	M ²	68,00	442,00
COCOSESTI		IGU : 6 Clear, Tempered / 16mm Alu; Ar 90% / 6 Clear / 16mm Alu; Ar 90% /6 mm Şişecam 71/53, Tempered	1878	2258	1	4,24	M ²	68,00	288,32
COCOSESTI		IGU : 6 Clear, Tempered / 16mm Alu; Ar 90% / 6 Clear / 16mm Alu; Ar 90% /6 mm Şişecam 71/53, Tempered	1878	2058	2	7,72	M ²	68,00	524,96
COCOSESTI		IGU : 6 Clear, Tempered / 16mm Alu; Ar 90% / 6 Clear / 16mm Alu; Ar 90% /6 mm Şişecam 71/53, Tempered	1878	1708	1	3,21	M ²	68,00	218,28
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	1612	2757	1	4,44	M ²	53,50	237,54
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	1914	1294	1	2,48	M ²	53,50	132,68
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	919	2134	2	3,92	M ²	53,50	209,72
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	885	2663	1	2,36	M ²	53,50	126,26
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	913	658	1	0,60	M ²	53,50	32,10
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	1518	994	1	1,51	M ²	53,50	80,79
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	1518	994	1	1,51	M ²	53,50	80,79
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	913	658	1	0,60	M ²	53,50	32,10
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	1194	828	2	1,98	M ²	53,50	105,93
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	1113	748	2	1,66	M ²	53,50	88,81
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	1694	614	1	1,04	M ²	53,50	55,64
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	1694	678	1	1,15	M ²	53,50	61,53
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	1613	598	1	0,96	M ²	53,50	51,36
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	1613	533	1	0,86	M ²	53,50	46,01
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	963	533	1	0,51	M ²	53,50	27,29
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	1113	433	1	0,48	M ²	53,50	25,68
COCOSESTI		IGU : 4 mm Şişecam Solar Low-e / 16mm Alu; Ar 90% / 4 Clear / 16mm Alu; Ar 90% / 4 mm Şişecam Low-e	1413	283	1	0,40	M ²	53,50	21,40
MAURICE_PK_COMANDA_SEC_17.09.2025_1:1	:1:2	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	672	590	3	1,20	M ²	78,00	93,60
MAURICE_PK_COMANDA_SEC_17.09.2025_1:2	:1:2	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	933	903	1	0,84	M ²	78,00	65,52
MAURICE_PK_COMANDA-mod_11.09.2025_1:1	:1:1	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	647	355	1	0,23	M ²	78,00	17,94
MAURICE_PK_COMANDA-mod_11.09.2025_1:10	:1:10	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	770	647	1	0,50	M ²	78,00	39,00
MAURICE_PK_COMANDA-mod_11.09.2025_1:11	:1:11	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	770	647	1	0,50	M ²	78,00	39,00
MAURICE_PK_COMANDA-mod_11.09.2025_1:12	:1:12	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	647	355	1	0,23	M ²	78,00	17,94
MAURICE_PK_COMANDA-mod_11.09.2025_1:13	:1:13	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	933	546	2	1,02	M ²	78,00	79,56

MAURICE_PK_COMANDA-mod_11.09.2025_:1:2	:1:2	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	770	647	1	0,50	M ²	78,00	39,00
MAURICE_PK_COMANDA-mod_11.09.2025_:1:3	:1:3	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	770	647	1	0,50	M ²	78,00	39,00
MAURICE_PK_COMANDA-mod_11.09.2025_:1:4	:1:4	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	647	355	1	0,23	M ²	78,00	17,94
MAURICE_PK_COMANDA-mod_11.09.2025_:1:5	:1:5	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	672	355	1	0,24	M ²	78,00	18,72
MAURICE_PK_COMANDA-mod_11.09.2025_:1:6	:1:6	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	770	672	1	0,52	M ²	78,00	40,56
MAURICE_PK_COMANDA-mod_11.09.2025_:1:7	:1:7	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	770	672	1	0,52	M ²	78,00	40,56
MAURICE_PK_COMANDA-mod_11.09.2025_:1:8	:1:8	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	672	355	1	0,24	M ²	78,00	18,72
MAURICE_PK_COMANDA-mod_11.09.2025_:1:9	:1:9	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	647	355	1	0,23	M ²	78,00	17,94
MAURICE_PK_COMANDA-mod_11.09.2025_:2:1	:2:1	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	938	737	1	0,69	M ²	78,00	53,82
MAURICE_PK_COMANDA-mod_11.09.2025_:2:10	:2:10	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_:2:11	:2:11	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_:2:12	:2:12	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	938	837	1	0,79	M ²	78,00	61,62
MAURICE_PK_COMANDA-mod_11.09.2025_:2:13	:2:13	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	938	933	2	1,76	M ²	78,00	137,28
MAURICE_PK_COMANDA-mod_11.09.2025_:2:2	:2:2	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_:2:3	:2:3	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_:2:4	:2:4	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	938	737	1	0,69	M ²	78,00	53,82
MAURICE_PK_COMANDA-mod_11.09.2025_:2:5	:2:5	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	938	690	1	0,65	M ²	78,00	50,70
MAURICE_PK_COMANDA-mod_11.09.2025_:2:6	:2:6	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_:2:7	:2:7	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_:2:8	:2:8	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	938	690	1	0,65	M ²	78,00	50,70
MAURICE_PK_COMANDA-mod_11.09.2025_:2:9	:2:9	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	938	873	1	0,82	M ²	78,00	63,96
MAURICE_PK_COMANDA-mod_11.09.2025_:3:1	:3:1	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	647	355	1	0,23	M ²	78,00	17,94
MAURICE_PK_COMANDA-mod_11.09.2025_:3:10	:3:10	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	770	647	1	0,50	M ²	78,00	39,00
MAURICE_PK_COMANDA-mod_11.09.2025_:3:11	:3:11	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	770	647	1	0,50	M ²	78,00	39,00
MAURICE_PK_COMANDA-mod_11.09.2025_:3:12	:3:12	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	647	355	1	0,23	M ²	78,00	17,94
MAURICE_PK_COMANDA-mod_11.09.2025_:3:13	:3:13	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	933	546	2	1,02	M ²	78,00	79,56
MAURICE_PK_COMANDA-mod_11.09.2025_:3:2	:3:2	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	770	647	1	0,50	M ²	78,00	39,00
MAURICE_PK_COMANDA-mod_11.09.2025_:3:3	:3:3	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	770	647	1	0,50	M ²	78,00	39,00
MAURICE_PK_COMANDA-mod_11.09.2025_:3:4	:3:4	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	647	355	1	0,23	M ²	78,00	17,94
MAURICE_PK_COMANDA-mod_11.09.2025_:3:5	:3:5	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	672	355	1	0,24	M ²	78,00	18,72
MAURICE_PK_COMANDA-mod_11.09.2025_:3:6	:3:6	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	770	672	1	0,52	M ²	78,00	40,56
MAURICE_PK_COMANDA-mod_11.09.2025_:3:7	:3:7	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	770	672	1	0,52	M ²	78,00	40,56
MAURICE_PK_COMANDA-mod_11.09.2025_:3:8	:3:8	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	672	355	1	0,24	M ²	78,00	18,72
MAURICE_PK_COMANDA-mod_11.09.2025_:3:9	:3:9	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	647	355	1	0,23	M ²	78,00	17,94
MAURICE_PK_COMANDA-mod_11.09.2025_:4:1	:4:1	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	672	496	1	0,33	M ²	78,00	25,74
MAURICE_PK_COMANDA-mod_11.09.2025_:4:2	:4:2	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	672	496	1	0,33	M ²	78,00	25,74
MAURICE_PK_COMANDA-mod_11.09.2025_:4:3	:4:3	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	672	496	1	0,33	M ²	78,00	25,74
MAURICE_PK_COMANDA-mod_11.09.2025_:4:4	:4:4	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	933	808	1	0,75	M ²	78,00	58,50
MAURICE_PK_COMANDA-mod_11.09.2025_:5:1	:5:1	IGU : 44.1 TENTESOL GREY #2 / 14 MM WE, ARGON / 44.1 LOW-E #5	1108	1082	2	2,40	M ²	73,00	175,20
MAURICE_PK_COMANDA-mod_11.09.2025_:6:1	:6:1	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	672	590	3	1,20	M ²	78,00	93,60
MAURICE_PK_COMANDA-mod_11.09.2025_:6:2	:6:2	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	933	903	1	0,84	M ²	78,00	65,52
MAURICE_PK_COMANDA-mod_11.09.2025_:7:1	:7:1	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	817	737	1	0,60	M ²	78,00	46,80
MAURICE_PK_COMANDA-mod_11.09.2025_:7:10	:7:10	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_:7:11	:7:11	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	842	690	1	0,58	M ²	78,00	45,24
MAURICE_PK_COMANDA-mod_11.09.2025_:7:12	:7:12	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	817	690	1	0,56	M ²	78,00	43,68
MAURICE_PK_COMANDA-mod_11.09.2025_:7:13	:7:13	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	837	817	1	0,68	M ²	78,00	53,04
MAURICE_PK_COMANDA-mod_11.09.2025_:7:14	:7:14	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	842	837	1	0,70	M ²	78,00	54,60
MAURICE_PK_COMANDA-mod_11.09.2025_:7:15	:7:15	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_:7:16	:7:16	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78

MAURICE_PK_COMANDA-mod_11.09.2025_7:17	:7:17	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	842	837	1	0,70	M ²	78,00	54,60
MAURICE_PK_COMANDA-mod_11.09.2025_7:18	:7:18	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	837	817	1	0,68	M ²	78,00	53,04
MAURICE_PK_COMANDA-mod_11.09.2025_7:2	:7:2	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	842	737	1	0,62	M ²	78,00	48,36
MAURICE_PK_COMANDA-mod_11.09.2025_7:3	:7:3	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_7:4	:7:4	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_7:5	:7:5	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	842	737	1	0,62	M ²	78,00	48,36
MAURICE_PK_COMANDA-mod_11.09.2025_7:6	:7:6	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	817	737	1	0,60	M ²	78,00	46,80
MAURICE_PK_COMANDA-mod_11.09.2025_7:7	:7:7	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	817	690	1	0,56	M ²	78,00	43,68
MAURICE_PK_COMANDA-mod_11.09.2025_7:8	:7:8	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	842	690	1	0,58	M ²	78,00	45,24
MAURICE_PK_COMANDA-mod_11.09.2025_7:9	:7:9	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_8:1	:8:1	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	817	737	1	0,60	M ²	78,00	46,80
MAURICE_PK_COMANDA-mod_11.09.2025_8:10	:8:10	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_8:11	:8:11	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	690	842	1	0,58	M ²	78,00	45,24
MAURICE_PK_COMANDA-mod_11.09.2025_8:12	:8:12	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	690	817	1	0,56	M ²	78,00	43,68
MAURICE_PK_COMANDA-mod_11.09.2025_8:13	:8:13	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	837	817	1	0,68	M ²	78,00	53,04
MAURICE_PK_COMANDA-mod_11.09.2025_8:14	:8:14	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	842	837	1	0,70	M ²	78,00	54,60
MAURICE_PK_COMANDA-mod_11.09.2025_8:15	:8:15	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_8:16	:8:16	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_8:17	:8:17	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	842	837	1	0,70	M ²	78,00	54,60
MAURICE_PK_COMANDA-mod_11.09.2025_8:18	:8:18	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	837	817	1	0,68	M ²	78,00	53,04
MAURICE_PK_COMANDA-mod_11.09.2025_8:2	:8:2	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	842	737	1	0,62	M ²	78,00	48,36
MAURICE_PK_COMANDA-mod_11.09.2025_8:3	:8:3	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_8:4	:8:4	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_8:5	:8:5	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	842	737	1	0,62	M ²	78,00	48,36
MAURICE_PK_COMANDA-mod_11.09.2025_8:6	:8:6	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	817	737	1	0,60	M ²	78,00	46,80
MAURICE_PK_COMANDA-mod_11.09.2025_8:7	:8:7	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	817	690	1	0,56	M ²	78,00	43,68
MAURICE_PK_COMANDA-mod_11.09.2025_8:8	:8:8	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	842	690	1	0,58	M ²	78,00	45,24
MAURICE_PK_COMANDA-mod_11.09.2025_8:9	:8:9	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_9:1	:9:1	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	737	688	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_9:10	:9:10	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_9:11	:9:11	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	713	690	1	0,49	M ²	78,00	38,22
MAURICE_PK_COMANDA-mod_11.09.2025_9:12	:9:12	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	690	688	1	0,47	M ²	78,00	36,66
MAURICE_PK_COMANDA-mod_11.09.2025_9:13	:9:13	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	837	688	1	0,58	M ²	78,00	45,24
MAURICE_PK_COMANDA-mod_11.09.2025_9:14	:9:14	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	837	713	1	0,60	M ²	78,00	46,80
MAURICE_PK_COMANDA-mod_11.09.2025_9:15	:9:15	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_9:16	:9:16	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_9:17	:9:17	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	837	713	1	0,60	M ²	78,00	46,80
MAURICE_PK_COMANDA-mod_11.09.2025_9:18	:9:18	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	837	688	1	0,58	M ²	78,00	45,24
MAURICE_PK_COMANDA-mod_11.09.2025_9:2	:9:2	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	737	713	1	0,53	M ²	78,00	41,34
MAURICE_PK_COMANDA-mod_11.09.2025_9:3	:9:3	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_9:4	:9:4	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_9:5	:9:5	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	737	713	1	0,53	M ²	78,00	41,34
MAURICE_PK_COMANDA-mod_11.09.2025_9:6	:9:6	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	737	688	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_9:7	:9:7	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	690	688	1	0,47	M ²	78,00	36,66
MAURICE_PK_COMANDA-mod_11.09.2025_9:8	:9:8	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	713	690	1	0,49	M ²	78,00	38,22
MAURICE_PK_COMANDA-mod_11.09.2025_9:9	:9:9	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	761	672	1	0,51	M ²	78,00	39,78
MAURICE_PK_COMANDA-mod_11.09.2025_11:14	:11:14	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	933	1752	1	1,63	M ²	78,00	127,14
MAURICE_PK_COMANDA-mod_11.09.2025_12:14	:12:14	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	933	1978	1	1,85	M ²	78,00	144,30
MAURICE_PK_COMANDA-mod_11.09.2025_13:14	:13:14	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	933	1752	1	1,63	M ²	78,00	127,14

MAURICE_PK_COMANDA-mod_11.09.2025_7:19	:7:19	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	933	1681	2	3,14	M ²	78,00	244,92
MAURICE_PK_COMANDA-mod_11.09.2025_7:20	:7:20	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	933	1978	1	1,85	M ²	78,00	144,30
MAURICE_PK_COMANDA-mod_11.09.2025_8:19	:8:19	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	933	1681	2	3,14	M ²	78,00	244,92
MAURICE_PK_COMANDA-mod_11.09.2025_8:20	:8:20	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	933	1978	1	1,85	M ²	78,00	144,30
MAURICE_PK_COMANDA-mod_11.09.2025_9:19	:9:19	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	933	1423	2	2,66	M ²	78,00	207,48
MAURICE_PK_COMANDA-mod_11.09.2025_9:20	:9:20	IGU : 44.2 tentesol grey #2 / 16 mm WE, argon / 44.2 low-e #5	933	1978	1	1,85	M ²	78,00	144,30
GALIA OLIVE	ME20D/2	IGU : 8 mm 71/53 #2, tempered, arrised edges + 16 mm black WE, argon, poliurethane + 55.2 acoustic pvb, arrised edges	1907	1769	6	20,22	M ²	76,00	1536,72
GALIA OLIVE	ME20D/2	IGU : 8 mm 71/53 #2, tempered, arrised edges + 16 mm black WE, argon, poliurethane + 55.2 acoustic pvb, arrised edges	1907	1769	5	16,85	M ²	76,00	1280,60
GALIA OLIVE	ME20G2/1	IGU : 8 mm 71/53 #2, tempered, arrised edges + 16 mm black WE, argon, poliurethane + 55.2 acoustic pvb, arrised edges	1907	1769	1	3,37	M ²	76,00	256,12
GALIA OLIVE	ME21G1/1	IGU : 8 mm 71/53 #2, tempered, arrised edges + 16 mm black WE, argon, poliurethane + 55.2 acoustic pvb, arrised edges	1778	1689	1	3,00	M ²	76,00	228,00
GALIA OLIVE	ME20G1/1	IGU : 8 mm 71/53 #2, tempered, arrised edges + 16 mm black WE, argon, poliurethane + 55.2 acoustic pvb, arrised edges	1757	1769	1	3,11	M ²	76,00	236,36
GALIA OLIVE	ME21G2/1	IGU : 8 mm 71/53 #2, tempered, arrised edges + 16 mm black WE, argon, poliurethane + 55.2 acoustic pvb, arrised edges	1907	1689	3	9,66	M ²	76,00	734,16
GALIA OLIVE	ME20G1/2	IGU : 8 mm 71/53 #2, tempered, arrised edges + 16 mm black WE, argon, poliurethane + 55.2 acoustic pvb, arrised edges	1757	925	1	1,63	M ²	76,00	123,88
GALIA OLIVE	ME21G1/2	IGU : 8 mm 71/53 #2, tempered, arrised edges + 16 mm black WE, argon, poliurethane + 55.2 acoustic pvb, arrised edges	1778	925	1	1,64	M ²	76,00	124,64
GALIA OLIVE	ME21G2/2	IGU : 8 mm 71/53 #2, tempered, arrised edges + 16 mm black WE, argon, poliurethane + 55.2 acoustic pvb, arrised edges	1907	925	3	5,28	M ²	76,00	401,28
GALIA OLIVE	ME20G2/2	IGU : 8 mm 71/53 #2, tempered, arrised edges + 16 mm black WE, argon, poliurethane + 55.2 acoustic pvb, arrised edges	1907	925	1	1,76	M ²	76,00	133,76
GALIA OLIVE	ME22G/1	IGU : 8 mm 71/53 #2, tempered, arrised edges + 16 mm black WE, argon, poliurethane + 55.2 acoustic pvb, arrised edges	1907	967	4	7,36	M ²	76,00	559,36
GALIA OLIVE	ME22D/1	IGU : 8 mm 71/53 #2, tempered, arrised edges + 16 mm black WE, argon, poliurethane + 55.2 acoustic pvb, arrised edges	1907	967	2	3,68	M ²	76,00	279,68
GALIA OLIVE	ME20D/1	IGU : 8 mm 71/53 #2, tempered, arrised edges + 16 mm black WE, argon, poliurethane + 55.2 acoustic pvb, arrised edges	1907	925	11	19,36	M ²	76,00	1471,36
ALCONS CAZARMA	Fe 1/2	IGU : 6ESG (Temperable Solar Control Low-E Neutral 62/44) / 16 Alu WE; Ar 90% ,PU / 44.2	2583	1740	1	4,49	M ²	58,00	260,42
ALCONS CAZARMA	Fe2/2	IGU : 55.2 (silence) / 16 Alu WE; Ar 90% , PU / LowE 66.2 (silence)	2583	1220	1	3,15	M ²	86,00	270,90
ALCONS CAZARMA		IGU : 55.2 (silence) / 16 Alu WE; Ar 90% , PU / LowE 66.2 (silence)	2583	1220	1	3,15	M ²	86,00	270,90
LAUMIER	U2 ARC2(1)	SHAPED IGU : 44.6 Laminated, Annealed-10 mm air, poliurethane-4mm low E (thickness maximum 24 mm), BLACK SPACER	1969	717	1	1,41	M ²	92,50	130,43
LAUMIER	U2 ARC1(2)	SHAPED IGU : 44.6 Laminated, Annealed-10 mm air, poliurethane-4mm low E (thickness maximum 24 mm), BLACK SPACER	974	2567	1	2,50	M ²	92,50	231,25
LAUMIER	U2 ARC3(2)	SHAPED IGU : 44.6 Laminated, Annealed-10 mm air, poliurethane-4mm low E (thickness maximum 24 mm), BLACK SPACER	974	2567	1	2,50	M ²	92,50	231,25
SORIN GREU		88.2 Clear Laminated Glass, Polished Edges, Tempered	1789	1043	1	1,87	M ²	45,00	84,15
SORIN GREU		88.2 Clear Laminated Glass, Polished Edges, Tempered	2160	1043	1	2,25	M ²	45,00	101,25
SORIN GREU		88.2 Clear Laminated Glass, Polished Edges, Tempered	2248	1043	1	2,34	M ²	45,00	105,30
SORIN GREU		88.2 Clear Laminated Glass, Polished Edges, Tempered	2236	1043	1	2,33	M ²	45,00	104,85
SORIN GREU		88.2 Clear Laminated Glass, Polished Edges, Tempered	2181	1043	1	2,27	M ²	45,00	102,15
SORIN GREU		88.2 Clear Laminated Glass, Polished Edges, Tempered	1692	1043	1	1,76	M ²	45,00	79,20
SORIN GREU		88.2 Clear Laminated Glass, Polished Edges, Tempered	1890	1043	1	1,97	M ²	45,00	88,65
SORIN GREU		88.2 Clear Laminated Glass, Polished Edges, Tempered	1814	1043	1	1,89	M ²	45,00	85,05
SORIN GREU		88.2 Clear Laminated Glass, Polished Edges, Tempered	970	1043	1	1,01	M ²	45,00	45,45
SORIN GREU	E3	88.2 Clear Laminated Glass, Polished Edges, Tempered, SHAPED	620	2220	1	1,38	M ²	56,25	77,63
SORIN GREU		88.2 Clear Laminated Glass, Polished Edges, Tempered	1000	1510	1	1,51	M ²	45,00	67,95
GALIA OLIVE	ME20D	66.2 tempered clear laminated glass, polished edges	995	710	11	7,81	M ²	46,00	359,26
GALIA OLIVE	ME20G1	66.2 tempered clear laminated glass, polished edges	995	560	1	0,56	M ²	46,00	25,76
GALIA OLIVE	ME20G1	66.2 tempered clear laminated glass, polished edges	995	560	1	0,56	M ²	46,00	25,76

TOTAL CIP / ROMANIA

23.993,59 EUR

Incoterms 2020

Box : 26 pcs
Total Sqm : 370,87 kg
Total unit : 281 pcs
Net Weight : 14.403 kg
Gross Weight : 15.555 kg
Payment Term : Cash Against Goods
Place of Origin : Turkish
Shipped by : Truck

ACCOUNT NAME : YILDIZ CAM SAN.VE TIC. A.S.

Address : Dudullu OSB. 2. Cad. No: 37, 34776 Umraniye-Istanbul /Turkey
BANK : AKBANK
BRANCH : IMES DUDULLU TICARI
BRANCH NO : 876
IBAN :TR45 0004 6008 7603 6000 0228 13
SWIFT CODE : AKBKTRIS
ACCOUNT NO : 22813

This invoice, if the content and quality of goods are not objected to subsequent delivery in 15 days, has been accepted by your side.