Which one of the following representations is NOT proper for the N-Queen problem? (50p)


- a Permutation of N size
- b. Vectors of N integers
- Vectors of N real numbers
- (1) Binary


ee and also keep	1.0	w.	3		ģ	ij	Ŕ	i		7	į	Ž	R		4	ť	ÿ	à	è	6	ú	ij			
The state of the s	Aug.	90	19	Q	1		3	g	le,	g	١	å		7	ķ	į	3	ģ	P	ì	1	,			
The state of the s		15															٦								
		W																							

What is the fitness function for the previous problem? (50p)

- The number of queens placed on the same line
- b) The number of queens that attack each other
- The number of queens placed on the same column
- d. The difference in absolute value between the number of queens that attack each other on lines and the number of queens that attack each other on columns

Fuzzify the raw input data for a person of 25 years old. (250p)







4. Enumerate the elements that determine the probability for a new possible element to be added to the solution in an ant colony system. (150p)

phenomen path in oriented graph,

- 5. On what is based the ant colony system? (50p)
 - (a) An evolutionary schema
 - b. The pheromone trace left by
 - c. Identical with PSO
 - d. Inertia and speed
- 6. What are the main specific features of a particle in PSO optimisation? (50p)
 - (a) Velocity and trace
 - b. Current position and velocity
 - c. Fitness function
 - d. There is no specific feature
- What is a proper encoding for an individual in Genetic Programming? (50p)
 - a. depends on the problem
 - (b) a string of bits
 - c. a computer program that solve the given problem

All subjects are mandatory, if you write outside be consider





 Enumerate the element(s) that determine the probability for a new possible element to be added to the solution in an ant colony system. (150p)

																		•	۰	-	-	-	•	•	•	-	•	•	-			-					-
																					- *		•	7.	*	٠.	.,		- 3	*	×	.41	*	*	*	*	
	. 77											- 10	*	*	*	ķ.	* 1	,	. ,	i o		-	*	×	*					4							
***	-	-	-	-	-	-																															

3. What is a proper appeal.

- 8. Which one(s) of the following problems can't be solved by a perceptron? (50p)
 - (a) AND legie
 - b. OR legis
 - 6 XOR
 - any problem that implies a linear separation of a plane
- How is propagated the error into an artificial neural network who uses as learning algorithm back-propagation? (50p)
 - a. In both directions
 - You don't compute the error for this algorithm
 - In the same direction with the input signal
 - (d.) It propagates backwards
- 10. Using an ANN we want to determine if a shape from a black and white image is a circle or not. The image has 10x10 pixels, and the ANN has the structure of 101:15:10:2 with a sigmoid activation function.

What is the problem's type? (50p)

for classification

11. How many weights will have the last neuron from the last layer (50p)?

gum of parent

12. On what will depend the adjusting value of the weights if we use a backpropagation algorithm to train the network? (50p)

fronter with wight volues

- 13. Specify the correct statement(s) in a ruled based system in certain environments inference engine with Forward chaining (100p).
 - Facts are represented in a working memory which is continually updated.
 - The inference engine allows to draw new conclusions.
 - The actions usually involve adding or deleting items from the working memory.
 - d) The rules are of the form: left hand side (LHS) ==> right hand side (RHS).
- 14. Consider an evolutionary algorithm that is use to search the minimum of a real function that has a crossover operator

offspring = $parent_1 + \alpha(paren_2 - parent_1)$ with α in [0, 2].

Describe a possible pitfall if we use this crossover (50p):

15.	For a	Genetic	Program	ing a	algorithm
	identif	v the	correct	state	ement(s)

- (100p):

 a. Very hard to implement.
 - Convergence (complete, optimal) through global optima is slowly.
 - C The solution's quality depends on the precision of variables involved in the algorithm.
 - d The main advantage is that it doesn't depend on parameters.

- 13. Specify the correct statement(s) in a ruled based system in certain environments inference engine with Forward chaining (100p):
 - a. The inference engine allows to draw new conclusions.
 - b. Facts are represented in a working memory which is continually updated.
 - c. The actions usually involve adding or deleting items from the working memory.
 - d. The rules are of the form: left hand side (LHS) ==> right hand side (RHS).
 - 14. Consider an evolutionary algorithm
 that is use to search the minimum of
 a real function that has a crossover
 operator

offspring = $parent_1 + \alpha * (parent_2 - parent_1)$ with α in [0,2].

18

m

sine

hite

age

has

h a

Describe a possible pitfall if we use this crossover (50p):

7	K	2	5	S	1)	٧	e	11		1	0	1	0	F)) .										-	i		ł		٠			i	۰	۰	۱	۱	۰	١	١
																		×						·					×													
		20	349	2022		******			,,,,,,,,,	,,,,,,,,,,,								 		 	 *************************	 	 		 	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	>	>->	>	>		>	>	>	crossover (50p):	>

15. For a Genetic Programming algorithm identify the correct statement(s) (100p):

a walk ma edges hourself a grady on random or makely by direction, much makely and random or makely 17. For the following problem describe (NOT CODE) a solving method using evolutionar computation (representation, operators, fitness, selection) (400p). There is a set of cards printed with integer numbers. Select a subset in such a way the the sum of the numbers engraved on them should be M (or as closed of M as possible).