



OPERATIONS · AGRONOMY · ENOLOGY · HOSPITALITY · REGISTER

Tenuta Baiamonte

System Manual

Operations, agronomy, enology, hospitality, register, security, and recovery.

Release covered 1.6.81

Manual date 24 August 2026

Operational authority Vineyard Operations MariaDB

CONTENTS

System at a glance

This manual follows the live dashboard from everyday use through administration, recovery, and release verification.

- | | |
|--|---|
| 1. What the system is | 15. Messaging and document intake |
| 2. System map | 16. Alerts and operational status |
| 3. Users and permissions | 17. Maps, parcels, and Sentinel-2 |
| 4. First use and navigation | 18. TV, iPad, and kiosk displays |
| 5. Data authority and evidence rules | 19. Hospitality |
| 6. Intelligence pipelines and decision workflows | 20. Register |
| 7. Vineyard, harvest, and historical records | 21. Scheduled processes and recovery |
| 8. Harvest prediction logic | 22. MCP and Codex integration |
| 9. Treatments and safety | 23. Security and privacy |
| 10. Laboratory reports | 24. Troubleshooting |
| 11. Cellar and tank labels | 25. Release 1.6.50 operational snapshot |
| 12. Olive oil records and cost logic | Appendix A. Complete release coverage: 1.6.0-1.6.81 |
| 13. Labor, contractor invoices, and payments | 26. Glossary |
| 14. Finance | 27. Operating principle |

This manual describes what the Baiamonte system does, how staff use it, how its calculations and predictions work, how data moves between services, and how to recognize and recover from problems. It is written for owners, vineyard staff, cellar staff, accountants, agronomists, kiosk users, and technical administrators.

OPERATING REFERENCE

1. What the system is

Tenuta Baiamonte Vineyard Operations is a private estate-management system hosted as a Home Assistant add-on. It combines vineyard work, harvest, cellar, laboratory, weather, treatment, labor, payment, olive-oil, hospitality, messaging, alert, map, and forecasting functions in one controlled interface.

The core rule is simple:

MariaDB is the operational authority. Historical workbooks, messages, notes, emails, and laboratory documents are evidence sources, not live databases.

Imported evidence is reviewed, normalized, and written to MariaDB. The dashboards, predictions, labels, payment views, and reports read from MariaDB. The old workbooks are not consulted during normal operation.

System goals

- Give each role a useful, limited view of the estate.
- Preserve historical records by year and vintage.
- Distinguish facts, estimates, forecasts, and unresolved questions.
- Keep treatment and cellar decisions under human approval.
- Make labor approval and payment auditable.
- Use free, credential-free environmental sources where practical.
- Continue operating through temporary source outages using stored last-good data.
- Keep secrets in protected Home Assistant add-on configuration.

OPERATING REFERENCE

2. System map

Component	Purpose	Authority / access
Home Assistant	Users, devices, dashboards, cameras, weather entities, Supervisor	Home Assistant accounts
Vineyard Operations	Main web interface and business logic	Home Assistant Ingress
Hospitality	Private tastings, dinners, guest readiness, deposits, and communication history	Hospitality Manager or Administrator
Register	Tablet-oriented sales, sellable inventory, receipts, and monthly transaction ledger	Register, Cashier, Hospitality Manager, or Administrator
MariaDB	Sole operational database	Add-on network only
Baiamonte MCP	Controlled Codex and automation bridge	Bearer token; local/VPN
Vineyard TV	Read-only rotating operational display	Viewer profile
iPad dashboard	Larger touch operations dashboard	ipad viewer profile
Cellar labels	Tank identity, live readings, charts, legal identity	Enrolled kiosk URLs
Gmail intake	Email and attachment review queue	Protected mailbox credentials
WhatsApp	Approved inbound/outbound operational messaging	Meta or system bridge credentials
Fatture in Cloud	Read-only accounting mirror	Protected read-only token
Public harvest feed	Approved public harvest dates only	Optional publication token

Network addresses

- Home Assistant: `http://192.168.0.10:8123`
- Vineyard Operations direct service: `http://192.168.0.10:8101`
- Baiamonte MCP: `http://192.168.0.10:8100/mcp`

Use Home Assistant Ingress for normal staff access. Direct local addresses are intended for service integration, diagnosis, enrolled displays, and VPN use.

OPERATING REFERENCE

3. Users and permissions

Administrators

Administrators can manage system configuration, users, process controls, messaging, labor approval, payroll, documentation, and diagnostics. Administrative access should remain limited to trusted owners or system managers.

Operations users

Operations users can manage vineyard work, harvest, cellar records, laboratory review, olives, treatments, issues, and operational intake. They do not automatically receive full finance or system-configuration access.

Finance users

Finance users can view the read-only Fatture in Cloud mirror, invoices, payments, expenses, and financial reports. Finance information is intentionally excluded from shared TV and kiosk feeds.

Worker users

Worker accounts use a simplified personal portal to clock in and out, enter services or expenses, attach evidence, see review status, and view approved history. A worker cannot approve or pay their own record.

Viewer users

The display, tv, and ipad profiles are read-only. They do not receive finance data or administrative controls.

Hospitality Managers

Hospitality Managers can manage private tastings and dinners, guest requirements, quotes, deposits, confirmations, arrival, and completion. They do not automatically receive vineyard write, finance, payroll, or system-administration access.

Register and Cashier users

Register and Cashier users can sell the read-only Fatture in Cloud product catalog, local hospitality packages, and authorized manual items. They can apply a line discount, choose EUR or USD tender, select the Italian or US PayPal Business account, print a non-fiscal operational receipt, and export the monthly local ledger. They do not automatically receive finance, payroll, vineyard-write, or administration access.

Home Assistant People and Users are authoritative for identity, display name, username, profile picture, and presence. Vineyard Operations is authoritative for estate access level, operational role, approval authority, and hospitality permissions. An administrator should assign access and roles in **Admin -> People** rather than creating a second identity.

OPERATING REFERENCE

4. First use and navigation

- 1 Sign in to Home Assistant with the appropriate account.
- 2 Open **Vineyard Operations** from the sidebar.
- 3 Choose **Operations**, **Agronomy**, **Enology**, **Hospitality**, **Register**, or **Admin** from the top workspace switch. Only authorized workspaces are shown.
- 4 Choose the working year. Year selection changes the harvest, laboratory, weather comparison, labor, treatment, olive, and historical context.
- 5 Use the main sections for daily work; use Administration only for configuration or audit tasks.
- 6 Treat yellow or amber items as uncertain or awaiting review. Treat red items as active exceptions, not automatically as failed equipment.

Changing the working year keeps the current workspace and page open. For example, changing vintage while viewing Enology -> Laboratory refreshes Laboratory for that vintage; it does not move the user to Operations. A page can explicitly show the latest earlier vintage when the selected year has no measurements, but it must label that fallback and must not present it as current-year evidence.

Agronomy and Enology each have a dedicated **Admin** page. Daily pages contain operational evidence and actions; area configuration is kept in that area's Admin page so settings have one authoritative home. Agronomy Admin contains product evidence and catalog overlays plus sprayer calibration. Enology Admin contains the tank register, label-tablet provisioning, blend planning, cellar thresholds, packaging and annual winemaking settings. The operational pages link to these settings without duplicating editable controls.

Main work areas

- **Today:** current work, recent work, estate status, weather, and alerts.

- **Vines / Harvest:** variety status, harvest plans, actual picks, predictions, and vintage history.
- **Treatments:** forecasts, planned work, approvals, completed applications, and safety evidence.
- **Cellar:** wine lots, vessels, readings, operations, labels, and tank assignments.
- **Labor / Payroll:** work records, approval, contractor invoices, deposits, and payments.
- **Olives:** harvest and oil history, conversion efficiency, cost assumptions, and YoY charts.
- **Laboratory:** reports, vintage assignment, analytes, trends, review, and decision support.
- **Atlas:** cadastral parcels, vineyard blocks, terraces, nursery data, and map geometry.
- **Intelligence:** weather, GDD, seasonal comparisons, prediction evidence, disease pressure, and outlooks.
- **Hospitality:** private experiences, packages, bookings, guest readiness, deposits, and communication history.
- **Register:** tablet sales, sellable inventory, receipts, transaction exports, PayPal account selection, and register settings.
- **Inbox / Messaging:** Gmail and WhatsApp intake, review, contacts, delivery, and replies.
- **Alerts:** current operational alerts and delivery settings.
- **Administration:** process health, users, integrations, logs, documentation, and update controls.

OPERATING REFERENCE

5. Data authority and evidence rules

Every value should be understood as one of four types:

- 1 **Fact:** a confirmed measurement or completed event.
- 2 **Estimate:** a calculated value based on stated inputs.
- 3 **Forecast:** a future projection with confidence and evidence.
- 4 **Unresolved:** missing, conflicting, or awaiting human verification.

Blank database values mean **unknown**, not zero. The system should never silently convert a missing quantity into zero.

Evidence flow

- 1 A message, email, note, document, sensor reading, or manual entry arrives.
- 2 The item is stored with its original evidence.
- 3 Automated extraction may propose structured records.
- 4 A person reviews material changes.
- 5 Approved facts are saved to MariaDB with an audit trail.
- 6 Dependent dashboards and models are refreshed.

Vintage assignment

Laboratory and cellar reports are assigned to the correct vintage rather than merely the document year. Reports that cross calendar years stay with the wine vintage they describe. Explicit vintage labels and linked wine lots take precedence; inferred assignments remain marked with confidence and evidence.

OPERATING REFERENCE

6. Intelligence pipelines and decision workflows

The intelligence layer is a collection of evidence pipelines, not one autonomous decision maker. Each pipeline receives evidence, creates a traceable calculation or proposal, identifies missing information, and hands the result to the person or record that has authority. The system may use a provisional result while review is pending only where the workflow explicitly allows it; it never converts a prediction into a completed event.

Common intelligence contract

Every intelligence result carries the same operating context:

- **Source and timestamp:** where the evidence came from and when it was observed.
- **Scope:** estate, zone, block, parcel, variety, lot, tank, reservation, person, or financial document.
- **Evidence state:** original attachment or message, extracted facts, conflicts, and missing inputs.
- **Calculation state:** model/rule version, result, range, confidence, and explanatory factors.
- **Authority state:** draft, proposed, approved, completed, rejected, superseded, or unresolved.
- **Audit state:** who reviewed or changed the result and what downstream records were refreshed.

An approved fact remains separate from the next system proposal. Recalculation can create a new proposal, but it does not silently overwrite an agronomist-approved loss, an approved treatment, a confirmed harvest plan, a reviewed laboratory result, a sent guest message, or an accounting document.

Master evidence router

```
New evidence
|
+-- hail / frost / wind / physical injury
|   -> damage event chain -> yield impact proposal
|
+-- mildew / mold / pest / disease symptom
|   -> disease pressure -> treatment review
|
+-- phenology / berry maturity / grape laboratory result
|   -> harvest readiness -> harvest forecast
|
+-- wine or must laboratory result
|   -> enology review -> lot and cellar history
|
+-- weather observation or forecast
|   -> disease, treatment timing, harvest and alerts
|
+-- email / message / uploaded document
|   -> extraction review -> approved domain record
```

The submitter chooses the observed condition and growth stage from controlled lists. The router preserves the original evidence and can attach a new observation to an existing issue chain, such as the estate-wide 2026 hail event, instead of creating a duplicate event.

Damage assessment and forecast-impact pipeline

Damage intelligence estimates crop impact while keeping the system estimate independent from the agronomist's final decision. Estate-wide means 100% geographic coverage of the estate; it does not mean 100% yield loss.

```
Event or follow-up report
-> identify event chain and geographic scope
```

- > evaluate structured scouting and optional photos
- > calculate AI loss %, range and confidence
- > compare with earlier reports and approved final
- > create a new proposal for the chain
- > agronomist reviews and approves or edits
- > approved chain final adjusts the harvest forecast

Each report card shows the result produced by that report. The chain summary shows the current system proposal, the latest approved agronomist value, and the percentage currently used by forecasting. Follow-up reports refine the chronological assessment; they do not rewrite the historical result of an earlier card. Until an updated proposal is approved, the last approved chain final remains authoritative. If no agronomist value exists yet, the clearly labelled provisional AI value may feed planning with its confidence range.

Disease pressure and treatment pipeline

Weather, disease pressure, field scouting, crop, growth stage, treatment history, product evidence, inventory, sprayer configuration, and harvest clearance operate as one decision chain. Vineyard and olive programs are evaluated separately.

- Weather + field evidence + crop stage + treatment cadence
 - > calculate disease/stress pressure by target
 - > decide whether review is needed
 - > screen crop-authorized products and support products
 - > check season, target, rate, PHI/REI and compatibility
 - > calculate homogeneous mixture and sprayer batches
 - > compare required quantity with the inventory ledger
 - > find a defensible application window
 - > agronomist approves product, date and instructions
 - > operator records the completed application

The output can contain a primary disease-control product plus justified nutrition, wound support, wetting, resistance-management, or other support products. A product is included only when its current label/formulation evidence supports the crop, target, rate, unit, timing, and combination. Separate passes are shown when same-tank compatibility is not verified. Every prepared tank is treated as a homogeneous mixture under agitation.

The treatment simulator replays the same evidence and rules for a hypothetical or historical date but saves nothing and authorizes nothing. It shows the proposed products, amounts, batches, timing, evidence gaps, on-hand stock, shortage, and total required inventory. A negative stock ledger is permitted when completed use precedes a delayed invoice; the shortage remains an operational issue until a receipt nets it or an authorized person resolves it as not needed for the rest of the season.

For Baiamonte vineyard work, the default operating picture is one pass over the complete selected vineyard area using 400 L total carrier, prepared as two 200 L fills with the same approved recipe. The simulator adds only products supported by the current target, field evidence, crop stage, historical Agronomist pattern, inventory and label rules. It does not add a nutrition, support or disease-control product merely because the product exists in inventory. When exact same-tank compatibility is not recorded, the program remains blocked or separates the pass for Agronomist review.

The disease model recalculates pressure from GW2000 temperature, humidity, rainfall, leaf wetness when available, soil moisture when available, wind, solar conditions, phenology, maturity evidence, localized scouting and recent treatment context. Weather is the principal rationale for timing, while field evidence determines whether pressure is actually actionable. The model also creates disease-onset forecasts, block-specific calibration, spray-window evidence, expected product duration, retreatment cadence and resistance-rotation review. These learned outputs remain provisional until sufficient reviewed outcomes exist.

Agronomist review records the accepted risk level or corrected score and the reason. Paired pre/post-treatment scouting links the last comparable observation before treatment with the first comparable observation after treatment. Only these field-observed pairs can train effectiveness by disease, mixture, dose, block and weather; reconstructed weather pressure is context, not proof of treatment success.

AI and learning supervision

Admin -> AI is the full monitoring page for learning processes. It shows model version, data-through date, evidence counts, represented seasons, validation method, measured accuracy or error, data-quality findings and release gates. A model can be active while remaining review-gated. Low accuracy, too few seasons, missing Agronomist decisions or missing paired outcomes must be shown as limitations rather than converted into confidence.

Current learning processes include laboratory vintage projection, harvest-date learning, Agronomist treatment-pattern learning, disease-pressure calibration, disease onset, treatment effectiveness, product duration and retreatment cadence, FRAC rotation, young-vine nutrition, block disease calibration, spray-window learning and automated data-quality detection. New treatment, scouting, laboratory and Agronomist-review evidence rebuilds the connected learning records and feeds the live Agronomy, Treatments, Laboratory, Harvest, Alerts, WhatsApp and Admin views. Human approval boundaries remain authoritative everywhere.

The cistern camera remains an always-on local RTSP and Eufy source. Its scheduled level check briefly enables the camera's paired light when needed, extracts one current frame from the continuous local stream, restores the prior light state and leaves the stream untouched. A bridge-generated still and then a sleeping-source wake-up are fallbacks only. Camera AI remains the operational visual estimate while the local shadow model learns side by side. Repeated frames and repeated percentages do not satisfy the release gate: the panel separately reports unique frames, observed changes, distinct accepted levels and the recorded level range. A physical gauge or confirmed dip measurement remains the preferred calibration reference whenever one is available.

Vineyard North also supports a protected local RTSP source for future fixed-view visual evidence. Suitable future uses include coarse canopy-color change, storm or hail aftermath, smoke, obstruction and scene-change screening. The distant view must not be treated as proof of a disease, pest, phenology stage or treatment need; any such finding remains advisory and must be confirmed by localized scouting or the Agronomist.

Harvest prediction pipeline

```

Historical harvest dates and GDD model
+ current weather and ensemble spread
+ phenology, scouting and maturity samples
+ reviewed grape laboratory chemistry
+ damage-chain approved/provisional loss
+ treatment PHI, work readiness and cellar capacity
-> variety forecast date/window and yield range
-> confidence, evidence age and missing-input warnings
-> authorized harvest plan
-> actual pick record becomes the historical fact

```

The learned model retrains when authoritative evidence changes and reports represented years, training count, back-test error, confidence, and important factors. On-site weather and verified field/laboratory evidence carry the operational weight. Open-Meteo ensemble spread expresses near-term uncertainty; SIAS validates regional conditions; Sentinel-2 supplies block-level vegetation trends; ECMWF seasonal anomalies support early planning only. None of the external sources can independently order a pick.

Laboratory ingestion and enology pipeline

```

Original report or image
-> retain viewable source
-> detect every sample section on every page
-> extract sample/lot, Annata, analytes, values and units
-> split multi-sample reports into linked result groups
-> assign grape variety, wine lot and vintage
-> compare source/result signature for duplicates
-> human review of conflicts and assignments
-> save once -> refresh harvest or enology intelligence

```

Annata normally means the wine vintage. A report date in the following calendar year does not move the result to the newer vintage. For grape samples, variety and sample date route the result to harvest readiness. For must and wine samples, the linked lot and vintage route it to enology and cellar history. Exact source/result signatures prevent a report or extracted result from being imported twice.

Messaging and document-ingestion pipeline

Gmail / WhatsApp / Apple message / uploaded document

- > store source and sender context
- > classify likely domain and extract explicit facts
- > show uncertainty, conflicts and proposed records
- > reviewer approves, corrects or rejects
- > approved record enters its domain pipeline
- > replies or notifications require an explicit send action

If no explicit facts can be supported, the item stays in review instead of generating a guessed record. Messages cannot complete treatments, clear reminders, approve payments, alter harvest dates, or create financial facts merely because their wording resembles an action.

Hospitality inquiry, reservation and partner-commission pipeline

Matched inbound subject or manual inquiry

- > guest inquiry and response history
- > reservation conversion and availability check
- > optional partner assignment and commission rule
- > estimated commission while the visit is tentative
- > earned/due commission when the qualifying visit is confirmed
- > approval -> one or more partner payments
- > paid/void state and Finance payable reconciliation

Partners are managed as hospitality business records with contact, tax/payment notes, default commission method, rate, and active state. Each reservation keeps its own commission snapshot so later partner-rate changes do not rewrite history. Estimated commissions are not Finance payables. Only earned due, approved, or partially paid balances enter the payable view; cancelled or disqualified reservations void the commission while preserving the audit trail.

Alert and operational-action pipeline

Sensor, scheduler, inventory or database condition

- > evaluate threshold and evidence freshness
- > create/update one durable alert
- > rank by severity and route configured copies
- > show the same authoritative state on web and TV
- > clear only when the measured condition or owner action resolves

Alerts are durable database records. Delivery channels send copies; they do not own alert state. A reminder, work-plan item, or notification cannot be marked satisfied by an unrelated duplicate or stale completion.

Decision authority summary

Pipeline	System may calculate	Final authority
Damage	Provisional loss, range, confidence, trend	Agronomist-approved chain final
Treatments	Pressure, products, mixture, stock gap, date window	Agronomist approval and completed application record
Harvest	Variety date/window, yield range, confidence	Authorized plan; actual pick is final fact
Laboratory	Extraction, sample grouping, vintage proposal, duplicate check	Reviewed saved result and linked lot/vintage
Messaging	Classification and proposed records	Human review and explicit send/save action
Hospitality	Availability, lifecycle prompts, commission calculation	Authorized reservation and commission/payment actions
Alerts	Detection, severity, routing and automatic clear evidence	Authoritative measured state or explicit resolution

OPERATING REFERENCE

7. Vineyard, harvest, and historical records

Harvest records

The system stores planned quantities separately from actual harvest lots. Actual pick dates, weights, crates, blocks, varieties, and source evidence drive historical reports and forecasting.

A single picking lot can include multiple legal cadastral parcels. Select every contributing parcel when recording the pick; the database keeps each parcel as a separate authoritative relationship rather than combining the references into notes. When that picking lot is transferred into a cellar lot and tank, every linked parcel follows the trace automatically. Additional picking lots can enter the same tank and their fruit and must quantities accumulate.

Each live and printed tank label lists the deduplicated legal provenance for its current wine lot: municipality, cadastral sheet, parcel number, vineyard area, tenure, and contract protocol when recorded. The label derives this list from the retained harvest-to-tank trace and does not require the parcel information to be typed again.

Authoritative harvest dates currently include:

Vintage	Grecanico	Grenache	Nerello
2023	23 Sep	24 Sep	8 Oct
2024	11 Sep	23 Sep	23 Sep
2025	11 Sep	17 Sep	23 Sep

The 2024 Grenache and Nerello harvest date is shared. Earlier conflicting date lists were discarded by owner instruction.

Year switching

Changing the year must change the visible harvest, work, laboratory, treatment, weather, olive, labor, and financial context. Current live data and historical evidence use the same database, so comparisons do not depend on reopening old workbooks.

OPERATING REFERENCE

8. Harvest prediction logic

Harvest predictions are decision support, not autonomous picking instructions. Sebastian or another authorized person confirms the operational decision.

Authoritative inputs

- Confirmed historical pick dates by variety.
- On-site GW2000 weather history.
- Base-10 growing degree days (GDD).
- Current deterministic weather forecast.
- Fresh ensemble forecast spread.
- Variety-assigned grape laboratory results.
- Maturity samples, phenology, and field reports.
- Treatment clearance and pre-harvest intervals.
- Work readiness and cellar capacity.
- Historical model error and year-over-year behavior.

GDD calculation

Daily GDD uses:

$$\max(0, ((\text{daily minimum } C + \text{daily maximum } C) / 2) - 10)$$

If minimum and maximum are unavailable, an approved daily-mean fallback may be used and is labeled. The calculation accumulates from the configured season start and is compared with variety-specific historical behavior.

Learned-model behavior

The learned model uses prior vintages as training evidence. It reports training sample count, represented years, confidence, and back-tested mean absolute error. It is recalculated when authoritative evidence changes.

New grape laboratory results, maturity samples, phenology observations, harvest plans, treatment changes, or harvest records create a durable refresh request. The scheduler processes the request rather than waiting for the normal full prediction interval.

Laboratory influence

Fresh, reviewed, variety-assigned grape laboratory data can affect readiness. Unreviewed reports or grape results older than 21 days cannot directly move the date. As harvest approaches, laboratory chemistry and field maturity receive more weight than coarse seasonal outlooks.

External sources and limits

Source	Use	Restriction
Open-Meteo ensemble	Near-term uncertainty and forecast spread	Automatic date influence bounded to plus/minus one day
SIAS regional data	Independent validation	Does not replace the on-site station
Sentinel-2	Parcel/block vegetation trend evidence (NDVI, NDRE, LAI estimate)	Cannot independently select a picking date
ECMWF seasonal	Early rainfall and temperature planning	Coarse scale; cannot set an exact date

The system uses free data without required credentials for these sources. Sentinel processing currently recognizes seven verified cadastral parcel polygons and reports the geometry scope explicitly.

OPERATING REFERENCE

9. Treatments and safety

The treatment workflow is **plan -> review -> approve -> apply -> record**.

- A forecast or model recommendation is not an approved treatment.
- A planned treatment is not a completed application.
- Completion requires actual date, product, rate, area, operator, and safety evidence when applicable.
- Agronomist review remains required for disease and treatment recommendations.
- Pre-harvest and re-entry intervals must be preserved.
- Missing safety detail is visibly flagged rather than guessed.

Projection configuration

The Home Assistant add-on configuration provides two planning defaults:

- `treatment_planning_water_l`: the provisional total carrier-water volume. It defaults to 400 L and can be changed in the Treatments page for a live calculation.
- `treatment_default_sprayer`: the name, model, or internal ID of the preferred active spray-equipment profile. The Treatments page also provides a selector when more than one profile exists.

Sprayer capacity, usable fill, nozzle setup, flow, pressure, travel speed, carrier rate and calibration status remain database equipment records. A nominal tank size may split a projection into batches, but the proposal remains blocked until the actual usable fill and field calibration are verified. Product projection requires a verified formulation, estate authorization, current crop/target use, documented rate and compatible units. Water-based and per-hectare rates are calculated directly; density or mass/volume conversions are never guessed. Products with incomplete directions remain visibly marked as needing configuration and are not automatically included.

Current source-backed product directions include these explicit method limits:

- Frontiere: vineyard foliar support at 0.75–1.00 L/ha; it is not automatic disease control.
- Ferticus 18 M: vineyard foliar nutrition at 300–500 g/100 L. The system preserves this as a mass rate and never displays it as millilitres.
- TerraPlus Solub NPK 8-7-6: 15–30 kg/ha per pass as a separate, localized soil-directed spray (or fertigation). It must not be presented as a canopy spray, must not be mixed automatically with crop-protection products, and its mother solution must not be acidified or mixed with calcium.
- Ossiclor 20 Blu Flow: vineyard copper application at 1.7–4.2 L/ha under the current authorized use, with crop stage, annual copper limits, PHI, weather, PPE and Agronomist approval checked before use.

Support and nutrition products remain unselected by default. A risk score alone never adds them to a treatment. Every projected use continues to require the current container directions and human approval.

The current audit has no open treatment safety-gap failures. Seven older applications remain explicitly restricted historical evidence because contemporaneous label, calibration or exact-use facts cannot be reconstructed. Restricted history may inform chronology but cannot be reused as verified safety evidence.

Fertilizer and young-vine nutrition separation

Fertilizer procurement shows land and whole-vineyard soil products only. Vine foliar products do not belong in that procurement list. TerraPlus is reserved for the mapped section of small, young vines and appears in the young-vine nutrition evidence instead of the general fertilizer recommendation. The system may recommend TerraPlus only when mapped vine age plus recorded weak growth, chlorosis, establishment stress, verified deficiency, tissue evidence or soil evidence supports review. It never recommends TerraPlus simply because it was purchased or is on hand.

OPERATING REFERENCE

10. Laboratory reports

The laboratory section stores original reports, sample identity, vintage assignment, matrix, variety or lot linkage, analytes, values, units, review state, and interpretation.

Correct operating sequence

- 1 Import or upload the original report.
- 2 Confirm sample name, sample type, report date, and vintage.
- 3 Link grape reports to a variety and wine reports to the correct lot when possible.
- 4 Check units and decimal interpretation.
- 5 Review extracted results.
- 6 Save the review decision.
- 7 Allow the prediction or cellar decision-support refresh to run.

The current finding card analyzes only the newest measured report for the selected vintage and states its source and review boundary. The measured trajectory and projected endpoint compare only the same normalized wine identity, sample type, process stage, analyte and unit. Historical endpoints use the final matching measured result from each earlier vintage. AI-assisted values are recalculated when a new numeric result arrives and are constrained to physically possible nonnegative values. An approved marker is displayed separately from a prediction and is never invented when a variety standard has not been configured.

Historical names are normalized for comparison while the original source label is retained. Nerello, Nerello Mascalese, Narello Macalase and vintage-suffixed forms refer to the same Nerello Mascalese identity. Documented Grecanico/Bianco-Grecanico and Grenache spelling variants are handled similarly. Grape, must, wine and other sample types remain separate and are not merged merely because their names match.

The durable laboratory model stores each prediction at its historical cutoff and scores it only against a later actual result. Future measurements never enter an earlier prediction input. Direction accuracy below the release threshold keeps projections review-gated. Nine laboratory records are currently flagged for genuine source review; the authoritative report index has no missing, incomplete, wrong-type or duplicate sample groups after normalization.

OPERATING REFERENCE

11. Cellar and tank labels

The cellar module tracks physical containers, wine lots, volume, phase, manual or sensor readings, and operations. A planned container assignment is not the same as physical occupancy.

Tank labels

Each physical tank keeps a stable label URL. Changing the assigned wine updates the label contents without changing the tank URL. Labels include:

- Tank identity and correct vessel type.
- Capacity, contained volume, and calculated level.
- Wine/vintage/lot information.
- Recent temperature, density, Brix, and pH readings.
- Small recent-reading charts when space permits.
- Legal company identity and cellar contact.
- Browser favicon, Apple touch icon, and Android/PWA identity.
- Responsive layouts for different tablet sizes and print layouts.

Cellar displays are enrolled inside the VPN. They can then operate through the approved outside connector. The direct Nabu Casa address is the preferred outside label route; the URL remains available as a backup when QR provisioning is unsuccessful.

OPERATING REFERENCE

12. Olive oil records and cost logic

The olive section compares harvested olive weight, oil liters, conversion efficiency, total modeled cost, and cost per liter by year.

Confirmed 2024 result

- Olives: 332 kg
- Oil: 40 L
- Conversion: 8.3 kg olives per liter
- Oil yield: 12.048 percent by the system's liters-per-kilogram comparison

Editable 2024 cost assumptions

- Pressing: EUR 0.20 per kg of olives.
- Bottle and label: EUR 2.30 per 500 ml bottle.
- Planned bottles: 220.
- Supplier invoice: EUR 751 net plus 22 percent VAT.
- Annual labor: EUR 1,000.
- Harvest labor reference: EUR 540 at EUR 7 per tree, included in annual labor by default.

The supplier invoice is treated as including pressing and bottling by default, preventing duplicate cost counting. The correct formulas produce:

- Pressing component: $332 \times \text{EUR } 0.20 = \text{EUR } 66.40$.
- Bottling component: $220 \times \text{EUR } 2.30 = \text{EUR } 506.00$.
- Supplier gross: $\text{EUR } 751 \times 1.22 = \text{EUR } 916.22$.
- Total with annual labor: $\text{EUR } 916.22 + \text{EUR } 1,000 = \text{EUR } 1,916.22$.
- Cost per actual oil liter: EUR 47.91.

- Actual 500 ml bottle equivalents from 40 L: 80.

The planned 220 bottles require 110 L, so they exceed the confirmed 2024 oil volume by 70 L. Cost assumptions can be edited and saved per year.

Olive harvest outlook

The Olive page displays an estimated harvest date and uncertainty window from exact Baiamonte olive harvest dates stored in MariaDB. Year-only notes are excluded. With only a small number of exact seasons, the system correctly reports low confidence. A current-year recorded harvest date replaces the estimate and is labeled as an actual date. The calendar estimate is planning support only; fruit maturity, oil accumulation, crop condition, weather, and mill availability still require field confirmation.

Separate olive treatment program

Every treatment belongs to either **Vineyard** or **Olives**. The two histories, forecasts, summaries, entry controls, learned weather precedents, effectiveness profiles, duration profiles, spray-window profiles, and FRAC-rotation sequences are separate. Vineyard disease-pressure scores and learned treatment cases are never reused to predict an olive treatment.

The olive treatment workspace screens **olive fruit fly** and **olive peacock spot** from the current weather, olive stage, trap or fruit findings, visible leaf symptoms, treatment history and paired before/after scouting. Weather may open a monitoring window, but it cannot select a product by itself. A calculated olive program requires matching field evidence, a current reviewed Italian olive crop-and-target use, a verified formulation and rate, exact grove area, sprayer and carrier configuration, inventory reconciliation, PHI clearance, compatible mixture evidence and Agronomist approval. The simulator supports current and historical olive scenarios, displays one-pass batch recipes, and saves nothing until an operator records and approves a plan.

The recorded 2026 olive treatment is retained with its exact products, dose basis, water volume, and calculated totals. Historical 2025 workbook entries are retained as completed olive work, but their missing products, doses, target, and safety details remain visibly unverified.

The system can suggest what to apply only after a database record confirms the exact crop, target, current Italian authorization, recent label verification, dose range, PHI, REI, and related restrictions. If those fields are incomplete, the product recommendation fails closed. The Agronomist must approve every candidate before application.

OPERATING REFERENCE

13. Labor, contractor invoices, and payments

Labor and contractor records move through review and payment states. Hours, fixed services, reimbursements, and invoice payments are stored separately enough to preserve an audit trail.

Standard workflow

- 1 Worker or manager records hours, service, expense, or invoice evidence.
- 2 The record is submitted for review.
- 3 An administrator corrects or approves it.
- 4 Approval locks the payable basis.
- 5 One or more deposits or payments can be recorded against an invoice.
- 6 The payment ledger determines paid, part-paid, or unpaid status.
- 7 Fully paid items do not reappear in the payment queue.

The current payment-integrity audit shows no paid-ledger mismatches, no fully paid items reappearing, no partial-payment status errors, and no verification holds. Six non-payable records are marked paid; they are tracked as a data-quality category and do not create a current payment mismatch. The formerly future-dated labor entry was corrected and is no longer an open source-review exception.

OPERATING REFERENCE

14. Finance

Fatture in Cloud is mirrored read-only. Vineyard Operations does not write back to the accounting provider. Finance access is limited to authorized finance users and is excluded from TV, kiosk, and public feeds.

Use the Finance section to review documents, parties, VAT context, balances, payment status, linked labor/service liabilities, and earned hospitality partner commissions. Tentative partner estimates are excluded from payable totals. Do not use the public dashboard as an accounting ledger.

OPERATING REFERENCE

15. Messaging and document intake

Gmail

Email has its own Admin -> Email tab, separate from operational Messages. The mailbox loads from the database cache first so opening the page does not wait for Gmail. Scheduled or manual receive refreshes update that cache, folders and hospitality routing. Inbox, spam and trash actions preserve Gmail identity and audit state; permanent deletion requires the explicit delete action. The system can classify vineyard information, extract proposed records, and prepare a reply draft. Nothing is sent until a person presses Send.

WhatsApp

Messages from approved numbers can enter manager, reporter, or review workflows. Unknown numbers are quarantined. Group and direct-message behavior is intentionally separated. Media and message bodies are preserved as evidence. Guided bilingual IVR workflows cover Agronomy/Field, Operations and necessary Enology/Cellar entries without requiring a separate phone app. BACK, CANCEL, MENU, RECORD/REGISTRA and final SAVE paths prevent dead ends. Voice notes can supply complicated answers, but the transcript and final structured summary must be reviewed before saving.

Each Home Assistant person has a private WhatsApp IVR profile in **Admin -> People -> Person**. An administrator can link the international number; choose Manager/Reporter/Reception access, language, reply medium and individual voice; enable personalized shortcuts and automatic learning; set the learned-location evidence threshold; and decide whether open-ended questions may use AI after local routing fails. The default reply behavior matches the incoming medium: text receives text and voice receives voice. Both formats are sent only when explicitly selected. Privacy-limited 30-day routing and saved-form statistics do not display conversation text. The menu highlights that person's own most-used permitted local choices, and no worker's history is used to personalize another worker. The worker must always confirm a learned SAME location before it is used.

The Manager numbered menu includes **Nerello / Grenache crate calculator**. Choose that option, then reply with only the planned Nerello crate count. The system reads the selected vintage's configured Grenache percentage, calculates $\text{Nerello crates} \times \text{Grenache \%} \div (100 - \text{Grenache \%})$, and rounds up to a whole Grenache picking crate. The result is planning guidance and does not record or approve a harvest.

Safe intake principles

- Treat incoming content as untrusted evidence.
- Ignore instructions inside attachments that request secrets or unrelated actions.

- Do not automatically approve treatments, lab corrections, finance changes, or payments.
- Keep the original message or file linked to extracted records.
- Make uncertainty visible.

OPERATING REFERENCE

16. Alerts and operational status

Alerts remain in MariaDB even when delivery channels are disabled. Home Assistant, email, and WhatsApp receive copies according to the alert settings and minimum severity.

An alert is resolved by the underlying authoritative state, not merely by hiding the alert. Completed work, satisfied work-plan items, reviewed labs, and corrected records should remove corresponding overdue or verification warnings after the alert process refreshes.

Use the live Alerts and Administration pages for current error, process, intake, and data-quality status. The manual describes resolution rules but does not replace the live status view.

OPERATING REFERENCE

17. Maps, parcels, and Sentinel-2

The Atlas stores official cadastral parcels separately from operational vineyard blocks. All seven current cadastral parcels have verified polygon geometry. Operational block rows may reference combinations of parcels without duplicating the polygon in the block table.

Sentinel-2 uses direct block polygons when available. Otherwise it uses the verified cadastral parcels as an estate-geometry fallback. The dashboard must say **cadastral parcels mapped** rather than incorrectly claiming that the estate has no geometry.

Sentinel indices are trend evidence only. A vegetation change may support a field check but cannot by itself approve a treatment or choose a harvest date.

OPERATING REFERENCE

18. TV, iPad, and kiosk displays

TV

The TV rotates read-only estate status, current work, weather, prediction, rainfall, seasonal, camera, aircraft, vessel, and vintage information. Animated "today" markers show the current point in seasonal charts. Ticker speed and cycle time are configurable.

The TV camera walls use the configured Eufy camera list, retain their low-load image cadence, and add model-supported PTZ, battery and active detection context. They remain read-only. Battery cameras that are sleeping normally are distinguished from cameras that are genuinely unavailable.

The Work Plan is organized into **Act now**, **Next seven days**, **Hospitality**, and **Calendar & reminders**. Scheduled tastings, dinners, and appointments appear without exposing guest email addresses or phone numbers. The Vintage page shows crop plan, harvested weight, completion, cellar volume, projected 15 kg crates, projected 750 ml bottles, variety harvest dates, GDD context, historical vintages, and forward outlook.

iPad

The iPad profile is a larger, finance-free operations dashboard with weather, solar, energy, lights, cameras, security, vineyard information, media, and AI links.

Eufy Camera Center

Open **Operations -> Cameras** for the operational camera workspace. The summary reports healthy, sleeping, unavailable, activity, low-battery and PTZ counts; filters separate access, vineyard and building cameras. Home Assistant cards use the current app-style camera cover maintained by the bridge, not the smaller event-thumbnail entity. Covers are refreshed serially on a bounded cadence and cached, so opening the page does not start every camera stream or wake every battery camera. Live viewing is explicitly started for one camera and is stopped when its dialog closes.

Movement, 360 rotation, saved positions and calibration appear only when that exact camera advertises the capability. Camera power, light, motion detection, motion tracking, auto night vision and recording switches are likewise capability-checked. Administrators may save or delete supported PTZ positions and send a verified canned doorbell response. The server independently rejects unsupported or unauthorized commands. Alarms, locks, microphones and speakers are intentionally excluded from ordinary operations.

Eufy's on-device motion, person, vehicle, pet and doorbell classifications are copied into a durable estate event log with their camera, area, transition times and cached evidence link. No raw recognition payload is stored and the application performs no new facial inference. Operators may mark events reviewed. Genuine camera outages must persist for fifteen minutes before creating an alert; two or more outages in one area create shared power, network and station guidance. Those alerts automatically enter Today, TV, WhatsApp and the normal review inbox.

Tablet labels

Tank-label devices use a dedicated enrollment flow. Each registered tablet has a permanent label URL and its own QR code. Already visited label pages, branding, and the last successful tank reading are cached so a label can reopen and remain useful during a temporary connection outage.

For a factory-reset Android tablet, open **Enology -> Tablet setup** and scan the managed-device QR during Android's initial setup. The add-on hosts a checksum-pinned Fully Kiosk Browser EMM installer locally and supplies a private one-page profile that launches the assigned label after boot, stays in landscape kiosk mode, recovers after connectivity changes, and enables local-network Remote Admin. The separate Start URL QR remains available as a manual fallback. Reprovision controls should replace the device identity cleanly rather than creating duplicate tablets.

OPERATING REFERENCE

19. Hospitality

Hospitality is an internal, low-volume booking and service workspace for private estate experiences. The current release supports one private guest party at a time and is designed for tastings and dinners for approximately 6 to 12 guests.

Packages

Administrators and Hospitality Managers can maintain the active package name, description, minimum and maximum guest count, duration, base price, per-person price, deposit requirement, inclusions, and preparation notes. The initial packages are:

- Private Estate Tasting: 1 to 6 guests.
- Cellar Tasting & Pairing: 2 to 8 guests.
- Private Estate Dinner: 6 to 12 guests.

Pricing remains configurable and quote-based. Saving a package changes future selection options; it does not silently rewrite a confirmed guest quote.

Gmail inquiry routing

Hospitality Admin controls a list of inbound Gmail subject phrases. The initial phrase is **Inquiry about Reserve Tasting**. Matching is case-insensitive and ignores common Reply and Forward prefixes. More phrases may be added one per line without changing protected Gmail credentials.

Matched public messages enter **Hospitality -> Guest inquiries** even when the sender is not on the vineyard operations allowlist. They are safe requests, not approved operational records. Attachments continue through the protected intake safeguards. Existing matching Gmail records are reconciled as well as new mail.

Open an inquiry to read it, prepare and explicitly send an email response, change its state, add internal notes, or convert it into a reservation. Conversion pre-fills the available guest identity and source, then requires the operator to choose the package, date, time, guest count, and booking state. The inquiry is linked to the resulting reservation.

Reservation workflow

- 1 Record the inquiry and select a package, date, time, and guest count.
- 2 Capture the guest name and only the contact details needed for service.
- 3 Record dietary restrictions, accessibility needs, celebration details, preferences, internal notes, quote, and deposit.
- 4 Move the reservation through requested, confirmed, arrived, completed, cancelled, declined, or no-show states.
- 5 The server rejects overlapping confirmed or arrived experiences so only one private guest party is committed at a time.
- 6 Send email or WhatsApp confirmation only by pressing the explicit communication action. Phone calls and notes can be recorded without sending a message.
- 7 Open any reservation to update its details or delete it after confirmation. Deletions remain in the audit trail; a linked inquiry returns to the responded queue.

The hospitality communication log preserves channel, subject or summary, operator, delivery state, and timestamp. Guest contact details remain inside the protected workspace and are intentionally omitted from TV data.

Partner management and commissions

Hospitality Admin includes a partner database for concierges, hotels, travel advisors, event organizers, and other referral sources. A partner record stores the organization and contact details, commission method and default rate, tax/payment notes, status, and internal operating notes.

Assigning a partner to a reservation creates a reservation-specific commission snapshot. A percentage rule uses the eligible reservation amount; a fixed rule uses the saved fixed amount. The operator may change the reservation commission without changing the partner's future default.

Commission states follow the reservation lifecycle:

- 1 Inquiry or requested reservation: estimated only; not payable in Finance.
- 2 Qualifying confirmed/arrived/completed reservation: earned and due.
- 3 Approved commission: authorized for payment.
- 4 Partial payment: remaining balance stays due.
- 5 Paid: payment ledger equals the earned amount.
- 6 Cancelled, declined, no-show, or otherwise disqualified reservation: void, with history retained.

One commission can receive multiple payments. Each payment preserves amount, date, method, reference, note, and operator. Corrections are audited; deleting a payment is restricted and does not erase the original commission or reservation relationship. Finance includes only earned outstanding partner balances and separates them from tentative estimates.

OPERATING REFERENCE

20. Register

The Register is a large-touch sales workspace intended for a tablet in the United States. It combines three controlled sources:

- Sellable winery products, prices, and stock mirrored read-only from Fatture in Cloud.
- Active hospitality packages maintained locally under Hospitality.
- Authorized manual items created in Register Admin.

The Register has four pages: **Sale**, **Inventory**, **Ledger**, and **Admin**. Completed sales are written to the local MariaDB ledger. Register sales are not posted to Fatture in Cloud in release 1.6; the future posting fields exist but remain locked off until a separate reconciliation release is approved.

Checkout, currency, and language

- 1 Tap catalog items, adjust quantity or editable price, and apply any authorized line discount.
- 2 Select **EUR** or **USD** directly at checkout. EUR remains the accounting and VAT reporting base.
- 3 Select **English** or **Italiano**. This selection controls the PayPal checkout locale and the printed receipt language.
- 4 Confirm the active PayPal Business account. EUR prefers the Italian account when configured; USD prefers the US account. An authorized operator may select the other configured account.
- 5 Complete payment by cash, hosted PayPal/card checkout, or operator-confirmed PayPal Tap to Pay.

For every transaction the database preserves the subtotal, discount, VAT, and total in EUR; the actual tender currency and amount; the exact saved USD-per-EUR rate; the selected PayPal account; the checkout language; the payment or capture reference; and the operator identity. The receipt and CSV export carry the same reconciliation fields.

The ECB rate refresh is a convenient reference rate, not a claim that it is a bank settlement rate. Administrators may save the actual checkout rate when required; the saved rate remains attached to the sale even after the current setting changes.

PayPal account setup

Protected Home Assistant App Configuration holds credentials for both accounts:

- **US PayPal Business:** the existing PayPal client ID and secret.
- **Italian PayPal Business:** the Italian PayPal client ID and secret.
- **Environment:** Sandbox for testing or Live for real payments.

The browser receives only the selected public client ID. Client secrets remain server-side. Never enter, store, or transmit raw card numbers through the Baiamonte application.

Tap to Pay and receipts

PayPal Tap to Pay runs in the PayPal POS application on an NFC-capable phone. After PayPal approves the exact amount, the operator records the PayPal transaction reference in the Register. This is explicitly an operator confirmation; the web browser does not pretend to verify the contactless charge in real time.

The system receipt can be printed through the browser's configured system printer. It is labeled as an operational, non-fiscal receipt. The monthly Ledger shows both collected tender and EUR base values and exports a UTF-8 CSV for reconciliation.

OPERATING REFERENCE

21. Scheduled processes and recovery

Process	Typical interval	Function
Complete refresh	60 min	Recovers missing or overdue subsystems
Planning	15 min	Syncs Baiamonte Calendar and Tasks
Weather	15 min	Imports on-site current and historical weather
Forecast sources	180 min	Refreshes ensemble, SIAS, Sentinel, and seasonal evidence
Harvest prediction	90 min plus queued refreshes	Recalculates harvest readiness
Gmail	15 min	Imports approved messages and attachments
WhatsApp	15 min	Refreshes connection and approved catalogs
Finance	360 min	Pulls read-only accounting data
Etna	15 min	Updates volcanic and seismic context
Disease	30 min	Updates disease and heat-stress support
Alerts	5 min	Evaluates operational warnings

The complete refresh is a recovery sweep. It does not blindly duplicate every job; it reruns subsystems that are missing or substantially overdue. Manual **Run complete update now** executes the configured subsystems immediately.

OPERATING REFERENCE

22. MCP and Codex integration

The Baiamonte MCP server is a constrained interface for Codex and approved automation.

Connection

```
[mcp_servers.baiamonte]
url = "http://192.168.0.10:8100/mcp"
bearer_token_env_var = "BAIAMONTE_MCP_TOKEN"
```

The endpoint is available locally or through the VPN. It requires the bearer token for every MCP request. Unauthenticated requests are rejected.

Tool groups

The live server exposes 23 tools:

- **Status and planning:** processing status, work plan, Apple reminder lists, Baiamonte reminders, treatment reminders.
- **Review intake:** queue review item.
- **Read models:** vineyard overview, harvest report, lab history, lab decision context, weather summary, open issues, finance overview, funding report, record search.

- **Confirmed writes:** tasks, vineyard records, lab results, lab reviews, financial documents, cash transactions, and funding-requirement updates.

MCP writes are currently enabled. Every write tool still requires explicit confirmation of the exact record. Read tools can be used for diagnosis without changing data.

Version interpretation

Home Assistant add-on version 1.6.81 is the operator-facing release. The MCP protocol handshake may report a different server-framework version; that framework identity must not be used as the Vineyard Operations update version.

OPERATING REFERENCE

23. Security and privacy

- Keep passwords, API keys, and tokens in Home Assistant add-on configuration or environment variables.
- Never place a bearer token directly in documentation, screenshots, logs, or a repository.
- Use role-based Home Assistant accounts.
- Keep finance out of shared displays.
- Keep guest contact, dietary, accessibility, and private-event details out of shared displays and public feeds.
- Keep MCP on the local network/VPN unless a separately authenticated tunnel is deliberately configured.
- Review MCP writes before enabling them on a new client.
- Use recoverable deletion for mail and records where supported.
- Preserve original evidence and audit events.

MCP credential rule

The Baiamonte MCP connection uses BAIAMONTE_MCP_TOKEN. Tokens belong in a protected environment variable or connector-secret mechanism, never inside a URL, screenshot, ticket, or documentation file. Rotate a token immediately if it is exposed.

OPERATING REFERENCE

24. Troubleshooting

A page has no data

- 1 Confirm the selected year.
- 2 Refresh the page once.
- 3 Check Administration -> Processing Log.
- 4 Check whether the source process is enabled and recent.
- 5 Verify that the record is approved and assigned to the correct year/vintage.
- 6 Do not enter replacement zeroes for unknown data.

A map looks stale

Refresh the page after geometry changes and reopen Atlas so the map recalculates its visible size. If parcels still appear outside Sicily or the geometry count is wrong, check the Atlas process and saved cadastral geometry before editing a block.

An alert remains after work is done

Confirm the authoritative work record is completed, then run or wait for the Alerts process. Hiding a card does not resolve the underlying alert.

A payment reappears

Check its payment ledger, invoice total, deposits, payment timestamps, and approval state. The current integrity audit reports no fully paid invoices reappearing.

Hospitality does not open

Confirm the Home Assistant username is linked to an Administrator or Hospitality access profile. A title alone does not grant access unless the profile is saved. Administrators configured in protected add-on settings are also recognized before a matching People profile is created.

Register or a PayPal account does not open

Confirm the Home Assistant username has Administrator, Register, Cashier, or Hospitality Manager access. In Register Admin, the active connection line identifies Fatture in Cloud and each configured PayPal account. If an account shows **not configured**, add that account's client ID and secret in protected App Configuration and restart the add-on. Use Sandbox until both the amount and currency have been verified end to end.

A hospitality event is missing from the TV

Confirm the reservation is requested, confirmed, or arrived and has a future or recent start time. Cancelled, declined, completed, and no-show reservations remain in history but do not occupy the active TV schedule.

MCP does not connect

- 1 Confirm VPN/local reachability to port 8100.
- 2 Confirm BAIAMONTE_MCP_TOKEN is present in the client environment.
- 3 Confirm the Home Assistant MCP bearer token is configured.
- 4 Confirm the client host is permitted.
- 5 Restart Codex after configuration changes.
- 6 Use `processing_status` as the first read-only test.

OPERATING REFERENCE

25. Release 1.6.50 operational snapshot

Release additions

- Every television page expands its primary panels through the full usable height between the fixed header and navigation on standard 1080p and shorter 1366-by-768 displays.
- Vintage, Work Plan, camera, traffic, Enology, Weather, Etna, and Communications pages no longer leave unused lower-screen bands.
- Vintage and Work Plan include live context for current weather, next harvest, disease pressure, treatment outlook, cistern and solar resources, and estate readiness.
- The Vintage history chart grows with the available panel while preserving the complete production outlook table.

Earlier release additions remain available in Appendix A instead of being repeated in this current-release snapshot.

Verification completed for this release

- The application and MariaDB health check passed after installation.
- Administrator Hospitality access passed; an unassigned operations account was correctly denied.
- Seed packages, database migrations, television feed, grape rows, forecast structure, and cellar tanks were verified on the running installation.
- The complete automated suite passed before publication, including Today presentation, olive forecasting, Etna/trends authority, alert lifecycle and database-authority safeguards.

Source-review items remain visible rather than being guessed. Laboratory assignments, treatment safety details, inventory receipts, and planned container sharing stay in their respective review queues until authoritative evidence resolves them.

OPERATING REFERENCE

Appendix A. Complete release coverage: 1.6.0-1.6.81

The operational chapters above describe the cumulative current system. For completeness, the following appendix includes every published change recorded for the full 1.6 release series, from 1.6.0 through the current 1.6.81 release. It is generated directly from the authoritative project changelog when the manual is built, so maintenance fixes and smaller workflow changes are not omitted from the owner record.

Release 1.6.81

- Adds an administrator-only, credential-safe health probe for both protected RTSP sources so camera reachability and current-frame capture can be verified independently from AI analysis.
- Bounds RTSP acquisition and reports only sanitized failures, preventing one camera connection from consuming the full scheduled-process window or exposing a protected stream address.

Release 1.6.80

- Uses the cistern camera's protected, always-on local RTSP stream for illuminated AI readings, falls back to the new Eufy bridge's generated still, preserves the permanent stream, and wakes P2P only when both current-frame sources are unavailable.
- Adds a protected Vineyard North RTSP source slot for future fixed-view visual recognition without exposing credentials or allowing distant camera observations to become automatic disease diagnoses.
- Records whether each accepted cistern reading came from the generated bridge image or live camera so future learning and camera diagnostics remain auditable.

Release 1.6.79

- Repairs every native Home Assistant camera card to use the supported `camera_image` field, eliminating the camera-page configuration errors while retaining cached, on-demand imagery.
- Removes four retired Eufy camera aliases, replaces the retired IP cistern camera with the current Eufy cistern entity, and keeps the complete current camera set visible across overview, wall and health views.
- Updates the default TV camera rotation from the retired driveway alias to the current Front Yard camera.
- Migrates the cistern capture and AI pipeline from the retired IP entity to `camera.cisterna` while preserving custom camera selections, historical estimates, conservative alerts and the side-by-side shadow-learning release gate.

- Uses the Eufy bridge's stable device relationship to illuminate the internal cistern, waits for exposure, wakes its on-demand stream before capture, restores the previous light/stream state, and reports the actual recorded level range so repeated readings cannot masquerade as learned accuracy.

Release 1.6.78

- Camera dashboards now render the integration's current app-style camera frame instead of forcing the lower-resolution Eufy event-thumbnail entity. This improves clarity and freshness while retaining cached, non-live cards so phones, tablets, TVs, battery cameras, and Home Assistant remain efficient.
- Camera refresh controls now target the current bridge snapshot index rather than a single legacy camera entity.

Release 1.6.77

- Aligns Admin Control with the camera scheduler's current camera-awareness event name so a successful Eufy run immediately clears the red process card instead of leaving a stale legacy 502 visible.
- Retains camera-snapshot-cache as a recovery-only alias for historical failures while ensuring it cannot override current camera health.

Release 1.6.76

- Updates Camera Center for Baiamonte eufy Bridge 1.6.15 and the 9.6.4 Home Assistant integration while preserving stable device-key joins and existing entity IDs.
- Adds the bridge's recognized-person, unrecognized-person, dog, dog-behavior, sound and crying classifications to estate awareness without exposing identities, raw recognition payloads or unrestricted audio.
- Carries privacy-safe snapshot source and bridge schema, authentication and freshness diagnostics into the camera API so administrators can verify that the new bridge contract is active.
- Keeps all camera and PTZ controls capability-gated; fixed cameras cannot receive movement commands and sleeping battery cameras remain healthy rather than falsely offline.

Release 1.6.75

- Switched the Home Assistant weather radar to the keyless OpenStreetMap basemap, removing the CARTO API KEY REQUIRED watermark while retaining RainViewer animation, controls and attribution.
- Home Assistant state reads now retain the last complete snapshot across brief Supervisor/Core 502 hand-offs, preventing the Eufy awareness scheduler from staying failed after a transient Home Assistant reload.
- Prevents WhatsApp video, audio, HEIC/SVG and unknown binary attachments from being sent to the OpenAI Responses API as unsupported document file_data.
- Preserves unsupported media in the intake record, supplies safe attachment metadata to the analysis, forbids inference about unseen content and requires human review.
- Retains direct visual analysis for supported images and document analysis for supported PDF, office, spreadsheet, text and structured-data files.
- Adds MIME and extension regression coverage, including a mislabeled video fallback, so one unsupported attachment cannot create a persistent system error.

Release 1.6.74

- Rebuilds Camera Navigation as a phone-readable responsive section instead of squeezing five controls into one fixed row.
- Gives Refresh and HomeBase half-width vertical tiles and retains PTZ, Health and Wall as evenly balanced navigation controls.

- Shortens the mobile labels to Refresh, HomeBase, PTZ, Health and Wall while preserving every action and destination.

Release 1.6.73

- Makes Eufy live-view shutdown backward-compatible with browser and Home Assistant Companion pages left open during an upgrade: legacy stop requests are acknowledged without forwarding a duplicate command to the bridge.
- Adds an end-to-end regression proving the live stream generator remains the only Eufy cleanup owner for both current and cached clients.

Release 1.6.72

- Completes the post-install Eufy audit across the bridge, Home Assistant integration, Camera Center, cached imagery, events, alerts, PTZ capability gating and system load.
- Removes the duplicate live-stream stop request when an operator closes an on-demand camera view; the server stream generator remains the single cleanup owner, preventing harmless but noisy `LivestreamNotRunningError` entries.
- Adds regression coverage that preserves one-stop live-stream cleanup while retaining server-side protection for interrupted browser and Companion sessions.

Release 1.6.71

- Adds a durable Eufy estate-awareness pipeline that records on-device motion, person, vehicle, pet and doorbell events plus genuine camera outages and low-battery transitions without storing raw recognition data.
- Distinguishes healthy sleeping battery cameras from unavailable cameras, delays outage alerts for fifteen minutes, and correlates multiple failures in one estate area with shared power, network and station guidance.
- Joins cameras to renamed battery, Wi-Fi, image, detection and control entities through the integration's privacy-safe device key instead of fragile entity-ID assumptions.
- Restores cached Eufy event evidence after restarts, repairs Mega catalog-health reporting, and adds a scrollable event review timeline with acknowledgement history.
- Adds low-load on-demand live camera viewing that starts only when requested and stops when the view closes, while retaining slow cached refreshes on TV and overview pages.
- Adds administrator-only PTZ preset save/delete and verified doorbell canned-response controls; alarms, locks, microphones and unrestricted audio remain excluded from ordinary operations.
- Feeds camera health into the existing alert, Today, TV and WhatsApp flows, and adds recent authorized camera activity to the Manager IVR response.

Release 1.6.70

- Adds an Operations Camera Center with a complete Eufy estate overview, area and attention filters, online, activity, battery and PTZ summaries, cached event imagery, and a privacy-safe on-device finding.
- Adds capability-gated PTZ, 360 movement, presets, calibration, snapshot refresh, camera, light, motion detection, motion tracking, night-vision and recording controls; unsupported commands are rejected server-side and alarms, locks, microphones and speakers remain excluded.
- Keeps camera load bounded by using Eufy's cached event evidence in the camera grid and requesting a current snapshot only when one camera is opened.
- Enriches the TV camera walls with PTZ, battery and active Eufy detection details without increasing their existing fifteen-minute image refresh cadence.

- Integrates the Eufy 9.2.0 camera capability contract so controls come from advertised model support rather than names or assumptions.

Release 1.6.69

- Extends the complete treatment workflow to olives with olive fruit fly and olive peacock spot pressure screening, olive-specific growth stages, current and historical simulation, and crop-filtered pressure history.
- Adds olive trap, fruit-damage and leaf-symptom observations plus automatic and explicit paired pre/post-treatment scouting so verified outcomes feed treatment effectiveness learning.
- Separates olive and vineyard weather precedents, effectiveness, product duration, spray-window profiles and FRAC rotation sequences so learned grape behavior cannot drive an olive recommendation.
- Keeps weather-only olive signals at monitoring status and requires matching field evidence, a current reviewed Italian olive use, verified formulation, inventory, PHI, sprayer, area and Agronomist approval before presenting a product program.
- Uses the olive harvest forecast for PHI screening, requires the true olive treatment area instead of inheriting vineyard hectares, and calculates carrier batches from the selected sprayer rather than assuming two fills.
- Adds regression coverage for olive pressure, field evidence, prediction isolation, scouting vocabulary, dashboard wiring and simulator availability.

Release 1.6.68

- Restores normal mobile workspace filtering so the expanded navigation shows only the pages belonging to the selected Operations, Agronomy, Enology, Hospitality, Register, or Admin workspace.
- Keeps all workspace choices visible and retains the persistent Menu/Close behavior, allowing a workspace and one of its pages to be selected from a single opening.
- Adds regression coverage for every workspace-specific mobile page row and prevents the generic open-menu layout from overriding those filters.

Release 1.6.67

- Keeps the mobile two-level navigation open while a user selects a workspace and then a page, allowing both choices from one menu opening.
- Closes the mobile navigation only through its Menu/Close control and preserves the current page label after closing.
- Confirms the embedded application and Home Assistant Companion header surfaces both use the exact #303030 charcoal.
- Adds regression coverage for the persistent mobile navigation state.

Release 1.6.66

- Reduces Entrance and Vineyard television camera reloads from every page rotation to independent 15-minute refresh windows while preserving immediate first-page loading and safe handoff after slow cameras.
- Reloads the Etna camera only when its official source update marker changes instead of attaching a new timestamp during every display-data update.
- Matches the application header to Home Assistant Companion's #303030 charcoal so the embedded mobile interface reads as one continuous application surface.
- Adds regression coverage for camera refresh cadence, camera-page handoff, stable Etna imagery, and the shared Home Assistant header color.

Release 1.6.65

- Prevents scheduled television data updates from rebuilding the visible Today page and producing a refresh flash when the display rotation returns there.
- Continues fetching fresh estate data on schedule, applies a pending update as soon as the display advances, and keeps initial loading and manual refresh immediate.
- Adds regression coverage for stable Today rendering and the revised live-refresh contract.

Release 1.6.64

- Consolidates overlapping browser status timers into one visibility-aware 30-second poll while retaining minute-level release checks and live Admin monitoring.
- Reuses one Home Assistant state inventory for 30 seconds across operations, worker and display consumers instead of repeating the same Supervisor request for nearby page loads.
- Reuses the complete television aggregation for 90 seconds so staggered displays share expensive database, weather and planning work while still rebuilding before the next normal 120-second refresh.
- Suspends nonessential admin uptime and TV overflow animation work while the page is hidden, reducing browser and embedded-display load without removing information or controls.
- Adds dedicated efficiency regression coverage and retains the bounded database pool, serialized integration scheduler, camera cache and failure backoff.

Release 1.6.63

- Expands the large-screen Today weather card with GW2000 condition and update time, gust, pressure, solar radiation, UV, soil moisture, dew point, VPD, and the observed 24-hour temperature range.
- Adds a compact three-day forecast with useful recent-weather fallbacks when Home Assistant forecast data is unavailable.
- Adds live planning, hospitality, task, and treatment-weather context to the Today work and decision cards so large televisions remain informative without removing existing operational data.
- Rebalances the Today grid for wide and narrower television aspect ratios and adds compatibility regression coverage for the enriched display.

Release 1.6.62

- Locks the Baiamonte header and section navigation into a fixed application shell while allowing the operational canvas beneath them to scroll independently on touch and desktop devices.
- Reworks iPhone navigation into a compact closed state with the current page, a complete three-column workspace selector, and readable two-column page buttons when opened.
- Removes clipped desktop-style mobile tabs, preserves every workspace and page, and adds proportional sizing for narrower iPhones without changing worker, tank, or television layouts.
- Keeps the frontend core within its modularization size budget and adds regression coverage for the fixed shell, touch scrolling, responsive workspace navigation, and mobile menu state.

Release 1.6.61

- Restores native vertical touch scrolling across Android, iOS, coarse-touch browsers, the worker portal, and Home Assistant embedded WebViews after the Android viewport optimization.
- Keeps page height and overflow owned by the browser while retaining dynamic viewport sizing, safe-area spacing, responsive layouts, and touch-sized controls.
- Replaces the header's opaque logo tile with the transparent Baiamonte artwork and matches the app header to the surrounding charcoal Home Assistant and browser chrome.

- Adds regression coverage for touch panning, worker-page scrolling, embedded WebViews, transparent header branding, and the shared app-chrome color.

Release 1.6.60

- Optimizes the main dashboard, worker portal, cellar tablets, and tank displays for Android browsers, Fully Kiosk, and the Home Assistant Companion app without removing operational data.
- Adds keyboard-aware dynamic viewport sizing, safe-area handling, coarse-touch targets, portrait and landscape tablet layouts, native maskable Android icons, and cache-busted tank-display assets.
- Replaces the Today card's decorative rings with a lightweight live weather illustration that follows Baiamonte conditions and Europe/Rome day or night, including sun or moon, vineyard ridges, vine rows, clouds, rain, fog, snow, and storms.
- Preserves readable high-contrast text, reduced-motion support, and the existing live weather evidence while avoiding a large background-image download on field devices.

Release 1.6.59

- Repairs the projections and alert-settings routes after modularization by restoring their explicit dependencies and adding executable regression coverage.
- Improves responsive dashboard hierarchy and navigation without removing visible data, including restoring vintage detail that had been hidden on narrow screens.
- Optimizes iPhone, iPad, Safari, and Apple home-screen behavior with safe-area support, accessible touch targets, stable dynamic-height dialogs, and a native 180-pixel touch icon.
- Preserves full-height television layouts and verifies the dashboard at phone, tablet, desktop, and television viewport sizes without horizontal overflow.

Release 1.6.58

- Extracts the AI administration, durable-learning rebuild, assistant question, and review-gated suggestion routes into a focused intelligence router without changing their public contracts.
- Preserves administrator and write authorization, request normalization, provider checks, cost and profile validation, suggestion intake, and human-review safeguards.
- Adds executable intelligence route, authorization, normalization, and validation contracts while reducing direct route ownership in `app/main.py` from 75 to 68.

Release 1.6.57

- Strengthens the modular backend with executable FastAPI route and authorization contracts for worker, payroll, cellar, dashboard, intake, attachment, and public boundaries.
- Centralizes attachment sanitizing, hashing, persistence, and rollback cleanup so failed database writes cannot leave orphaned worker or operational files.
- Makes payroll presence transport-neutral and translates domain validation errors only at the HTTP boundary.
- Moves worker review calculation, approval locking, payment-state initialization, and auditing into the payroll service while preserving the existing API contract.
- Adds architecture guards against route duplication, missing authorization, transport coupling in services, storage duplication, and domain routes moving back into the composition root.

Release 1.6.56

- Completes the next behavior-preserving backend modularization sequence by extracting the worker portal, payroll administration, cellar and tank operations, dashboard and historical aggregation, alerts and intake, attachments, public feeds, and static-page routes from the application composition root.
- Preserves every pre-extraction route contract, authorization boundary, response path, and operational workflow with no duplicate registered routes.
- Separates payroll presence and summary assembly into focused services so worker entry and administrator review share authoritative calculations without importing the application root.
- Reduces `app/main.py` by more than 2,100 lines and documents the remaining intelligence-service extraction boundary.
- Expands assembled-source and architecture regression coverage across the extracted domains while retaining the full application test suite.

Release 1.6.55

- Completes the behavior-preserving communications modularization by extracting the official Meta WhatsApp aggregate, outbound operations, sender selection, groups, contact book, and assistant administration from the application composition root.
- Moves the signed Meta webhook and stateful personalized WhatsApp assistant into dedicated modules while preserving verification, signature checks, sender isolation, quarantine, media intake, voice routing, manager confirmations, auditing, and human-review guardrails.
- Centralizes normalized Meta contact and assistant state so inbound, outbound, people, and IVR workflows share one durable source without importing the application root.
- Preserves all 38 communications routes and their authorization boundaries with no duplicate routes, and reduces `app/main.py` by more than 1,000 lines.
- Adds focused Meta route, webhook-ownership, and architecture boundary tests while retaining the complete Gmail and linked-system WhatsApp test coverage.

Release 1.6.54

- Extracts the complete linked-system WhatsApp control plane into a dedicated communications router and shared account-status service.
- Preserves all account, contact, catalog, history, membership, backup, sending, auditing, scope enforcement, deduplication, and authenticated inbound-bridge contracts.
- Keeps the official Meta WhatsApp sender and the cached communications aggregate intact while reducing the application composition root by another 365 lines.
- Adds route-uniqueness, admin-protection, private-token, account-scope, and send-guard boundary tests.

Release 1.6.53

- Continues the behavior-preserving backend modularization by moving all eight Gmail mailbox routes into a dedicated communications router.
- Preserves existing paths, read/write permissions, cached mailbox behavior, message actions and auditing, downloads, attachments, send limits, and error contracts.
- Adds route-boundary and behavior tests and records the safe communications sequence: system WhatsApp control, Meta outbound operations, intake/webhooks, then assistant orchestration.

Release 1.6.52

- Begins the behavior-preserving backend modularization by extracting Admin Control process health, runtime, connections, storage, setup warnings, and recovery status from the application composition root.

- Keeps the existing protected Admin Control aggregate contract intact and adds a protected runtime sub-endpoint for independently loadable operational status.
- Adds pure process-health classification and route-boundary contract tests, plus a documented sequence for extracting people, labor, communications, and intelligence safely.

Release 1.6.51

- Adds dedicated Agronomy Admin and Enology Admin pages and moves each area's configuration into one authoritative location while preserving all operational tools and evidence.
- Reorders Agronomy and Enology navigation around daily workflow, with clear links from operational pages to the corresponding administrative settings.
- Uses damage-adjusted production and blend-yield projections for current-vintage bottle equivalents and profit/loss per bottle until authoritative completed bottling data is available.
- Labels projected and actual bottle bases explicitly and switches automatically to completed-run or historical bottled totals when those records become authoritative.

Release 1.6.50

- Expands every television page's primary content grid to consume the full space between the fixed header and navigation across standard 1080p and shorter 1366-by-768 display viewports.
- Preserves every existing television card while eliminating unused lower-screen bands on Vintage, Work Plan, cameras, traffic, Enology, Weather, Etna, and Communications pages.
- Adds live estate context to the Vintage and Work Plan pages with current weather, next harvest, disease pressure, treatment outlook, cistern and solar resources, and estate readiness.
- Lets the Vintage history chart grow with the available panel height while retaining the full production outlook table.

Release 1.6.49

- Refreshes the complete visible Facebook and Instagram post sets before Meta's temporary media links age out, replacing expired links instead of retaining them indefinitely.
- Keeps stale social media available during a failed Meta refresh without falsely marking the failed attempt as a fresh cache.
- Shows actual per-person IVR usage on Admin -> People cards and adds a saved-form count only when a structured submission was completed.
- Moves the Register's Manual charge form below the product catalog so normal product selection remains primary.
- Constrains Register Admin fields to their responsive cards so long values and placeholders no longer overflow into neighboring panels.

Release 1.6.48

- Adds a durable local cistern level model that runs in shadow beside the existing Camera AI estimate without taking control prematurely.
- Backfills every eligible historical cistern observation with strict chronological walk-forward predictions that never use future readings.
- Creates each new live prediction before the next Camera AI result exists, then scores it only when that later result is accepted.
- Reports all-data, historical-backfill and new-live mean error, agreement within five percentage points, maximum error and last-value baseline evidence.

- Keeps Camera AI authoritative until the shadow model has sufficient historical cases, prospective live cases, distinct levels, observed changes and live changes, as well as the required error and agreement scores.
- Treats low-confidence evidence, duplicates and large refill or regime-change jumps as explicit data-quality evidence rather than silently improving the score.
- Shows Camera AI and learned-shadow levels side by side in Today, the cistern detail view, WhatsApp and Admin -> AI.
- Backfills automatically after migration on the first startup and continues learning after every newly accepted camera result.

Release 1.6.47

- Sends both readable text and matching audio for Manager choices 1 through 7, 10 and 11: Today, Weather, Work, Disease, Harvest, Cellar/Labs, Cistern, Power and Etna/traffic.
- Keeps Cameras and Team Presence in their appropriate existing formats instead of adding unnecessary duplicate audio.
- Personalizes these high-value live summaries with the person's saved first name, language and individual voice.
- Adds natural topic-specific introductions while preserving the deterministic live evidence and human-readable date, time and weather formatting.
- Retains text delivery if voice synthesis is temporarily unavailable.

Release 1.6.46

- Makes the Admin WhatsApp address book authoritative for assistant access, so a saved Reception, Reporter or Manager no longer remains blocked by the legacy environment allowlist.
- Keeps unknown and AI-disabled contacts quarantined while allowing explicitly assigned people such as Wendy to use their saved role immediately.
- Recognizes the approved invitation replies START and INIZIA as deterministic local menu commands instead of sending them through the AI fallback.
- Adds a per-person keep-alive/reopen action to Admin -> People, automatically using the existing approved no-variable Baiamonte invitation template.
- Shows whether the 24-hour conversation is open and explains that the person must reply to renew it; an outbound template alone is never presented as extending Meta's conversation window.

Release 1.6.45

- Recognizes + as the global WhatsApp menu command even when no guided form is active, preventing it from falling through to the general assistant.
- Moves every numbered Manager and Reporter information choice onto deterministic live database and Home Assistant snapshots, so ordinary IVR navigation continues working when the AI service is unavailable.
- Adds direct Today/urgent-alerts, Cellar/Labs and Cameras responses and routes Reception weather and harvest choices through verified public snapshots.
- Makes the * Back, + Menu and = Cancel controls consistent across Manager, Reporter, guided-form, invalid-choice and fallback messages.
- Routes common spoken topics such as weather, work, disease, harvest, cellar, cameras and power locally, with natural high-quality summaries; AI remains available for genuinely open-ended interpretation instead of being required for basic facts.

- Adds a database-backed public estate-and-wines response and deterministic media-submission guidance for Reception.
- Adds conservative durable IVR learning: each worker can explicitly choose SAME to reuse the last successfully saved location for that form, while route coverage and AI fallback are measured for the Admin monitor without retaining message content.
- Adds a private IVR profile to every Admin -> People card with linked access, language and reply configuration, 30-day routing and completion statistics, and automatic per-person workflow learning from successfully saved forms.
- Lets administrators set the repeated-history threshold for learned locations; the worker must still explicitly confirm SAME, and disabled or retired locations are never silently selected.
- Personalizes each linked person's IVR independently: the menu highlights that person's most-used permitted local choices, while saved-location learning remains isolated by sender and form type.
- Consolidates all person-specific IVR controls in Admin -> People -> Person, including number, access, language, reply medium, individual voice, personalized shortcuts, automatic learning, learned-location confidence and optional AI fallback.
- Defaults replies to the incoming medium so text receives text and voice receives voice; sending both formats requires an explicit per-person selection.
- Normalizes legacy contacts that previously received both formats to Match mode until an administrator or the user explicitly chooses Both again.

Release 1.6.44

- Formats WhatsApp dates, times, forecasts and operational responses in natural language instead of exposing database timestamps, machine condition codes or internal timezone names.
- Repairs guided-form Back navigation so the first question returns to record selection and later questions move back exactly one step without retaining the replaced answer.
- Adds a first-class Entire estate choice for scouting, treatment reports and completed vineyard work; whole-estate scouting is stored with authoritative estate scope rather than a misleading block assignment.
- Shortens vineyard choices to field-friendly variety, vine-age and block-code labels and explicitly supports spoken or typed numbered answers.
- Adds fast field controls: * Back, + Menu and = Cancel, while retaining the existing word commands for text and voice use.

Release 1.6.43

- Makes the Admin Ministry-catalog process use its recorded integration identity so successful manual and scheduled runs finish as healthy instead of remaining at "Not run yet."
- Runs power continuity monitoring independently from slow integration work so a long Ministry import cannot create a false heartbeat gap.
- Suppresses add-on, Core and host restart gaps as power-outage alerts, clears unconfirmed prior conditions at startup, and retains the restart gap only in the audit trail.
- Changes recovery wording to state that utility loss is unconfirmed unless direct power evidence is available.

Release 1.6.42

- Uses small transactional Ministry-catalog write batches so the full official JSON audit record imports within the live Home Assistant MariaDB per-query timeout.
- Reports zero rather than an unknown count before the first successful official-catalog synchronization.

Release 1.6.41

- Adds the official Italian Ministry plant-protection product catalog as a weekly, manually refreshable regulatory source.
- Overlays exact registration and reviewable name matches on Baiamonte products; trusted revoked, suspended or expired products are blocked from projected treatments.
- Allows an Agronomist to add a product outside the estate's historical use pattern only after recording its current crop, target, dose limits, PHI, REI and authorized label source.
- Marks products without completed Baiamonte applications as low-confidence first-use candidates and requires Agronomist approval plus paired pre/post-treatment scouting.
- Adds an Agronomy treatment panel for official catalog search, local overlay review, product adoption and crop-use authorization without treating national registration as a label direction.

Release 1.6.40

- Expands the owner system manual with the complete authoritative release history from 1.6.0 through 1.6.40.
- Generates the release appendix directly from the project changelog so maintenance fixes and smaller workflow changes are retained in the durable operator record.
- Rebuilds the downloadable PDF and all 36 in-window preview pages with synchronized release metadata and navigation.

Release 1.6.39

- Updates the full owner manual through the current Agronomy, Enology, Laboratory, Admin AI, Gmail-cache and guided WhatsApp workflows.
- Documents the weather-first disease model, Agronomist review, paired scouting, learning gates, one-pass two-batch treatment process and young-vine TerraPlus boundary.
- Rebuilds the downloadable PDF and every in-window manual preview page with current release metadata.

Release 1.6.38

- Starts the dashboard only after every Agronomy and Enology feature renderer is registered, eliminating intermittent cold-load failures.
- Preserves the active Agronomy or Enology workspace immediately while changing vintages instead of temporarily resetting navigation to Operations.
- Normalizes authoritative laboratory aliases and vintage suffixes during source auditing and corrects four source-confirmed historical sample types.
- Constrains laboratory endpoint and AI-assisted projections to physically possible nonnegative values while retaining the measured adjustment as evidence.
- Guards the embedded weather-map observer against an unavailable document root during iframe startup.

Release 1.6.37

- Corrects the worker portal task queue to use the current planned/in-progress statuses and normal priority, restoring assigned work visibility.
- Makes guided WhatsApp issue priorities compatible with the Operations schema and adds the missing lot/tank reference to cellar-operation submissions.
- Expires abandoned WhatsApp forms and calculators after 24 hours, and makes MENU reliably close either workflow before returning to the main profile menu.

- Updates FastAPI, Starlette, the multipart parser and MCP runtime to secure compatible releases after dependency auditing; the resulting environment reports no known vulnerabilities.

Release 1.6.36

- Replaces the partial WhatsApp intake menu with complete bilingual guided workflows for Agronomy/Field, Operations and Enology/Cellar records.
- Adds saveable field scouting, phenology, planned treatment reports, completed work, labor hours, issues/tasks, equipment service, fruit maturity, fermentation checks and cellar operations.
- Makes WhatsApp voice notes first-class form answers; complicated reports can be spoken once, reviewed as a transcript summary and explicitly saved into the Operations review queue.
- Adds consistent BACK, CANCEL, MENU, RECORD/REGISTRA and final SAVE recovery paths so active sessions do not strand workers or silently create records.
- Keeps treatment field reports planned and unapproved until the Agronomist completes the legal, safety, weather and product review.
- Adds Admin WhatsApp IVR health, active/stalled session counts, 24-hour completions, voice readiness, workflow coverage and worker command guidance.

Release 1.6.35

- Adds durable disease-onset forecasts that project when weather-driven pressure may cross the actionable threshold, with walk-forward validation and explicit confidence.
- Learns treatment effectiveness, observed duration and retreatment cadence from paired pre/post scouting by disease, mixture, dose, block and weather without treating reconstructed pressure as proof of causation.
- Adds chronological active-ingredient and FRAC-group rotation review, blocking repeated groups for Agronomist review when the current product records support the comparison.
- Adds young-vine TerraPlus learning from mapped applications, growth scouting, soil and tissue evidence while retaining the documented-need and Agronomist-approval gates.
- Adds adaptive sensor, duplicate-observation and unreliable-label detection to operational data quality and Admin → AI.
- Adds bounded block-specific disease calibration from parcel/map context, canopy/training system, elevation/aspect, variety and localized scouting.
- Adds outcome-conditioned spray-window learning from wind, temperature, carrier coverage and rain in the first 48 hours after application; legal label and Agronomist limits remain authoritative.
- Rebuilds all connected learning manifests after treatment, scouting and Agronomist review, exposes them in Admin → AI, and provides an administrator rebuild endpoint.

Release 1.6.34

- Adds a durable disease-pressure calibration model trained only from explicit Agronomist decisions and comparable field scouting while retaining the weather/phenology rules score as an auditable baseline.
- Applies bounded, small-sample-shrunk disease adjustments to current pressure, Treatments, alerts, WhatsApp and AI consumers; sparse feedback can never move a score by more than 20 points.
- Adds corrected risk scores to the Agronomist review workflow and automatically rebuilds disease learning after reviews, scouting, startup and scheduled pressure refreshes.
- Adds leave-one-case-out calibration error, training-label provenance, season coverage and validation gates to Admin → AI; validation requires at least eight labels across two seasons and performance no worse than the rules baseline.

Release 1.6.33

- Adds an audited Agronomist review workflow to current disease-pressure assessments; rejected findings stop driving treatment predictions, while materially changed scores return to pending review.
- Adds treatment-linked before/after scouting with strict block, date-window and disease-marker checks, plus conservative automatic pairing only when one treatment match is unambiguous.
- Rebuilds treatment outcome learning and Admin → AI evidence metrics immediately after paired scouting, while retaining weather as context rather than proof of effectiveness.
- Adds a Treatments follow-up panel for missing baselines, due or overdue post-treatment checks, completed pairs and observed outcomes.
- Caches Gmail folders and message summaries in MariaDB during scheduled intake so Email opens from local data; explicit receive and refresh controls still perform live Gmail checks.

Release 1.6.32

- Adds a dedicated **Admin** → **AI** console containing OpenAI service and credit status, effort and speed controls, budget and projected cost, feature usage, model pricing, and durable-learning health.
- Monitors Laboratory, Agronomist treatment, Harvest, and disease-pressure intelligence with explicit model versions, evidence coverage, data freshness, validation methods, accuracy or error metrics, readiness thresholds, and review-gate warnings.
- Distinguishes measured held-out accuracy from deterministic rules: disease pressure reports Agronomist review coverage without claiming outcome-trained accuracy, and an unavailable model cannot hide the other learning processes.
- Keeps Operations Control focused on system operations and limits the Audit Trail viewport to the latest six visible activities while retaining the latest 100 entries in a scrollable list.

Release 1.6.31

- Keeps the durable Laboratory model in an explicit learning-active, low-accuracy state when historical walk-forward direction accuracy is below 60%, even when case and vintage coverage thresholds are met.
- Runs both Laboratory and Treatment durable-learning backfills during application startup so newly installed migrations and historical evidence are reflected immediately in their current pipelines.

Release 1.6.30

- Adds durable vineyard-treatment learning with pre-treatment weather, leaf wetness, solar, phenology, scouting, objectives and treatment cadence; 14-day post-treatment evidence windows are cut off before the next application.
- Separates weather-reconstructed pressure from field-observed effectiveness, versions the treatment model and feature schema, calibrates similarity from the 2023–2026 GW2000 history, and keeps the model provisional until adequate seasons and comparable scouting outcomes exist.
- Normalizes historical laboratory identities while retaining every original report label; Nerello, Narello and Nerello/Narello Macalase resolve to the canonical Nerello Mascalese series, alongside documented Grecanico and Grenache aliases.
- Adds durable laboratory cutoff cases, leakage-safe historical walk-forward outcomes, versioned model manifests, per-analyte-and-unit error metrics, and automatic rebuilding at startup and after every new, corrected or reviewed laboratory result.
- Exposes transparent Laboratory and Treatment learning status in their current pipelines and APIs without converting predictions into automatic agronomy, cellar, harvest or enology approvals.

Release 1.6.29

- Passes the latest GW2000 disease-pressure snapshot into current treatment simulations so weather-pattern similarity is calculated rather than left unavailable.
- Learns the authoritative product/date/water program from every structured completed treatment, including safety-restricted Treatment 5, while continuing to prohibit historical safety evidence from authorizing a current prescription.

Release 1.6.28

- Narrows TERRAPLUS SOLUB NPK 8-7-6 to the small, young vines only and labels its procurement card accordingly.
- Removes TERRAPLUS from general mature-vine, olive and whole-estate nutrition baselines; it remains unavailable unless mapped young vines have a documented need and an Agronomist-directed root-zone or fertigation plan.

Release 1.6.27

- Corrects TERRAPLUS SOLUB NPK 8-7-6 from broadcast land/soil fertilizer to vineyard root nutrition for fertigation or localized root-zone application.
- Separates land/soil fertilizer procurement from vine root-nutrition procurement so TERRAPLUS appears with vine nutrition without being mislabeled as a foliar canopy spray.

Release 1.6.26

- Rebuilds vineyard treatment simulation around the Agronomist's complete Treatments 2–5 rather than selecting isolated products, while retaining current label, necessity, exact-mixture, weather, PHI/REI, PPE, inventory and Agronomist approval gates.
- Calculates every weather-matched historical program for the current Baiamonte process: one vineyard pass using 400 L total carrier prepared as two identical 200 L batches.
- Makes GW2000 weather the explicit treatment rationale by comparing temperature, humidity, 72-hour and seven-day rain, soil moisture and other available markers with the weather preceding completed treatments.
- Adds continuous, leakage-safe learning: each confirmed completed vineyard treatment stores only the seven days of weather available before application, reconstructed disease pressure, the full recipe and a stable program signature.
- Uses the learned weather match in both live next-treatment review predictions and the simulator, with transparent similarity, model-version, training-case and leave-one-treatment-out validation evidence.
- Keeps restricted historical treatments as behavioral learning evidence only; they never become current reusable prescriptions without fresh safety and authorization review.

Release 1.6.25

- Rebuilds the Agronomy treatment simulator around the Baiamonte field process: one complete vineyard pass using 400 L total carrier prepared as two identical 200 L batches.
- Leads with a readable full-treatment recipe showing each necessary product, the amount in each 200 L batch, the whole-treatment amount, inventory readiness, and the current evidence supporting its inclusion.
- Prevents inventory and prior use alone from promoting support, adjuvant, or nutrition products; those products require documented current stress or another explicit evidence-supported need.
- Screens independently significant same-date disease pressure for additional necessary control while retaining exact-mixture compatibility, label, weather, safety, and Agronomist approval gates.

- Adds Laboratory variety-standard cards that show recorded approved analyte markers by variety, sample type, stage, and unit, while clearly leaving missing standards unconfigured.

Release 1.6.24

- Removes the red Live cellar records readiness banner from the Cellar page; real tank alerts remain visible, while the informational Demo-mode banner is retained only when Demo mode is active.
- Preserves user-selected values systemwide when live refreshes rebuild a select box's options, including the Laboratory Sample and Measurement selectors, without restoring values that are no longer valid choices.

Release 1.6.23

- Preserves the former shared Live/Sandbox choice on the first upgrade to independent US and Italian PayPal selectors, even when Home Assistant pre-populates the new fields with schema defaults.
- Records the one-time migration in persistent add-on data so later operator changes to either account remain independent and are never overwritten on restart.

Release 1.6.22

- Adds independent Live/Sandbox selectors for the US and Italian PayPal Business accounts in protected Home Assistant configuration.
- Uses the selected environment for each account's OAuth token, order creation, capture, checkout label, and status light, preventing one account's mode from changing the other.
- Keeps the former shared PayPal environment as a migration fallback for existing installations.
- Makes guest-inquiry deletion persistent by retaining an invisible tombstone linked to the Gmail intake item, so dashboard refreshes and later Gmail checks cannot recreate a deleted inquiry.
- Keeps Labels & dedicated displays selected after saving a tablet assignment instead of returning to the Cellar overview.
- Adds live Online/Offline heartbeat lights to each manually registered cellar tablet, including Tablet 1 and Tablet 2.
- Keeps Laboratory sample and measurement selectors useful when the selected vintage has no numeric report by clearly showing the latest available vintage, while refusing to imply that historical evidence is a current-year measurement or projection.

Release 1.6.21

- Exports the protected US and Italian PayPal client IDs, client secrets, and environment from Home Assistant app options into the Register API process.
- Restores the already-configured US PayPal Business account in checkout while preserving the existing EUR-to-US-account fallback when no Italian account is configured.
- Preserves the explicitly selected PayPal environment from protected Home Assistant options; the Baiamonte installation is configured for live PayPal after deployment.
- Adds persistent US and Italian PayPal Business status lights to the sale page, showing Active/Offline and LIVE/SANDBOX before checkout.
- Compacts the oversized Register header pill to a short FIC, PayPal-account, and environment summary; the detailed sync timestamp remains in Integration status.
- Moves Register category buttons to a dedicated wrapping row so Wine, Oil, Hospitality, and later categories are never clipped by the search field or Manual item button.

Release 1.6.20

- Routes clear guest tasting, visit, tour, dinner, and reservation inquiries into Hospitality even when the Gmail label or configured subject phrase is missing; the messages remain review-only until explicitly converted.
- Rechecks previously downloaded Gmail message bodies so the existing “Inquiry about Classic Tasting at the Estate” request can enter Guest inquiries.
- Restores saved Atlas parcel and block shapes with an SVG overlay that remains correctly sized when Agronomy is opened after page startup.
- Separates saved boundary counts from parcel center locations so Atlas no longer reports point-only records as verified boundaries.
- Keeps the active workspace, page, and subpage selected when changing years instead of returning the navigation to Operations.
- Suppresses cellar monitor alerts for tanks whose recorded volume is zero; readings remain visible, and guard checks resume automatically when a positive volume is recorded.
- Makes every Finance summary metric clickable and keyboard accessible, opening the selected year’s supporting invoices, monthly result calculation, cash accounts, or individual approved labor and payment records.

Release 1.6.19

- Added transparent AI-assisted Laboratory projections: exact prior-vintage evidence is preferred, with a low-confidence 14-day current measured trajectory only when at least two dated readings exist; every refresh and new lab arrival recalculates the outlook.
- Added newest-report AI-assisted finding cards to Laboratory and Vineyard fertilization, with source/review limitations and no automatic cellar, harvest, product, rate, or application decision.
- Restricted Fertilizer procurement to explicitly classified land/soil products; foliar vine-treatment fertilizers remain in Treatments and Crop nutrition.
- Added a dedicated Email tab beside Messaging in Administration, containing mailbox folders, reading/actions, attachments, received/sent history, connection controls, intake refresh, and compose.
- Splits the oversized Laboratory series menu into Sample and Measurement selectors.
- Keeps samples with comparable prior-vintage evidence first while retaining clearly labeled current-only samples.
- Limits the measurement menu to the selected sample, sample type, and stage so unlike records cannot be chosen accidentally.
- Makes “Mark Enologist approved” save immediately and clears the sample’s source-review flag so approved reports stop appearing red.

Release 1.6.18

- Opens Laboratory on a series that actually has comparable prior-vintage evidence instead of defaulting to a current-only measurement.
- Groups the selector into measurements with comparable history and measurements that have only a current reading, so unavailable projections are explicit.
- Replaces the misleading mixed-sample annual-average chart with like-for-like vintage endpoints for the selected wine, sample type, stage, analyte, and unit.
- Replaces the process-wide mixed table with the final measured endpoint for that same sample definition in each available vintage.
- Refreshes report history, decision status, trends, comparisons, and projections immediately after a laboratory result is corrected, then reopens the detail with the saved value.

Release 1.6.17

- Consolidates safe laboratory label variants such as Grecanico 25/2025, Bianco–Grecanico, Granache/Grenache, and Nerello/Nerello Mascalese for vintage comparison.
- Keeps unrelated wines, sample types, process stages, analytes, and units separate so projections do not combine unlike measurements.
- Adds sample type and process stage to the Laboratory selector, removing visually duplicated choices and making grape, must, and wine series explicit.
- Adds Giancarlo's source-backed December 2024–November 2025 monthly labor to reconciliation: 988 known hours plus one 15-day attendance record whose hours remain explicitly unknown.
- Applies the owner-confirmed €10/hour rate to known historical hours, records all prior labor as paid with ledger entries for the 11 known-value months, and preserves November 2025 as paid with its unknown hours and amount explicit.
- Prevents mirrored source rows from double-counting labor totals and excludes paid historical attendance with an unknown amount from the zero-value invoice warning.

Release 1.6.16

- Keeps the active Enology, Laboratory, Bottling, Fertilization, or Nutrition page selected while changing vintages.
- Orders vintage-specific refreshes after the shared year state changes and ignores stale responses from rapid year switching.
- Repairs the Laboratory outlook endpoint under Home Assistant ingress so recorded vintage measurements and projections load instead of an empty fallback.
- Reloads analyte comparisons on every vintage change and exposes the existing source-backed 2023–2025 bottle-equivalent backfill in Bottling.

Release 1.6.15

- Defers direct-route activation until the signed-in workspace permissions are available, restoring Laboratory and Messaging links.
- Safely binds the later-loaded laboratory outlook renderer so opening Labs cannot interrupt the page.
- Preserves the Tank Details workspace-save repair and verified Etna status from the previous patches.

Release 1.6.14

- Completes the workspace startup repair by safely binding the later-loaded cellar-history renderer.
- Restores the remaining Agronomy, Etna, Laboratory, and Messaging initialization path exposed during live 1.6.13 verification.

Release 1.6.13

- Repairs Admin Messaging when Review has already loaded the shared communications data.
- Rebuilds the Messaging panel placement and restores its Contacts, Meta Business, and System-account tab state whenever the page opens.
- Prevents the later-loaded analytics bundle from stopping dashboard startup before Agronomy/Etna, Laboratory navigation, and Messaging are initialized.
- Keeps Tank Details and other Agronomy saves in the current workspace and page instead of returning to Today.

- Keeps direct navigation and cached communications responsive without requiring a full dashboard reload.
- Adds regression coverage for Messaging page activation and stale-panel recovery.
- Leaves the full-version manual unchanged because this is an operational patch release.

Release 1.6.12

- Isolates Messaging, Social, and TV browser startup so an error in one page cannot prevent the other pages from loading.
- Adds an independent page-loader fallback for direct navigation and restored sessions.
- Keeps hospitality Gmail inquiry refreshes active while restoring access to the shared Messaging interface.
- Adds regression coverage for page startup isolation and hospitality inquiry synchronization.
- Leaves the full-version manual unchanged because this is an operational patch release.

Release 1.6.11

- Aligns the Admin Docs card with the installed owner's manual release 1.6.4 instead of the obsolete 1.5.0 label.
- Updates regression coverage so the displayed manual release cannot silently drift again.
- Leaves the full-version manual unchanged because this is an operational patch release.

Release 1.6.10

- Routes Gmail messages tagged with the configured Hospitality label into Guest Inquiries, including nested labels and messages that were downloaded before the label was applied.
- Retains subject-based hospitality routing as a fallback and exposes configurable inbound labels and subjects in Hospitality Admin.
- Adds a manual Gmail refresh action and regression coverage for label normalization, re-routing, and source metadata.
- Leaves the full-version manual unchanged because this is an operational patch release.

Release 1.6.9

- Records harvest picks from multiple vineyard blocks while preserving every legal parcel in the grape-to-tank traceability chain.
- Treats the entered crate weight as net kilograms per crate, calculates the field total, and supports a later authoritative winery weight without erasing the original field measurement.
- Keeps the complete harvest form visible on phones and separates harvest routes from the main application module for easier maintenance.
- Restores laboratory outlooks when switching years by using each report's authoritative vintage and keeps current-vintage projections separate from historical comparisons.
- Resolves Today greetings through the linked Home Assistant person or worker identity while excluding tablet, kiosk, iPad, and service accounts.
- Adds product images to register items and a fast editable manual-charge item while preserving local ledger and inventory behavior.
- Adds regression coverage for harvest weighing and multiple blocks, parcel traceability, laboratory year selection, register behavior, and greeting privacy.
- Leaves the full-version manual unchanged because this is an operational patch release.

Release 1.6.7

- Prevents overlapping System Documentation refreshes from leaving the control stuck on “Loading...”.
- Adds a Rome-time greeting on Today and includes a first name only when Home Assistant supplies a natural full human name.
- Shows continuously updated application uptime in Admin Control.
- Adds live Up/Down heartbeat badges for active tank-label tablets based on their latest check-in.
- Adds regression coverage for greeting privacy, documentation refresh recovery, uptime, and label-device status.
- Leaves the full-version manual unchanged because this is an operational reliability patch release.

Release 1.6.6

- Keeps every TV card and both sides of split layouts visible on narrower or overscanned displays.
- Replaces unsupported relational CSS selectors with explicit compatibility classes for older Samsung and embedded TV browsers.
- Loads vessel rendering before the main TV bundle and reduces continuous chart and overflow work for smoother long-running displays.
- Adds regression coverage for TV layout preservation, legacy-browser CSS, helper order, and refresh throttling.
- Leaves the full-version manual unchanged because this is a TV reliability patch release.

Release 1.6.5

- Reuses healthy MariaDB connections through a bounded, thread-safe pool instead of reconnecting for every small dashboard query.
- Compresses large API and TV-display responses for substantially lower tablet and kiosk network transfer.
- Preserves the existing short-lived TV payload cache while making cold refreshes and concurrent displays more efficient.
- Leaves the full-version manual unchanged because this is a performance patch release.

Release 1.6.4

- Adds a complete hospitality partner directory with referral attribution, configurable commission rules, due and approval states, partial payments, payment history, and auditable corrections.
- Connects partner liabilities to the Finance payable total and provides a dedicated partner payment queue and annual summary.
- Expands the System Manual to 24 portrait pages with intelligence-pipeline descriptions, decision trees, evidence gates, partner workflows, and current operational guidance.
- Rebuilds the downloadable PDF and in-window page previews for the updated manual.

Release 1.6.3

- Adds Home Assistant-managed network receipt printing through a configured notify, script, or shell_command service.
- Lets administrators select browser printing or the Home Assistant IP-printer path and optionally provide a target printer entity.
- Preserves the existing browser receipt as an automatic fallback when the Home Assistant printer service is unavailable.
- Keeps receipt print counts and audit history consistent for both printer paths.

- Leaves the full-version manual unchanged for this patch release.

Release 1.6.2

- Adds an explicit touch-friendly cash-received confirmation with amount due, cash tendered, and change retained in the audit trail.
- Allows administrators to correct payment metadata or void a local payment while preserving its audit history and automatically restoring unposted inventory.
- Protects captured online PayPal payments from local deletion and directs refunds through PayPal before ledger reconciliation.
- Replaces register payment browser prompts with purpose-built tablet dialogs, clarifies the operator-confirmed PayPal phone workflow, and keeps online PayPal API verification separate.
- Refreshes the ECB EUR/USD reference rate once daily while keeping the checkout rate editable and preserving the applied rate on every sale.
- Compacts register item cards and administration controls, and standardizes register buttons for clearer touch targets and states.
- Leaves the full-version manual unchanged for this patch release.

Release 1.6.1

- Corrects Giancarlo Pafumi's paid €20 gas reimbursement from the erroneous future date 27 August 2026 to the source-supported date 27 July 2026.
- Repairs the archived July timesheet source alongside the labor ledger and records both before/after values in the audit log without changing the amount or paid status.
- Corrects the archived source title from Mattia to Giancarlo and leaves the full-version manual unchanged.

Release 1.6.0

- Adds a tablet-oriented Register workspace with Sale, Inventory, Ledger, and Admin pages plus dedicated Register and Cashier access.
- Mirrors sellable Fatture in Cloud products and prices read-only, includes local Hospitality packages, and supports authorized manual items, editable prices, and discounts.
- Keeps EUR as the authoritative reporting and VAT base while allowing EUR or USD collection at the saved checkout conversion rate.
- Supports both Italian and US PayPal Business credentials, shows the active account at checkout, and preserves the selected account on each transaction.
- Adds an English/Italian checkout switch that controls PayPal locale and the printed receipt language.
- Supports hosted PayPal/card checkout and operator-confirmed PayPal Tap to Pay on an NFC phone without storing raw card data or claiming browser-side POS verification.
- Preserves EUR base values, collected currency and amount, conversion rate, PayPal account, language, and payment reference in receipts and monthly CSV exports.
- Keeps register sales posting to Fatture in Cloud disabled until a separately approved reconciliation release.
- Updates and visually verifies the portrait, scrollable System Manual for the full 1.6 release.

OPERATING REFERENCE

26. Glossary

Actual: A completed, confirmed event or measurement. **Evidence:** The source message, document, sensor, note, or record supporting a value. **GDD:** Growing degree days, a temperature accumulation measure. **Ingress:** Home Assistant's authenticated route into an add-on interface. **Intelligence proposal:** A traceable calculated result that remains separate from an approved fact.

Pipeline: The ordered evidence, calculation, review, approval, and refresh path for a domain decision.

Provisional: A system result temporarily available for planning while its required human review is pending.

Hospitality Manager: The role responsible for guest inquiries, packages, private experiences, guest readiness, deposits, and confirmations.

Cashier / Register user: A limited role that can operate estate sales without receiving finance, vineyard-write, payroll, or administration access.

EUR base: The authoritative euro value used for VAT and management reporting even when the customer pays in USD.

Tender amount: The amount actually collected in the selected payment currency. **MCP:** Model Context Protocol, the controlled interface used by Codex and approved automation. **NDVI / NDRE:** Satellite vegetation indices used as trend evidence. **Planned:** Intended but not completed or approved. **Review item:** A visible uncertainty that must not be guessed. **Vintage:** The harvest year to which grapes or wine belong, even when later work occurs in another calendar year. **YoY:** Year-over-year comparison.

OPERATING REFERENCE

27. Operating principle

The system is designed to be useful without pretending to know more than the evidence supports. Confirmed facts remain authoritative, forecasts remain provisional, unknowns remain visible, and sensitive actions remain under human control.