

Datum X = inner face of EAST wall · Datum Y = inner face of SOUTH wall · dimensions to the room's near corner (SE)

ROOM	X from EAST wall	Y from SOUTH wall	WIDTH	DEPTH	AREA
Autoclave	0' - 5"	0' - 5"	9' - 9½"	5' - 2½"	51 sf
Sterile Store / Change	10' - 7"	0' - 5"	9' - 9½"	5' - 2½"	51 sf
Bath	26' - 6"	0' - 5"	3' - 0"	5' - 0"	15 sf
Doctors' Lounge	29' - 11"	0' - 5"	17' - 5"	9' - 0"	157 sf
Scrub	20' - 11"	2' - 0"	5' - 2½"	7' - 0"	36 sf
Operation Theatre	0' - 5"	6' - 0"	20' - 0"	20' - 0"	400 sf
Opd 3 (Sr. Consultant)	31' - 7"	9' - 9½"	12' - 7"	12' - 3½"	155 sf
Opd 2	20' - 11"	13' - 0"	10' - 2½"	7' - 5"	75 sf
Waiting Area	31' - 7"	22' - 6"	12' - 9½"	17' - 1"	216 sf
Opd 1	20' - 11"	25' - 9½"	10' - 2½"	7' - 7"	78 sf
Recovery / Pre-Op	0' - 5"	26' - 5"	12' - 0"	8' - 0"	96 sf
X-Ray / Emergency	0' - 5"	34' - 9½"	12' - 0"	7' - 7"	91 sf
Pharmacy	5' - 0"	48' - 9½"	7' - 5"	6' - 0"	44 sf
Room 1	18' - 2½"	48' - 9½"	25' - 0"	10' - 2½"	210 sf
T	18' - 5"	49' - 0"	4' - 2½"	5' - 2½"	22 sf
Bp / Exam Room	0' - 5"	55' - 5"	11' - 9½"	5' - 7"	66 sf
Room 2	18' - 2½"	59' - 5"	24' - 0"	10' - 0"	189 sf
T	18' - 5"	59' - 7"	4' - 2½"	5' - 2½"	22 sf
Nursing Stn. + Obs Bed	0' - 5"	61' - 5"	11' - 9½"	7' - 7"	90 sf
Wash + Bath (2)	0' - 5"	69' - 5"	11' - 9½"	5' - 0"	59 sf
Room 3	18' - 2½"	69' - 9½"	22' - 6"	9' - 7"	167 sf
T	18' - 5"	70' - 0"	4' - 2½"	5' - 2½"	22 sf
Stores	0' - 5"	74' - 9½"	11' - 9½"	5' - 5"	64 sf
Room 4	18' - 0"	79' - 9½"	18' - 0"	11' - 9½"	184 sf
T	18' - 2½"	80' - 0"	4' - 2½"	5' - 2½"	22 sf
Suite Room 5	0' - 5"	83' - 5"	12' - 2½"	8' - 7"	86 sf
Pantry	13' - 0"	84' - 0"	4' - 6"	5' - 2½"	23 sf
T	8' - 7"	86' - 9½"	3' - 9½"	5' - 0"	19 sf

DOOR SCHEDULE

ROOM	TAG	CLEAR WIDTH	X	Y
Autoclave	D2	2' - 5"	5' - 0"	5' - 9½"
Sterile Store / Change	D2	2' - 5"	16' - 6"	5' - 9½"
Bath	D3	2' - 0"	29' - 7"	2' - 9½"
Doctors' Lounge	D2	2' - 5"	30' - 7"	9' - 6"
Scrub	D2	2' - 7"	20' - 9½"	7' - 2½"
Scrub	D2	2' - 5"	23' - 6"	9' - 1"
Opd 3 (Sr. Consultant)	D2	2' - 5"	36' - 0"	9' - 7"
Opd 3 (Sr. Consultant)	D2	2' - 7"	31' - 6"	21' - 5"
Opd 2	D2	2' - 7"	24' - 6"	20' - 6"
Waiting Area	D1	3' - 2½"	31' - 8½"	35' - 6"
Opd 1	D2	2' - 7"	24' - 6"	25' - 8½"
Recovery / Pre-Op	D1	3' - 0"	6' - 0"	26' - 3½"
Recovery / Pre-Op	D1	3' - 6"	12' - 6"	30' - 5"
X-Ray / Emergency	D1	3' - 0"	6' - 6"	42' - 6"
X-Ray / Emergency	D2	2' - 7"	12' - 6"	38' - 6"
Pharmacy	D2	2' - 7"	8' - 7"	48' - 8½"
Room 1	D1	2' - 9½"	17' - 11"	55' - 6"
T	D3	2' - 0"	20' - 5"	54' - 3½"
Bp / Exam Room	D2	2' - 7"	12' - 3½"	58' - 2½"
Room 2	D1	2' - 9½"	17' - 11"	66' - 0"
T	D3	2' - 0"	20' - 5"	64' - 11"
Nursing Stn. + Obs Bed	D1	2' - 9½"	12' - 3½"	65' - 2½"
Wash + Bath (2)	D2	2' - 5"	12' - 3½"	71' - 11"
Room 3	D1	2' - 9½"	17' - 11"	76' - 0"
T	D3	2' - 0"	20' - 5"	75' - 3½"
Stores	D2	2' - 5"	12' - 3½"	77' - 6"
Room 4	D2	2' - 7"	17' - 9½"	80' - 9½"
T	D3	2' - 0"	20' - 2½"	85' - 3½"
Suite Room 5	D1	3' - 0"	6' - 0"	83' - 3½"
Pantry	D3	2' - 2½"	15' - 2½"	83' - 11"
T	D3	2' - 0"	8' - 6"	88' - 11"

Totals: D1 (≥2'-9") × 9 D2 (≥2'-3") × 15 D3 (<2'-3") × 7

CONSTRUCTION NOTES

- Partitions 100 mm AAC block / 75 mm gypsum metal-stud, as specified by the architect.
- OT + Recovery: seamless vinyl flooring with coved skirting; OT walls washable to ceiling; positive-pressure AHU for OT, exhaust for toilets. Medical gas: O2 + vacuum to OT, Recovery, Obs bed and all 5 rooms; manifold in Stores.
- OT suite: patients enter ONLY through Recovery; staff through Scrub. No other opening.
- X-ray room: provide AERB lead lining to lobby-side wall if radiography is installed.
- Wet areas (all ensuite T, Wash+Bath, pantry) on ganged plumbing near the east duct.
- Visitor WC: common-area toilets outside the main entry (builder's provision).
- All patient corridors min. 5'-0" clear. Verify column/shear-wall positions and the cut-out slab on site BEFORE marking partitions. All dims to be site-verified.
- Reference drawings: layout_E_final.dxf (feet units) overlays the builder's typical plan.