


NO HOT SCALE - IF IN DOUBT ASK


NO.	DR.	APP.	DATE	REVISION
0	JK	RL	05/08/97	ISSUED FOR CONSTRUCTION
1	FA	RL	14/08/97	STAIR DETAILS ADDED



NOTE: STAIR NOT SHOWN FOR CLARITY

SECTION D LINE '11.1'


SECTION E LINE 'A.O'




STAIR S2 DETAILS

FIELD DRILL HOLES
TO MATCH 2033 & 3202


- NOTE:
- 1 FOR GENERAL NOTES SEE DRAWING 896C0001
 - 2 ALL STAIR TREADS AND FLOORING TO BE HOT DIP GALVANIZED SERRATED GRATING WITH 1 1/4"x3/16" BEARER BAR AT 1 3/16" C/C AND CROSS BAR AT 4" C/C. ALL PANELS TO BE BANDED. STAIR TREADS TO BE FINISHED WITH NON-SLIP NOSING.




STAIR S1 DETAILS



SECTION G



SECTION F



SECTION H

QUAD ENGINEERING ONTARIO, CANADA	
THIS DRAWING IS THE PROPERTY OF QUAD ENGINEERING	
STEEL OF WEST VIRGINIA	
#2 MILL UPGRADE	
ELECTRICAL & MOTOR ROOM	
STRUCTURAL ELEVATIONS - SHEET 3	
DR. J.K.	DATE JUL'97
CHK. DATE	CLIENT DRG. NO. D4916
APPR. DATE	QUAD DRG. NO. 896C0217
SCALE 1/4" = 1' ft.	REV 1

QUAD ENGINEERING
AUG 14 1997
APPROVED FOR
CONSTRUCTION

QUAD ENGINEERING
AUG 14 1997
DESTROY ALL
PREVIOUS VERSIONS