


Speed Guide



Name **TRUE GRIT**

Sail # **GER 7447**

Class **JPK 10.80**

Designer **VALER JACQUES**

Builder **JPK COMPOSITES**

This page contains the polar curves for all wind speeds. The curves are trimmed to highlight the intersection points between different sails. The legend describes the type of sails, also mentioning the sail area when applicable.

TWS: 6,8,10,12,14,16,20,24


Headsail, 31.68 m² (id = #55940)

Symmetric, 115.00 m² (id = #62068)

Asymmetric on Pole, 116.03 m² (id = #180387)

Asymmetric on Centerline, 116.03 m² (id = #180387)

Speed Guide




Name **TRUE GRIT**
Sail # **GER 7447**
Class **JKP 10.80**
Designer **VALER JACQUES**
Builder **JKP COMPOSITES**

This page contains the polar curves for the specified true wind speed. The curves and the corresponding areas in the legend refer to the **largest** headsail or **symmetric** or **asymmetric** spinnaker. The area of the respective sails is shown in the legend.

TWS: 6

- **Headsail, 31.68 m² (id = #55940)**
- **Symmetric, 115.00 m² (id = #62068)**
- **Asymmetric on Pole, 116.03 m² (id = #180387)**
- **Asymmetric on Centerline, 116.03 m² (id = #180387)**




Name **TRUE GRIT**
Sail # **GER 7447**
Class **JKP 10.80**
Designer **VALER JACQUES**
Builder **JKP COMPOSITES**

This page contains the polar curves for the specified true wind speed. The curves and the corresponding areas in the legend refer to the **largest headsail** or **symmetric** or **asymmetric** spinnaker. The area of the respective sails is shown in the legend.

TWS: 8

- **Headsail, 31.68 m² (id = #55940)**
- **Symmetric, 115.00 m² (id = #62068)**
- **Asymmetric on Pole, 116.03 m² (id = #180387)**
- **Asymmetric on Centerline, 116.03 m² (id = #180387)**

Speed Guide




Name **TRUE GRIT**
Sail # **GER 7447**
Class **JKP 10.80**
Designer **VALER JACQUES**
Builder **JKP COMPOSITES**

This page contains the polar curves for the specified true wind speed. The curves and the corresponding areas in the legend refer to the **largest** **headsail** or **symmetric** or **asymmetric** spinnaker. The area of the respective sails is shown in the legend.

TWS: 10

- **Headsail, 31.68 m² (id = #55940)**
- **Symmetric, 115.00 m² (id = #62068)**
- **Asymmetric on Pole, 116.03 m² (id = #180387)**
- **Asymmetric on Centerline, 116.03 m² (id = #180387)**

Speed Guide




Name **TRUE GRIT**
Sail # **GER 7447**
Class **JKP 10.80**
Designer **VALER JACQUES**
Builder **JKP COMPOSITES**

This page contains the polar curves for the specified true wind speed. The curves and the corresponding areas in the legend refer to the **largest** **headsail** or **symmetric** or **asymmetric** spinnaker. The area of the respective sails is shown in the legend.

TWS: 12

- **Headsail, 31.68 m² (id = #55940)**
- **Symmetric, 115.00 m² (id = #62068)**
- **Asymmetric on Pole, 116.03 m² (id = #180387)**
- **Asymmetric on Centerline, 116.03 m² (id = #180387)**

Speed Guide




Name **TRUE GRIT**
Sail # **GER 7447**
Class **JKP 10.80**
Designer **VALER JACQUES**
Builder **JKP COMPOSITES**

This page contains the polar curves for the specified true wind speed. The curves and the corresponding areas in the legend refer to the **largest** headsail or **symmetric** or **asymmetric** spinnaker. The area of the respective sails is shown in the legend.

TWS: 14

- **Headsail, 31.68 m² (id = #55940)**
- **Symmetric, 115.00 m² (id = #62068)**
- **Asymmetric on Pole, 116.03 m² (id = #180387)**
- **Asymmetric on Centerline, 116.03 m² (id = #180387)**

Speed Guide




Name **TRUE GRIT**
Sail # **GER 7447**
Class **JKP 10.80**
Designer **VALER JACQUES**
Builder **JKP COMPOSITES**

This page contains the polar curves for the specified true wind speed. The curves and the corresponding areas in the legend refer to the **largest** headsail or **symmetric** or **asymmetric** spinnaker. The area of the respective sails is shown in the legend.

TWS: 16

- **Headsail, 31.68 m² (id = #55940)**
- **Symmetric, 115.00 m² (id = #62068)**
- **Asymmetric on Pole, 116.03 m² (id = #180387)**
- **Asymmetric on Centerline, 116.03 m² (id = #180387)**

Speed Guide




Name **TRUE GRIT**
Sail # **GER 7447**
Class **JKP 10.80**
Designer **VALER JACQUES**
Builder **JKP COMPOSITES**

This page contains the polar curves for the specified true wind speed. The curves and the corresponding areas in the legend refer to the **largest** **headsail** or **symmetric** or **asymmetric** spinnaker. The area of the respective sails is shown in the legend.

TWS: 20

- **Headsail, 31.68 m² (id = #55940)**
- **Symmetric, 115.00 m² (id = #62068)**
- **Asymmetric on Pole, 116.03 m² (id = #180387)**
- **Asymmetric on Centerline, 116.03 m² (id = #180387)**

Speed Guide



Name **TRUE GRIT**
Sail # **GER 7447**
Class **JKP 10.80**
Designer **VALER JACQUES**
Builder **JKP COMPOSITES**

This page contains the polar curves for the specified true wind speed. The curves and the corresponding areas in the legend refer to the **largest** headsail or **symmetric** or **asymmetric** spinnaker. The area of the respective sails is shown in the legend.

TWS: 24

- **Headsail, 31.68 m² (id = #55940)**
- **Symmetric, 115.00 m² (id = #62068)**
- **Asymmetric on Pole, 116.03 m² (id = #180387)**
- **Asymmetric on Centerline, 116.03 m² (id = #180387)**



TRUE GRIT
GER 7447
JPK 10.80

**Best
Performance**

TWS = 6kts

TWA	BTW	VMG	AWS	AWA	Heel	Reef	Flat
42.3°	4.84	3.58	10.12	23.5°	5.0°	1.00	1.00
52°	5.40	3.32	10.24	27.4°	5.2°	1.00	1.00
60°	5.65	2.83	10.08	30.9°	4.8°	1.00	1.00
70°	5.80	1.98	9.66	35.6°	3.9°	1.00	1.00
75°	5.82	1.51	9.37	38.1°	3.3°	1.00	1.00
80°	5.80	1.01	9.04	40.8°	2.6°	1.00	1.00
90°	5.91	0.00	8.37	45.0°	9.4°	1.00	0.97
110°	6.08	2.08	6.91	54.3°	5.6°	1.00	1.00
120°	5.95	2.98	5.97	60.3°	2.9°	1.00	1.00
135°	5.32	3.76	4.37	75.8°	2.5°	1.00	1.00
142.2°	4.94	3.90	3.68	87.0°	2.6°	1.00	1.00
150°	4.43	3.83	3.09	104.4°	2.8°	1.00	1.00
165°	3.65	3.53	2.64	144.1°	4.0°	1.00	1.00
180°	3.33	3.33	2.67	180.0°	5.1°	1.00	1.00

TWS = 8kts

TWA	BTW	VMG	AWS	AWA	Heel	Reef	Flat
40.5°	5.74	4.36	12.87	23.3°	12.0°	1.00	1.00
52°	6.40	3.94	12.89	28.6°	12.1°	1.00	1.00
60°	6.62	3.31	12.61	32.6°	11.1°	1.00	1.00
70°	6.74	2.31	12.04	38.0°	9.4°	1.00	1.00
75°	6.76	1.75	11.68	40.9°	8.3°	1.00	1.00
80°	6.75	1.17	11.29	43.8°	7.2°	1.00	1.00
90°	6.95	0.00	10.28	47.5°	18.8°	1.00	0.96
110°	7.18	2.46	8.58	58.8°	12.8°	1.00	1.00
120°	7.10	3.55	7.53	65.7°	8.0°	1.00	1.00
135°	6.57	4.64	5.72	80.8°	4.1°	1.00	1.00
146.7°	5.85	4.89	4.46	100.8°	5.0°	1.00	1.00
150°	5.63	4.87	4.19	108.1°	4.7°	1.00	1.00
165°	4.79	4.62	3.59	145.0°	6.0°	1.00	1.00
180°	4.40	4.40	3.60	180.0°	5.6°	1.00	1.00

TWS = 10kts

TWA	BTW	VMG	AWS	AWA	Heel	Reef	Flat
39.0°	6.25	4.85	15.23	23.0°	18.9°	1.00	0.96
52°	6.98	4.30	15.08	29.4°	19.9°	1.00	0.99
60°	7.18	3.59	14.70	34.0°	18.3°	1.00	1.00
70°	7.30	2.50	14.03	40.2°	15.4°	1.00	1.00
75°	7.32	1.89	13.64	43.4°	13.8°	1.00	1.00
80°	7.32	1.27	13.22	46.8°	12.2°	1.00	1.00
90°	7.36	0.00	11.84	51.6°	21.9°	0.94	0.93
110°	7.76	2.66	9.87	63.9°	19.5°	1.00	0.99
120°	7.73	3.87	8.88	72.1°	12.7°	1.00	1.00
135°	7.38	5.22	7.05	87.5°	5.2°	1.00	1.00
149.8°	6.64	5.74	5.39	111.9°	6.1°	1.00	1.00
150°	6.63	5.74	5.37	112.2°	6.1°	1.00	1.00
165°	5.79	5.59	4.65	146.4°	6.3°	1.00	1.00
180°	5.38	5.38	4.62	180.0°	5.7°	1.00	1.00

TWS = 12kts

TWA	BTW	VMG	AWS	AWA	Heel	Reef	Flat
38.2°	6.44	5.06	17.31	23.5°	21.4°	1.00	0.85
52°	7.22	4.45	16.97	30.6°	24.0°	1.00	0.92
60°	7.44	3.72	16.48	35.3°	23.5°	1.00	0.95
70°	7.60	2.60	15.72	41.9°	21.4°	1.00	0.99
75°	7.65	1.98	15.31	45.4°	19.9°	1.00	1.00
80°	7.67	1.33	14.90	49.1°	17.6°	1.00	1.00
90°	7.67	0.00	13.99	56.8°	12.7°	1.00	1.00
110°	8.12	2.78	11.20	69.0°	22.0°	0.97	0.94
120°	8.22	4.11	10.15	77.3°	17.7°	1.00	1.00
135°	7.93	5.60	8.46	93.8°	5.6°	1.00	1.00
150°	7.35	6.37	6.68	117.1°	7.4°	1.00	1.00
157.9°	7.01	6.49	6.08	132.5°	7.7°	1.00	1.00
165°	6.67	6.44	5.81	147.9°	6.7°	1.00	1.00
180°	6.26	6.26	5.74	180.0°	5.8°	1.00	1.00

TWS = 14kts

TWA	BTW	VMG	AWS	AWA	Heel	Reef	Flat
38.0°	6.55	5.16	19.31	24.4°	22.1°	0.93	0.75
52°	7.33	4.52	18.84	32.2°	24.6°	0.93	0.81
60°	7.56	3.78	18.23	37.0°	25.2°	0.93	0.86
70°	7.77	2.66	17.28	43.4°	25.6°	1.00	0.93
75°	7.85	2.03	16.86	47.1°	24.1°	1.00	0.95
80°	7.91	1.37	16.42	51.0°	22.3°	1.00	0.98
90°	7.97	0.00	15.58	59.2°	17.1°	1.00	1.00
110°	8.38	2.87	12.72	73.6°	22.0°	0.91	0.94
120°	8.66	4.33	11.39	81.6°	21.7°	1.00	0.97
135°	8.45	5.97	9.90	98.4°	8.5°	1.00	1.00
150°	7.86	6.81	8.17	121.5°	5.7°	1.00	1.00
164.8°	7.34	7.08	7.17	149.5°	7.2°	1.00	1.00
165°	7.33	7.08	7.16	149.9°	7.2°	1.00	1.00
180°	7.00	7.00	7.00	180.0°	5.9°	1.00	1.00

TWS = 16kts

TWA	BTW	VMG	AWS	AWA	Heel	Reef	Flat
38.4°	6.66	5.22	21.29	25.6°	22.2°	0.60	0.69
52°	7.40	4.56	20.69	33.5°	25.0°	0.64	0.75
60°	7.63	3.82	19.99	38.6°	25.9°	0.64	0.80
70°	7.87	2.69	18.92	45.2°	26.8°	0.85	0.86
75°	7.98	2.06	18.31	48.6°	27.4°	0.88	0.92
80°	8.08	1.40	17.81	52.4°	26.4°	1.00	0.94
90°	8.22	0.00	16.97	61.0°	22.0°	1.00	1.00
110°	8.61	2.95	14.29	77.3°	22.0°	0.85	0.94
120°	8.97	4.49	12.88	85.7°	22.0°	0.96	0.94
135°	9.00	6.36	11.32	101.8°	11.7°	1.00	1.00
150°	8.35	7.23	9.70	124.6°	3.6°	1.00	1.00
165°	7.81	7.55	8.68	151.8°	7.7°	1.00	1.00
168.2°	7.72	7.56	8.58	157.8°	7.2°	1.00	1.00
180°	7.54	7.54	8.46	180.0°	6.1°	1.00	1.00

TWS = 20kts

TWA	BTW	VMG	AWS	AWA	Heel	Reef	Flat
38.8°	6.73	5.25	25.15	27.4°	22.3°	0.50	0.56
52°	7.46	4.59	24.39	35.8°	25.0°	0.50	0.62
60°	7.71	3.85	23.55	41.2°	26.3°	0.50	0.67
70°	7.99	2.73	22.27	48.2°	27.9°	0.50	0.75
75°	8.14	2.11	21.61	52.0°	28.2°	0.50	0.80
80°	8.28	1.44	20.93	55.8°	28.4°	0.50	0.86
90°	8.57	0.00	19.59	64.1°	28.3°	0.93	0.95
110°	9.03	3.09	17.56	82.8°	22.0°	0.75	0.94
120°	9.55	4.78	16.06	91.6°	22.0°	0.85	0.95
135°	10.43	7.38	13.83	105.6°	19.7°	1.00	1.00
150°	9.47	8.20	12.69	128.2°	4.8°	1.00	1.00
165°	8.74	8.44	11.76	154.1°	6.6°	1.00	1.00
167.3°	8.66	8.45	11.69	158.2°	8.4°	1.00	1.00
180°	8.43	8.43	11.57	180.0°	6.5°	1.00	1.00

TWS = 24kts

TWA	BTW	VMG	AWS	AWA	Heel	Reef	Flat
40.7°	6.70	5.08	28.77	30.1°	22.9°	0.47	0.53
52°	7.40	4.55	28.01	37.7°	25.2°	0.49	0.53
60°	7.66	3.83	27.12	43.5°	26.0°	0.42	0.74
70°	8.01	2.74	25.74	50.9°	27.6°	0.44	0.78
75°	8.19	2.12	24.98	54.8°	28.3°	0.45	0.81
80°	8.37	1.45	24.14	58.7°	29.2°	0.47	0.83
90°	8.75	0.00	22.47	67.1°	30.4°	0.49	0.92
110°	9.27	3.17	20.84	87.1°	22.7°	0.73	0.78
120°	10.13	5.07	19.35	95.5°	22.1°	0.76	0.95
135°	12.14	8.59	16.44	107.1°	22.2°	0.95	0.95
142.3°	12.81	10.14	15.25	114.0°	18.1°	1.00	1.00
150°	11.32	9.80	15.15	128.7°	9.6°	1.00	1.00
165°	9.89	9.55	14.62	155.4°	11.0°	1.00	1.00
180°	9.42	9.42	14.58	180.0°	7.1°	1.00	1.00

TRUE GRIT
GER 7447
JPK 10.80



Headsail,
31.68 m²
(id=#55940)

TWS = 6kts

TWA	BTW	VMG	AWS	AWA	Heel	Reef	Flat
42.3°	4.84	3.58	10.12	23.5°	5.0°	1.00	1.00
52°	5.40	3.32	10.24	27.4°	5.2°	1.00	1.00
60°	5.65	2.83	10.08	30.9°	4.8°	1.00	1.00
70°	5.80	1.98	9.66	35.6°	3.9°	1.00	1.00
75°	5.82	1.51	9.37	38.1°	3.3°	1.00	1.00
80°	5.80	1.01	9.04	40.8°	2.6°	1.00	1.00
90°	5.69	0.00	8.27	46.5°	1.1°	1.00	1.00
110°	5.02	1.72	6.37	62.2°	0.0°	1.00	1.00
120°	4.50	2.25	5.41	73.9°	0.1°	1.00	1.00
135°	3.68	2.60	4.28	97.5°	1.2°	1.00	1.00
150°	3.23	2.80	3.58	123.2°	3.4°	1.00	1.00
165°	3.02	2.91	3.18	150.9°	4.7°	1.00	1.00
171.2°	2.96	2.93	3.11	162.9°	5.4°	1.00	1.00
180°	2.92	2.92	3.08	180.0°	4.5°	1.00	1.00

TWS = 8kts

TWA	BTW	VMG	AWS	AWA	Heel	Reef	Flat
40.5°	5.74	4.36	12.87	23.3°	12.0°	1.00	1.00
52°	6.40	3.94	12.89	28.6°	12.1°	1.00	1.00
60°	6.62	3.31	12.61	32.6°	11.1°	1.00	1.00
70°	6.74	2.31	12.04	38.0°	9.4°	1.00	1.00
75°	6.76	1.75	11.68	40.9°	8.3°	1.00	1.00
80°	6.75	1.17	11.29	43.8°	7.2°	1.00	1.00
90°	6.67	0.00	10.40	50.1°	4.8°	1.00	1.00
110°	6.06	2.07	8.22	66.1°	1.2°	1.00	1.00
120°	5.56	2.78	7.10	77.3°	1.6°	1.00	1.00
135°	4.76	3.37	5.72	99.0°	2.6°	1.00	1.00
150°	4.26	3.69	4.80	123.8°	4.4°	1.00	1.00
165°	4.00	3.86	4.26	151.1°	6.0°	1.00	1.00
173.0°	3.92	3.89	4.14	166.4°	5.8°	1.00	1.00
180°	3.88	3.88	4.12	180.0°	5.6°	1.00	1.00

TWS = 10kts

TWA	BTW	VMG	AWS	AWA	Heel	Reef	Flat
39.0°	6.25	4.85	15.23	23.0°	18.9°	1.00	0.96
52°	6.98	4.30	15.08	29.4°	19.9°	1.00	0.99
60°	7.18	3.59	14.70	34.0°	18.3°	1.00	1.00
70°	7.30	2.50	14.03	40.2°	15.4°	1.00	1.00
75°	7.32	1.89	13.64	43.4°	13.8°	1.00	1.00
80°	7.32	1.27	13.22	46.8°	12.2°	1.00	1.00
90°	7.28	0.00	12.28	53.6°	8.7°	1.00	1.00
110°	6.83	2.34	9.99	70.0°	2.5°	1.00	1.00
120°	6.41	3.20	8.76	80.8°	3.1°	1.00	1.00
135°	5.67	4.01	7.19	101.2°	4.3°	1.00	1.00
150°	5.19	4.49	6.06	124.9°	6.5°	1.00	1.00
165°	4.91	4.75	5.40	151.6°	6.5°	1.00	1.00
174.8°	4.80	4.78	5.23	170.1°	6.0°	1.00	1.00
180°	4.78	4.78	5.22	180.0°	5.7°	1.00	1.00

TWS = 12kts

TWA	BTW	VMG	AWS	AWA	Heel	Reef	Flat
38.2°	6.44	5.06	17.31	23.5°	21.4°	1.00	0.85
52°	7.22	4.45	16.97	30.6°	24.0°	1.00	0.92
60°	7.44	3.72	16.48	35.3°	23.5°	1.00	0.95
70°	7.60	2.60	15.72	41.9°	21.4°	1.00	0.99
75°	7.65	1.98	15.31	45.4°	19.9°	1.00	1.00
80°	7.67	1.33	14.90	49.1°	17.6°	1.00	1.00
90°	7.67	0.00	13.99	56.8°	12.7°	1.00	1.00
110°	7.34	2.51	11.70	74.0°	4.0°	1.00	1.00
120°	7.03	3.51	10.42	84.3°	4.1°	1.00	1.00
135°	6.44	4.55	8.69	103.6°	5.5°	1.00	1.00
150°	6.01	5.20	7.38	126.4°	8.2°	1.00	1.00
165°	5.73	5.54	6.62	152.2°	7.0°	1.00	1.00
176.6°	5.61	5.60	6.41	173.7°	6.1°	1.00	1.00
180°	5.60	5.60	6.40	180.0°	5.9°	1.00	1.00

TWS = 14kts

TWA	BTW	VMG	AWS	AWA	Heel	Reef	Flat
38.0°	6.55	5.16	19.31	24.4°	22.1°	0.93	0.75
52°	7.33	4.52	18.84	32.2°	24.6°	0.93	0.81
60°	7.56	3.78	18.23	37.0°	25.2°	0.93	0.86
70°	7.77	2.66	17.28	43.4°	25.6°	1.00	0.93
75°	7.85	2.03	16.86	47.1°	24.1°	1.00	0.95
80°	7.91	1.37	16.42	51.0°	22.3°	1.00	0.98
90°	7.97	0.00	15.58	59.2°	17.1°	1.00	1.00
110°	7.70	2.63	13.39	77.4°	6.4°	1.00	1.00
120°	7.46	3.73	12.11	87.8°	3.9°	1.00	1.00
135°	7.04	4.98	10.24	106.2°	6.7°	1.00	1.00
150°	6.71	5.81	8.78	128.1°	9.4°	1.00	1.00
165°	6.46	6.24	7.92	153.0°	7.6°	1.00	1.00
177.5°	6.33	6.33	7.68	175.5°	6.3°	1.00	1.00
180°	6.32	6.32	7.68	180.0°	6.0°	1.00	1.00

TWS = 16kts

TWA	BTW	VMG	AWS	AWA	Heel	Reef	Flat
38.4°	6.66	5.22	21.29	25.6°	22.2°	0.60	0.69
52°	7.40	4.56	20.69	33.5°	25.0°	0.64	0.75
60°	7.63	3.82	19.99	38.6°	25.9°	0.64	0.80
70°	7.87	2.69	18.92	45.2°	26.8°	0.85	0.86
75°	7.98	2.06	18.31	48.6°	27.4°	0.88	0.92
80°	8.08	1.40	17.81	52.4°	26.4°	1.00	0.94
90°	8.22	0.00	16.97	61.0°	22.0°	1.00	1.00
110°	8.03	2.75	15.06	80.2°	9.3°	1.00	1.00
120°	7.81	3.90	13.80	90.8°	5.3°	1.00	1.00
135°	7.48	5.29	11.88	108.9°	6.6°	1.00	1.00
150°	7.24	6.27	10.27	130.1°	10.8°	1.00	1.00
165°	7.06	6.82	9.35	154.0°	8.3°	1.00	1.00
178.4°	6.94	6.94	9.06	177.2°	6.4°	1.00	1.00
180°	6.94	6.94	9.06	180.0°	6.2°	1.00	1.00


TWS = 20kts

TWA	BTW	VMG	AWS	AWA	Heel	Reef	Flat
38.8°	6.73	5.25	25.15	27.4°	22.3°	0.50	0.56
52°	7.46	4.59	24.39	35.8°	25.0°	0.50	0.62
60°	7.71	3.85	23.55	41.2°	26.3°	0.50	0.67
70°	7.99	2.73	22.27	48.2°	27.9°	0.50	0.75
75°	8.14	2.11	21.61	52.0°	28.2°	0.50	0.80
80°	8.28	1.44	20.93	55.8°	28.4°	0.50	0.86
90°	8.57	0.00	19.59	64.1°	28.3°	0.93	0.95
110°	8.64	2.96	18.15	84.3°	16.0°	1.00	1.00
120°	8.45	4.23	17.06	95.2°	11.1°	1.00	1.00
135°	8.18	5.79	15.26	113.0°	6.6°	1.00	1.00
150°	8.00	6.93	13.58	133.4°	9.0°	1.00	1.00
165°	7.87	7.60	12.53	156.0°	10.3°	1.00	1.00
179.1°	7.79	7.78	12.22	178.5°	7.0°	1.00	1.00
180°	7.78	7.78	12.22	180.0°	6.8°	1.00	1.00

TWS = 24kts

TWA	BTW	VMG	AWS	AWA	Heel	Reef	Flat
40.7°	6.70	5.08	28.77	30.1°	22.9°	0.47	0.53
52°	7.40	4.55	28.01	37.7°	25.2°	0.49	0.53
60°	7.66	3.83	27.12	43.5°	26.0°	0.42	0.74
70°	8.01	2.74	25.74	50.9°	27.6°	0.44	0.78
75°	8.19	2.12	24.98	54.8°	28.3°	0.45	0.81
80°	8.37	1.45	24.14	58.7°	29.2°	0.47	0.83
90°	8.75	0.00	22.47	67.1°	30.4°	0.49	0.92
110°	9.18	3.14	20.64	87.3°	23.9°	1.00	1.00
120°	9.09	4.55	19.94	98.4°	18.4°	1.00	1.00
135°	8.89	6.29	18.42	116.0°	12.7°	1.00	1.00
150°	8.73	7.56	16.94	135.3°	7.1°	1.00	1.00
165°	8.60	8.30	15.79	157.5°	13.0°	1.00	1.00
179.1°	8.51	8.51	15.49	178.6°	7.8°	1.00	1.00
180°	8.51	8.51	15.49	180.0°	7.5°	1.00	1.00

TRUE GRIT
GER 7447
JPK 10.80



Asymmetric
on Centerline,
116.03 m²
(id=#180387)

TWS = 6kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	4.01	2.00	8.71	36.5°	4.9°	1.00	0.96
70°	4.91	1.68	8.93	38.8°	7.5°	1.00	0.96
75°	5.25	1.36	8.90	40.1°	8.6°	1.00	0.96
80°	5.54	0.96	8.79	41.6°	9.3°	1.00	0.96
90°	5.91	0.00	8.37	45.0°	9.4°	1.00	0.97
110°	6.08	2.08	6.91	54.3°	5.6°	1.00	1.00
120°	5.95	2.98	5.97	60.3°	2.9°	1.00	1.00
135°	5.31	3.76	4.37	75.9°	2.5°	1.00	1.00
143.0°	4.85	3.87	3.61	89.1°	2.7°	1.00	1.00
150°	4.41	3.82	3.10	104.6°	2.9°	1.00	1.00
165°	3.38	3.26	2.87	147.3°	4.0°	1.00	1.00
180°	2.92	2.92	3.08	180.0°	4.8°	1.00	1.00

TWS = 8kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	5.04	2.52	11.29	36.7°	13.0°	1.00	0.95
70°	5.99	2.05	11.30	39.5°	17.3°	1.00	0.95
75°	6.32	1.64	11.13	41.1°	18.8°	1.00	0.95
80°	6.58	1.14	10.89	42.9°	19.6°	1.00	0.95
90°	6.95	0.00	10.28	47.5°	18.8°	1.00	0.96
110°	7.18	2.46	8.58	58.8°	12.8°	1.00	1.00
120°	7.10	3.55	7.53	65.7°	8.0°	1.00	1.00
135°	6.57	4.64	5.72	80.8°	4.1°	1.00	1.00
147.1°	5.80	4.87	4.42	102.0°	4.9°	1.00	1.00
150°	5.62	4.86	4.20	108.2°	4.7°	1.00	1.00
165°	4.44	4.29	3.88	147.9°	5.5°	1.00	1.00
180°	3.88	3.88	4.12	180.0°	5.6°	1.00	1.00

TWS = 10kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	5.63	2.81	13.38	37.4°	20.2°	0.97	0.94
70°	6.48	2.21	13.20	41.4°	21.6°	0.92	0.93
75°	6.77	1.75	12.96	43.8°	21.8°	0.91	0.93
80°	7.00	1.22	12.65	46.3°	21.9°	0.91	0.93
90°	7.36	0.00	11.84	51.6°	21.9°	0.94	0.93
110°	7.76	2.66	9.87	63.9°	19.5°	1.00	0.99
120°	7.73	3.87	8.88	72.1°	12.7°	1.00	1.00
135°	7.38	5.22	7.05	87.5°	5.2°	1.00	1.00
149.0°	6.69	5.73	5.46	110.1°	5.7°	1.00	1.00
150°	6.62	5.73	5.38	112.3°	5.6°	1.00	1.00
165°	5.39	5.21	4.98	148.9°	6.2°	1.00	1.00
180°	4.77	4.77	5.23	180.0°	5.7°	1.00	1.00

TWS = 12kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	5.93	2.96	15.38	39.1°	21.0°	0.85	0.93
70°	6.75	2.31	15.08	44.0°	21.8°	0.82	0.93
75°	7.03	1.82	14.78	46.7°	21.9°	0.81	0.93
80°	7.25	1.26	14.40	49.6°	21.9°	0.82	0.93
90°	7.60	0.00	13.48	55.7°	22.0°	0.85	0.93
110°	8.12	2.78	11.20	69.0°	22.0°	0.97	0.94
120°	8.22	4.11	10.15	77.3°	17.7°	1.00	1.00
135°	7.93	5.60	8.46	93.8°	5.6°	1.00	1.00
150°	7.35	6.37	6.69	117.1°	7.0°	1.00	1.00
152.3°	7.22	6.39	6.50	121.6°	7.4°	1.00	1.00
165°	6.27	6.06	6.15	149.9°	6.5°	1.00	1.00
180°	5.60	5.60	6.40	180.0°	5.8°	1.00	1.00

TWS = 14kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.11	3.06	17.30	40.7°	21.4°	0.77	0.93
70°	6.94	2.37	16.93	46.2°	21.8°	0.74	0.93
75°	7.21	1.87	16.58	49.2°	21.9°	0.74	0.93
80°	7.42	1.29	16.15	52.4°	21.9°	0.75	0.93
90°	7.79	0.00	15.14	59.1°	21.9°	0.78	0.94
110°	8.38	2.87	12.72	73.6°	22.0°	0.91	0.94
120°	8.66	4.33	11.39	81.6°	21.7°	1.00	0.97
135°	8.45	5.97	9.90	98.4°	8.5°	1.00	1.00
150°	7.82	6.77	8.19	121.7°	5.5°	1.00	1.00
156.1°	7.48	6.83	7.74	133.4°	8.2°	1.00	1.00
165°	6.95	6.71	7.49	151.3°	6.9°	1.00	1.00
180°	6.33	6.33	7.67	180.0°	5.9°	1.00	1.00

TWS = 16kts


TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.19	3.10	19.14	42.1°	22.0°	0.73	0.85
70°	7.02	2.40	18.69	48.1°	22.4°	0.73	0.80
75°	7.30	1.89	18.31	51.3°	22.3°	0.73	0.81
80°	7.53	1.31	17.86	54.7°	22.2°	0.73	0.83
90°	7.94	0.00	16.81	61.8°	22.1°	0.73	0.92
110°	8.61	2.95	14.29	77.3°	22.0°	0.85	0.94
120°	8.97	4.49	12.88	85.7°	22.0°	0.96	0.94
135°	9.00	6.36	11.32	101.8°	11.7°	1.00	1.00
150°	8.26	7.15	9.75	125.0°	3.6°	1.00	1.00
159.2°	7.73	7.23	9.16	142.1°	8.2°	1.00	1.00
165°	7.45	7.19	9.00	152.8°	7.3°	1.00	1.00
180°	6.94	6.94	9.06	180.0°	6.1°	1.00	1.00

TWS = 20kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
90°	8.03	0.00	20.13	66.5°	22.6°	0.73	0.64
110°	9.03	3.09	17.56	82.8°	22.0°	0.75	0.94
120°	9.55	4.78	16.06	91.6°	22.0°	0.85	0.95
135°	10.43	7.38	13.83	105.6°	19.7°	1.00	1.00
149.2°	9.31	7.99	12.91	127.5°	3.0°	1.00	1.00
150°	9.23	7.99	12.86	129.0°	2.5°	1.00	1.00
165°	8.22	7.94	12.22	155.2°	8.0°	1.00	1.00
180°	7.77	7.77	12.23	180.0°	6.5°	1.00	1.00

TWS = 24kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
110°	9.27	3.17	20.84	87.1°	22.7°	0.73	0.78
120°	10.13	5.07	19.35	95.5°	22.1°	0.76	0.95
135°	12.14	8.59	16.44	107.1°	22.2°	0.95	0.95
142.3°	12.81	10.14	15.25	114.0°	18.1°	1.00	1.00
150°	10.66	9.23	15.63	130.4°	7.0°	1.00	1.00
165°	9.04	8.73	15.43	156.4°	6.5°	1.00	1.00
180°	8.49	8.49	15.51	180.0°	7.1°	1.00	1.00



TWS = 6kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	4.03	2.01	8.73	36.4°	5.5°	1.00	0.96
70°	4.92	1.68	8.93	38.7°	8.3°	1.00	0.96
75°	5.27	1.36	8.90	40.0°	9.4°	1.00	0.96
80°	5.54	0.96	8.78	41.5°	10.2°	1.00	0.96
90°	5.89	0.00	8.34	45.0°	10.3°	1.00	0.97
110°	6.02	2.06	6.87	54.7°	6.3°	1.00	1.00
120°	5.89	2.94	5.94	60.9°	3.5°	1.00	1.00
135°	5.32	3.76	4.37	75.8°	2.5°	1.00	1.00
142.2°	4.94	3.90	3.68	87.0°	2.6°	1.00	1.00
150°	4.43	3.83	3.09	104.4°	2.8°	1.00	1.00
165°	3.61	3.49	2.68	144.7°	4.0°	1.00	1.00
180°	3.33	3.33	2.67	180.0°	5.1°	1.00	1.00

TWS = 8kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	5.05	2.52	11.27	36.6°	13.9°	1.00	0.95
70°	5.97	2.04	11.25	39.3°	18.6°	1.00	0.95
75°	6.29	1.63	11.07	41.0°	20.2°	1.00	0.94
80°	6.54	1.14	10.81	42.9°	21.0°	1.00	0.94
90°	6.89	0.00	10.19	47.5°	20.0°	1.00	0.95
110°	7.12	2.44	8.51	59.0°	14.0°	1.00	1.00
120°	7.03	3.51	7.48	66.1°	8.9°	1.00	1.00
135°	6.55	4.63	5.71	81.0°	4.3°	1.00	1.00
146.7°	5.85	4.89	4.46	100.8°	5.0°	1.00	1.00
150°	5.63	4.87	4.19	108.1°	4.7°	1.00	1.00
165°	4.73	4.57	3.64	145.5°	6.0°	1.00	1.00
180°	4.40	4.40	3.60	180.0°	5.6°	1.00	1.00

TWS = 10kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	5.59	2.79	13.34	37.5°	20.4°	0.95	0.94
70°	6.41	2.19	13.15	41.6°	21.7°	0.90	0.93
75°	6.69	1.73	12.91	44.0°	21.8°	0.89	0.93
80°	6.92	1.20	12.59	46.5°	21.9°	0.89	0.93
90°	7.27	0.00	11.78	51.9°	21.9°	0.92	0.94
110°	7.68	2.63	9.76	64.1°	20.8°	1.00	0.98
120°	7.67	3.83	8.81	72.4°	14.2°	1.00	1.00
135°	7.36	5.21	7.05	87.6°	5.1°	1.00	1.00
149.8°	6.64	5.74	5.39	111.9°	6.1°	1.00	1.00
150°	6.63	5.74	5.37	112.2°	6.1°	1.00	1.00
165°	5.73	5.53	4.70	146.8°	6.3°	1.00	1.00
180°	5.38	5.38	4.62	180.0°	5.7°	1.00	1.00

TWS = 12kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	5.87	2.94	15.32	39.2°	21.2°	0.84	0.93
70°	6.67	2.28	15.02	44.2°	21.8°	0.80	0.93
75°	6.94	1.80	14.72	47.0°	21.9°	0.80	0.93
80°	7.16	1.24	14.33	49.9°	22.0°	0.81	0.93
90°	7.50	0.00	13.42	56.0°	22.0°	0.83	0.94
110°	7.98	2.73	11.15	69.7°	22.0°	0.95	0.94
120°	8.14	4.07	10.02	77.6°	19.7°	1.00	1.00
135°	7.91	5.59	8.45	93.9°	6.6°	1.00	1.00
150°	7.35	6.36	6.68	117.1°	7.3°	1.00	1.00
156.7°	7.03	6.45	6.17	130.3°	7.8°	1.00	1.00
165°	6.61	6.39	5.86	148.2°	6.7°	1.00	1.00
180°	6.26	6.26	5.74	180.0°	5.8°	1.00	1.00

TWS = 14kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.04	3.02	17.24	40.9°	21.6°	0.75	0.93
70°	6.83	2.34	16.86	46.4°	21.9°	0.73	0.93
75°	7.10	1.84	16.51	49.5°	21.9°	0.73	0.93
80°	7.32	1.27	16.08	52.7°	21.9°	0.74	0.94
90°	7.67	0.00	15.08	59.4°	22.0°	0.76	0.94
110°	8.22	2.81	12.67	74.3°	22.0°	0.88	0.95
120°	8.52	4.26	11.34	82.3°	22.0°	0.99	0.94
135°	8.42	5.96	9.87	98.6°	9.6°	1.00	1.00
150°	7.85	6.80	8.17	121.6°	5.7°	1.00	1.00
165°	7.28	7.03	7.20	150.1°	7.1°	1.00	1.00
166.0°	7.25	7.03	7.17	151.9°	7.0°	1.00	1.00
180°	7.00	7.00	7.00	180.0°	5.9°	1.00	1.00

TWS = 16kts


TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.07	3.03	19.02	42.3°	22.5°	0.73	0.82
70°	6.86	2.35	18.56	48.4°	22.7°	0.73	0.77
75°	7.15	1.85	18.19	51.6°	22.7°	0.73	0.78
80°	7.39	1.28	17.75	55.1°	22.6°	0.73	0.80
90°	7.79	0.00	16.73	62.3°	22.3°	0.73	0.87
110°	8.44	2.89	14.25	78.0°	22.0°	0.82	0.95
120°	8.80	4.40	12.87	86.4°	22.0°	0.93	0.95
135°	8.96	6.33	11.27	102.1°	13.0°	1.00	1.00
150°	8.33	7.21	9.71	124.7°	3.6°	1.00	1.00
165°	7.76	7.50	8.72	151.9°	7.7°	1.00	1.00
175.0°	7.57	7.54	8.48	170.5°	6.6°	1.00	1.00
180°	7.54	7.54	8.46	180.0°	6.1°	1.00	1.00

TWS = 20kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
90°	7.78	0.00	20.00	67.1°	22.9°	0.73	0.59
110°	8.83	3.02	17.54	83.5°	22.0°	0.73	0.95
120°	9.34	4.67	16.07	92.4°	22.1°	0.82	0.95
135°	10.29	7.27	13.74	106.3°	21.2°	1.00	1.00
150°	9.41	8.15	12.73	128.4°	4.1°	1.00	1.00
165°	8.68	8.38	11.81	154.3°	7.5°	1.00	1.00
175.9°	8.46	8.43	11.58	172.9°	7.2°	1.00	1.00
180°	8.43	8.43	11.57	180.0°	6.5°	1.00	1.00

TWS = 24kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
110°	8.93	3.06	20.77	88.0°	23.0°	0.73	0.70
120°	9.86	4.93	19.38	96.3°	22.1°	0.74	0.95
135°	11.62	8.22	16.60	108.8°	22.2°	0.93	0.95
143.8°	12.35	9.96	15.25	117.4°	17.4°	1.00	1.00
150°	11.15	9.66	15.27	129.1°	9.3°	1.00	1.00
165°	9.79	9.46	14.71	155.5°	11.1°	1.00	1.00
180°	9.42	9.42	14.58	180.0°	7.1°	1.00	1.00



TWS = 6kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	3.81	1.90	8.55	37.2°	5.5°	1.00	0.96
70°	4.74	1.62	8.79	39.4°	8.2°	1.00	0.96
75°	5.10	1.32	8.77	40.7°	9.2°	1.00	0.96
80°	5.38	0.93	8.67	42.2°	9.9°	1.00	0.96
90°	5.75	0.00	8.25	45.8°	9.8°	1.00	0.97
110°	5.92	2.02	6.81	55.4°	5.9°	1.00	1.00
120°	5.79	2.89	5.89	61.7°	3.1°	1.00	1.00
135°	5.21	3.68	4.35	77.2°	2.2°	1.00	1.00
141.4°	4.88	3.82	3.74	87.1°	2.6°	1.00	1.00
150°	4.39	3.80	3.10	105.1°	2.8°	1.00	1.00
165°	3.65	3.53	2.64	144.1°	4.0°	1.00	1.00
180°	3.33	3.33	2.67	180.0°	5.1°	1.00	1.00

TWS = 8kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	4.79	2.39	11.07	37.4°	13.9°	1.00	0.95
70°	5.77	1.97	11.11	40.0°	18.3°	1.00	0.94
75°	6.12	1.58	10.96	41.6°	19.7°	1.00	0.94
80°	6.40	1.11	10.73	43.5°	20.4°	1.00	0.94
90°	6.78	0.00	10.14	48.1°	19.4°	1.00	0.95
110°	7.04	2.41	8.49	59.5°	13.4°	1.00	1.00
120°	6.93	3.47	7.46	66.8°	8.4°	1.00	1.00
135°	6.43	4.55	5.70	82.2°	4.2°	1.00	1.00
149.0°	5.66	4.85	4.27	106.4°	4.8°	1.00	1.00
150°	5.60	4.85	4.20	108.4°	4.8°	1.00	1.00
165°	4.79	4.62	3.59	145.0°	6.0°	1.00	1.00
180°	4.40	4.40	3.60	180.0°	5.6°	1.00	1.00

TWS = 10kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	5.31	2.66	13.15	38.4°	19.4°	0.94	0.94
70°	6.24	2.13	13.02	42.1°	21.7°	0.90	0.93
75°	6.56	1.70	12.81	44.5°	21.8°	0.89	0.93
80°	6.81	1.18	12.51	46.9°	21.8°	0.90	0.93
90°	7.19	0.00	11.74	52.2°	22.0°	0.93	0.94
110°	7.62	2.61	9.76	64.5°	20.4°	1.00	0.98
120°	7.59	3.80	8.81	72.9°	13.6°	1.00	1.00
135°	7.28	5.15	7.04	88.3°	5.2°	1.00	1.00
150°	6.61	5.73	5.38	112.4°	6.1°	1.00	1.00
152.0°	6.50	5.74	5.22	116.5°	6.3°	1.00	1.00
165°	5.79	5.59	4.65	146.4°	6.3°	1.00	1.00
180°	5.37	5.37	4.63	180.0°	5.7°	1.00	1.00

TWS = 12kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	5.62	2.81	15.16	40.0°	20.5°	0.83	0.93
70°	6.52	2.23	14.92	44.6°	21.7°	0.80	0.93
75°	6.82	1.77	14.64	47.3°	21.9°	0.80	0.94
80°	7.06	1.23	14.28	50.2°	21.9°	0.81	0.94
90°	7.44	0.00	13.39	56.2°	22.0°	0.84	0.94
110°	7.92	2.71	11.13	69.9°	22.0°	0.96	0.95
120°	8.06	4.03	10.05	78.1°	18.9°	1.00	1.00
135°	7.84	5.54	8.45	94.4°	6.6°	1.00	1.00
150°	7.35	6.37	6.68	117.1°	7.4°	1.00	1.00
157.9°	7.01	6.49	6.08	132.5°	7.7°	1.00	1.00
165°	6.67	6.44	5.81	147.9°	6.7°	1.00	1.00
180°	6.25	6.25	5.75	180.0°	5.8°	1.00	1.00

TWS = 14kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	5.79	2.90	17.08	41.5°	21.0°	0.75	0.93
70°	6.69	2.29	16.76	46.8°	21.8°	0.73	0.93
75°	7.00	1.81	16.44	49.8°	21.9°	0.74	0.94
80°	7.24	1.26	16.03	52.9°	21.9°	0.74	0.94
90°	7.61	0.00	15.05	59.6°	22.0°	0.77	0.94
110°	8.16	2.79	12.65	74.6°	22.0°	0.89	0.95
120°	8.44	4.22	11.33	82.7°	22.0°	1.00	0.95
135°	8.35	5.90	9.88	99.0°	9.8°	1.00	1.00
150°	7.86	6.81	8.17	121.5°	5.7°	1.00	1.00
164.8°	7.34	7.08	7.17	149.5°	7.2°	1.00	1.00
165°	7.33	7.08	7.16	149.9°	7.2°	1.00	1.00
180°	6.99	6.99	7.01	180.0°	5.9°	1.00	1.00

TWS = 16kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	5.80	2.90	18.81	42.8°	22.7°	0.73	0.82
70°	6.69	2.29	18.43	48.7°	22.9°	0.73	0.77
75°	7.03	1.82	18.10	51.9°	22.8°	0.73	0.78
80°	7.30	1.27	17.69	55.3°	22.7°	0.73	0.79
90°	7.72	0.00	16.69	62.4°	22.4°	0.73	0.86
110°	8.37	2.86	14.24	78.3°	22.0°	0.83	0.95
120°	8.71	4.35	12.86	86.8°	22.1°	0.93	0.95
135°	8.88	6.28	11.27	102.5°	13.5°	1.00	1.00
150°	8.35	7.23	9.70	124.6°	3.6°	1.00	1.00
165°	7.81	7.55	8.68	151.8°	7.7°	1.00	1.00
168.2°	7.72	7.56	8.58	157.8°	7.2°	1.00	1.00
180°	7.53	7.53	8.47	180.0°	6.1°	1.00	1.00

TWS = 20kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
90°	7.67	0.00	19.93	67.4°	23.1°	0.73	0.58
110°	8.74	2.99	17.52	83.8°	22.0°	0.73	0.95
120°	9.21	4.60	16.07	92.8°	22.0°	0.82	0.95
135°	10.12	7.15	13.73	107.1°	21.9°	1.00	1.00
150°	9.47	8.20	12.69	128.2°	4.8°	1.00	1.00
165°	8.74	8.44	11.76	154.1°	6.6°	1.00	1.00
167.3°	8.66	8.45	11.69	158.2°	8.4°	1.00	1.00
180°	8.42	8.42	11.58	180.0°	6.5°	1.00	1.00

TWS = 24kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
110°	8.77	3.00	20.73	88.4°	23.2°	0.73	0.69
120°	9.68	4.84	19.40	96.9°	22.1°	0.74	0.95
135°	11.21	7.93	16.74	110.1°	22.2°	0.92	0.96
145.7°	12.04	9.94	15.17	120.8°	15.8°	1.00	1.00
150°	11.32	9.80	15.15	128.7°	9.6°	1.00	1.00
165°	9.89	9.55	14.62	155.4°	11.0°	1.00	1.00
180°	9.41	9.41	14.59	180.0°	7.1°	1.00	1.00