Table 1: Supplied-minus-correct-prior AUROC/AP changes for uPU logistic, nnPU logistic, AdaPU and PU gradient boosting. Eight prespecified settings are averaged equally; each setting has 100 paired repetitions. Table rows retain each setting and pointwise 95% Monte Carlo intervals. The ratio-one point compares each archived correct-prior result with itself, so its difference is identically zero; it is not an imputation. One-sample labeling probability remains as in the archived sensitivity protocol.

One-sample - Reference / AP

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
nnPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
AdaPU	-0.11	-0.04	+0.00	+0.02	+0.07	100
PU gradient boosting	-1.40	-0.59	+0.00	+0.31	+0.58	100

One-sample - Reference / AUROC

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
nnPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
AdaPU	-0.10	-0.05	+0.00	+0.03	+0.10	100
PU gradient boosting	-0.94	-0.42	+0.00	+0.21	+0.39	100

One-sample - Prevalence $\pi = 0.01$ / AP

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	-0.01	+0.00	+0.00	+0.00	+0.00	100
nnPU logistic	-0.01	+0.00	+0.00	+0.00	+0.00	100
AdaPU	-0.01	-0.02	+0.00	+0.05	+0.02	100
PU gradient boosting	+0.01	+0.03	+0.00	+0.00	+0.03	100

One-sample - Prevalence $\pi = 0.01$ / AUROC

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	-0.02	-0.01	+0.00	+0.01	+0.01	100
nnPU logistic	-0.02	-0.01	+0.00	+0.01	+0.01	100
AdaPU	+0.05	-0.03	+0.00	+0.04	-0.08	100
PU gradient boosting	-0.13	+0.18	+0.00	+0.32	+0.54	100

One-sample - Prevalence $\pi = 0.05$ / AP

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
nnPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
AdaPU	+0.01	-0.05	+0.00	+0.00	+0.05	100
PU gradient boosting	-0.23	-0.10	+0.00	+0.28	+0.39	100

One-sample - Prevalence $\pi = 0.05$ / AUROC

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
nnPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
AdaPU	+0.06	+0.00	+0.00	+0.02	+0.11	100
PU gradient boosting	-0.53	-0.18	+0.00	+0.66	+0.91	100

One-sample - Prevalence $\pi = 0.50$ / AP

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.01	+0.01	+0.00	+0.01	+0.01	100
nnPU logistic	+0.01	+0.01	+0.00	+0.01	+0.01	100
AdaPU	-0.73	-0.47	+0.00	+0.32	+0.29	100
PU gradient boosting	-0.32	-0.19	+0.00	+0.18	+0.29	100

One-sample - Prevalence $\pi = 0.50$ / AUROC

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.01	+0.01	+0.00	+0.01	+0.01	100
nnPU logistic	+0.01	+0.01	+0.00	+0.01	+0.01	100
AdaPU	-0.92	-0.58	+0.00	+0.55	+0.81	100
PU gradient boosting	-0.28	-0.15	+0.00	+0.13	+0.21	100

One-sample - High dimension ($p = 500$) / AP

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.06	+0.04	+0.00	-0.03	-0.08	100
nnPU logistic	+0.06	+0.04	+0.00	-0.03	+0.01	100
AdaPU	-0.15	-0.09	+0.00	+0.07	+0.20	100
PU gradient boosting	-1.78	-0.73	+0.00	+0.44	+1.01	100

One-sample - High dimension ($p = 500$) / AUROC

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.06	+0.04	+0.00	-0.04	-0.08	100
nnPU logistic	+0.06	+0.04	+0.00	-0.04	+0.00	100
AdaPU	-0.14	-0.10	+0.00	+0.08	+0.20	100
PU gradient boosting	-1.19	-0.50	+0.00	+0.29	+0.63	100

One-sample - Curved boundary / AP

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.02	+0.01	+0.00	-0.01	-0.02	100
nnPU logistic	+0.02	+0.01	+0.00	-0.01	-0.02	100
AdaPU	-0.07	-0.04	+0.00	+0.02	+0.16	100
PU gradient boosting	-1.18	-0.51	+0.00	+0.55	+0.82	100

One-sample - Curved boundary / AUROC

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	-0.01	+0.00	+0.00	+0.00	+0.00	100
nnPU logistic	-0.01	+0.00	+0.00	+0.00	+0.00	100
AdaPU	-0.07	-0.03	+0.00	+0.05	+0.14	100
PU gradient boosting	-0.86	-0.32	+0.00	+0.43	+0.62	100

One-sample - Feature interaction / AP

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
nnPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
AdaPU	-0.21	-0.03	+0.00	+0.11	+0.11	100
PU gradient boosting	-0.53	-0.29	+0.00	+0.37	+0.65	100

One-sample - Feature interaction / AUROC

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
nnPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
AdaPU	-0.15	-0.06	+0.00	+0.11	+0.16	100
PU gradient boosting	-0.31	-0.10	+0.00	+0.22	+0.42	100

One-sample - Unequal class covariance / AP

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	-0.01	+0.00	+0.00	+0.00	+0.01	100
nnPU logistic	-0.01	+0.00	+0.00	+0.00	+0.01	100
AdaPU	+0.01	-0.07	+0.00	-0.19	-0.28	100
PU gradient boosting	-1.46	-0.92	+0.00	+0.29	+0.71	100

One-sample - Unequal class covariance / AUROC

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
nnPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
AdaPU	-0.06	-0.06	+0.00	-0.05	-0.05	100
PU gradient boosting	-0.94	-0.60	+0.00	+0.23	+0.50	100

Two-sample - Reference / AP

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
nnPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
AdaPU	-0.12	-0.13	+0.00	+0.02	+0.14	100
PU gradient boosting	-0.15	-0.09	+0.00	+0.07	+0.09	100

Two-sample - Reference / AUROC

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
nnPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
AdaPU	-0.12	-0.08	+0.00	+0.04	+0.12	100
PU gradient boosting	-0.11	-0.06	+0.00	+0.06	+0.10	100

Two-sample - Prevalence $\pi = 0.01$ / AP

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.01	+0.00	+0.00	+0.00	-0.01	100
nnPU logistic	+0.01	+0.00	+0.00	+0.00	-0.01	100
AdaPU	+0.01	+0.02	+0.00	+0.01	+0.02	100
PU gradient boosting	-0.06	-0.04	+0.00	+0.05	+0.06	100

Two-sample - Prevalence $\pi = 0.01$ / AUROC

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	-0.01	-0.01	+0.00	+0.00	+0.01	100
nnPU logistic	-0.01	-0.01	+0.00	+0.00	+0.01	100
AdaPU	-0.01	+0.03	+0.00	+0.06	+0.07	100
PU gradient boosting	-0.31	-0.16	+0.00	+0.39	+0.52	100

Two-sample - Prevalence $\pi = 0.05$ / AP

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
nnPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
AdaPU	-0.08	-0.05	+0.00	-0.02	-0.01	100
PU gradient boosting	-0.37	-0.18	+0.00	+0.16	+0.26	100

Two-sample - Prevalence $\pi = 0.05$ / AUROC

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
nnPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
AdaPU	-0.06	-0.04	+0.00	-0.04	-0.01	100
PU gradient boosting	-0.46	-0.23	+0.00	+0.19	+0.33	100

Two-sample - Prevalence $\pi = 0.50$ / AP

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.13	+0.10	+0.00	+0.01	+0.03	100
nnPU logistic	+0.13	+0.10	+0.00	+0.01	+0.03	100
AdaPU	-0.84	-0.17	+0.00	-0.78	-1.50	100
PU gradient boosting	+0.02	+0.02	+0.00	+0.01	-0.06	100

Two-sample - Prevalence $\pi = 0.50$ / AUROC

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.13	+0.10	+0.00	+0.02	+0.04	100
nnPU logistic	+0.13	+0.10	+0.00	+0.02	+0.04	100
AdaPU	-1.30	-0.43	+0.00	-0.38	-0.81	100
PU gradient boosting	-0.01	-0.01	+0.00	+0.03	-0.02	100

Two-sample - High dimension ($p = 500$) / AP

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.39	+0.35	+0.00	-3.53	-4.78	100
nnPU logistic	-1.05	-0.48	+0.00	+0.15	+0.21	100
AdaPU	-0.39	-0.16	+0.00	+0.07	+0.19	100
PU gradient boosting	-0.06	-0.07	+0.00	+0.07	+0.11	100

Two-sample - High dimension ($p = 500$) / AUROC

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.48	+0.44	+0.00	-4.43	-6.06	100
nnPU logistic	-1.10	-0.51	+0.00	+0.16	+0.22	100
AdaPU	-0.31	-0.12	+0.00	+0.10	+0.22	100
PU gradient boosting	-0.07	-0.05	+0.00	+0.06	+0.09	100

Two-sample - Curved boundary / AP

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.02	+0.01	+0.00	-0.01	-0.02	100
nnPU logistic	+0.02	+0.01	+0.00	-0.01	-0.02	100
AdaPU	-0.08	-0.13	+0.00	-0.09	+0.07	100
PU gradient boosting	-0.19	-0.14	+0.00	-0.03	+0.03	100

Two-sample - Curved boundary / AUROC

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
nnPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
AdaPU	-0.12	-0.11	+0.00	-0.05	+0.07	100
PU gradient boosting	-0.12	-0.11	+0.00	+0.00	+0.06	100

Two-sample - Feature interaction / AP

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
nnPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
AdaPU	-0.19	+0.04	+0.00	+0.13	+0.24	100
PU gradient boosting	+0.01	+0.01	+0.00	+0.08	+0.14	100

Two-sample - Feature interaction / AUROC

Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
nnPU logistic	+0.00	+0.00	+0.00	+0.00	+0.00	100
AdaPU	-0.17	-0.07	+0.00	+0.17	+0.30	100
PU gradient boosting	+0.01	+0.00	+0.00	+0.07	+0.10	100

Two-sample - Unequal class covariance / AP						
Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	-0.01	-0.01	+0.00	+0.01	+0.01	100
nnPU logistic	-0.01	-0.01	+0.00	+0.01	+0.01	100
AdaPU	+0.18	+0.01	+0.00	+0.01	-0.04	100
PU gradient boosting	-0.18	-0.08	+0.00	+0.09	+0.00	100

Two-sample - Unequal class covariance / AUROC						
Method	0.80	0.90	1.00	1.10	1.20	n
uPU logistic	-0.01	+0.00	+0.00	+0.00	+0.01	100
nnPU logistic	-0.01	+0.00	+0.00	+0.00	+0.01	100
AdaPU	+0.01	-0.04	+0.00	+0.04	+0.07	100
PU gradient boosting	-0.11	-0.04	+0.00	+0.05	+0.01	100

Note. Columns are supplied/true prior ratios; entries are paired mean changes from the correct supplied prior in percentage points. All cells use 100 pairs. The ratio-one difference is the observed baseline compared with itself. Full-precision MCSE and 95