NETRA-4D / EVIDENCE-LED OPERATIONAL RECORD


Monitoring & Evidence Dashboard

Verified run: **netra4d_final_20260823** · Completed 2026-08-23T01:34:34.363398+00:00


Videos processed	Frames rendered	Review events	Evidence captures	Telemetry logs
5	15,346	29	9	4

Run telemetry


RENDERED FRAMES BY SOURCE




TEMPORAL REVIEW EVENTS BY SOURCE



CAPTURED EVIDENCE FRAMES BY SOURCE



EVENT TYPES FROM REVIEW LOGS



Per-video processing record


VIDEO	SOURCE FILE	FRAMES	PEOPLE	OBJECTS	EVENTS	EVIDENCE	RUNTIME
VIDEO_01	Seat No. 12 was seen taking a piece of paper from the desk.mkv	2,210	15,506	27,549	13	4	247.9s
VIDEO_02	04.CCTV Candidate Talking.mkv	1,145	5,147	6,338	7	3	90.9s
VIDEO_03	01.Candidate was found using a mobile phone in the examination hall..mkv	3,282	4,674	21,801	6	1	199.8s
VIDEO_04	02.Candidate was found using a mobile phone in the examination hall..mkv	5,304	10,231	30,006	0	0	339.5s
VIDEO_05	03.CCTV Mobile Usage.mkv	3,405	3,923	40,404	3	1	208.0s

Preloaded telemetry-log evidence


> These counters are derived from the supplied feature-log exports. They describe model observations such as off-axis head direction, non-normal hand states, under-desk hand flags, and torso orientation toward a neighbour. They are evidence for invigilator review, not automated misconduct findings.

LOG	FRAMES	DURATION	OFF-AXIS HEAD	HAND-STATE CHANGES	BELOW DESK	TOWARD NEIGHBOUR
video_01_features.json	1,666	66.64s	3,890	2,461	2,344	2,425
video_03_features.json	1,862	154.10s	4,531	1,736	1,708	42
video_04_features.json	1,146	143.25s	6,411	2,345	1,795	6
video_05_features.json	1,936	77.44s	20,113	7,538	6,139	2,942


Captured evidence gallery




frame_000054_00_t_2.160_conf_1.000_low_hand_possi…




frame_000073_00_t_2.920_conf_0.976_low_hand_possi…




frame_000125_00_t_5.000_conf_1.000_low_hand_possi…




frame_000466_00_t_18.640_conf_1.000_neighbour_scr…




frame_000010_00_t_1.250_conf_0.892_low_hand_possi…




frame_000023_00_t_2.875_conf_1.000_low_hand_possi…




frame_000637_00_t_79.625_conf_0.954_neighbour_scr…



frame_000033_00_t_1.320_conf_0.801_low_hand_possi…



frame_000025_00_t_2.069_conf_1.000_low_hand_possi…



alert_A-01_000998_MILD.jpg




alert_A-01_000998_MODERATE.jpg



alert_A-01_002308_MILD.jpg




alert_A-01_002308_MODERATE.jpg




alert_A-02_000468_MILD.jpg




alert_A-02_000468_MODERATE.jpg




alert_A-02_000598_MILD.jpg



alert_A-02_000598_MODERATE.jpg



alert_A-02_000610_MODERATE.jpg



alert_A-02_000730_MODERATE - Copy.jpg

Decision boundary

> This dashboard consolidates measured pipeline outputs, source timestamps, evidence stills and telemetry logs. Confidence is used to prioritise review. A human invigilator remains responsible for the final decision.