

MATH 118, Spring 2020, Multivariable
Calculus
Lecture Notes

Taken in part from
Calculus, 6e,
McCallum et al.
and *Multivariable Calculus, 8e,*
James Stewart

Notes compiled by Bobby McDonald
Yale University, 2020

NOTE: I will update these notes as often as I can with the topics
and examples (which will be worked out by hand in a separate
document) we cover in class.

Contents

Lecture 8	Local extrema	2
Lecture 9	Global extrema	6


Lecture 8 Local extrema

Stewart 14.1, McCallum 12.3, 12.5

- second derivative test
- extrema from contour maps

Question 8.1. In single variable calculus: how did we look for local (relative) extrema?

Definition 8.2. $f(x, y)$ has a **local maximum** at (a, b) if $f(x, y) \leq f(a, b)$ for all points near (a, b) . $f(x, y)$ has a **local minimum** at (a, b) if $f(x, y) \geq f(a, b)$ for all points near (a, b) .




Theorem 8.3. If f has a local extremum at (a, b) and f_x and f_y exist there, then $f_x(a, b) = f_y(a, b) = 0$.

Definition 8.4. The point $P(a, b)$ is called a **critical point of f** if $f_x(a, b) = f_y(a, b) = 0$.

Example 8.5. Find the critical point(s) of $f(x, y) = x^2 + y^2 - 2x - 6y + 14$.

Example 8.6. Find the critical point of $f(x, y) = y^2 - x^2$. Is this a relative extremum?




Theorem 8.7. If (a, b) is a critical point of $f(x, y)$ (i.e. if $\nabla f(a, b) = 0$ or is undefined, then let

$$D(a, b) = \begin{vmatrix} f_{xx}(a, b) & f_{xy}(a, b) \\ f_{xy}(a, b) & f_{yy}(a, b) \end{vmatrix} = f_{xx}(a, b)f_{yy}(a, b) - (f_{xy}(a, b))^2$$

- (a) If $D > 0$ and $f_{xx}(a, b) > 0$, then $f(a, b)$ is a local minimum
- (b) If $D > 0$ and $f_{xx}(a, b) < 0$, then $f(a, b)$ is a local maximum
- (c) If $D < 0$, then $f(a, b)$ is a saddle point


Example 8.8. Find the local extrema and saddle points of $f(x, y) = x^4 + y^4 - 4xy + 1$.



Poll 8.9. The contour map below is for the surface

$$f(x, y) = 3x - x^3 - 2y^2 + y^4.$$

How many critical points does f have?




- (a) 0
- (b) 3
- (c) 6
- (d) I don't know.

Poll 8.10. The contour map below is for the surface

$$f(x, y) = 3x - x^3 - 2y^2 + y^4.$$

Classify the extrema of f .




- (a) f has three local maximums and no local minimums
- (b) f has two local maximums and one local minimum
- (c) f has three local minimums and no local maximum
- (d) f has two local minimums and one local maximum

Poll 8.11. The contour map below is for the surface

$$f(x, y) = 3x - x^3 - 2y^2 + y^4.$$

Which of the following is **not** a saddle point of f ?




- (a) $(-1, 0)$
- (b) $(1, 1)$
- (c) $(-1, 1)$
- (d) $(1, -1)$

Poll 8.12. The contour map below is for the surface

$$f(x, y) = 3x - x^3 - 2y^2 + y^4.$$

Which is a reasonable guess for the absolute minimum of f in this window?




- (a) $f(x, y) = -3$
- (b) $f(x, y) = 1$
- (c) $f(x, y) = -3.4$
- (d) $f(x, y) = -1.6$

Example 8.13. The contour map below is for the surface

$$f(x, y) = 3x - x^3 - 2y^2 + y^4.$$

Use the map to classify the relative extrema and find saddle points of f , then confirm your prediction analytically.



Lecture 9 Global extrema

- open/closed/bounded/unbounded
- parameterizing the boundary of a surface
- finding global extrema

Definition 9.1. For a function f on a set D , $f(a, b)$ is an absolute (or global) maximum if $f(a, b) \geq f(x, y)$ for all (x, y) in D , and an absolute (or global) minimum if $f(a, b) \leq f(x, y)$ for all (x, y) in D .


Theorem 9.2. If f is continuous on a closed and bounded set D in \mathbb{R}^2 , then f attains an absolute maximum and absolute minimum value on D .

Theorem 9.3. To find the extreme values of a continuous function $f(x, y)$ on a closed and bounded set D

- Find the values of f at its critical points in D
- Find the extreme values of f on the boundary of D
- The biggest value from (1) and (2) is the absolute maximum, the smallest is the absolute minimum

Poll 9.4. Decide if each of the regions below is

- | | |
|----------------------------|----------------------------|
| (a) closed but not bounded | (c) closed but not bounded |
| (b) bounded but not closed | (d) bounded but not closed |



Example 9.5. Find the global extrema of

$$f(x, y) = x^3 - 3x - y^3 + 12y$$

on the trapezoid with vertices

$$(-2, -2), \quad (2, 2), \quad (2, 3), \quad \text{and} \quad (-2, 3).$$

Find a graph at <https://ggbm.at/ebkugczt!>

Groups 9.6. Find the global extrema of

$$f(x, y) = x^2 - 2xy + 2y$$

on the set

$$D = \{(x, y) | 0 \leq x \leq 3, 0 \leq y \leq 2\}.$$

Find a graph at <https://ggbm.at/jpexbayj!>

Think, Pair, Share 9.7. How would you determine the function values of

$$f(x, y) = 2x^3 + y^4$$

on the boundary of the set

$$D = \{(x, y) | x^2 + y^2 \leq 1\}?$$

Find a graph at <https://ggbm.at/ttaxru3v!>