



PRIVATE & CONFIDENTIAL

BUSINESS PLAN & PROJECT DOSSIER — ENGLISH EDITION

Aurum Leutschen

Gold Refinery · Three-Level Underground Vault · Security House

An integrated precious-metals estate on Lake Zurich's Gold Coast — refining, assaying and safeguarding gold at institutional scale, behind the discreet façade of a premium industrial gallery.

PARCEL NO. 1172 · LEUTSCHEN / WOLLERAUSTRASSE
8807 FREIENBACH · CANTON SCHWYZ · SWITZERLAND

VERSION 2.0 · JULY 2026
TOTAL INVESTMENT CHF 81 MILLION

Contents

01	Executive Summary	P.03	08	Regulatory Framework & Compliance	P.14
02	Vision & The Three Pillars	P.04	09	Market & Competitive Landscape	P.15
03	The Site — Parcel No. 1172	P.05	10	Business Model & Revenue Engines	P.16
04	Architecture & Master Plan	P.07	11	Capital Expenditure & Financing	P.17
05	The Vault — Three Levels Below Grade	P.09	12	Five-Year Financial Plan	P.18
06	Refinery Operations	P.11	13	Delivery Timeline	P.19
07	Security House & Defence in Depth	P.13	14	Risk Analysis & Mitigation	P.20
			15	Annex — Cadastral (PLR) Extract	P.21

This dossier is an indicative project and feasibility study prepared for planning purposes. All areas, costs, revenues and dates are planning assumptions to be verified by specialist planners, authorities, insurers and surveyors. Architectural reference: FORMS Gallery, Freienbach (formsgallery.com) — a converted industrial hall finished to a premium standard. Source of site data: PLR cadastre extract, Canton Schwyz, 20 July 2026.

DOCUMENT	KEY FACTS
Property	Parcel No. 1172, Freienbach SZ (BFS 1322) · E-GRID CH932677383838 · 6,014 m²
Zoning	Industrial Zone 1 (100%) · Noise sensitivity level IV
Land price	CHF 12,000,000 (CHF 1,995 per m²)
Total investment	≈ CHF 81 million incl. land, buildings, vault, plant and security systems
Vault	Three underground levels, ≈ 2,100 m², capacity in excess of 1,200 tonnes of gold

Executive Summary

Aurum Leutschen unites a boutique gold refinery, an institutional-scale underground vault and a permanently manned security house on a single industrial estate in Freienbach, Canton Schwyz — thirty minutes from Zurich, in the heart of Switzerland's wealth-management corridor.

6,014 m²

FREEHOLD SITE · INDUSTRIAL
ZONE 1

CHF 12m

LAND ACQUISITION PRICE

CHF 81m

TOTAL INVESTMENT (INDICATIVE)

100 t/a

REFINING CAPACITY AT BUILD-
OUT

1,200+ t

VAULT CAPACITY · 3 LEVELS
BELOW GRADE

≈ 60

JOBS AT FULL OPERATION

The site is exceptionally well suited: 100% **Industrial Zone 1** with **noise sensitivity level IV** (heavy-impact operations permitted), direct access to the A3 motorway at Pfäffikon SZ, a low-tax cantonal environment, and immediate proximity to one of Europe's densest clusters of family offices and asset managers. The architectural language follows the neighbouring FORMS Gallery — a calm, monolithic industrial volume with a premium interior; security remains invisible from the street.

Three mutually reinforcing revenue engines drive the business: **toll refining and urban-mining recycling**, high-margin **custody in the three-level vault** — engineered for more than 1,200 tonnes of segregated and allocated gold — and **trading and branded bar products**. On conservative assumptions the operation reaches ≈ CHF 56 million revenue in year five at a 46% EBITDA margin, with EBITDA break-even in the first full year of operation.

The investment case in one sentence: a permit-ready industrial site in one of the world's premier gold and wealth regions, developed into an LBMA-track refinery wrapped around one of Switzerland's largest privately owned bullion vaults — a hard-asset business with recurring revenues and formidable barriers to entry.

Vision & The Three Pillars

Switzerland is the global centre of gold refining: a substantial share of the world's gold passes through Swiss refineries, and four of the world's largest refiners are domiciled here. At the same time, demand for *physical, segregated custody outside the banking system* is growing structurally — driven by family offices, UHNW individuals, bullion dealers and fund platforms. Between the industrial mega-refineries in Ticino and Neuchâtel and small regional assay houses lies a gap: **a premium operator in Greater Zurich combining refining, assaying, minting and institutional-scale vaulting at a single address.**

I

The Refinery

Melting, sampling, fire assay and ICP analytics; refining to 999.9 fine via aqua regia and Wohlwill electrolysis; casting and minting of bars from 1 g to 12.5 kg; hallmarking under Swiss precious-metals law. Build-out capacity 100 tonnes of fine gold per annum, LBMA Good Delivery as mid-term objective.

II

The Vault

Three fully underground levels ($\approx 2,100 \text{ m}^2$) engineered to the highest EN 1143-1 resistance grades: client suites and 600 safe-deposit boxes on Level -1, segregated private vault rooms on Level -2, and a high-density bulk vault for more than 1,000 tonnes of palletised Good Delivery bars on Level -3.

III

The Security House

A 24/7, permanently double-staffed security command at the single point of entry: vehicle interlock, armoured-transport dock, visitor identification, redundant alarm routing to a certified receiving centre and the Schwyz cantonal police. Defence in depth across six security zones.

Positioning

Aurum Leutschen positions itself as «**The Vault of Zurich's Gold Coast**» — the discreet Swiss address where gold is refined, certified, insured and safeguarded across its entire life cycle: acquisition, assay, refining, minting, certification, custody and delivery. Metal received for refining flows directly into the vault without ever leaving the secured perimeter; vaulted metal can be re-refined, re-cast and re-certified in-house — a closed loop no bank and no standalone warehouse can offer.

Mid-term objectives: accreditation as a Swiss federally licensed melter and trade assayer, ISO/IEC 17025 laboratory accreditation, ISO 27001 for information security — and, at build-out, admission to the LBMA Good Delivery List.

The Site — Parcel No. 1172

Six thousand square metres of freehold industrial land on Wolleraustrasse in the Leutschen district of Freienbach — fully zoned for heavy industrial use, free of protective easements, minutes from the A3.

Cadastral facts (PLR extract, Canton Schwyz, 20 July 2026)

ATTRIBUTE	VALUE
Parcel / type	No. 1172 / real property (Liegenschaft)
E-GRID	CH932677383838
Municipality	Freienbach SZ (BFS No. 1322), Leutschen district / Wolleraustrasse
Area	6,014 m ²
Zoning	Industrial Zone 1 — 100% (Freienbach building code 1994, amended 2005 / 2019 / 2022)
Noise sensitivity	Level IV — 100% (heavy-impact operations permitted; Noise Abatement Ordinance)
Contaminated-sites register	Entry 29_B130 on 4,950 m ² (82.3%): "polluted, requiring neither monitoring nor remediation" — no harmful effects expected
Not affected by	Groundwater protection zones, forest setback lines, national road / railway building lines, planning or project zones
Purchase price	CHF 12,000,000 — CHF 1,995 per m²

Why this location

- **Ideal planning law.** Industrial Zone 1 with sensitivity level IV is the best possible zoning for a smelting operation — furnaces, extraction plants and 24/7 logistics without conflict on the parcel itself.
- **Valuables logistics.** Clear, supervised single access from Wolleraustrasse; A3 junction within minutes; Zurich Airport ≈ 40 minutes — short, plannable armoured-transport routes with alternates.
- **The client next door.** Pfäffikon SZ, Wollerau and Zug form one of the highest densities of family offices and asset managers in Europe — the custody client base sits within sight of the vault.
- **Tax and legal environment.** Canton Schwyz offers among the lowest corporate tax burdens in Switzerland and levies no real-estate transfer tax; a stable, ownership-friendly jurisdiction.
- **Manageable legacy.** The register entry "polluted, not requiring remediation" imposes no clean-up duty; excavation simply carries a disposal premium — priced into the capital budget.

Situation Plan



Fig. 1 — Official cadastral survey: Parcel No. 1172 (outlined in red) between Wolleraustrasse and the Leutschen district. Existing structures on the parcel will be demolished. Source: PLR cadastre, Canton Schwyz.

Due diligence before closing

- Land-register excerpt: easements, annotations, priority notices
- Historical site investigation (Contaminated Sites Ordinance) plus soil borings
- Geotechnical report — deep three-level basement, groundwater regime near the lake, dewatering concept
- Utilities & grid capacity confirmation (≈ 1.2 MW connected load)
- Pre-application rulings from the municipality and the Central Office for Precious Metals Control

Transaction structure

- Conditional purchase deed or purchase option tied to building permit and melter's licence milestones
- Retention against latent soil-disposal cost overruns
- Acquisition via special-purpose vehicle (PropCo / OpCo split) for financing flexibility
- No transfer tax in Canton Schwyz; notarial and land-register fees only

Land value floor. At CHF 1,995 per m², the entry price sits within the observed range for serviced industrial land on the upper Lake Zurich shore — the land itself anchors the downside of the investment case.


Architecture — A Gallery, Not a Fortress

The design reference is the FORMS Gallery in Freienbach: a former industrial hall transformed, with a reduced material palette and precise detailing, into a premium design destination. Aurum Leutschen translates that attitude into a new build — the security is absolute, and invisible.


Design principles

- **One calm, monolithic volume.** A single hall with an integrated two-storey head building; precise joint layout, deep reveals, no “bunker look” — the strongest rooms in the canton hide beneath a serene façade.
- **The head building as a gallery.** Reception, client lounge, private viewing suites and a bar-product showroom finished to gallery standard — trust, rendered in space.
- **Industrial precision inside.** Column-free refinery hall on an 8-metre grid, 5-tonne crane runway, services routed in floor channels, north-facing glazed sheds for daylight.
- **Quiet sustainability.** Full-roof photovoltaics (≈ 400 kWp), furnace waste-heat recovery, rainwater retention, Minergie standard for the head building.

Material palette



BOARD-MARKED
CONCRETE PLINTH




ANODISED METAL
FAÇADE, VERTICAL
RIB



BRASS ENTRANCE
PORTAL & SIGNAGE



SMOKED OAK,
CLIENT SUITES



BLACKENED STEEL,
VAULT THRESHOLDS

Externally the building reads as a refined industrial gallery on Wolleraustrasse; the brass-lined entrance portal is the only gesture toward what the house contains. All security build-up — blast-resistant plinth, RC4+ glazing, interlock lobbies, the vault itself — is embedded within the envelope and below grade.

Master Plan & Area Schedule




Fig. 2 — Development concept (schematic, not to scale). The hall fronts the street with the head building; the vault lies entirely below grade with its own access core; the security house commands the single entry.

Area schedule (indicative)

USE	GFA M ²	NOTES
Refinery hall — melting, electrolysis, parting	1,450	column-free, 5 t crane, 8 m clear height
Assay laboratory / QA	250	ICP-OES, XRF, fire assay; ISO 17025 target
Goods reception, interlocks, vault forecourt	300	person/vehicle traps, certified weighing room
Head building — reception, lounge, offices, showroom	650	two storeys, gallery-standard fit-out
Plant — scrubbers, HVAC, transformer, UPS, generator	400	partly roof-level plant
Vault, Levels -1 / -2 / -3	2,100	fully below grade, dedicated access core, 2 goods lifts
Security house incl. command room	160	free-standing at the gate, staffed 24/7
Total gross floor area	≈ 5,310	footprint above grade ≈ 2,350 m² → site coverage ≈ 39%

The Vault — Three Levels Below Grade

A vertical treasury: $\approx 2,100$ square metres of certified vault space descending fourteen metres into the ground — engineered for more than 1,200 tonnes of gold, from a single private safe-deposit box to institutional reserve positions.




Fig. 3 — Vault cross-section (schematic). Each level is an independently certified vault compartment behind its own EN 1143-1 door; the bulk vault operates under a strict time-lock and dual-custody regime.

2,100 m²

NET VAULT AREA ON THREE
LEVELS

1,200+ t

TOTAL GOLD CAPACITY

600

SAFE-DEPOSIT BOXES & SUITES

Vault Engineering & Custody Services

Engineering standard (planning basis)

ELEMENT	SPECIFICATION
Structure	Monolithic special security concrete with embedded reinforcement systems; each level a certified EN 1143-1 compartment (target grades in the X–XIII band, fixed with insurer and VdS/SES experts); diaphragm-wall pit, waterproof concrete tank, dewatering during construction
Doors	Vault doors per compartment class with day gates, multi-point boltwork, time locks; four-eyes opening without exception
Detection	EN 50131 Grade 4 intrusion system; seismic, body-sound and volumetric coverage of every enclosing surface; redundant transmission (IP + cellular) to a certified alarm receiving centre
Access	Dedicated access core: person traps with biometrics + badge + PIN, interlocked in series; two 5 t goods lifts; movement logging to the second
Resilience	Autonomous ventilation, aspirating smoke detection, inert-gas suppression, flood sensors, UPS + generator; command room electromagnetically shielded
Storage systems	L–3: high-density pallet racking for 12.5 kg bars (> 1,000 t); L–2: vault rooms, cages and kilobar shelving; L–1: 600 boxes in four sizes plus walk-in suites

Custody services & target pricing

SERVICE	DESCRIPTION	TARGET RATE
Segregated custody	Physically separated position per client, all-risk insured (Lloyd's market), bar-list reporting	0.20 – 0.50% p.a.
Allocated pooled custody	Numbered-bar allocation for dealers, funds and platforms	from 0.12% p.a.
Safe-deposit boxes & suites	Private clients and family offices, discreet access by appointment	CHF 1,200 – 15,000 p.a.
Handling & audit	In/out movements, bar testing with certificates, Big-4-ready inventory audits, courier organisation	per event
Bonded warehouse option	Application for an open customs warehouse (OZL) — customs- and VAT-neutral storage for international clients	—

The closed loop. Unlike bank safe-deposit or standalone vault operators, stored metal never needs to leave the perimeter: legacy gold can be assayed, refined to 999.9, recast as certified bars and returned to the client's compartment — without a single transport risk.

Refinery Operations

Capacity stages

STAGE	PERIOD	FINE GOLD P.A.	FOCUS
Stage 1	Operating years 1–2	25 – 40 t	recycling / legacy gold, semi-finished goods, bar & coin conversion
Stage 2	Operating years 3–4	55 – 70 t	+ bank material, industrial residues, electronics concentrates
Stage 3	From year 5	up to 100 t	+ doré from certified mines; LBMA Good Delivery capability

Process chain

1. **Intake & identification.** Reception through the goods interlock, certified weighing, unbroken chain of custody, KYC and provenance screening *before* acceptance.
2. **Melting & sampling.** Induction furnaces (2 × 150 kg, 1 × 50 kg), homogenisation, standards-compliant sampling.
3. **Assay.** Fire assay (cupellation) as the reference method, supported by XRF and ICP-OES; laboratory accreditation to ISO/IEC 17025 targeted; 48-hour assay commitment.
4. **Refining.** Wet-chemical refining (aqua regia) for high-grade feed and **Wohlwill electrolysis** for 999.9 fine gold; Moebius silver electrolysis as a side line; recovery of PGM values.
5. **Casting & minting.** Cast and minted bars from 1 g to 1 kg, 12.5 kg standard bars, granules for industry; hallmarking, serial numbers, certificates, sealed packaging.
6. **Transfer.** Direct transfer into the vault via the internal valuables lock — or dispatch through the armoured-transport dock.

People

Build-up from ≈ 34 FTE in year one to ≈ 60 FTE at full operation: metallurgists and refinery operators, assayers and laboratory staff, vault and security officers, client relationship managers, compliance and administration. Recruiting draws on the Zurich/Zug labour market; key hires (head of refining, head of compliance, security director) are committed before financial close.

Environment, Energy & Safety

- **Air.** Multi-stage off-gas treatment (scrubbers, NOx abatement, filtration) compliant with the Swiss Air Pollution Control Ordinance; continuous emissions monitoring.
- **Water.** Closed process loops; neutralisation and precipitation plant; heavy-metal limits per the Water Protection Ordinance; indirect-discharge permit.
- **Chemicals.** Dedicated acid store (hazmat room, containment, gas detection) per chemical and SUVA regulations; Major Accidents Ordinance screening with the cantonal environment office.
- **Noise.** Sensitivity level IV at the site; dominant sources (re-coolers, extraction) nonetheless attenuated to state of the art in deference to the residential zones across the street.
- **Energy.** ≈ 1.2 MW connected load (furnaces, electrolysis); ≈ 400 kWp rooftop PV; furnace waste-heat recovery for space and water heating; UPS and generator backing for security and critical process systems.
- **Occupational safety.** SUVA sector solution, explosion-protection zoning, PPE regime, occupational-health monitoring for recycling feed (lead, mercury).
- **Excavation.** The contaminated-sites entry (29_B130) requires a disposal concept for excavated material — coordinated with the cantonal environment office; premium priced into CAPEX.

The environmental case is a commercial asset: documented emissions discipline, renewable self-supply and a transparent responsible-sourcing regime are prerequisites for LBMA accreditation — and for the institutional custody clientele next door.

Digital backbone

- ERP with lot-level genealogy: every gram traceable from intake to bar serial number
- Client portal: holdings, bar lists, audit certificates, insurance confirmations in real time
- Segregated OT / IT / security networks; 24/7 monitoring; ISO 27001 as target standard

Security House & Defence in Depth

Six-zone model

ZONE	DOMAIN	MEASURES (EXTRACT)
0	Approach	Open sightlines, vehicle-impact protection (bollards), exterior video analytics, lighting concept
1	Perimeter	Security fence with climb/dig protection, fence-mounted detection, AI-assisted motion analytics, no visual cover
2	Yard & vehicle lock	Double-gate interlock; armoured-transport dock as a fully enclosed lock — the vehicle enters completely, gates close, only then does handover begin
3	Building envelope	Penetration-resistant plinth, RC4+ and bullet-resistant glazing in the head building, entry solely through person traps
4	Production & value rooms	Interlocked lobbies, four-eyes principle, movement logging, certified containers for daily working stocks
5	The Vault	Highest protection tier per Chapter 05; time-lock regime; dual custody without exception

The security house

- **24/7 command room**, permanently double-staffed (own personnel plus a certified security contractor), connected to a recognised alarm receiving centre with direct escalation to the Schwyz cantonal police.
- **Access management**: identification, visitor and contractor administration, badge issuance, mail and parcel screening.
- **Vehicle marshalling**: every vehicle controlled before Zone 2; separated flows for visitors, staff and valuables transport.
- **Crisis organisation**: defined playbooks (robbery, extortion, cyber, fire, natural hazard), redundant fallback command position inside the main building, regular red-team exercises.

People & process security

- Pre-employment screening for all staff; role-based least-privilege access; rotation in sensitive functions
- Four-eyes principle enforced by systems for every movement of value — no single-person access anywhere
- Insurance concept — all-risk cover for holdings (Lloyd's market), business liability, transit cover — signed off with insurer and VdS/SES surveyors

This chapter describes the concept at planning level (standards, zones, organisation). Detailed engineering is developed confidentially with certified security planners, the insurer and the authorities, and is deliberately not part of this document.

Regulatory Framework & Compliance

DOMAIN	REQUIREMENT / AUTHORITY
Melter's licence	Precious Metals Control Act (PMCA/PMCO); licence from the Central Office for Precious Metals Control (Federal Office for Customs and Border Security) for commercial melting of banking precious metals
Trade assayer licence	For fineness determination and hallmarking of melt products; sworn assayers, registered melter's marks
Anti-money-laundering	AMLA status as financial intermediary for trading/custody of banking precious metals: SRO affiliation or FINMA supervision; KYC/AML processes, provenance evidence, transaction monitoring
Responsible sourcing	LBMA Responsible Gold Guidance and OECD Due Diligence Guidance; annual independent assurance — prerequisite for the Good Delivery objective
Building permit	Municipality of Freienbach (building code, Industrial Zone 1 conformity); cantonal agencies (environment, civil engineering)
Environment	Air Pollution Control Ordinance; Water Protection Ordinance; Contaminated Sites Ordinance — disposal evidence for excavation on registered site 29_B130; Major Accidents Ordinance screening; VOC levy
Fire & labour	VKF fire-protection concept with QA lead; SUVA/EKAS directives; Labour Act plan approval for the industrial operation
Customs / VAT	Import/export handling for precious metals; open customs warehouse (OZL) option; VAT exemption for banking gold per the VAT Ordinance
Armed security	Cantonal licensing for armed guarding services (if deployed), Schwyz concordat rules

The permitting path is steered by specialist counsel in precious-metals and financial-market law. The critical items — melter's licence, AMLA affiliation and Labour Act approval — run in parallel with the construction phase (see Chapter 13), each de-risked through pre-application rulings before the land purchase is notarised.

Market & Competitive Landscape

Demand

- **Refining.** Switzerland refines a substantial share of the world's gold; imports of raw and legacy gold have run above 2,000 tonnes per annum for years. Urban-mining recycling — jewellery, watch-industry offcuts, electronics concentrates — grows structurally.
- **Custody.** Elevated gold prices, geopolitical fragmentation and diversification away from bank balance sheets drive demand for insured, segregated storage in Switzerland. The upper Lake Zurich shore hosts one of the densest family-office clusters in Europe.
- **Price basis (planning assumption).** Gold at CHF 90,000 per kilogram, held flat; sensitivities at $\pm 20\%$ in Chapter 12.

Competitive set

OPERATOR TYPE	EXAMPLES	AURUM LEUTSCHEN DIFFERENTIATION
LBMA mega-refiners	Valcambi, PAMP, Argor-Heraeus, Metalor	focused on mine-scale volume; we offer flexible lot sizes, 48-hour assays, personal service — and the vault on site
Regional assay houses	various SMEs	mostly without 999.9 electrolysis, without institutional vaulting, without an LBMA pathway
Vault / freeport operators	providers in Zurich, Geneva, Zug	storage only; we close the loop — assay, refine, recast and store without transport risk
Banks	safe deposit, metal accounts	metal accounts carry bank balance-sheet risk; we are physical, segregated, bank-independent, auditable

Target clients, years one to five

1. Bullion and legacy-gold dealers in Switzerland and the EU — refining plus storage
2. Watch and jewellery industry — conversion, alloys, granules
3. Family offices and UHNW individuals within 50 km — custody, suites, boxes
4. Fund/ETP platforms and fiduciaries — allocated holdings, audit services
5. Later: mining companies with certified provenance (doré), after LBMA admission

Business Model & Revenue Engines

ENGINE	MECHANICS	SHARE OF Y5 REVENUE
1 · Toll refining & conversion	Fee per gram by material class (legacy/scrap higher, doré lower); blended planning assumption CHF 0.30 per gram of fine gold	≈ 43%
2 · Custody & vault services	Storage fee, blended ≈ 0.20% p.a. of custodied value, plus handling, audits, boxes and suites	≈ 51%
3 · Trading & products	Bid/offer margin on branded bars, legacy-gold purchase, by-metal revenues (Ag, PGM)	≈ 6%

Value drivers

- **Loop lock-in.** Refining clients become custody clients and vice versa; switching costs compound with every stored bar list and every audit trail.
- **Recurring, price-geared revenue.** Custody is subscription income with > 90% retention that scales with the gold price — the three-level vault turns storage capacity into the dominant earnings engine.
- **Hard-asset backing.** Lakeside-region industrial land plus a special-purpose building create a tangible value floor beneath the operating case.
- **Capacity ladder.** Refining scales through shift work before capital is spent; vault levels are fitted out in phases as custody mandates land.

Why the bigger vault changes the equation. With more than 1,200 tonnes of capacity across three levels, custody — not refining — becomes the principal profit pool at maturity: recurring, insured, collateral-grade revenue from an asset that cannot be replicated without years of permitting and construction.

Capital Expenditure & Financing

POSITION	CHF M	NOTES
Land acquisition, Parcel No. 1172	12.00	per offer; CHF 1,995/m ²
Acquisition costs (notary, land register)	0.10	no transfer tax in Canton Schwyz
Demolition of existing structures	0.90	incl. pollutant survey and disposal
Deep excavation & pit support, 3-level basement	5.80	diaphragm walls, dewatering; disposal premium for registered site 29_B130
Shell & fit-out, hall + head building (≈ 3,050 m ² above grade)	13.80	façade to "FORMS" standard, sheds, crane runway
Vault, three levels (≈ 2,100 m ² , EN 1143-1)	19.50	security concrete, vault doors, deposit systems, 2 goods lifts
Security house, perimeter, vehicle lock, dock	2.20	fence + detection, bollards, gates
Building services — HVAC, electrical, PV, UPS, generator	5.40	incl. 400 kWp PV, waste-heat recovery
Refinery process plant (furnaces, electrolysis, off-gas, lab)	9.20	incl. ICP/XRF analytics, neutralisation plant
Security systems (Grade 4 alarms, video, access, traps)	4.20	redundant command technology across 3 vault levels
Planning, fees, permits, owner's engineering	4.60	≈ 11% of construction cost
Contingency	3.30	≈ 5% of project total
Total investment	81.00	±15% accuracy at study stage

Target financing structure

SOURCE	CHF M	SHARE	NOTES
Sponsor / investor equity	33.0	41%	of which CHF 12m for the land (phase 1)
Mortgage / construction loan (secured)	36.0	44%	secured on land and special-purpose building
Equipment leasing / supplier credit	12.0	15%	process and security technology
Total	81.0	100%	

Five-Year Financial Plan

Planning assumptions

- Gold price CHF 90,000/kg, held flat (sensitivities below) · refining yield Ø CHF 0.30 per gram of fine gold
- Custody yield blended $\approx 0.20\%$ p.a. on custodied value · staff build-up 34 → 60 FTE at Ø CHF 135,000 full cost
- Depreciation: buildings 33 years, plant 10 years, security technology 12 years ($\approx$ CHF 4.6m p.a.)

Indicative profit & loss (CHF m)

POSITION	YEAR 1	YEAR 2	YEAR 3	YEAR 4	YEAR 5
Refined fine gold (t)	25	40	55	70	80
Average custodied holdings (t)	20	40	75	115	160
Revenue — refining	7.5	12.0	16.5	21.0	24.0
Revenue — custody & vault services	3.6	7.2	13.5	20.7	28.8
Revenue — trading & products	1.5	2.0	2.5	3.0	3.5
Total revenue	12.6	21.2	32.5	44.7	56.3
Personnel	-4.6	-5.8	-6.8	-7.6	-8.2
Energy, chemicals, consumables	-2.6	-3.6	-4.6	-5.6	-6.2
Insurance (holdings & operations)	-2.0	-3.1	-4.7	-6.4	-8.1
Security, maintenance, admin, marketing	-3.3	-4.4	-5.7	-7.0	-7.9
EBITDA	0.1	4.3	10.7	18.1	25.9
EBITDA margin	1%	20%	33%	40%	46%
Depreciation	-4.6	-4.6	-4.6	-4.6	-4.6
Financing cost	-1.9	-1.9	-1.8	-1.7	-1.6
Earnings before tax	-6.4	-2.2	4.3	11.8	19.7

All figures indicative planning values at study stage; no price appreciation of gold assumed; utilisation of the vault at year five equals only $\approx 13\%$ of bulk capacity — the structural upside remains substantial.

Sensitivities & Delivery Timeline

Key readings & sensitivities

- EBITDA break-even in the first operating year; net profit from year three; cumulative free cash flow covers start-up losses by the end of year four.
- Payback on the CHF 81m programme $\approx$ 8–9 years — before any residual land or gold-price appreciation.
- **Gold –20%:** year-five custody revenue falls to $\approx$ CHF 23m, EBITDA to $\approx$ CHF 20m — the case holds, as refining volume is price-inelastic.
- **Volumes –25%:** year-five EBITDA $\approx$ CHF 15m; refinery break-even utilisation lies near 22 t p.a.
- **Custody upside:** every additional 100 t of average holdings adds $\approx$ CHF 18m of high-margin annual revenue at the blended rate.

Timeline

PHASE	PERIOD	MILESTONES
0 · Due diligence & acquisition	Q3 – Q4 2026	land-register and contamination DD, geotechnical report, conditional deed, transfer of title
1 · Design	Q4 2026 – Q3 2027	architect commission, preliminary and building project, security concept with insurer/VdS, environmental reports
2 · Permitting	Q3 2027 – Q1 2028	building application Freienbach, Labour Act approval, melter's licence and AMLA affiliation launched
3 · Demolition & construction	Q2 2028 – Q1 2030	demolition, deep pit (disposal evidence), 3-level vault structure, shell, fit-out, plant installation
4 · Commissioning	Q1 – Q2 2030	acceptances (fire, SUVA, insurer, precious-metals control), test runs, certification audits
5 · Operation	from Q3 2030	commercial start of refining and custody; LBMA track record building from year three of operation

Critical path: the building permit and the melter's licence. Both are de-risked through pre-application rulings — municipality of Freienbach and the Central Office for Precious Metals Control — before the land purchase is notarised, ideally via a conditional deed or purchase option.

Risk Analysis & Mitigation

RISK	LIKELIHOOD	IMPACT	MITIGATION
Permitting delay (building / melter / AMLA)	medium	high	pre-application rulings, conditional deed, specialist counsel, early authority engagement
Construction cost overrun	medium	medium	GC award with cost ceiling, 5% contingency, phased fit-out of vault levels and plant
Geotechnical / groundwater surprises (14 m pit)	medium	medium	borings before closing, diaphragm-wall design, dewatering concept, insurance-backed guarantees
Soil-disposal surprises	medium	medium	historical investigation + borings pre-purchase; disposal budget; retention in the deed
Gold price slump	medium	medium	fee-based revenues, no open proprietary positions, sensitivity-tested case
Security incident	low	very high	defence in depth, full-value insurance, crisis playbooks, regular red-team audits
Compliance / provenance reputation	medium	high	strict responsible-sourcing regime, refusal criteria, independent audits, transparency reporting
Talent scarcity (metallurgy / security)	medium	medium	early key hires, training partnerships, equity participation, regional attractiveness
Interest / financing risk	medium	medium	long fixed-rate tranches, moderate leverage (44% mortgage), sponsor commitment for overruns

Annex — Cadastral (PLR) Extract

Source: extract from the Cadastre of Public-Law Restrictions on Landownership (PLR/ÖREB), Canton Schwyz, extract No. 11b1d3f5-42d9-4237-bfe4-6ca4ef258411 of 20 July 2026; responsible office: Office for Geoinformation, Schwyz. Official survey status: 6 July 2026.




Fig. 4 — Zoning: Parcel 1172 lies 100% within Industrial Zone 1 (residential zones W2/W4 across the street).




Fig. 5 — Contaminated-sites register: entry 29_B130 on 4,950 m² — “polluted, requiring neither monitoring nor remediation”.




Fig. 6 — Noise sensitivity: level IV across the entire parcel (6,014 m², 100%).

Legal basis (selection)

- Spatial Planning Act (SR 700); Planning and Building Act, Canton Schwyz (SRSZ 400.100); Freienbach building code (1994, amended 2005/2019/2022)
- Environmental Protection Act (SR 814.01); Contaminated Sites Ordinance (SR 814.680); Noise Abatement Ordinance (SR 814.41)
- Precious Metals Control Act (SR 941.31) and Ordinance; Anti-Money-Laundering Act (SR 955.0)



Aurum Leutschen

REFINED. CERTIFIED. SAFEGUARDED.

DISCLAIMER — This dossier is a project study prepared for planning purposes only. It constitutes neither an offer nor financial, legal or tax advice, and contains no assurance of future results. All cost, revenue, capacity and schedule figures are indicative planning assumptions subject to confirmation by specialist planners, surveyors, insurers and the competent authorities. The PLR cadastre extract is of purely informative character; the legally binding documents and the land register prevail. Security specifications are described at concept level only; detailed engineering remains confidential. Version 2.0 · English edition · July 2026.