

AURUM HELVETIA

ZÜRICH · FRAUENFELD

BUSINESS PLAN

Gold Refinery
High-Security Gold Vault
Security House

PLOT 61522 · FRAUENFELD · CANTON OF THURGAU · SWITZERLAND

999.9 FINE GOLD

PROJECT

AURUM HELVETIA — Refining & Vaulting Centre, Frauenfeld

PROPERTY

Plot No. 61522 · E-GRID CH607729208032 · 6,434 m²

ZONING

Employment Zone (A) · PiN Overlay · Noise Sensitivity IV

LAND ACQUISITION

CHF 13,000,000 (as offered)

TOTAL INVESTMENT

CHF 70 million (indicative)

JULY 2026 · VERSION 2.0 · STRICTLY CONFIDENTIAL

Contents

I	Executive Summary
II	Site & Property (PLR Cadastre Analysis)
III	Regulatory Framework
IV	Architecture & Site Concept
V	Refinery — Technology & Capacity
VI	Gold Vault — High-Security Storage
VII	Security House & Security Concept
VIII	Capital Expenditure
IX	Revenue Model & Financial Plan
X	Organisation & People
XI	Timeline & Project Phases
XII	Risk Analysis
XIII	Appendix — PLR Cadastre Extract & Disclaimer

All financial figures are stated in Swiss francs (CHF). The figures presented are indicative planning values derived from empirical benchmarks; they are to be substantiated in the detailed design phase through tenders, expert opinions and preliminary rulings by the authorities.

SECTION I

Executive Summary

AURUM HELVETIA AG (in formation) intends to develop an integrated **precious-metals refining and vaulting centre** on plot 61522 in Frauenfeld, Canton of Thurgau, Switzerland. The project comprises three buildings: a **gold refinery** with a build-out capacity of approximately 100 tonnes of gold equivalent per annum, a **high-security gold vault** (strongroom of the highest resistance grades under EN 1143-1) with a storage capacity of up to 200 tonnes, and a **Security House** serving as the permanently manned control room and the sole controlled point of access to the estate.

The site is exceptionally well suited. The 6,434 m² plot lies entirely within the **Employment Zone (Arbeitszone A)** with **noise sensitivity level IV** — the only category in which heavy industrial operations are permissible. The plot is free of groundwater protection zones and carries no entry in the register of contaminated sites. Its immediate proximity to the A7 national motorway (Zurich–Konstanz) allows fast, predictable valuables transport; Zurich Airport lies approximately 40 minutes away.

Key parameters

- Land acquisition: CHF 13.0 million (6,434 m², equivalent to roughly CHF 2,020 per m²).
- Total investment: approximately CHF 70 million including land, construction, process plant and security systems.
- Financing: 40 per cent equity (CHF 28 million), 60 per cent debt (CHF 42 million).
- Revenue target at full operation (plan year 3): approximately CHF 33 million; EBITDA margin of about 50 per cent.
- Break-even at pre-tax profit level in the second operating year; payback within eight to ten years.
- Business lines: toll refining (doré, recycling, bullion), vaulting and storage, logistics and certification services.
- Target accreditations: licences under the Swiss Precious Metals Control Act, SRO/AMLA affiliation, and LBMA Good Delivery in the medium term.

Switzerland refines a substantial share of the world's traded gold, yet existing capacity is concentrated at a handful of locations (principally Ticino, Valais and Neuchâtel). A modern, compactly planned site in eastern Switzerland with an integrated high-security vault addresses the growing demand for **traceable, responsibly refined gold** and for **bank-independent physical storage** serving institutional and private clients alike.

SECTION II

Site & Property (PLR Cadastre Analysis)

This section is based on the official extract from the Cadastre of Public-Law Restrictions on Landownership (PLR / ÖREB cadastre) dated 20 July 2026, extract number 94e6ede8-6f45-4c08-8312-848c71110089, issued by the Office for Geoinformation of the Canton of Thurgau.

ATTRIBUTE	FINDING	ASSESSMENT FOR THE PROJECT
Property	Plot No. 61522, freehold, E-GRID CH607729208032, municipality of Frauenfeld (BFS 8500)	Unambiguously identified freehold within the building zone
Area	6,434 m²	Sufficient for refinery, vault, Security House, logistics and reserves
Land-use zone	Employment Zone (A), 100% — overlaid by the Zone for High-Footfall Uses (PiN), 100%	Industrial-commercial use conforms to zoning; PiN overlay opens options (e.g. client hall, showroom)
Noise sensitivity	Sensitivity level IV, 100%	Heavy industrial operations permitted — ideal for a melting and refining plant with 24/7 utilities
Building-line plan	Building-line plan in legal force, 100% of plot	Building placement to be coordinated with the municipality along the building lines
National-highway building line	Building line in force over 107 m	Strip along the A7 to be kept free of structures, or FEDRO consent required; treated as open space in the site concept
Groundwater protection	No protection zones or areas on the plot	No elevated permitting risk for chemical and process areas
Contaminated sites	No entry in the register (KbS)	No identifiable legacy-contamination cost risk (residual risk covered by due diligence)
Other topics	Watercourse space / forest distance: no data or not affected	No project-relevant constraints apparent

Location & market appraisal

The plot lies in the Langfeld / Ost- / Juchstrasse development district of eastern Frauenfeld, immediately at the A7 motorway junction. For an operation with daily valuables transport, direct motorway access is a decisive security and efficiency factor: short, variable routes without forced stops through town centres. As the cantonal capital, Frauenfeld offers qualified labour, proximity to the cantonal police, and — within the greater Zurich/Winterthur area — a deep recruiting pool for chemistry, metallurgy, security and compliance professionals.

The purchase price of **CHF 13.0 million** corresponds to roughly **CHF 2,020 per m²**. For fully serviced, uncontaminated employment-zone land with motorway access on the Winterthur–Frauenfeld axis this sits at the upper yet defensible end of the market; the zoning profile (sensitivity level IV, PiN overlay) and the plot's clean planning status justify a premium over ordinary commercial land.

SECTION III

Regulatory Framework

Operating a gold refinery with a vault is comprehensively regulated in Switzerland. The following licences and framework conditions determine the project and are managed as the critical path in the timeline (Section XI):

DOMAIN	LEGAL BASIS	REQUIREMENT / MEASURE
Precious-metals control	Precious Metals Control Act (PMCA/EMKG, SR 941.31) and ordinance	Melter's licence and trade-assayer licence from the Central Office for Precious Metals Control (FOCBS); prerequisite for producing fine gold with official hallmarking
Anti-money-laundering	AMLA (SR 955.0), AMLO	Professional trading in bank precious metals requires SRO affiliation or FINMA supervision; build-up of a compliance system (KYC, provenance evidence, transaction monitoring)
Responsible sourcing	LBMA Responsible Gold Guidance, OECD Due Diligence Guidance	Supply-chain due diligence from day one; LBMA Good Delivery accreditation in the medium term (requires inter alia three years of operation, minimum production, assaying competence)
Environment / air	EPA, Ordinance on Air Pollution Control (OAPC/LRV)	Off-gas scrubbing and filtration for melting and wet-chemical processes; emissions declaration and acceptance measurements
Chemicals / major accidents	ChemA, ChemO, Major Accidents Ordinance (MAO/StFV)	Storage and handling concept for acids and process gases; staying below or controlling threshold quantities, MAO summary report
Water protection	WPA, WPO	Wastewater neutralisation with metals recovery; indirect-discharge permit from the canton
Occupational safety	Employment Act, accident-insurance law / Suva (EKAS) directives	Safety and health-protection concept, explosion protection, PPE, occupational-medical care
Building law	Planning and Building Act of Thurgau, Frauenfeld building code (DBU 65), 1987 zoning plan incl. special building rules	Ordinary building-permit procedure; early preliminary application; coordination of building lines (municipality, and FEDRO for the national-highway strip)
Insurance	Market standard (Lloyd's et al.)	All-risk / specie cover for storage and transport; the insurers' technical acceptance of the strongroom is a condition of cover


Assessment: none of these requirements stands in the way of the project at the chosen site. Zoning conformity and sensitivity level IV materially reduce objection risk; the critical timelines are the building-permit procedure (including FEDRO coordination) and the PMCA licences.

SECTION IV

Architecture & Site Concept

The site concept follows the principle of **security through structure**: a single controlled access through the Security House; strictly separated flows for staff, visitors, valuables transport and materials; security zones layered from the outside in; and the vault as the innermost, fully protected core with no façade facing public space. The 107-metre national-highway building-line strip remains free of structures and is used as landscaped retention space.

PLOT 61522 · 6,434 m² (schematic, not to scale)



Schedule of areas (principal usable areas, indicative)

BUILDING	USE	AREA (M²)
Refinery (two storeys, c. 1,400 m² footprint)	Melt shop and casting, wet-chemical separation, electrolysis, sampling and assay laboratory, off-gas and wastewater plant, workshop, changing rooms, offices, utilities	2,600 GFA
Gold vault (two levels, one below grade)	Strongroom chambers with client segregation, airlocks, counting and inspection rooms, safe-deposit section (option), autonomous utilities	900 GFA
Security House (two storeys)	24/7 control room, personnel and vehicle locks, reception and identification, security-staff facilities, redundant server room	350 GFA
Logistics / CIT airlock	Enclosed lock for armoured vehicles, covered handling, direct link to refinery and vault	300 GFA
External works	Manoeuvring and parking areas, perimeter zone, landscaped retention areas (incl. building-line strip)	c. 3,800

Architectural principles

- Compact, sparsely fenestrated volumes in fair-faced concrete with a suspended metal façade; daylight through shed-type roof lights in non-critical areas.
- The refinery as a flexible industrial hall (8 × 8 m grid) with crane runway and a heavily serviced utilities spine; expansion reserve for a second electrolysis line built in.
- The vault in massive construction (special reinforced-concrete mix with aggregates of enhanced breakthrough resistance), fully earth-covered lower level, largely blind façades; externally not recognisable as a bullion store.
- The Security House as the estate's public face: representative yet defensible — reception, identification and single-person interlocks in one building.
- Sustainability: photovoltaics across all roofs (target above 500 kWp), furnace waste-heat recovery for building heating, rainwater retention within the building-line strip; Minergie standard targeted for the administrative areas.

SECTION V

Refinery — Technology & Capacity

The refinery is designed as a modern toll refinery for gold and silver, focused on three input streams: doré bars from mine production of demonstrably responsible origin; recycling material (old gold, production scrap, electronic-scrap concentrates); and the re-melting and upgrading of bullion (Good Delivery conversion, format changes).

Process chain

STAGE	METHOD	PURPOSE
Intake & sampling	Goods receipt in the CIT airlock, weighing, drill/melt sampling, X-ray fluorescence and fire assay in the in-house laboratory	Binding determination of content as settlement basis
Melting & homogenising	Induction furnaces with enclosed extraction	Homogeneous feedstock, sampling, removal of impurities
Pre-refining	Miller process (in-melt chlorination) for high throughput	Rapid upgrade to c. 99.5% Au; silver and base metals report to the slag/chloride phase
Fine refining	Wohlwill electrolysis; complementary wet-chemical separation (aqua regia) for complex feeds	Fine gold 999.9; recovery of silver and platinum-group metals from anode slimes
Casting & minting	Bar casting (1 kg – 12.5 kg), minting line for small bars of 1 g – 100 g	Marketable end products with serial number, certificate and official hallmark
Environmental stage	Multi-stage gas scrubbing (chlorine/NOx), filtration, wastewater neutralisation with metals recovery	Compliance with air and water ordinances; recovery of value metals from all side streams

Capacity & ramp-up

- Technical build-out capacity of approximately 100 tonnes of gold equivalent per annum on a two-shift basis; expandable to 150 tonnes via a third shift and a second electrolysis line.
- Ramp-up path: around 15 tonnes in plan year 1 (commissioning, trial runs, first clients), 40 tonnes in year 2, 60 tonnes in year 3, thereafter 70–80 tonnes.
- The assay laboratory (fire assay and spectrometry) operates as its own profit centre for third-party and umpire analyses.
- Quality objective: fine gold 999.9 with seamless batch traceability from input lot to bar — a central selling proposition towards banks and wholesale clients.

Security and environmental advantage of the site: noise sensitivity level IV permits continuous operation of furnaces and ventilation; the absence of groundwater-protection overlays considerably simplifies permitting of the wet-chemical processes. Major-accident prevention (chlorine for the Miller process, acid storage) is addressed through enclosed systems, gas-warning installations and separate, bunded storage rooms with neutralisation reserves.

SECTION VI

Gold Vault — High-Security Storage

The vault is conceived as a profit centre in its own right: physical storage for banks, asset managers, family offices, bullion dealers and — within the scope of the PiN zoning overlay — selected private clients. Designation of the facility as a bonded warehouse (open customs warehouse) will be examined in order to serve international clients.

Structural & technical design

- Strongroom to EN 1143-1, targeting the highest insurable resistance grades on the market (grades X to XIII with EX and CD supplements against explosives and core-drill attack); final classification to be agreed with the specie insurers.
- Two vault levels: the fully earth-covered basement as the main store with pallet logistics for large bars; the ground-floor level for client segregates, counting and inspection rooms and an optional safe-deposit section.
- Monolithic reinforced-concrete envelope of enhanced breakthrough resistance, externally discreet — no visible indication of a bullion store; access exclusively through airlocks from within the estate.
- Autonomous services: independent power, cooling and communications, standby generator, redundant alarm-transmission paths.
- Capacity: up to 200 tonnes of gold depending on configuration, plus silver and pallet storage in the logistics wing.

Operating model & revenues

SERVICE	TARGET CLIENTS	PRICING MODEL (INDICATIVE)
Segregated (allocated) storage	Banks, funds, family offices	0.10 – 0.20% p.a. of stored value, audit access included
Pooled bar storage	Dealers, refining clients	0.08 – 0.12% p.a., combinable with refining contracts
Safe-deposit boxes (option, PiN-conforming)	Private clients, SMEs	Fixed prices by box size, access via the Security House
Handling & logistics	All segments	In/out fees, counting and inspection, CIT handling

Combining refinery and vault on one site is a structural competitive advantage: freshly refined fine gold can be placed into storage without external transport (“mint to vault”), lowering insurance and transport cost and enabling a closed chain of security and evidence from melt lot to storage position.

SECTION VII

Security House & Security Concept

The security concept follows the internationally established **layered-defence (“onion-skin”)** principle with five graduated zones and a consistent four-eyes organisation. It is coordinated with the Thurgau cantonal police, the insurers and an accredited certification body, and is audited periodically.

ZONE	SCOPE	MEASURES (EXTRACT)
0 — Surroundings	Public space, approach	Discreet external appearance, traffic-calmed approach, long-range video analytics, licence-plate recognition at the access
1 — Perimeter	Property boundary	3 m fence/wall system with anti-climb and anti-dig protection, detection sensors (fence, ground, thermal), certified vehicle-restraint systems (bollards/barriers) at the entrance
2 — Estate	Outdoor areas within the perimeter	Gap-free video coverage with analytics, lighting concept, guided routing with single-person interlocks, drone detection
3 — Buildings	Refinery, logistics, Security House	Burglar-resistant envelope (resistance classes RC5/RC6 at critical openings), personnel and vehicle locks, multi-factor access (badge + biometrics + PIN), intruder alarm to EN 50131 grade 4
4 — Core	Strongroom, fine-gold store	Vault doors and chambers to EN 1143-1 (highest grades), time-delayed multi-person opening, seismic and structure-borne-sound detection, separate alarm loops, access only under the four-eyes rule with logged release by the control room

The Security House — heart of the operation

- Permanently manned control room (24/7, minimum two operators) with redundant connection to a certified alarm-receiving centre and the cantonal police.
- Sole point of access for people and vehicles: identification, visitor management, single-person interlocks, weapons and metal detection, separated waiting areas.
- Command of all valuables transports: notification, slot allocation, route and window coordination with the CIT partners; no transport without a confirmed slot.
- Crisis and emergency organisation: intervention concept agreed with the police, sabotage and fire scenarios, business-continuity plan, annual exercises.
- Data-protection-compliant video archiving (revised Swiss DPA), tamper-proof logging of access and events.

Personnel security: all employees undergo background screening (debt-enforcement and criminal records, references); security-critical functions are re-screened periodically. Segregation of duties (production / vault / compliance / security) and rotating responsibilities reduce insider risk. Details of resistance times, intervention times and alarm philosophy are deliberately confined to the confidential security specification.

SECTION VIII

Capital Expenditure

The investment estimate is based on cost benchmarks of comparable industrial and high-security buildings (accuracy $\pm$ 20 per cent, price basis 2026) and is to be verified through contractor tenders in the preliminary-design phase.

ITEM	ASSUMPTION / BASIS	CHF M
Land acquisition, plot 61522	6,434 m ² as offered	13.00
Acquisition costs	Transfer tax, notary, land register (c. 2.3%)	0.30
Refinery building	2,600 m ² GFA, heavily serviced industrial build, c. CHF 4,800/m ²	12.50
Gold vault	900 m ² GFA specialist construction incl. strongrooms, c. CHF 12,800/m ²	11.50
Security House	350 m ² GFA incl. interlock systems	1.80
Logistics/CIT airlock, externals, perimeter	Vehicle lock, fence and detection systems, bollards, manoeuvring areas	2.60
Process plant & furnaces	Induction furnaces, Miller line, Wohlwill electrolysis, separation, casting/minting, off-gas and wastewater plant	14.00
Security systems	Intruder alarm grade 4, video/analytics, access/biometrics, control-room technology, redundancies	4.20
Laboratory & operating equipment	Assaying (fire assay, spectrometry), IT/ERP, track-and-trace	2.20
Design, permits, professional fees	c. 12% of construction and plant cost	3.40
Contingency	c. 7% reserve	4.50
Total investment		70.00

Financing

SOURCE	SHARE	CHF M	NOTES
Equity (founders, anchor investors)	40%	28.0	Subscribed in two tranches (acquisition/design, construction)
Mortgage / investment loan	50%	35.0	Secured on land and buildings; interest assumption 2.8%
Supplier / lease financing of plant	10%	7.0	Furnace and electrolysis technology

The land acquisition (CHF 13.0 million) is funded entirely from the first equity tranche so that the unencumbered plot is available as collateral for the construction phase.

SECTION IX

Revenue Model & Financial Plan

Revenue streams at full operation (plan year 3)

REVENUE STREAM	VOLUME ASSUMPTIONS	CHF M
Toll refining, gold & silver	60 t throughput × avg. CHF 0.40/g refining income	24.0
Recycling / separation margin	Additional income from complex feeds and by-metals (Ag, PGM)	3.5
Vaulting / storage	Avg. 40 t stored × avg. 0.12% p.a. on stored value (assumption CHF 90/g)	4.3
Ancillary income	Analytics, certificates, logistics/handling, minting orders	1.2
Total revenue, plan year 3		33.0

Five-year plan (indicative, CHF m)

ITEM	YEAR 1	YEAR 2	YEAR 3	YEAR 4	YEAR 5
Refining throughput (t)	15	40	60	70	78
Revenue	8.0	19.5	33.0	38.5	42.0
Operating costs (incl. staff, energy, insurance)	9.5	13.7	16.5	18.7	20.1
EBITDA	-1.5	5.8	16.5	19.8	21.9
Depreciation	3.3	3.5	3.5	3.5	3.5
Finance cost	1.2	1.2	1.2	1.1	1.0
Profit before tax (EBT)	-6.0	1.1	11.8	15.2	17.4

Key planning assumptions

- Conservative gold-price assumption of CHF 90,000 per kg for valuing stored holdings; the revenue model is predominantly volume-driven rather than price-driven (fee business, no proprietary trading with open positions).
- Headcount growth from 28 full-time equivalents in year 1 to 58 in year 3; average full cost of CHF 120,000 per position.
- Insurance premiums (specie / all-risk) calculated at 0.9 – 1.4 per cent of average stored value, declining with claims history and certification progress.
- Working capital remains modest, as client material is refined and stored in third-party ownership (toll processing); metal accounts are squared daily.
- Combined cantonal and federal tax rate of roughly 13.5 per cent in Thurgau — attractive by international comparison.
- Break-even at EBT level in year 2; cumulative free cash flow positive from year 5; project payback including land within eight to ten years.

SECTION X

Organisation & People

UNIT	RESPONSIBILITIES	FTE YR 1	FTE YR 3
Executive board & staff	CEO, CFO, legal/compliance (AML desk), HR	4	6
Refinery production	Melt shop, separation, electrolysis, casting (two-shift)	10	22
Laboratory / quality	Assaying, QA, certification, track-and-trace	3	6
Security / control room	24/7 control room, interlock operation, CIT coordination	8	14
Vault / logistics	In/out storage, client segregates, inventories	2	6
Sales & client management	Mining, banking and recycling clients, vaulting sales	1	4
Total		28	58

Key hires are the refinery operations manager (metallurgy, experience at a Good Delivery refinery), the head of security (police, armed-forces or CIT-industry background) and the AML compliance officer. For the 24/7 control room a blended model of in-house staff and a contractually bound, certified security provider is under review; authority over alarm and release processes remains in-house in every case.

Legal form & governance

- Swiss stock corporation (AG) domiciled in Frauenfeld; board of directors with independent members covering finance, law and security.
- Internal control system from day one; annual external audits of finance, AML, security and environment.
- Four-eyes principle across all value-relevant processes; no single-person access to core zones.

SECTION XI

Timeline & Project Phases

PHASE	PERIOD	MILESTONES
0 — Securing & due diligence	Q3 – Q4 2026	Purchase deed for plot 61522, technical and legal due diligence, preliminary planning application, incorporation, first equity tranche
1 — Design & permitting	Q1 2027 – Q2 2028	Preliminary and detailed design (SIA phases 31/32), environmental and major-accident dossiers, building application, FEDRO building-line coordination, PMCA licence applications, insurers' acceptance concept
2 — Construction	Q3 2028 – Q4 2029	Excavation and shell (vault first), fit-out, installation of process and security systems, factory acceptance tests
3 — Commissioning	Q1 – Q3 2030	Cold and hot commissioning, emissions measurements, melter's and trade-assayer licences active, insurers' vault acceptance, first client lots
4 — Ramp-up & accreditation	from Q4 2030	Two-shift operation, SRO audit, building the LBMA track record (Good Delivery targeted after three operating years)

SECTION XII

Risk Analysis

RISK	P*	I*	MITIGATION
Building-permit delay / objections	medium	medium	Zoning conformity (Employment Zone, level IV) minimises grounds for objection; early preliminary application; transparent communication with city and neighbours
Conditions from the highway building line (FEDRO)	medium	low	Site concept keeps the strip clear; early alignment with FEDRO
PMCA / AML licences delayed	low	high	Experienced compliance counsel, complete applications, screened key personnel recruited before filing
Construction cost overrun	medium	medium	7% contingency, general-contractor award with cost ceiling, phased fit-out
Market risk: refining margins under pressure	medium	medium	Differentiation through traceability, eastern-Switzerland location advantage, combined refining-plus-storage offer; multi-year anchor contracts
Security incident (robbery, burglary, insider)	low	very high	Layered zone concept, highest vault grades, four-eyes principle, personnel screening, insurance cover, intervention agreement with the cantonal police
Environmental / major-accident event	low	high	Enclosed processes, gas-warning and neutralisation systems, MAO summary report, regular drills
Supply-chain reputation risk	medium	high	OECD-conformant due diligence, acceptance of audited provenance only, external responsible-sourcing audit from year one
Interest-rate / financing risk	medium	medium	Long-term fixed rates, staggered equity tranches, covenant headroom

*P = probability of occurrence, I = impact

Overall assessment: the project carries a risk profile typical of high-security industrial ventures, yet one that is well controllable through the choice of site, zoning conformity and a rigorous security architecture. No single identified risk is capable of preventing the project.

SECTION XIII

Appendix — PLR Cadastre Extract & Disclaimer

PLR CADASTRE EXTRACT (OFFICIAL)	ENTRY
Extract number / date	94e6ede8-6f45-4c08-8312-848c71110089 / 20 July 2026
Property	Plot No. 61522, freehold, municipality of Frauenfeld (BFS 8500)
E-GRID	CH607729208032
Area	6,434 m ² (official cadastral survey as at 16 July 2026)
PLR topics affecting the plot	Land-use planning: Employment Zone (A) 100%, Zone for High-Footfall Uses (PiN) 100% · building-line plan 100% · national-highway building lines: line in force, 107 m · noise sensitivity level IV, 100%
Not affected (selection)	Groundwater protection zones and areas, register of contaminated sites, special design plans, planning zones, forest topics

PLR CADASTRE EXTRACT (OFFICIAL)	ENTRY
Principal legal bases	Spatial Planning Act (SR 700), Thurgau Planning and Building Act and ordinance (RB 700/700.1), Frauenfeld building code DBU 65, 1987 zoning plan (No. 548) incl. special building rules, Langfeld/Ost-/Juchstrasse zoning plan (No. 88, 2009), National Highways Act and ordinance, Noise Abatement Ordinance
Responsible cadastre office	Office for Geoinformation, Canton of Thurgau, Staubeggstrasse 3, 8510 Frauenfeld

Disclaimer: this business plan is a project study intended solely for internal decision-making and for discussions with qualified investors, banks, authorities and insurers. All cost, revenue and schedule figures are indicative planning values (accuracy ± 20 per cent) and replace neither tenders nor expert opinions nor official rulings. The PLR cadastre extract is of purely informative character and creates no rights or obligations; the legally enacted documents prevail. Statements on security measures are deliberately generic; operationally relevant details are confined to the confidential security specification.