

FOUNDER OPERATING SYSTEM

Phase 2 - Beta Activation, Retention, Support, and Founder Editorial Cadence

Complete Technical Specification and Implementation Plan

FOS-TECH-PHASE-2 | Version 3.0 | 2026-07-13

Contents

- 0. Revision decision
- 1. Implementation directive
- 2. Objectives and success metrics
- 3. Scope
- 4. Domain model extensions
- 5. Artifact types and Notion workspace
- 6. Agents
- 7. Workflows
- 8. APIs and jobs
- 9. Deterministic safeguards
- 10. Tests
- 11. Work packages
- 12. Definition of done
- Shared architectural invariants
- Agent runtime requirements
- Security, privacy, and governance
- Observability and cost controls
- Deployment and activation model

This specification is written against the revised Phase 0 canonical-state, generic-artifact, controlled-command, and Founder Workspace Adapter contracts. Any implementation based on the earlier native-admin assumptions must be refactored as identified in the dependency plan.

0. Revision decision

Phase 2 now combines beta operations with the founder's recurring editorial cadence. These functions share the same raw material: beta questions, onboarding friction, support patterns, learning milestones, founder observations, and emerging outcomes.

The phase must protect private beta data while turning approved aggregate learning into useful LinkedIn and Substack communication. Beta operations remain canonical; editorial working copies live in Notion.

1. Implementation directive

Build the operating system that moves each enrolled beta user from enrollment to first value, detects risk, triages support, captures verified outcomes and referrals, and maintains a sustainable weekly founder publishing workflow.

2. Objectives and success metrics

Beta objectives

Every active beta user has an approved onboarding plan and first-value milestone.

At-risk users are identified with explainable factors.

Support is classified, answered, and converted into product signals.

Outcomes and referral opportunities are captured with consent.

Editorial objectives

Maintain a reliable LinkedIn cadence and recurring Substack workflow.

Produce build logs, learning reports, and educational posts from approved sources.

Reduce founder blank-page writing while preserving voice and judgment.

Metrics

Onboarding completion

Time to first value

Week-one and cohort retention

Support volume and resolution time

Founder support minutes

At-risk recovery

Verified outcomes, referral invitations, referral enrollments

Weekly content cadence

Founder content-production minutes

Content-assisted applications and enrollments

3. Scope

Included:

Beta enrollment conversion

Personalized onboarding

Milestones and first-value detection

Explainable beta-health snapshots

Intervention recommendations

Support cases and response drafts

Outcome evidence and consent

Referral opportunities

Weekly editorial planning

Recurring LinkedIn post generation
Substack research/essay workflow
Build-log generation
Comment/question clustering for future content
Excluded:
Autonomous support sending
Psychological or protected-attribute scoring
Public use of outcomes without consent
Full campaign automation
Product specification and release QA
Autonomous social engagement

4. Domain model extensions

4.1 BetaEnrollment

Canonical fields include status, primary goal, pathway, start/end, onboarding status, first-value status, last activity, health status, risk level, founder owner, and version.

4.2 OnboardingPlan

References an ArtifactRecord. Canonical fields store objective, first-value milestone, status, approval, active version, and user-visible release state.

4.3 BetaMilestone

Stores type, success criteria, target date, completion evidence, status, blocking reason, and dependencies.

4.4 BetaActivityEvent

Append-only product and operational activity used for milestone and health calculations.

4.5 BetaHealthSnapshot

Stores score, status, risk, observed factors with source IDs, missing data, confidence, and recommended intervention. It is an operational indicator, not a factual characterization of the person.

4.6 SupportCase

Stores source interaction, case type, severity, product area, status, assigned owner, linked signals/defects, response artifact, and resolution.

4.7 InterventionRecommendation

Stores intervention type, rationale, urgency, confidence, due date, artifact, approval, status, and outcome.

4.8 OutcomeEvidence

Stores outcome type, statement, classification, source, verification, before/after measures where available, consent references, and permitted use.

4.9 ReferralOpportunity

Stores eligibility reason, request type, artifact, approval, request/result timestamps, referred person, and resulting opportunity.

4.10 EditorialCycle

id, workspace_id, period_start, period_end

business_priority_ids, content_pillar_ids

source_signal_ids, planned_asset_count

status, review_artifact_id, created_at, updated_at

4.11 AudienceQuestionCluster

Stores recurring questions from applications, support, calls, comments, and webinars, with privacy-safe summaries and content opportunity ranking.

5. Artifact types and Notion workspace

Artifact types

onboarding_plan

beta_check_in

support_response

intervention_plan

testimonial_request

referral_request

weekly_editorial_plan

linkedin_post

linkedin_carousel_script

substack_research_brief

substack_paper

build_log

beta_learning_note

Notion collections

Beta Operations

Projects goal, onboarding, first value, health summary, support status, intervention, outcome/referral candidates, and next founder action. Raw activity and sensitive source detail remain canonical.

Support Queue

Projects case summary, severity, type, age, owner, response artifact, and resolution state.

Editorial Calendar

Projects the weekly cycle, audience, pillar, source evidence, channel, status, planned publication, CTA, and performance summary.

LinkedIn Pipeline and Substack Papers

Provide founder editing and approval. Canonical evidence and consent gates remain in FOS.

6. Agents

Beta Onboarding Concierge - fos.beta_onboarding_concierge

Creates a feasible onboarding plan and observable first-value milestone using only available capabilities.

Beta Health Agent - fos.beta_health

Synthesizes deterministic indicators into an explainable health recommendation. Missing telemetry lowers confidence.

Support Triage Agent - fos.support_triage

Classifies issue, severity, product area, likely cause, owner, response brief, and product signals.

Outcome Evidence Agent - fos.outcome_evidence

Identifies candidate outcomes and required consent without overstating causality.

Referral Readiness Agent - fos.referral_readiness

Recommends referral timing only after a verified success or explicit positive signal.

Weekly Editorial Strategist - fos.weekly_editorial_strategist

Creates a weekly content plan aligned to current enrollment goals, beta learning, founder time, content pillars, and channel policies.

LinkedIn Drafting Agent - fos.linkedin_drafting

Creates evidence-led posts and carousel scripts in the approved founder voice; avoids generic influencer language.

Substack Research and Essay Agent - fos.substack_essay

Creates research brief, evidence matrix, outline, counterarguments, draft, summary, and derivative plan.

Engagement Intelligence Agent - fos.engagement_intelligence

Clusters privacy-safe audience questions and objections. It may draft responses but may not post as the founder.

7. Workflows

7.1 Enrollment to onboarding

Create BetaEnrollment, generate onboarding artifact, founder approves, create milestones, create welcome draft, and project safe summary to Notion.

7.2 Health and intervention

Calculate deterministic indicators daily and after key events, run health synthesis, compare with prior snapshot, create intervention only when threshold crossed, and require founder approval for communication.

7.3 Support to product signal

Record support interaction, triage, create response artifact, route approval, resolve case, and create linked Phase 3 product signal candidate.

7.4 Outcome and referral

Detect success evidence, verify source, check consent, create founder review, and generate testimonial/referral artifacts only after approval.

7.5 Weekly editorial cycle

Collect approved beta learning, product notes, audience questions, and business priorities.

Generate a bounded weekly plan.

Founder chooses topics in Notion.

Generate LinkedIn/Substack artifacts.

Verify claims, consent, and privacy.

Founder edits and approves.

Create platform drafts.

Record publication and results.

8. APIs and jobs

API families:

/api/fos/beta-enrollments/*

/api/fos/onboarding-plans/*
 /api/fos/beta-milestones/*
 /api/fos/beta-health/*
 /api/fos/support-cases/*
 /api/fos/outcome-evidence/*
 /api/fos/referral-opportunities/*
 /api/fos/editorial-cycles/*
 /api/fos/audience-question-clusters/*

Jobs:

generate-beta-onboarding-plan
 detect-first-value
 calculate-beta-health
 detect-beta-inactivity
 triage-support-case
 extract-outcome-evidence
 identify-referral-opportunities
 generate-weekly-editorial-plan
 generate-linkedin-artifact
 generate-substack-artifact
 cluster-audience-questions
 reconcile-beta-and-editorial-projections

9. Deterministic safeguards

Consent controls contact and public use.

Health factors must be observable and source-linked.

Low activity alone cannot be labeled dissatisfaction.

Support response may not promise a product change.

Editorial artifacts may use only anonymous aggregate learning unless stronger consent exists.

Founder edits trigger claim and privacy revalidation.

Platform adapters create drafts only.

10. Tests

Unit tests cover milestone dependencies, consent, health indicators, support severity, referral eligibility, privacy-safe aggregation, and editorial source eligibility.

Integration tests cover enrollment-to-onboarding, inactivity intervention, support-to-product-signal, consent revocation, outcome verification, weekly plan generation, and founder Notion edits.

Deliverable

WP2.0

Phase 1 enrollment-to-beta handoff

WP2.1

Beta domain schema and migration

WP2.2

Onboarding artifacts and milestones

WP2.3

Product activity and first-value instrumentation

WP2.4

Explainable health engine

WP2.5

Support queue and triage

WP2.6

Outcome, consent, testimonial, and referral workflows

WP2.7

Weekly editorial-cycle model

WP2.8

LinkedIn and Substack agents/workspaces

WP2.9

Engagement intelligence and question clustering

WP2.10

Metrics, evaluation, and activation

12. Definition of done

Every active beta user has an approved first-value path.

Health and intervention recommendations are explainable.

Support interactions create reusable product signals.

Outcome and referral workflows respect consent.

The founder can operate beta support and weekly publishing from Notion.

Private beta detail is not exposed in editorial projections.

No autonomous support sending, social posting, or testimonial use is possible.

Shared architectural invariants

The following rules are inherited from revised Phase 0 and are non-negotiable for this phase:

FOS owns canonical state and intelligence. Notion is a founder-facing working environment and projection surface.

External workspace changes are commands, not direct mutations. A Notion status change or button creates a validated WorkspaceCommand.

Artifacts are generic and versioned. Enrollment messages, specifications, LinkedIn posts, Substack papers, reports, and reviews use ArtifactRecord and ArtifactVersion.

Approvals are interface-independent. Approval state is canonical and may be requested from Notion, a native interface, or an API.

Evidence, claims, consent, and product availability are deterministic gates. Models may recommend; they may not waive these controls.

Every projection has an ownership policy. Fields are canonical_read_only, working_copy_editable, controlled_command, or not_projectable.

Raw events are immutable. Derived summaries may be superseded but not silently overwrite source history.

Every agent is bounded. Each agent has a versioned objective, input schema, output schema, permitted tools, permitted memory scopes, evaluation policy, and autonomy ceiling.

No autonomous publishing, sending, pricing change, contractual commitment, or production deployment is permitted unless a later founder-approved governance decision explicitly changes the rule.

FOS must remain operational if Notion or another workspace provider is unavailable.

Founder Workspace integration contract

All founder-facing work for this phase must use the Phase 0 workspace adapter.

Projection pattern

Canonical record or artifact created

- > operational event emitted
- > projection policy evaluated
- > safe working copy created or updated in Notion
- > canonical ID and version stored on the provider page
- > founder edits or commands captured
- > FOS validates and executes canonical change
- > projection is reconciled

Required hidden projection properties

FOS Record ID

FOS Entity Type

FOS Version

FOS Workspace ID

Projection Status

Last Synced At

Conflict rule

A controlled command may execute only when the provider's FOS Version matches the current canonical version. Otherwise the command is placed in conflict status and the founder receives a reconciliation item.

Agent runtime requirements

Every agent run must execute the following stages:

Trigger validation

Authorization and feature-flag validation

Context assembly and minimization

Prompt construction from a versioned agent definition

Model execution

Structured-output validation

Deterministic policy evaluation

Secondary quality evaluation where configured

Canonical persistence

Approval routing or reversible execution

Projection update

Metrics and audit emission

If structured output fails, retry once with a repair prompt. If repair fails, mark the run `evaluation_failed`, create a founder-visible operational item, and do not create an approval-ready artifact.

Security, privacy, and governance

Least privilege

Agents receive only the records required for the current run.

Workspace projections contain summaries unless full working content is required.

Private source documents, raw model prompts, credentials, payment details, and exploitable security findings are not projectable by default.

Marketing and research agents may not access unrestricted applicant or beta-user records.

Prompt-injection defense

Applications, resumes, email, transcripts, web pages, competitor pages, imported notes, and workspace page content are untrusted data. They may not modify system policy, tool permissions, approval requirements, or data-access scope.

Audit

The system must reconstruct every consequential outcome from:

Trigger

Actor

Source records

Retrieved context manifest

Agent and prompt version

Output

Deterministic evaluation

Founder edits

Approval or rejection

External action

Resulting business outcome

Failure posture

Failures must preserve canonical state, create a visible retry or manual-work item, and never imply that an external action succeeded when it did not.

Observability and cost controls

Each workflow must emit structured logs and traces with:

workspace_id

Correlation and causation IDs

Phase and workflow key

Agent key and version

Canonical entity IDs

Provider projection IDs where applicable

Latency

Model and tool cost

Validation and evaluation result

Retry count

Approval result

External action result

Required phase dashboards must distinguish system activity from accepted business value. Agent-run volume is not itself a success metric.

Deployment and activation model

Each major capability must progress through:

Local development

Automated tests

Staging with synthetic fixtures

Production with feature flag disabled

Production shadow mode

Founder-only review mode

Limited live activation

Measured promotion or rollback

Every agent and workspace workflow requires an independent feature flag and version rollback path. #

Coding-agent execution instruction

> Implement Phase 2 - Beta Activation, Retention, Support, and Founder Editorial Cadence according to this specification.

>

> Begin by verifying that revised Phase 0 is operational: canonical records, generic artifacts, approvals, workspace commands, projection policies, evidence, claims, consent, event audit, feature flags, and the Notion provider adapter.

>

> Produce an architecture decision record and a repository-to-requirement implementation map before migrations. Reuse Phase 0 services rather than creating parallel document, approval, consent, or workspace systems.

>

> Maintain a live traceability matrix linking every requirement to implementation files, migrations, automated tests, feature flags, and operational metrics.

>

> Preserve these phase-specific non-negotiable rules:

>

> 1. Reuse Phase 0 consent, artifact, approval, event, and workspace contracts.

Project beta summaries, not unrestricted private source data.

Health is explainable operational guidance, not a psychological assessment.

Recurring LinkedIn and Substack work must begin from approved evidence or editorial briefs.

All communication and public-use actions require founder approval. > > Implement work packages in dependency order. Activate each agent in shadow mode before founder-review mode. Treat Notion as a projection and controlled working surface, not as the source of canonical lifecycle, consent, claim, test, pricing, or deployment state.