

FOUNDER OPERATING SYSTEM

Phase 1 - Enrollment Revenue and Beta Launch Communications

Complete Technical Specification and Implementation Plan

FOS-TECH-PHASE-1 | Version 3.0 | 2026-07-13

Contents

- 0. Revision decision
- 1. Implementation directive
- 2. Objectives and success metrics
- 3. Scope
- 4. Preconditions and required Phase 0 records
- 5. Architecture and module boundaries
- 6. Domain model extensions
- 7. Artifact types and workspace projections
- 8. Agent specifications
- 9. Core workflows
- 10. APIs and commands
- 11. Background jobs
- 12. Deterministic policy gates
- 13. Testing
- 14. Work packages
- 15. Deployment gates
- 16. Definition of done
- Shared architectural invariants
- Agent runtime requirements
- Security, privacy, and governance
- Observability and cost controls
- Deployment and activation model

This specification is written against the revised Phase 0 canonical-state, generic-artifact, controlled-command, and Founder Workspace Adapter contracts. Any implementation based on the earlier native-admin assumptions must be refactored as identified in the dependency plan.

0. Revision decision

Phase 1 remains the highest-dollar-impact build, but it now combines two tightly linked revenue functions:

Enrollment operations: qualify, prepare, follow up, recover, and convert opportunities.

Beta launch communications: create the LinkedIn, Substack, email, webinar, landing-page, and referral communications that generate those opportunities.

The earlier design treated marketing as a later downstream capability. That is rejected for beta launch. Phase 1 must create demand and convert demand using the same claims, evidence, audience, narrative, channel, CTA, artifact, approval, and attribution contracts established in Phase 0.

1. Implementation directive

Build a founder-operated enrollment revenue system that:

Converts applications and interactions into evidence-backed opportunity briefs.

Produces founder-reviewable responses and next actions.

Detects and helps resolve objections and inactivity.

Executes a coordinated beta-launch communications sequence.

Attributes applications, calls, and enrollments to source communications where evidence exists.

Captures founder edits to improve later communication agents.

Uses Notion as the founder working surface without surrendering canonical opportunity state.

2. Objectives and success metrics

2.1 Revenue objectives

Increase qualified application volume.

Increase application-to-call conversion.

Increase call show rate.

Increase offer-to-enrollment conversion.

Recover suitable stalled and no-show opportunities.

Reduce founder minutes per qualified lead and per enrollment.

2.2 Launch communications objectives

Publish a coherent beta-launch narrative across LinkedIn, Substack, email, webinar, and landing-page surfaces.

Use one approved source brief to create multiple channel-appropriate assets.

Ensure every factual claim is approved and current.

Track source, campaign, CTA, application, call, and enrollment relationships.

	2.3 Required metrics

Domain

Metrics

Demand

impressions where available, subscribers, clicks, applications, qualified applications

Conversion

application-to-call, show rate, call-to-offer, offer-to-enrollment, lead-to-enrollment

Speed

time to first response, post-call follow-up time, age by opportunity stage

Founder leverage

review minutes, preparation minutes, follow-up minutes, approved-draft edit distance

Communications

assets published, source-brief reuse, CTA conversion, campaign-assisted enrollments

Agent quality

source coverage, unsupported-claim blocks, approval rate, rejection rate, escalation accuracy

3. Scope

3.1 Included enrollment capabilities

Application intake integration

Enrollment Brief Agent

Call Preparation Agent

Post-Call Synthesis Agent

Personalized Follow-Up Agent

Objection Intelligence Agent

Next-Best-Action Agent

Stalled-opportunity detection

Opportunity funnel and founder-time instrumentation

3.2 Included launch communications

Beta campaign record

Beta announcement LinkedIn sequence

Founder-story post

Problem-awareness and objection posts

Product demonstration post

LinkedIn carousel scripts

Substack cornerstone paper and promotion package

Beta landing-page working copy

Enrollment email sequence

Webinar invitation, reminder, and follow-up package

Referral communication kit

Campaign attribution events

3.3 Out of scope

Autonomous sending or publishing

Paid media buying

Full marketing automation

Customer onboarding after enrollment

Beta health and support operations

Production social engagement automation

Pricing changes without founder decision

4. Preconditions and required Phase 0 records

Before enabling Phase 1, seed and approve:

Current beta offer and price

Product capabilities and limitations

Approved and prohibited claims

Target audience segments

Core beta launch narrative

Content pillars

Channel policies for LinkedIn, Substack, email, webinar, and website

CTA registry

Founder voice policy

Campaign source and attribution rules

Operational-contact and marketing-contact consent rules

5. Architecture and module boundaries

Public and founder-created demand signals

LinkedIn | Substack | Website | Webinar | Email | Referral

|

v

Campaign and attribution events

|

v

Application intake -> EnrollmentOpportunity -> Agent workflows

|

+-----+-----+

|

v

Canonical FOS state
opportunity, evidence,
claims, approvals, metrics

|

v

Notion founder workspace
Enrollment Pipeline,
Founder Inbox, Launch Campaign

|

+-----+-----+

|

v

Founder-approved external drafts

Enrollment state and attribution remain canonical. Notion displays and edits working artifacts and creates controlled commands.

6. Domain model extensions

6.1 EnrollmentOpportunity extensions

Add or confirm:

campaign_id

first_touch_source

last_touch_source

attribution_confidence

estimated_value_cents

actual_value_cents

recommended_pathway

fit_status

next_action_type

next_action_due_at
version

6.2 Campaign

Fields:

id, workspace_id, campaign_key, name
objective, offer_id, audience_segment_ids
narrative_ids, content_pillar_ids, channel_ids
primary_cta_id, secondary_cta_ids
start_at, end_at, status
success_metrics_json, budget_cents, created_at, updated_at

6.3 CampaignTouch

Append-only touchpoint record:

id, campaign_id, person_id, opportunity_id
content_asset_id, publication_reference
channel, cta_id, touch_type, occurred_at
utm_json, referrer, confidence, created_at

6.4 EnrollmentAssessment

id, opportunity_id, agent_run_id, version
observed_facts_json, inferences_json
fit_status, fit_confidence, fit_rationale
recommended_pathway, unknowns_json, risk_flags_json
created_at

6.5 ObjectionRecord

id, opportunity_id, category, statement
classification, confidence, severity
source_interaction_id, resolution_status
resolution_summary, created_at, updated_at

6.6 EnrollmentActionRecommendation

id, opportunity_id, agent_run_id
action_type, summary, rationale
business_impact, urgency, confidence
recommended_due_at, artifact_record_id
status, outcome, created_at, updated_at

7. Artifact types and workspace projections

7.1 Phase 1 artifact types

enrollment_brief
call_preparation_brief
post_call_recap
initial_response
information_request
objection_response
offer_follow_up
no_show_recovery
unresponsive_recovery
beta_launch_source_brief
linkedin_post
linkedin_carousel_script
substack_paper
email_sequence
webinar_package
landing_page_copy
referral_kit

7.2 Notion collections

Enrollment Pipeline

Projects opportunity summary, stage, fit, value, last interaction, next action, objections, pending artifact, and canonical links.

Founder Inbox

Projects decisions and drafts requiring founder action.

Beta Launch Campaign

Contains campaign strategy, source brief, linked assets, planned dates, claims status, approval, publication references, applications, calls, and enrollments.

LinkedIn Pipeline and Substack Papers

Use the Phase 0 editorial workspace with Phase 1 campaign filters.

7.3 Controlled commands

Approve or reject enrollment artifact

Request revision

Propose stage transition
Defer opportunity
Create Gmail draft
Mark artifact published
Generate channel derivative
Run claims verification
Record webinar event

8. Agent specifications

8.1 Enrollment Brief Agent

Key: fos.enrollment_brief

Produces a three-minute founder review containing candidate summary, observed facts with sources, labeled inferences, readiness, fit, pathway, objections, discovery questions, risk flags, and next action.

Hard gates:

All observed facts resolve to source records.

Inferences are never written as facts.

Recommended pathway is available for the current offer.

No employment, recruiter, salary, or interview guarantee.

8.2 Call Preparation Agent

Key: fos.call_preparation

Produces meeting objective, three-sentence summary, critical unknowns, top questions, likely objections, permitted claims, claims to avoid, and recommended close.

8.3 Post-Call Synthesis Agent

Key: fos.post_call_synthesis

Extracts confirmed goals, constraints, objections, commitments, open questions, fit update, stage proposal, next action, and follow-up brief. It may not apply the stage change.

8.4 Personalized Follow-Up Agent

Key: fos.personalized_follow_up

Produces concise channel-specific communication with one primary CTA, a claims manifest, capabilities manifest, personalization sources, and risk flags.

8.5 Objection Intelligence Agent

Key: fos.objection_intelligence

Classifies observed and inferred objections. Aggregate dashboards use reviewed observed objections by default.

8.6 Next-Best-Action Agent

Key: fos.next_best_action

Recommends a valid action after deterministic checks for consent, cooldown, lifecycle, duplicate tasks, scheduled activity, terminal status, and offer availability.

8.7 Beta Launch Editorial Agent

Key: fos.beta_launch_editorial

Given an approved campaign source brief, produces an ordered asset plan across LinkedIn, Substack, email, webinar, and landing page. It may create artifacts but may not publish.

8.8 Substack Cornerstone Agent

Key: fos.substack_cornerstone

Produces thesis, research questions, evidence matrix, counterarguments, outline, full draft, summary, promotion assets, and claims manifest.

9. Core workflows

9.1 Application to approved response

Intake and deduplicate application.

Create or update Person and EnrollmentOpportunity.

Emit attribution touch where available.

Queue Enrollment Brief Agent.

Persist assessment and artifact.

Project to Enrollment Pipeline.

Generate response draft.

Founder edits and approves in Notion.

Revalidate claims and consent.

Create external email draft only after approval.

9.2 Conversation workflow

Record scheduled conversation.

Generate call preparation artifact.

Capture founder notes or transcript reference.

Run Post-Call Synthesis and Objection Intelligence.

Create follow-up artifact and stage proposal.

Founder approves artifact and transition separately.

Update canonical next action and metrics.

9.3 Stalled opportunity workflow

A scheduled job evaluates stage-age policy, contact cooldown, pending tasks, and future events. It creates one recommendation and, where appropriate, a recovery artifact. It never contacts the person automatically.

9.4 Beta launch campaign workflow

Founder approves campaign source brief.

Editorial Agent creates channel plan.

Substack Cornerstone Agent generates long-form anchor.

Derivative artifacts are generated and independently verified.

Founder edits and approves in Notion.

Approved platform drafts are created.

Publication is recorded manually or through an explicit command.

Campaign touches and funnel outcomes are joined.

10. APIs and commands

Required API families:

/api/fos/applications/*

/api/fos/opportunities/*

/api/fos/interactions/*

/api/fos/enrollment-assessments/*

/api/fos/objections/*

/api/fos/campaigns/*

/api/fos/campaign-touches/*

/api/fos/artifacts/*

/api/fos/approvals/*

/api/fos/workspace-commands/*

/api/fos/dashboard/enrollment

/api/fos/dashboard/campaigns

All create/update endpoints require workspace authorization, idempotency for intake/external actions, and optimistic concurrency for controlled edits.

11. Background jobs

process-application-intake

generate-enrollment-brief

generate-call-preparation

analyze-post-call

generate-enrollment-follow-up
 detect-stalled-opportunities
 generate-beta-launch-plan
 generate-substack-cornerstone
 generate-launch-derivatives
 revalidate-launch-claims
 rollup-enrollment-and-campaign-metrics
 reconcile-enrollment-projections

12. Deterministic policy gates

Opportunity transitions follow the canonical state machine.
 Consequential stages require founder approval.
 Contact is blocked when consent is revoked or cooldown is active.
 Claims must be approved, effective, and allowed for the channel and offer.
 Planned features cannot be described as available.
 Founder edits trigger claims revalidation.
 Attribution must expose confidence and method.
 External send and publication remain separate explicit actions.

13. Testing

Unit

State transitions, consent, cooldown, claim validation, attribution parsing, artifact versioning, command version checks, stale detection, and CTA mapping.

Integration

Application creates canonical records, brief, projection, and approval item.
 Founder Notion edit creates a new artifact version.
 Unsupported claim blocks approval.
 Duplicate webhook does not duplicate a command.
 Approved communication can create a provider draft but cannot send.
 Published asset creates attribution touch without inventing identity.

Agent contracts

Fixtures must include strong fit, incomplete information, contradictory history, price objection, time objection, competitor comparison, out-of-scope target, prompt injection, and revoked consent.

End-to-end

Launch content to application to enrollment

Application to call to offer

Stalled opportunity recovery

Substack anchor to LinkedIn derivatives

Unsupported capability block

Opportunity and attribution extensions

WP1.2

Enrollment agent runtime and assessments

WP1.3

Call and post-call workflows

WP1.4

Follow-up, objections, and next actions

WP1.5

Enrollment Pipeline and Founder Inbox projections

WP1.6

Beta launch campaign model and source brief

WP1.7

LinkedIn, Substack, email, webinar, and landing-page artifacts

WP1.8

Claims, consent, and platform-draft gates

WP1.9

Funnel, campaign attribution, founder-time dashboards

WP1.10

Evaluation, shadow mode, and production activation

15. Deployment gates

Phase 1 live activation requires:

Approved offer, capability, claim, audience, narrative, channel, CTA, and voice records

Application intake idempotency

Claims verification on founder-edited content

External send/autopublish disabled

Funnel and campaign events reconciling

Prompt-injection fixtures passing

Notion conflict and reconciliation tests passing

16. Definition of done

Every active opportunity has a canonical stage and next action.

Enrollment and launch artifacts are versioned and projected.

Founder approvals can originate in Notion but execute canonically.

Beta launch communications are linked to evidence and campaign records.

Applications, calls, offers, and enrollments can be attributed with explicit confidence.

No unsupported claim, autonomous send, or autonomous publish is possible.

Founder time and agent quality are measurable.

Shared architectural invariants

The following rules are inherited from revised Phase 0 and are non-negotiable for this phase:

FOS owns canonical state and intelligence. Notion is a founder-facing working environment and projection surface.

External workspace changes are commands, not direct mutations. A Notion status change or button creates a validated WorkspaceCommand.

Artifacts are generic and versioned. Enrollment messages, specifications, LinkedIn posts, Substack papers, reports, and reviews use ArtifactRecord and ArtifactVersion.

Approvals are interface-independent. Approval state is canonical and may be requested from Notion, a native interface, or an API.

Evidence, claims, consent, and product availability are deterministic gates. Models may recommend; they may not waive these controls.

Every projection has an ownership policy. Fields are canonical_read_only, working_copy_editable, controlled_command, or not_projectable.

Raw events are immutable. Derived summaries may be superseded but not silently overwrite source history.

Every agent is bounded. Each agent has a versioned objective, input schema, output schema, permitted tools, permitted memory scopes, evaluation policy, and autonomy ceiling.

No autonomous publishing, sending, pricing change, contractual commitment, or production deployment is permitted unless a later founder-approved governance decision explicitly changes the rule.

FOS must remain operational if Notion or another workspace provider is unavailable.

Founder Workspace integration contract

All founder-facing work for this phase must use the Phase 0 workspace adapter.

Projection pattern

Canonical record or artifact created

- > operational event emitted
- > projection policy evaluated
- > safe working copy created or updated in Notion
- > canonical ID and version stored on the provider page
- > founder edits or commands captured
- > FOS validates and executes canonical change
- > projection is reconciled

Required hidden projection properties

FOS Record ID

FOS Entity Type

FOS Version

FOS Workspace ID

Projection Status

Last Synced At

Conflict rule

A controlled command may execute only when the provider's FOS Version matches the current canonical version. Otherwise the command is placed in conflict status and the founder receives a reconciliation item.

Agent runtime requirements

Every agent run must execute the following stages:

Trigger validation

Authorization and feature-flag validation

Context assembly and minimization

Prompt construction from a versioned agent definition

Model execution

Structured-output validation

Deterministic policy evaluation

Secondary quality evaluation where configured

Canonical persistence

Approval routing or reversible execution

Projection update

Metrics and audit emission

If structured output fails, retry once with a repair prompt. If repair fails, mark the run `evaluation_failed`, create a founder-visible operational item, and do not create an approval-ready artifact.

Security, privacy, and governance

Least privilege

Agents receive only the records required for the current run.

Workspace projections contain summaries unless full working content is required.

Private source documents, raw model prompts, credentials, payment details, and exploitable security findings are not_projectable by default.

Marketing and research agents may not access unrestricted applicant or beta-user records.

Prompt-injection defense

Applications, resumes, email, transcripts, web pages, competitor pages, imported notes, and workspace page content are untrusted data. They may not modify system policy, tool permissions, approval requirements, or data-access scope.

Audit

The system must reconstruct every consequential outcome from:

Trigger

Actor

Source records

Retrieved context manifest

Agent and prompt version

Output

Deterministic evaluation

Founder edits

Approval or rejection

External action

Resulting business outcome

Failure posture

Failures must preserve canonical state, create a visible retry or manual-work item, and never imply that an external action succeeded when it did not.

Observability and cost controls

Each workflow must emit structured logs and traces with:

workspace_id

Correlation and causation IDs

Phase and workflow key

Agent key and version

Canonical entity IDs

Provider projection IDs where applicable

Latency

Model and tool cost

Validation and evaluation result

Retry count

Approval result

External action result

Required phase dashboards must distinguish system activity from accepted business value. Agent-run volume is not itself a success metric.

Deployment and activation model

Each major capability must progress through:

Local development

Automated tests

Staging with synthetic fixtures

Production with feature flag disabled

Production shadow mode

Founder-only review mode

Limited live activation

Measured promotion or rollback

Every agent and workspace workflow requires an independent feature flag and version rollback path. #

Coding-agent execution instruction

> Implement Phase 1 - Enrollment Revenue and Beta Launch Communications according to this specification.

>

> Begin by verifying that revised Phase 0 is operational: canonical records, generic artifacts, approvals, workspace commands, projection policies, evidence, claims, consent, event audit, feature flags, and the Notion provider adapter.

>

> Produce an architecture decision record and a repository-to-requirement implementation map before migrations. Reuse Phase 0 services rather than creating parallel document, approval, consent, or workspace systems.

>

> Maintain a live traceability matrix linking every requirement to implementation files, migrations, automated tests, feature flags, and operational metrics.

>

> Preserve these phase-specific non-negotiable rules:

>

> 1. Opportunity lifecycle, consent, claims, attribution, and approval remain canonical.

Notion edits create versioned artifacts and validated commands; they do not directly change opportunity state.

Launch content begins with an approved source brief and uses only approved claims and capabilities.

Agents may create provider drafts but may not send or publish.

Every requirement must have linked tests and a phase feature flag. > > Implement work packages in dependency order. Activate each agent in shadow mode before founder-review mode. Treat Notion as a projection and controlled working surface, not as the source of canonical lifecycle, consent, claim, test, pricing, or deployment state.