KCA Laboratories
1509 Bull Lea Rd, Ste 100
Lexington, KY 40511

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

Certificate of Analysis

2G Stardust THCA- Lemon Voltage

Sample ID: SA-251204-73668
Batch: 120325-HHC-STR-D-2.0G-LVT
Type: Finished Product - Inhalable
Matrix: Concentrate - Distillate
Serving Size (g):
Unit Volume (mL): , Density (g/mL):

Received: 12/05/2025
Completed: 01/14/2026

Client
WherezHemp
7427 Highway 58 S
Stantonsburg, NC 27883
USA
Lic. #: 1608 (NCDA&CS)



Summary

Test	Date Tested	Status
Cannabinoids	12/19/2025	Tested
Heavy Metals	12/29/2025	Passed
Microbials	12/23/2025	Passed
Mycotoxins	01/14/2026	Passed
Pesticides	01/14/2026	Passed
Residual Solvents	01/05/2026	Passed

0.182 %	**53.0 %**	**94.4 %**	**Not Tested**	**Not Tested**	**Yes**
Δ9-THC	Δ8-THC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Generated By: Ryan Bellone
Commercial Director
Date: 01/14/2026

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

KCA Laboratories
1509 Bull Lea Rd, Ste 100
Lexington, KY 40511

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

Certificate of Analysis

2G Stardust THCA- Lemon Voltage

Sample ID: SA-251204-73668
Batch: 120325-HHC-STR-D-2.0G-LVT
Type: Finished Product - Inhalable
Matrix: Concentrate - Distillate
Serving Size (g):
Unit Volume (mL): , Density (g/mL):

Received: 12/05/2025
Completed: 01/14/2026

Client
WherezHemp
7427 Highway 58 S
Stantonsburg, NC 27883
USA
Lic. #: 1608 (NCDA&CS)

Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDB	0.0133	0.04	ND	ND
CBD-C8	0.0133	0.04	ND	ND
CBDH	0.0133	0.04	ND	ND
CBDP	0.0133	0.04	0.285	2.85
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.626	6.26
CBNA	0.006	0.0181	0.532	5.32
CBNP	0.0133	0.04	ND	ND
CBT	0.018	0.054	ND	ND
Δ4,8-iso-THC	0.0133	0.04	0.664	6.64
Δ6a,10a-THC	0.0133	0.04	ND	ND
Δ8-iso-THC	0.0133	0.04	1.72	17.2
Δ8-THC	0.0104	0.0312	53.0	530
Δ8-THCB	0.0133	0.04	ND	ND
Δ8-THC-C8	0.0133	0.04	ND	ND
Δ8-THCH	0.0133	0.04	ND	ND
Δ8-THCP	0.0133	0.04	0.370	3.70
Δ8-THCV	0.0133	0.04	0.0518	0.518
Δ9-THC	0.0076	0.0227	0.182	1.82
Δ9-THCA	0.0084	0.0251	24.9	249
Δ9-THCB	0.0133	0.04	ND	ND
Δ9-THC-C8	0.0133	0.04	ND	ND
Δ9-THCH	0.0133	0.04	ND	ND
Δ9-THCP	0.0133	0.04	12.0	120
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
(6aR,9R)-Δ10-THC	0.0133	0.04	ND	ND
(6aR,9S)-Δ10-THC	0.0133	0.04	ND	ND
exo-THC	0.0133	0.04	ND	ND
(6aR,9R,10aR)-HHC	0.0133	0.04	ND	ND
(6aR,9S,10aR)-HHC	0.0133	0.04	ND	ND
Total Δ9-THC			**22.0**	**220**
Total			**94.4**	**944**

ND = Not Detected; NR = (Spike) Not Recoverable, sample matrix interference present which may affect accuracy of results; NT = Not Tested; UA = Unsuitable for Analysis; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone
Commercial Director
Date: 01/14/2026

Tested By: Kelsey Rogers
Scientist
Date: 12/19/2025

ISO/IEC 17025:2017 Accredited
Accreditation #108651

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

KCA Laboratories
1509 Bull Lea Rd, Ste 100
Lexington, KY 40511

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

Certificate of Analysis

2G Stardust THCA- Lemon Voltage

Sample ID: SA-251204-73668
Batch: 120325-HHC-STR-D-2.0G-LVT
Type: Finished Product - Inhalable
Matrix: Concentrate - Distillate
Serving Size (g):
Unit Volume (mL): , Density (g/mL):

Received: 12/05/2025
Completed: 01/14/2026

Client
WherezHemp
7427 Highway 58 S
Stantonsburg, NC 27883
USA
Lic. #: 1608 (NCDA&CS)

Heavy Metals by ICP-MS

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	P/F
Arsenic	0.002	0.02	ND	P
Cadmium	0.002	0.02	ND	P
Lead	0.005	0.05	ND	P
Mercury	0.005	0.01	ND	P

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: Ryan Bellone
Commercial Director
Date: 01/14/2026

Tested By: Annie Velazquez
Laboratory Technician
Date: 12/29/2025

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

KCA Laboratories
1509 Bull Lea Rd, Ste 100
Lexington, KY 40511

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

Certificate of Analysis

2G Stardust THCA- Lemon Voltage

Sample ID: SA-251204-73668
Batch: 120325-HHC-STR-D-2.0G-LVT
Type: Finished Product - Inhalable
Matrix: Concentrate - Distillate
Serving Size (g):
Unit Volume (mL): , Density (g/mL):

Received: 12/05/2025
Completed: 01/14/2026

Client
WherezHemp
7427 Highway 58 S
Stantonsburg, NC 27883
USA
Lic. #: 1608 (NCDA&CS)

Pesticides by LC-MS/MS and GC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	P/F	Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	P/F
Abamectin	30	100	ND	P	Hexythiazox	30	100	ND	P
Acephate	30	100	ND	P	Imazalil	30	100	ND	P
Acetamiprid	30	100	ND	P	Imidacloprid	30	100	ND	P
Aldicarb	30	100	ND	P	Kresoxim methyl	30	100	ND	P
Azoxystrobin	30	100	ND	P	Malathion	30	100	ND	P
Bifenazate	30	100	ND	P	Metalaxyl	30	100	ND	P
Bifenthrin	30	100	ND	P	Methiocarb	30	100	ND	P
Boscalid	30	100	ND	P	Methomyl	30	100	ND	P
Carbaryl	30	100	ND	P	Mevinphos	30	100	ND	
Carbofuran	30	100	ND	P	Myclobutanil	30	100	ND	P
Chloranthraniliprole	30	100	ND	P	Naled	30	100	ND	P
Chlorfenapyr	30	100	ND	P	Oxamyl	30	100	ND	P
Chlormequat chloride	30	100	ND	P	Paclobutrazol	30	100	ND	P
Chlorpyrifos	30	100	ND	P	Permethrin	30	100	ND	P
Clofentezine	30	100	ND	P	Phosmet	30	100	ND	P
Coumaphos	30	100	ND		Piperonyl Butoxide	30	100	ND	P
Daminozide	30	100	ND	P	Prallethrin	30	100	ND	P
Diazinon	30	100	ND	P	Propiconazole	30	100	ND	P
DDVP (Dichlorvos)	30	100	ND	P	Propoxur	30	100	ND	P
Dimethoate	30	100	ND	P	Pyrethrins	30	100	ND	P
Dimethomorph	30	100	ND		Pyridaben	30	100	ND	P
Ethoprophos	30	100	ND	P	Spinetoram	30	100	ND	
Etofenprox	30	100	ND	P	Spinosad	30	100	ND	P
Etoxazole	30	100	ND	P	Spiromesifen	30	100	ND	P
Fenhexamid	30	100	ND		Spirotetramat	30	100	ND	P
Fenoxycarb	30	100	ND	P	Spiroxamine	30	100	ND	P
Fenpyroximate	30	100	ND	P	Tebuconazole	30	100	ND	P
Fipronil	30	100	ND	P	Thiacloprid	30	100	ND	P
Flonicamid	30	100	ND	P	Thiamethoxam	30	100	ND	P
Fludioxonil	30	100	ND	P	Trifloxystrobin	30	100	ND	P

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: Ryan Bellone
Commercial Director
Date: 01/14/2026

Authorized By: Jasper van Heemst
Principal Scientist
Date: 01/14/2026

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

KCA Laboratories
1509 Bull Lea Rd, Ste 100
Lexington, KY 40511

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

Certificate of Analysis

2G Stardust THCA- Lemon Voltage

Sample ID: SA-251204-73668
Batch: 120325-HHC-STR-D-2.0G-LVT
Type: Finished Product - Inhalable
Matrix: Concentrate - Distillate
Serving Size (g):
Unit Volume (mL): , Density (g/mL):

Received: 12/05/2025
Completed: 01/14/2026

Client
WherezHemp
7427 Highway 58 S
Stantonsburg, NC 27883
USA
Lic. #: 1608 (NCDA&CS)

Mycotoxins by LC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	P/F
B1	1	5	ND	P
B2	1	5	ND	P
G1	1	5	ND	P
G2	1	5	ND	P
Ochratoxin A	1	5	ND	P

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: Ryan Bellone
Commercial Director
Date: 01/14/2026

Tested By: Jasper van Heemst
Principal Scientist
Date: 01/14/2026

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

2G Stardust THCA- Lemon Voltage

Sample ID: SA-251204-73668
Batch: 120325-HHC-STR-D-2.0G-LVT
Type: Finished Product - Inhalable
Matrix: Concentrate - Distillate
Serving Size (g):
Unit Volume (mL): , Density (g/mL):

Received: 12/05/2025
Completed: 01/14/2026

Client
WherezHemp
7427 Highway 58 S
Stantonsburg, NC 27883
USA
Lic. #: 1608 (NCDA&CS)

Microbials by PCR and Plating

Analyte	LOD (CFU/g)	Result (CFU/g)	Result (Qualitative)	P/F
Total aerobic count	10	ND		P
Total coliforms	10	ND		P
Generic E. coli	10	ND		P
Salmonella spp.	1		Not Detected per 1 gram	P
Shiga-toxin producing E. coli (STEC)	1		Not Detected per 1 gram	P

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; CFU = Colony Forming Units; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone
Commercial Director
Date: 01/14/2026

Tested By: Sara Cook
Laboratory Technician
Date: 12/23/2025

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

KCA Laboratories
1509 Bull Lea Rd, Ste 100
Lexington, KY 40511

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

Certificate of Analysis

2G Stardust THCA- Lemon Voltage

Sample ID: SA-251204-73668
Batch: 120325-HHC-STR-D-2.0G-LVT
Type: Finished Product - Inhalable
Matrix: Concentrate - Distillate
Serving Size (g):
Unit Volume (mL): , Density (g/mL):

Received: 12/05/2025
Completed: 01/14/2026

Client
WherezHemp
7427 Highway 58 S
Stantonsburg, NC 27883
USA
Lic. #: 1608 (NCDA&CS)

Residual Solvents by HS-GC-MS

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	P/F	Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	P/F
Acetone	33	100	ND	P	Ethylene Oxide	0.5	1	ND	P
Acetonitrile	14	41	ND	P	Heptane	33	100	ND	P
Benzene	0.5	1	ND	P	n-Hexane	2	6	ND	P
Butane	33	100	<RL	P	Isobutane	33	100	ND	P
1-Butanol	167	500	ND	P	Isopropyl Acetate	167	500	ND	P
2-Butanol	167	500	ND	P	Isopropyl Alcohol	167	500	ND	P
2-Butanone	167	500	ND	P	Isopropylbenzene	167	500	ND	P
Chloroform	2	6	ND	P	Methanol	20	60	ND	P
Cyclohexane	129	388	ND	P	2-Methylbutane	10	29	ND	P
1,2-Dichloroethane	0.5	1	ND	P	Methylene Chloride	20	60	ND	P
1,2-Dimethoxyethane	4	10	ND	P	2-Methylpentane	2	6	ND	P
Dimethyl Sulfoxide	167	500	ND	P	3-Methylpentane	2	6	ND	P
N,N-Dimethylacetamide	37	109	ND	P	n-Pentane	33	100	ND	P
2,2-Dimethylbutane	2	6	ND	P	1-Pentanol	167	500	ND	P
2,3-Dimethylbutane	2	6	ND	P	n-Propane	33	100	ND	P
N,N-Dimethylformamide	30	88	ND	P	1-Propanol	167	500	ND	P
2,2-Dimethylpropane	167	500	ND	P	Pyridine	7	20	ND	P
1,4-Dioxane	13	38	ND	P	Tetrahydrofuran	24	72	ND	P
Ethanol	167	500	ND	P	Toluene	6	18	ND	P
2-Ethoxyethanol	6	16	ND	P	Trichloroethylene	3	8	ND	P
Ethyl Acetate	33	100	ND	P	Xylenes (o-, m-, and p-)	14	43	ND	P
Ethyl Ether	167	500	ND	P					
Ethylbenzene	3	7	ND	P					

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: Ryan Bellone
Commercial Director
Date: 01/14/2026

Tested By: Kelsey Rogers
Scientist
Date: 01/05/2026

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

KCA Laboratories
1509 Bull Lea Rd, Ste 100
Lexington, KY 40511

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

Certificate of Analysis

2G Stardust THCA- Lemon Voltage

Sample ID: SA-251204-73668
Batch: 120325-HHC-STR-D-2.0G-LVT
Type: Finished Product - Inhalable
Matrix: Concentrate - Distillate
Serving Size (g):
Unit Volume (mL): , Density (g/mL):

Received: 12/05/2025
Completed: 01/14/2026

Client
WherezHemp
7427 Highway 58 S
Stantonsburg, NC 27883
USA
Lic. #: 1608 (NCDA&CS)

Reporting Limit Appendix

Heavy Metals - KY 902 KAR 45:190

Analyte	Limit (ppm)	Analyte	Limit (ppm)
Arsenic	0.2	Lead	0.5
Cadmium	0.2	Mercury	0.1

Microbials - KY 902 KAR 45:190

Analyte	Limit (CFU/g)	Analyte	Limit (CFU/g)
Total coliforms	100	Total aerobic count	10000

Residual Solvents - KY 902 KAR & CA DCC

Analyte	Limit (ppm)	Analyte	Limit (ppm)
Acetone	1000	Ethylene Oxide	1
Acetonitrile	410	Heptane	1000
Benzene	2	n-Hexane	60
Butane	5000	Isobutane	1000
1-Butanol	5000	Isopropyl Acetate	5000
2-Butanol	5000	Isopropyl Alcohol	5000
2-Butanone	5000	Isopropylbenzene	5000
Chloroform	60	Methanol	600
Cyclohexane	3880	2-Methylbutane	290
1,2-Dichloroethane	5	Methylene Chloride	600
1,2-Dimethoxyethane	100	2-Methylpentane	60
Dimethyl Sulfoxide	5000	3-Methylpentane	60
N,N-Dimethylacetamide	1090	n-Pentane	1000
2,2-Dimethylbutane	60	1-Pentanol	5000
2,3-Dimethylbutane	60	n-Propane	1000
N,N-Dimethylformamide	880	1-Propanol	5000
2,2-Dimethylpropane	5000	Pyridine	200
1,4-Dioxane	380	Tetrahydrofuran	720
Ethanol	5000	Toluene	180
2-Ethoxyethanol	160	Trichloroethylene	80
Ethyl Acetate	1000	Xylenes (o-, m-, and p-)	430
Ethyl Ether	5000		
Ethylbenzene	70		

Pesticides - KY 902 KAR 45:190

Analyte	Limit (ppb)	Analyte	Limit (ppb)
Abamectin	500	Hexythiazox	1000

Pesticides - KY 902 KAR 45:190

Analyte	Limit (ppb)	Analyte	Limit (ppb)
Acephate	400	Imazalil	200
Acetamiprid	200	Imidacloprid	400
Aldicarb	400	Kresoxim methyl	400
Azoxystrobin	200	Malathion	200
Bifenazate	200	Metalaxyl	200
Bifenthrin	200	Methiocarb	200
Boscalid	400	Methomyl	400
Carbaryl	200	Mevinphos	
Carbofuran	200	Myclobutanil	200
Chloranthraniliprole	200	Naled	500
Chlorfenapyr	1000	Oxamyl	1000
Chlorpyrifos	200	Paclobutrazol	400
Clofentezine	200	Permethrin	200
Chlormequat chloride	200	Phosmet	200
Coumaphos		Piperonyl Butoxide	2000
Daminozide	1000	Prallethrin	200
Diazinon	200	Propiconazole	400
DDVP (Dichlorvos)	100	Propoxur	200
Dimethoate	200	Pyrethrins	1000
Dimethomorph		Pyridaben	200
Ethoprophos	200	Spinetoram	
Etofenprox	400	Spinosad	200
Etoxazole	200	Spiromesifen	200
Fenhexamid		Spirotetramat	200
Fenoxycarb	200	Spiroxamine	400
Fenpyroximate	400	Tebuconazole	400
Fipronil	400	Thiacloprid	200
Flonicamid	1000	Thiamethoxam	200
Fludioxonil	400	Trifloxystrobin	200

Mycotoxins - KY 902 KAR 45:190

Analyte	Limit (ppb)	Analyte	Limit (ppb)
B1	5	B2	5
G1	5	G2	5
Ochratoxin A	20		

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.