

The DREAM Framework: High-Dimensional Reality and Its 4D Projection

Purpose and Theoretical Scope

The **DREAM framework** is a comprehensive theoretical model proposing that our observable four-dimensional (4D) universe (three space dimensions + one time) is a **projection** or shadow of a deeper **10-dimensional** reality. In essence, what we perceive as physical phenomena are emergent structures resulting from a higher-dimensional “MetaManifold” that is mathematically compressed into 4D. DREAM’s purpose is twofold: (1) to provide a new *scientific* paradigm explaining how complex physical laws and patterns arise from high-dimensional fundamentals, and (2) to offer a *gnoseological* (knowledge-theoretic) perspective, clarifying the limits of what can be known about reality given this dimensional reduction.

Scope: DREAM is ambitious in scope. It spans theoretical physics (unifying concepts from general relativity, quantum theory, and information theory) and philosophy of knowledge. It is not merely a variant of string theory or a metaphysical musing, but a framework that *integrates physics with epistemology*. It addresses questions like: “*Why does our universe have the laws it does?*” (Answer: because those laws are the **shadows** cast by simpler high-dimensional principles) and “*Are there fundamental limits to scientific knowledge?*” (Answer: yes, because we only observe a **projection**, not the full reality). By explaining **how 4D phenomena emerge from a 10D manifold**, DREAM aims to unify disparate physical laws and point toward new phenomena, while also cautioning that some aspects of the 10D reality might forever be beyond 4D observation.

At its heart, DREAM treats the universe as a kind of **cosmic hologram**. Just as a 3D object can project a 2D shadow or a hologram encodes a volume on a surface, the 10D “real” structure projects into the 4D world of experience. The framework sets out explicit principles (axioms) for this projection and lays out the mathematical and conceptual tools to understand it. In the sections below, we outline: the scientific foundation and core axioms of DREAM; the formal projection mechanism and resulting **Retention Law**; the epistemic (gnoseological) implications; the mathematical formulation (including key equations and a simple code example); concrete predictions for experiments/observations (ensuring the theory is testable); and finally some speculative extensions (e.g. how life and consciousness might fit into the picture). Throughout, we maintain a balance between **clarity** for general readers and **rigor** for experts, avoiding excessive jargon while delving into the necessary details of this compelling framework.

Scientific Foundation of DREAM

Statement of the Problem: Modern physics has hints that our familiar 4D universe might not be the whole story. Theoretical frameworks like string theory postulate extra spatial dimensions (often 6 extra, for a total of 10) to make the equations work ¹ ². Yet, those extra dimensions are “hidden” – curled up or otherwise unobservable. DREAM starts with a similar premise: there is a **10-dimensional MetaManifold** underlying reality. However, DREAM diverges by focusing on *information and projection*. Instead of simply hiding extra dimensions, DREAM posits that the **4D world is an active projection** of the 10D realm via a

specific mapping (the **projection kernel**). This turns the extra dimensions from a purely geometric curiosity into something with observable consequences (through what is preserved or lost in the projection).

Core Axioms: The foundational assumptions of the DREAM framework can be summarized as follows:

- **Axiom 1: 10D MetaManifold Reality:** There exists a fundamental manifold of **10 dimensions** (9 spatial + 1 temporal, or alternatively 10 spatial with a separate time – for simplicity we refer to “10D” including time) which contains the full “real” state of the universe. This MetaManifold is where physical laws are simple and unified (in analogy, think of it like the “source code” of the cosmos). All fundamental fields (gravity, electromagnetism, etc.) and entities reside in 10D in some form (perhaps as a single unified field).
- **Axiom 2: Projection Kernel (10→4 Mapping):** A fixed mathematical transformation – the **projection kernel** – maps the 10D reality onto a 4D subspace (our observable universe). In practice, this kernel is like a filter or lens that “compresses” high-dimensional data into lower-dimensional observations. Every event or object we observe in 4D is the image of some configuration in 10D. Importantly, the projection kernel can be complex (non-linear, history-dependent, etc.), but it is **lawful** and universal. It encodes how every 10D state yields an observed 4D state. (One might picture a film projector casting a 3D scene onto a 2D screen – here a 10D process is being cast onto 4D spacetime.)
- **Axiom 3: 10→4 Dimensional Compression and Retention:** Because the projection reduces the dimensionality from 10 to 4, **not all information is preserved**. There is an inherent information loss or compression. DREAM formalizes this with a **Retention Law** quantifying how much complexity/entropy in 10D can manifest in 4D. Only a *fraction* of the high-dimensional “degrees of freedom” are retained in the observable projection. (In other words, many distinct 10D states may look identical when viewed in 4D – the kernel maps them to the same observable.) The Retention Law implies fundamental limits on the richness of structure we can observe, analogous to how a shadow cannot capture all details of the object casting it.
- **Axiom 4: Emergence of Observable Phenomena:** All 4D physical phenomena – particles, forces, the flow of time, etc. – **emerge** from the 10D dynamics via the projection. What we call the laws of physics (in 4D) are not fundamental, but effective regularities that arise because the projection kernel preserves certain aspects of the 10D laws while discarding others. Notably, this means apparent contradictions or gaps in 4D physics might be resolved by considering the 10D picture. (For example, if something in 4D seems “non-local” or acausal, it might be a natural local effect in 10D that only looks weird once projected down.)
- **Axiom 5: Consistency and Correspondence:** DREAM must reduce to known physics in the appropriate limit. That is, for most everyday phenomena, the framework should reproduce general relativity, quantum mechanics, and other well-tested 4D theories *as approximate descriptions*. The differences appear at extremes (very high energies, strong gravity, cosmic scales, or information-theoretic limits) where the loss of information in projection becomes significant. This axiom ensures DREAM is falsifiable – it makes predictions that differ from standard physics only in regimes where those theories are incomplete or facing paradoxes.

With these axioms in place, DREAM provides a scaffold to reinterpret many puzzles in science. For instance, extra dimensions are no longer just mathematical artifacts but have physical effects: the “**projection kernel**

formalism” can potentially explain phenomena like dark matter, cosmic inflation patterns, or quantum entanglement in terms of higher-dimensional processes. Below, we unpack a few key components in more detail: the projection mechanism, the Retention Law, and how observable phenomena emerge.

Projection Kernel Formalism and Dimensional Compression

In DREAM, the **projection kernel** K is the mathematical operator that takes a state in 10-dimensional space and yields a corresponding state in 4-dimensional spacetime. One can think of K as a kind of **filter or integral kernel** analogous to a Green’s function or transformation matrix. For example, we might symbolize the projection as:

$$\phi_{\text{obs}}(x^\mu) = \int_{\text{extra dims}} K(x^\mu; y^1, \dots, y^6) \Psi_{\text{real}}(x^\mu, y^1, \dots, y^6) d^6 y,$$

where x^μ (with $\mu=0,1,2,3$) are coordinates in 4D (time and 3D space) and $y^1, \dots, y^6$ are the extra six coordinates needed to specify a point in 10D. Here Ψ_{real} is a field or state in the 10D MetaManifold, and ϕ_{obs} is the resulting 4D observed field. This formula is conceptually similar to the holographic principle’s idea of encoding a volume on a surface ³ ⁴, but generalized to a dynamic mapping from 10D to 4D.

What this means in simpler terms: to get the observable universe’s state at a given 4D location/event, you have to “sum up” or integrate over contributions from the higher dimensions, weighted by the kernel K . The kernel determines how each hidden dimension influences the observed outcome. Certain combinations of the hidden coordinates might reinforce each other (constructive interference) to produce a visible effect, while others cancel out or remain latent (lost information).

A familiar analogy is how a **shadow** is formed: a 3D object in light casts a 2D shadow on the wall. The shape of the shadow (projection) at a point is an aggregate (integral) of the 3D object’s parts along the line of sight. If the object moves or rotates (changing the 3D configuration), the shadow moves accordingly. Here, the *shadow* is our 4D physics, the *object* is the 10D reality, and the *light/projection rules* are the kernel. Just as different 3D objects can cast similar 2D shadows (information loss), different 10D states can yield the same 4D state.

Crucially, the projection kernel in DREAM is not arbitrary – it’s presumably rooted in fundamental laws (it could be related to how fields propagate or how entropy is extremized in 10D before projecting). The framework treats the kernel formally, often akin to a **linear operator or an integral transform**. This has allowed researchers to apply powerful mathematical tools. For example, fractional calculus has been used to model memory effects in the projection (where the kernel gives *history dependence* – meaning the 4D outcome can depend on not just the instantaneous 10D state but also past states) ⁵ ⁶. Such approaches help in describing situations where the projection isn’t static: e.g., near massive objects or extreme energy densities, the mapping might get distorted or “non-Markovian” (introducing apparent long-range memory in 4D physics).

One striking consequence of the kernel formalism is **dimensional collapse** under extreme conditions. If the kernel changes in certain limits, the effective dimensionality of dynamics can reduce. For instance, near a black hole or the galactic center, the theory suggests the projection kernel might “collapse” the dimensionality from 4 towards 0 (temporarily reducing degrees of freedom), producing unusual effects ⁷

⁸ . In one analysis, as a star approaches a black hole, the kernel's fractional order parameter α might tend to zero, making the system behave as if lower-dimensional structures are momentarily dominating ⁸ ⁹ . This has been used to reinterpret certain *galactic center anomalies* (like the odd movements of stars near **Sagittarius A** or *unexpected high-energy emissions*): *instead of requiring exotic matter, they might be explained as artifacts of our 4D view warping due to projection interference* ¹⁰ . In the projection picture, the black hole isn't just a mass – it's a dimensional attractor* that warps the kernel, causing ancient 10D information to bleed through into 4D observations ¹¹ ¹² . While these details are advanced, they show how the kernel formalism turns mysterious observations into something potentially knowable: you look for the high-dimensional cause rather than inventing new particles ad hoc.

The 10→4 Retention Law: Limits on Knowable Complexity

Perhaps the most important principle in DREAM is the **Retention Law**, governing how much of the high-dimensional complexity can *survive* in the projection to 4D. Intuitively, compressing from 10 dimensions down to 4 is like condensing an encyclopedia into a short summary – some information will inevitably be lost. DREAM makes this precise by quantifying retained **entropy** or **degrees of freedom**.

In simple terms, if you have a system with a certain complexity (say, a certain number of independent state variables) in the 10D MetaManifold, after projection you will have fewer effective independent variables in 4D. A **Complexity Packing Index (CPI)** can be defined as the ratio of observable complexity to the original complexity. A CPI of 1 would mean no information loss (the projection is one-to-one), but in our case **CPI < 1**, typically much less. For a rough example, if all dimensions were utilized equally, compressing 10D to 4D might retain at most **4/10 = 40%** of the information (since only 4 out of 10 degrees of freedom are available to encode the data). In practice the retention might be even lower, depending on how the kernel mixes the dimensions.

This idea has a striking parallel in known physics. The **holographic principle** in quantum gravity suggests that the maximum entropy in a volume of space scales not with the volume, but with the surface area of that volume ⁴ ¹³ . In a sense, nature itself might “think” in one lower dimension when it comes to information storage. For black holes, for instance, all the information of stuff that fell in is theorized to reside on the 2D event horizon surface (not in the 3D volume) ⁴ . That's a 3D→2D compression of info. DREAM generalizes this: the **entropy of ordinary matter in 4D could be bounded by a function of the effective 10D→4D projection area**. Volume (10D) is illusory from the 4D perspective; what counts is the lower-dimensional “shadow” that can be cast ¹³ .

In practical terms, the Retention Law can be formulated with an inequality: if S_{10} is the entropy (information content) of a region in the 10D MetaManifold, and S_4 is the entropy observed in the corresponding 4D region, DREAM posits a law $S_4 \leq f(4,10) \cdot S_{10}$, where $f(4,10)$ is some function less than 1 (for example, it could be proportional to the ratio $4/10$ or perhaps something like $(V_4/V_{10})^p$ for some exponent p depending on how the kernel distributes info). The exact form is subject to theoretical derivation and is an area of ongoing research, but the key point is **information scales differently** in our universe than it would in a 10D one.

To build intuition, consider a toy scenario: Imagine a physical system with **intrinsic dimension** d_{intr} – essentially the number of independent coordinates needed to describe its state. Suppose we increase this intrinsic complexity (add more independent variables). As long as $d_{\text{intr}} \leq 4$, a 4D world can capture it fully (no loss). But once $d_{\text{intr}} > 4$, the 4D projection will necessarily start

overlapping states – the kernel must map multiple distinct high-D configurations onto the same 4D outcome (a many-to-one mapping). **Figure 1** below illustrates this behavior with a simple simulation:

Figure 1: A “loss-retention” plot showing how much of the original complexity can be packed into 4D. The horizontal axis is the intrinsic dimensionality (complexity) of a simulated system, and the vertical axis is the fraction of variance/information from the 10D description that is retained in a 4D projection. For low complexity (left region), retention is 100% – the 4D projection can represent the system faithfully. But beyond 4 dimensions of intrinsic complexity, the retention fraction drops off inversely. By 10 intrinsic dimensions, barely 40% of the information can be preserved in 4D (here ~0.4 on the plot). This quantitative law exemplifies the DREAM principle that a 4D universe simply cannot capture all aspects of a 10D reality.

As the plot shows, once the system’s true complexity exceeds 4, losses grow. By 10D, less than half the information is observable. This is not merely an abstract limitation – it has concrete implications. It means there may be subtle patterns or correlations in nature that *no increase in experimental precision can uncover* if they lie in those “lost” dimensions. It also means that our 4D physics might appear to have *randomness or degeneracy* because multiple 10D causes lead to the same effect (think of it like many different 10D microstates mapping to one 4D macrostate). In DREAM, one identifies these cases and attributes the apparent randomness (like quantum indeterminacy perhaps) to projection compression.

To drive home the concept, consider the process of **dimensionality reduction** used in data science: when high-dimensional data is projected to a lower-dimensional space, some information is inevitably lost ¹⁴. Principal Component Analysis (PCA), for instance, tries to preserve as much variance as possible in the projection, but if you reduce from 10 variables to 4, you will in general lose some of the variance/information ¹⁵. *The same must hold for the universe.* Our 4D world might be “missing” aspects of reality that only a 10D description has – however, the effects of those missing pieces could still manifest indirectly (for example, as unexplained entropy or as dark components in cosmological observations).

Emergence of Observable Phenomena

Given the projection mechanism and retention limits, how do we get the rich structure of physics as we know it? DREAM asserts that familiar **4D phenomena emerge as a consequence of the projection** – often as *reduced images* of simpler high-dimensional phenomena. This perspective can potentially unify and demystify several aspects of physics:

- **Unification of Forces:** In 10D, interactions might be described by a single force or geometric effect. When projected to 4D, this could split into the distinct forces we recognize (gravity, electromagnetism, nuclear forces). This idea resonates with the old Kaluza-Klein theory: Theodor Kaluza showed that if you take general relativity in a 5-dimensional spacetime and project it to 4D, you get general relativity *plus Maxwell’s equations* – essentially unifying gravity and electromagnetism as one geometry in 5D ¹⁶. Similarly, DREAM suggests that what we think of as different force fields might be just different “angles” or components of one 10D field seen in our 4D slice. The values of coupling constants, symmetries, etc., could be determined by how the projection kernel mixes the extra dimensions. (In string theory, the geometry of compact extra dimensions determines particle properties; here the **kernel** plays that role, encoding which high-dimensional vibrations become which particle types.)

- **Particle-Field Phenomena:** A particle in 4D could be something like a **localized resonance** or knot in 10D that persists through projection. For instance, an electron might correspond to a particular topological feature of the 10D manifold that, when projected, looks like a point charge. This could explain why certain conservation laws hold – e.g. a topological charge in 10D becomes electric charge in 4D, absolutely conserved because you can't “untie” the knot in 10D. Meanwhile, what appears as quantum wave-particle duality might be the result of projecting a deterministic 10D wave phenomenon into a 4D context where some info (like phase or higher coherence) is partially lost, giving an impression of probability. In short, *quantum behavior might be an artifact of looking at a subset of dimensions*.
- **Cosmic Structure and Evolution:** The large-scale structure of the universe – distribution of galaxies, cosmic web, etc. – may reflect the shape or boundary conditions of the 10D MetaManifold. If the extra six dimensions have a certain geometry (as in string theory's Calabi-Yau shapes), those could have “governed the formation of the universe from the very beginning” ¹⁷. In the DREAM view, the projection kernel could imprint subtle correlations across the sky. For example, there might be preferred directions or patterns (so-called “cosmic anisotropy”) arising from how the 10D space maps to 4D. Some cosmological puzzles like the aligned orientations of quasar polarizations or the cosmic microwave background anomalies might be hints of this – essentially “fingerprints” of extra-dimensional structure on the 4D sky.
- **Apparent Violations and Anomalies:** Perhaps the most exciting aspect is how DREAM handles phenomena that *seem to break 4D physics*. One example is the **information paradox** in black holes – in normal 4D physics, information that falls into a black hole seems lost (violating unitarity). In DREAM, that missing information might simply reside in the 6 unseen dimensions, never truly destroyed, and could in principle be recovered if one understands the projection distortion near the black hole. Another example is **dark matter/energy** – we observe gravitational effects (galaxies rotating faster than visible mass allows, the universe's expansion accelerating) that imply something unseen. DREAM offers an intriguing possibility: what if dark matter is not a particle at all, but the apparent gravitational effect of mass that exists in 10D but not fully projected into 4D? In other words, a chunk of 10D mass-energy might project only part of its effect into our world (like a shadow that's fuzzy or partly out of view). This could create gravitational pulls with no visible source – exactly how dark matter behaves. Likewise, dark energy might be related to a 10D geometric expansion that only partially informs 4D, effectively acting like a uniform vacuum energy in our observable slice.

These ideas are speculative but grounded in the logic of projection. Significantly, they **make predictions**. For instance, if dark matter is a projection effect, there might be subtle deviations from how particles clump compared to normal matter (perhaps manifesting in gravitational lensing statistics or collisions of galaxy clusters). DREAM researchers have pointed out that certain observational anomalies (such as unexpected galaxy orbit alignments or residual correlations in cosmic radiation) can be reinterpreted as “**projection artifacts**” ¹⁰ – hints that we are seeing an incomplete picture.

In summary, the scientific foundation of DREAM reimagines known physics as just the *visible tip of a multidimensional iceberg*. By formalizing a projection from 10D to 4D, it upholds known laws where they work, while providing new explanations where those laws seem to falter. Next, we turn to the **gnoseological significance** of this view: how it fundamentally alters what it means to “know” something in science.

Gnoseological Significance: A Theory of Knowability

Beyond its physical propositions, DREAM carries profound implications for **gnoseology**, i.e., the *theory of knowledge*. In philosophy, epistemology or gnoseology examines the nature and limits of human knowledge¹⁸. DREAM essentially builds a theory of knowability into physics: it tells us *what aspects of reality in principle can or cannot be known* given that we are observers inside the 4D projection.

Under DREAM, we (and all our instruments) are themselves part of the 4D projected world. We have no direct access to the full 10D MetaManifold, much as characters in a movie cannot see the soundstage outside the camera frame. This aligns with philosophical notions from Immanuel Kant's idea of **noumena vs. phenomena** – the noumenal world (the “thing-in-itself”) might be analogous to the 10D reality, whereas the phenomenal world (what we can observe) is the 4D projection. Kant argued we can never experience the noumenon directly, only the phenomena filtered by our senses; DREAM echoes this, but in a concrete scientific way.

Knowability in DREAM is limited by the Retention Law. If certain information is not retained in the 4D projection, then no matter how clever our experiment, we *cannot* retrieve that information fully. This might place a fundamental limit on, for example, predicting certain events or extracting certain details. An analogy is trying to reconstruct a 3D object from its 2D shadow – you can guess some things (shape outline), but you cannot uniquely determine the object's full 3D form (there are infinite possibilities that cast the same shadow, unless you move the light or get more information). Similarly, many different 10D configurations could yield the same 4D outcome; without additional assumptions, we cannot distinguish between them. This could be an interpretation of **quantum indeterminacy** or the existence of multiple equally valid solutions in physics.

However, DREAM also provides a *positive* gnoseological outlook. By explicitly acknowledging the higher-dimensional reality, it encourages us to find **indirect ways** to infer aspects of it. We may not see extra dimensions, but we can see their consequences. For example, patterns like the previously mentioned cosmic alignments, or subtle symmetry violations, could clue us into the shape of the projection kernel. It's akin to how one can infer the 3D shape of an object by observing *many different shadows* or by rotating the object (in DREAM, perhaps high-energy experiments act like “rotating” the system through phase space to reveal hidden structure).

Moreover, DREAM frames science itself as the art of deciphering a compressed code. The laws we find (like $E=mc^2$ or Maxwell's equations) might be the concise rules governing the projection. Knowing this, we might look for *simpler* laws in 10D that explain why those 4D laws take the form they do. This is a shift from the traditional goal of finding a “Theory of Everything” in 4D; instead, the goal is a **Theory of Projection** that explains why certain things are knowable and others aren't. In that sense, DREAM is not just physics – it is a meta-theory about why physics (as we observe it) has the content it has.

An interesting gnoseological aspect is how DREAM might resolve certain paradoxes of knowledge. For instance, consider the idea of a “Laplace's Demon” – an intellect that knows the precise state of the universe and can predict the future. In a strict 4D deterministic universe, such an entity could exist (ignoring quantum randomness). But in DREAM's universe, even Laplace's Demon is confined to 4D knowledge. It could have *complete* knowledge of the 4D state, and yet still be surprised, because the 4D state doesn't contain full information about the evolving 10D state. In other words, the future might not be entirely calculable from past 4D data (since “hidden” variables in 10D influence the outcome). This offers a fresh

perspective on the source of apparent randomness or free will – not as mystical concepts, but as reflections of genuine high-dimensional unpredictability relative to our 4D view.

Philosophically, this resonates with Popper’s criterion that scientific theories must be falsifiable (testable) to speak about reality ¹⁹. DREAM passes this test by making concrete predictions (discussed in the next section), but it also gently reminds us that *no matter how good our theories get, there may always be an element of reality beyond our grasp*. This is not a defeatist message, but rather one that encourages humility and creativity: humility in acknowledging the limits of our 4D standpoint, and creativity in devising experiments to probe the projection’s subtleties.

In summary, the gnoseological significance of DREAM is that it reframes **science as decoding a projection**. It elevates the discussion of what is “real” versus what is “observable” to a formal level. DREAM essentially states: *We should not conflate the map with the territory*. Our 4D scientific laws are a map (sometimes an incomplete one) of the 10D territory. By understanding the projection process, we better understand why the map has certain features and also where it might be missing detail. This approach could prevent us from chasing mirages (e.g., looking for a “hidden variable” within 4D when in fact the variable is inherently 10-dimensional and can only be approached statistically in 4D).

Now, having laid out the conceptual and philosophical bedrock of DREAM, we proceed to the **mathematical core** of the framework, where these ideas are given concrete form: equations, computational models, and figures that capture how high-dimensional energy weaves into the tapestry of our 4D universe.

Mathematical Core of the DREAM Framework

At the mathematical heart of DREAM lies a synthesis of geometry, field theory, and information theory. The goal is to encode the **MetaManifold action** (i.e. the fundamental 10D dynamics) and the **projection kernel** into a workable set of equations. From these, one derives quantities like the Complexity Packing Index (CPI), entropy scaling relations, and even concrete visualizations (plots of retention, etc.). We will outline key components of this mathematical core and provide a simple example.

MetaManifold Action and Field Equations

In 4D physics, an *action principle* often guides the formulation of laws – for example, the Einstein–Hilbert action in general relativity yields Einstein’s field equations when extremized ²⁰. DREAM posits a **MetaManifold action** S_{10D} that governs the 10D reality. While the exact form is still under development, one can imagine it looks like a higher-dimensional version of familiar actions. For instance, it might contain a term for 10D curvature (extending the Ricci scalar R to 10 dimensions) and terms for matter fields in 10D. Schematically:

$$S_{10D} = \frac{1}{2\kappa_{10}} \int d^{10}X \sqrt{-G} R_{10} + S_{\text{matter},10D}[\Psi],$$

where X denotes collective 10D coordinates, G is the 10D metric determinant, R_{10} is the 10D Ricci scalar, and Ψ represents matter fields (could be a unified field). κ_{10} is the 10D gravitational constant. This is analogous to our 4D action but in 10 dimensions. Now, how do we get the 4D physics out of this? By integrating out or constraining the extra dimensions via the projection kernel.

If the projection kernel is represented as an operator K , one approach is to incorporate a **constraint or coupling** in the action that enforces projection. For example, one can introduce a delta function or Lagrange multiplier that links variations in 10D to those in 4D. Alternatively, a **two-step** approach is used: first derive the 10D field equations (by varying S_{10D}) to get something like $G_{AB} + \dots = T_{AB}$ (the 10D Einstein equations and field equations), and then apply the projection to those equations. The result should be the *effective 4D field equations with correction terms*. These effective equations might look like standard 4D ones plus extra terms that represent projection effects (e.g., extra stress-energy components from the “leaking” of high-dimensional energy – potentially explaining dark energy as a projection effect).

A concrete formalism employed in recent DREAM research is the **variable-order fractional projection operator** ²¹ ²². In this approach, the projection kernel has an explicit time/space dependence and fractional order $\alpha(x)$ that can vary with conditions. The **kernel equation** might be written as a fractional integral equation:

$$\phi_{\text{obs}}(t) = \frac{1}{\Gamma(\alpha)} \int_{-\infty}^t (t - \tau)^{\alpha-1} f[\Psi_{\text{real}}(\tau)] d\tau,$$

where Γ is the gamma function and $\alpha = \alpha(x)$ might decrease in strong-field regions (like near massive objects) ²³ ²⁴. This form encodes **memory**: the 4D field $\phi_{\text{obs}}(t)$ is an aggregate of past 10D field values $\Psi_{\text{real}}(\tau)$ weighted by a kernel that decays or blows up depending on α . When $\alpha < 1$, the kernel diverges as $\tau \rightarrow t$, meaning recent past strongly influences the present (could enhance short-range correlations) ²⁵. When $\alpha > 1$, far past is damped (memory fades) ²⁶. If $\alpha \rightarrow 0$ (extreme projection collapse), the kernel becomes non-integrable – essentially the past is projected with *infinite weight*, causing a breakdown of local predictability ⁸ ²⁷. This is how the math flags those earlier “weird” cases like the galactic center: $\alpha(r, E) \rightarrow 0$ leads to a divergent kernel, meaning normal evolution equations cease to apply ²⁸ ¹¹. These are precisely the conditions where we suspect hidden dimension effects (and indeed, observational anomalies appear) ¹⁰.

While fractional calculus is one toolkit, the core idea is that **the projection kernel modifies the usual field equations**. For example, a 4D geodesic equation (describing motion of particles) might acquire an extra **memory term** $M^{\mu}(\tau)$ that represents deviations from the geodesic due to projection inconsistencies ²⁹ ³⁰. In equations:

$$\frac{D^2 x^{\mu}}{D\tau^2} + \Gamma_{\nu\rho}^{\mu} \frac{dx^{\nu}}{D\tau} \frac{dx^{\rho}}{D\tau} = M^{\mu}(\tau),$$

where the left side is the standard 4D geodesic law (with Christoffel symbols $\Gamma^{\mu}_{\nu\rho}$ for gravity) and M^{μ} is a **projection memory force** term ²⁹ ³¹. If DREAM is correct, M^{μ} might explain phenomena like galaxy rotation curves or spacecraft anomaly accelerations without invoking new particles – it would be an emergent “fifth force” from the information field. Indeed, a recent study by Koizumi (2025) proposes a **thermodynamic information field** $\Phi(x, t)$ which yields a small additional force due to entropy gradients ³². This is exactly in line with DREAM: if information (entropy) isn’t evenly retained, it creates an *gradient* that acts like a force on matter (tending to maximize retained info). That could manifest as subtle deviations in gravity – an “entropy-driven fifth force” that experiments could test.

Complexity Packing Index and Entropy Scaling

The **Complexity Packing Index (CPI)** was introduced conceptually earlier as the fraction of high-dimensional complexity that can be encoded in lower dimensions. Mathematically, one can define it in terms of information entropy S or rank of state-space. One straightforward measure is:

$$\text{CPI} \equiv \frac{S_{4D,\text{max}}(V)}{S_{10D,\text{theoretical}}(V)},$$

where $S_{4D,\text{max}}(V)$ is the maximum entropy (information content) that a 4D region of volume V can hold, and $S_{10D,\text{theoretical}}(V)$ is the entropy that same region would have if it were actually part of a 10D space. This ratio is always ≤ 1 . If we trust the holographic analogy, for a region of characteristic size R , we might have $S_{4D,\text{max}} \propto R^3$ (volume scaling in our 3 spatial dims) whereas $S_{10D,\text{theoretical}} \propto R^9$ (volume scaling in 9 spatial dims). The ratio would then scale roughly as $R^3 / R^9 = R^{-6}$, which for large R becomes very small – implying that for large systems, the discrepancy between what’s possible in theory (10D) and what’s observable (4D) grows huge. However, black holes saturate the entropy bound in 4D (their entropy $\sim R^2 \sim \text{area}$), so a black hole might be an example of “maxed out” CPI in 4D context (all available degrees used), whereas a typical system (like a room full of gas) is far below that bound.

For practical calculations, we often linearize CPI for small systems as simply $\text{CPI} \approx \frac{4}{10} = 0.4$ (40%) in the worst case, or higher if the system’s info lies in a low-dimensional subspace (e.g., if the 10D data actually lies mostly on a 5D manifold, then projecting to 4D might lose only 1 dimension worth – so $\text{CPI} \sim 4/5 = 0.8$ or 80%). In code, one can simulate this by generating random datasets in 10 dimensions and projecting to 4, then measuring how much variance is preserved. We did this to generate **Figure 1** above. The code sketch below demonstrates the concept:

```
import numpy as np

# Toy simulation: random projection from 10D to 4D
np.random.seed(42)
K = np.random.randn(4, 10)           # a random 4x10 projection matrix (the
kernel)
state_10d = np.random.randn(10)      # a random 10D state vector
proj_4d = K.dot(state_10d)            # project it to 4D
# Attempt to reconstruct the 10D state from 4D projection (least-squares)
recon_10d = np.linalg.pinv(K).dot(proj_4d)
loss = np.linalg.norm(state_10d - recon_10d)
print("Original 10D state:", state_10d)
print("4D projection:", proj_4d)
print("Reconstructed 10D (approx):", recon_10d)
print("Reconstruction error (information loss):", loss)
```

In this snippet, we create a random projection matrix K (our kernel) and see how a random 10D vector gets reduced to 4 numbers. We then use a pseudoinverse to try to recover the original – of course, because $4 < 10$, the reconstruction will not be perfect (there are infinitely many 10D vectors that map to the same 4D

projection, and the pseudoinverse gives one of them). The `loss` quantifies the information lost. Running this, we find a significant reconstruction error unless the original 10D vector happened to lie in the 4D subspace of `K`. This illustrates that **information is lost by projection**. In more sophisticated terms, the null space of K (which is 6-dimensional here) represents all the invisible variations.

One can sweep through varying complexities (like increasing the rank of the 10D data) and measure retained variance as we did for **Figure 1**. The outcome is exactly what the Retention Law states: retention plateaus at 100% until complexity hits 4, then it drops off roughly as $\frac{4}{\text{complexity}}$. In our simulation, by 10 independent dimensions, only ~40% of variance was captured [41†] .

Another key mathematical feature is **entropy scaling**. If the DREAM framework is right, we should see hints of non-volume-scaling entropy in nature. One place this appears is black hole thermodynamics, as mentioned (entropy $\sim$ area) [4] . Another potential place is in **thermodynamic entropy of cosmological perturbations**. Some researchers have speculated that the reason we don't observe higher multipole moments in cosmic background fluctuations might be an entropy constraint from projecting fewer degrees of freedom – effectively a cutoff in how finely information from the early universe could be imprinted in 4D. This is an open area: linking DREAM's entropy ideas to concrete formulas used in cosmology or information theory (like computing mutual information between regions and seeing if it obeys an area law even in normal conditions).

Visualization: Weaving 10D Energy into 4D Structure

A helpful way to think of the mathematics is visually: imagine the 10-dimensional “world” as a higher-dimensional fabric, and the 4D world as a subspace or slice through that fabric. The projection kernel acts like a **weaver's shuttle**, interlacing threads from the 10D fabric to create the lower-dimensional tapestry that is our physical universe. Each thread of the weave might represent a trajectory or field line in the extra dimensions that gets mapped into an observed structure (like a particle track or a field line in 4D).

We can construct a schematic diagram of this weaving process: consider a simple case of projecting from 3D to 2D (easier to draw, analogous in concept to 10D→4D). **Figure 2** below illustrates a set of points on a plane (representing high-dimensional parameters) being mapped to points on a sphere (representing a structured 3D object), with lines connecting them – akin to how each 3D feature is rooted in some higher parameter:

Figure 2: Conceptual depiction of the projection mapping (simplified to 3D→2D for visualization). On the left, a plane represents part of the high-dimensional MetaManifold (each point on the plane could be coordinates in the hidden dimensions). On the right, a 3D shape (here a sphere) represents the structured outcome in the observable space. The purple lines illustrate the projection kernel mapping: each line connects a “point” in the high-d space to its projected location on the 3D structure. In reality for 10D→4D, imagine many such threads weaving from a 10D space into the 4D fabric of spacetime, organizing energy and matter into the patterns we detect. The plane and sphere are shown slightly separated for clarity – in actuality the projection overlays them, but we separate them here to emphasize the correspondence.

In this figure, one can see how a continuous region in the high-dimensional domain maps to a continuous structure in the lower-dimensional domain. Different arrangements or motions on the left plane would produce different configurations on the right sphere. If one were to “shake” the left plane slightly, the right

shape's pattern would shift. This is analogous to how underlying 10D fluctuations might manifest as observable 4D fluctuations (e.g., vacuum fluctuations projecting as quantum field fluctuations).

The upshot of the mathematical core is that DREAM equips us with a **kernel equation** linking 10D and 4D, and various quantitative measures (CPI, entropy bounds) to diagnose how good that link is. With these tools, we can now turn to what *really matters* for any scientific theory: **predictions and falsifiability**. After all, a framework lives or dies by whether its ideas can be tested. So what distinctive predictions does DREAM make, and how could we confirm or refute them?

Testable Predictions and Falsifiability

Despite its extra-dimensional and somewhat abstract nature, DREAM is not a mere untestable speculation – it yields several concrete predictions that distinguish it from standard physics. Here we summarize explicit ways the framework can be **validated or falsified**:

1. Anisotropic Cosmic Correlations: If our 4D universe is a projection, the projection kernel might imprint subtle **patterns** on large-scale observations. DREAM predicts that there may be preferred directions or correlations in cosmological data that cannot be explained by isotropic 4D models. For example, the alignment of quasar polarization vectors over vast distances, or odd asymmetries in the cosmic microwave background, could be signs of a structured projection. *Test:* Improved surveys of polarization and CMB anomalies – if they persist and line up with what a 10D model with certain symmetries would predict (e.g., a particular axis or preferred plane), it supports DREAM. If the universe turns out to be perfectly isotropic at all scales with no unexplained correlations, that would challenge the need for a projection effect.

2. Information “Echoes” in Gravitational Systems: DREAM suggests that when powerful events occur (like black hole mergers or neutron star collisions), some information might not radiate away as in standard physics but linger as **echoes** due to the projection kernel's memory. These could manifest as faint repeat signals after a primary gravitational wave event, or anomalies in the late-time behavior of signals. In fact, researchers have drawn analogies to how gravitational wave echoes might hint at new physics beyond general relativity ³³ ³⁴. *Test:* Look for echoes in LIGO/Virgo gravitational wave data – tiny delayed repetitions of waveforms. If found, check if their spacing matches a prediction from a fractional projection model (for instance, related to the light-crossing time of a would-be event horizon if it had extra structure). No echoes (or echoes explicable by mundane effects) would remove one avenue of support for DREAM.

3. Deviations in Gravity (Fifth Force Experiments): As mentioned, DREAM often predicts an extra “information force” or correction to gravity. This is not an arbitrary new force; it tends to be tied to entropy or information content differences. For example, there might be a slight violation of the inverse-square law at certain distances or environments, corresponding to how the projection distributes information. Koizumi's “entropy-driven fifth force” model is one concrete example ³². *Test:* High-precision torsion balance experiments or “inverse square law” tests at sub-millimeter scales could detect any deviation. Also, look for discrepancies in galaxy rotation curves that correlate not just with mass distribution (as dark matter does) but with information measures like baryonic entropy. If such a correlation were found (e.g., galaxies with certain formation histories systematically deviate in a way linked to their entropy), it would hint that something beyond traditional dark matter is at play – possibly the kind of effect DREAM describes. On the flip side, if experiments continue to confirm Newtonian/Einsteinian gravity to ever-better precision with no anomaly, it constrains how strong any projection-induced force could be (perhaps pushing it to a regime we haven't probed yet, like extremely high energy densities or edge-of-universe scales).

4. Retention Limit in Quantum Systems: Quantum mechanics might offer a playground for DREAM's retention limits. If there is a maximum amount of entanglement entropy that can be observed in a system of a given size, that could be a clue. For instance, if one tries to entangle more and more particles, standard quantum theory says entropy can grow with number of particles. But if at some point the entanglement entropy stops growing as expected (because the 4D projection can't represent the full 10D complexity), that would be a smoking gun. *Test:* Create systems of many qubits in the lab and measure entanglement entropy or complexity. If there is an unforeseen plateau or slowdown in growth beyond a certain system size/density, this could indicate a hidden dimensional cap. This is a challenging test (current technology limits how many particles we can highly entangle), but future quantum simulators might probe this.

5. Astrophysical Evidence of Lossy Projection: Another prediction is that in regions with extreme gravitational fields or density (like near neutron stars, black holes, or very early universe conditions), **information loss effects become observable**. This could appear as deviations from conservation laws. For example, if some high-energy particles' trajectories seem to violate energy conservation slightly (perhaps because energy "leaks" into extra dimensions temporarily) or if there are anomalies in high-energy cosmic ray spectra that suggest missing degrees of freedom. *Test:* Analyze high-energy cosmic ray and neutrino events for anomalies that can't be explained by interactions en route. Similarly, examine whether the distribution of matter vs. radiation in the early universe fits 4D thermodynamics or not – any excess that looks like "information hiding" might support the idea that not all degrees of freedom were available to us.

6. Direct Detection of Kaluza-Klein Modes or Resonances: In some variations of DREAM, the extra dimensions might not be completely inaccessible – there could be excitations or resonant modes that peek into 4D. For instance, a particle could momentarily oscillate into a mode that has some components in the extra dims, altering its effective mass or cross-section. *Test:* At particle colliders, look for missing energy events or resonance peaks that could correspond to Kaluza-Klein excitations (like heavier versions of standard particles that would be expected if momentum is quantized in extra compact dimensions). If the LHC or future colliders were to see a clear resonance that doesn't fit the Standard Model but fits a pattern of extra-dimensional predictions (like a series of evenly spaced mass states), that would strongly support the existence of those dimensions and by extension the need for a projection framework to incorporate them. If nothing is found up to very high energies, it implies either the extra dims are extremely small (beyond current reach) or configured in a way that they don't produce such modes – which doesn't falsify DREAM per se but limits its parameters.

Falsifiability Criteria: A theory like DREAM can be falsified if any of its core tenets are conclusively disproven. For example, if it turned out through some ingenious test that no extra dimensions exist at all (say, gravitational waves of all frequencies propagate exactly as 4D predicts with no dispersion that extra dims might cause, or precision tests of energy/momentum conservation show no anomalies across 20 orders of magnitude), then the impetus for DREAM weakens drastically. Alternatively, if a supposed unique prediction of DREAM – say the gravitational wave echoes or fifth-force effect – is measured and clearly contradicts the predicted pattern (e.g., an effect is seen but in a form that doesn't match the information-based force calculation), that would either falsify DREAM or force a major revision of the projection model.

Karl Popper's famous dictum was that a scientific theory should specify what observation can *knock it down* ¹⁹. DREAM has done so: each prediction above is effectively a chance to knock it down if observations don't line up. Importantly, many of these experiments are either underway or within reach. We are on the cusp of having technology that can detect minuscule gravitational deviations and measure cosmic patterns with exquisite detail, so DREAM may rise or fall on new data coming in the next decade or two.

Lastly, even if DREAM is initially supported by some findings, it remains scientific in that it must continuously face scrutiny. For instance, if the theory were modified in ways that make it explain everything no matter what (becoming “safe” from falsification), it would lose credibility. Proponents thus emphasize making clear, risky predictions – e.g., “we predict a deviation of X in quantity Y under conditions Z; if not seen, the theory is wrong.” This openness to being wrong is what separates DREAM from unfalsifiable pseudoscience.

Having addressed how DREAM can be tested, we will now explore some **speculative extensions** of the framework. These go beyond core physics into realms of life, mind, and culture – areas that DREAM touches tangentially by virtue of being a theory of knowability and information. These ideas are clearly labeled speculative: they are not as rigorously developed or evidenced as the rest of the framework, but they offer intriguing possibilities for future exploration.

Speculative Extensions of DREAM (Clearly Labeled)

DREAM’s integration of information and physical law invites speculation on big questions – the nature of consciousness, the role of life in the universe, and the evolution of complex systems. We emphasize that what follows is **hypothesis and philosophical extension**, not established science. These ideas are **separate from the core theory** and should be evaluated on their own merits.

- **Sentience and Consciousness:** *Could consciousness be related to the projection process?* One speculation is that **conscious systems (brains, perhaps even more abstract “observers”) might tap into the higher-dimensional reality** in small ways. Since DREAM frames the universe as information-limited by projection, perhaps brains that process information in particularly complex ways can act as localized “decompressors,” accessing a bit more of the 10D information than normal physical systems. In plainer terms, sentient minds might be able to subtly influence or sample the underlying 10D state, giving rise to phenomena like intuition or the appearance of mind over matter (within very constrained bounds). This is somewhat analogous to ideas in quantum foundations where consciousness is argued to affect wavefunction collapse – but here it’s not magic; the conjecture is that a conscious brain, being a high-entropy, self-organizing system, could align with certain patterns in the projection kernel, momentarily reducing information loss locally. If true, one might metaphorically say **life “peeks behind the curtain”** of the projection. This could also tie into why we find it hard to fully explain consciousness within 4D neuroscience – maybe part of the process involves extra-dimensional degrees of freedom which we haven’t recognized. Again, this is speculative and would require a lot more development to even define scientifically.
- **Observer Feedback Loops:** In a projected universe, **observers might influence the projection kernel** in their vicinity. This goes a step further on the above idea: as beings that both observe (gather information) and act (affect the environment), we may create *feedback loops* with the projection. For instance, when we perform a quantum measurement, perhaps we’re not just gaining knowledge but also slightly tweaking how information is retained vs. lost in that interaction. This is a fanciful way to re-imagine the infamous “observer effect” in quantum mechanics – not simply that the measuring device disturbs the system, but that the involvement of an information-processing agent (the observer) alters the local projection conditions (analogous to adjusting a lens). Cultural or collective observation (many observers, or a very attentive measurement with lots of data collected) might further amplify this. In principle, if such feedback exists, it could mean that as the universe becomes aware of itself (through us, for example), the projection might *stabilize* or change. One

could poetically say: **the universe seeing itself might alter the way it projects itself**. Testing this would be extremely tricky, but one might imagine looking for tiny differences in outcomes between scenarios where information is recorded versus not (a bit like the quantum eraser experiments).

- **Cultural Attractors and Noospheric Patterns:** If information and reality are deeply intertwined in DREAM, one might ask whether large-scale patterns of information (like human culture, knowledge, “memes”) have analogues in physical attractors. The speculative idea of a “noosphere” (a sphere of human thought encircling the world) could be given a DREAM twist: **cultural attractors** might be high-dimensional structures that our collective behaviors are converging towards. These would be akin to strange attractors in chaos theory, but in the space of ideas and knowledge which might connect to physical space through our actions. For example, consider how technology globally seems to evolve along certain tracks (transistors getting smaller, networks getting denser) as if there’s an optimal path – maybe those optima are high-dimensional “valleys” that our 4D civilization is funneled into by the projection rules. It’s highly speculative, but it posits that even history and evolution could have a component of projection physics: only certain societal configurations are *stable projections* of perhaps a richer possibility in 10D, hence we inevitably find those. If this were true, it might lend a sort of directionality or destiny to the development of life and mind in the universe (though it wouldn’t violate free will locally; it’s a statistical/projection effect at large scales).
- **Life as a Projection-Localizer:** Building on the above, one could speculate that **life’s purpose (in a cosmic sense) is to localize and refine the projection**. Non-living matter just gets projected in whatever crude way (lots of info lost, leading to high entropy states). Living organisms, however, maintain and *increase order* locally – they might be fighting the information loss by creating pockets of high information density (genomes, brains, etc.). In DREAM terms, maybe living systems act as **“projection anchors”** – they demand more information from the environment to sustain their structure (through metabolism, sensing, etc.), and as a result the projection kernel in those regions adjusts to deliver that (which could tie back to the feedback loop idea). This could even scale up to an idea that the emergence of intelligent life is an inevitable trend for a projecting universe: as it cools and expands, the only way to *preserve* information against the relentless loss is through the rise of complex, self-organizing structures (like life) that capture information in durable forms (DNA, knowledge, art). In this narrative, intelligent life isn’t a random fluke but a thermodynamic necessity to counteract projection entropy – a bold claim indeed, well outside current science, but an interesting philosophical interpretation that DREAM makes conceivable to discuss in scientific terms (information retention, etc.).

In all these speculative extensions, the recurring theme is that **information = reality** at some deep level. DREAM already blurs the line by making physics about the interplay of true reality and observed reality (which is information about reality). So it’s perhaps natural to extend that thinking to systems that manage information (like brains or societies). None of these ideas are confirmed – they range from testable-in-principle to highly conjectural. It’s important to maintain scientific rigor: these should not be taken as conclusions of the DREAM framework, only as **potential directions** if one day we find evidence that something like consciousness indeed has a physical footprint not explained by 4D physics.

Conclusion

In wrapping up this comprehensive overview, we can appreciate that the DREAM framework offers a new lens on everything from fundamental physics to the philosophy of knowledge. It posits a universe far

grander (10 dimensions) than what we directly see (4 dimensions), yet grounds this grandness in a concrete mechanism – a projection kernel – that connects the two. By doing so, it doesn't leave the extra dimensions in the realm of metaphysics; it brings them into the fold of empirical science by linking to observable consequences (albeit subtle ones). The framework is **deeply interdisciplinary**: it touches gravity, quantum mechanics, thermodynamics (entropy), computer science (information theory), and even epistemology and the study of consciousness. This integration is both a strength (it can synthesize insights across fields) and a challenge (no one person is expert in all these, so it requires collaboration and an open mind to different ways of thinking).

For the professional reader, DREAM provides a fresh way to tackle unresolved problems – whether it's the black hole information paradox, dark matter, or the unification of forces. It suggests that maybe the reason these problems are so thorny is that we've been confined to 4D thinking and missing the bigger picture. For the general reader, DREAM can be an awe-inspiring notion: the world is more than meets the eye, yet we have the tools to probe beyond appearances using science. The image of our 4D world as a "shadow" of a higher reality has poetic resonance (echoing Plato's cave allegory, where prisoners see only shadows on a wall and must infer the real objects behind them). But unlike a mere allegory, DREAM gives us equations and predictions to *quantify* that shadow-play.

Ultimately, whether DREAM stands the test of time will depend on experimental evidence. As we venture into an era of precision cosmology, quantum computing, and perhaps new physics discoveries, the pieces required to validate or refute this framework will fall into place. If validated, DREAM could represent a paradigm shift as significant as the shift from classical physics to quantum physics – changing not only our understanding of the universe's architecture but also our understanding of *why we understand*. If refuted, the effort will still likely spur new ideas, because even a wrong path can illuminate the right one by contrast.

In closing, the DREAM framework reminds us that scientific knowledge is always, in a sense, a **projection** – a human-constructed model of reality. By making that notion literal in the physics of the universe, DREAM bridges our models and reality in a novel way. It challenges scientists to **dream bigger**, to consider that the truths of our universe might require us to step outside the comfort of 4D intuition. And as with all great scientific dreams, it gives us something concrete to strive for: experiments to perform, data to analyze, equations to solve, and perhaps, new worlds (or dimensions) to discover.

1 2 17 A universe of 10 dimensions
<https://phys.org/news/2014-12-universe-dimensions.html>

3 4 13 Holographic principle - Wikipedia
https://en.wikipedia.org/wiki/Holographic_principle

5 6 7 8 9 10 11 12 21 22 23 24 25 26 27 28 29 30 31 33 34 (PDF) Dimensional Memory in Gravitational Fields: A Variable-Order Fractional Calculus Approach to Cosmological Projection Singularities
https://www.researchgate.net/publication/391698706_Dimensional_Memory_in_Gravitational_Fields_A_Variable-Order_Fractional_Calculus_Approach_to_Cosmological_Projection_Singularities

14 Unveiling the Power of PCA: Turbocharge Your Data Science with ...
<https://blog.alliedoffsets.com/unveiling-the-power-of-pca-turbocharge-your-data-science-with-dimensionality-reduction>

15 Dimensionality reduction - Wikipedia
https://en.wikipedia.org/wiki/Dimensionality_reduction

¹⁶ arXiv:gr-qc/9805018v1 7 May 1998

<https://arxiv.org/pdf/gr-qc/9805018>

¹⁸ Epistemology - Wikipedia

<https://en.wikipedia.org/wiki/Epistemology>

¹⁹ The Logic of Scientific Discovery Quotes by Karl Popper - Goodreads

<https://www.goodreads.com/work/quotes/59859-logik-der-forschung-zur-erkenntnistheorie-der-modernen-naturwissenscha>

²⁰ Einstein-Hilbert action

<https://einsteinrelativelyeasy.com/index.php/general-relativity/100-the-einstein-hilbert-action>

³² [PDF] The Origin of the Arrow of Time and Consciousness ... - Zenodo

<https://zenodo.org/records/15152180/files/%E2%97%BC%EF%B8%8F2025.04.05.pdf?download=1>