INTRODUCTION TO DATA SCIENCE

Contents

| Pr | Preface | | | | | | | |
|----|---------------------|---------|--|----|--|--|--|--|
| A | Acknowledgments | | | | | | | |
| In | \mathbf{trod}_{1} | uction | | 27 | | | | |
| 1 | Get | ting st | arted with R and RStudio | 29 | | | | |
| | 1.1 | Why I | 3? | 29 | | | | |
| | 1.2 | The R | console | 29 | | | | |
| | 1.3 | Scripts | s | 30 | | | | |
| | 1.4 | RStud | io | 31 | | | | |
| | | 1.4.1 | The panes | 31 | | | | |
| | | 1.4.2 | Key bindings | 33 | | | | |
| | | 1.4.3 | Running commands while editing scripts | 34 | | | | |
| | | 1.4.4 | Changing global options | 36 | | | | |
| | 1.5 | Install | ing R packages | 36 | | | | |
| Ι | ${f R}$ | | | 39 | | | | |
| 2 | R b | asics | | 41 | | | | |
| | 2.1 | Case s | study: US Gun Murders | 41 | | | | |
| | 2.2 | The ve | ery basics | 43 | | | | |
| | | 2.2.1 | Objects | 43 | | | | |
| | | 2.2.2 | The workspace | 43 | | | | |
| | | 2.2.3 | Functions | 44 | | | | |
| | | 2.2.4 | Other prebuilt objects | 46 | | | | |
| | | 2.2.5 | Variable names | 47 | | | | |
| | | 2.2.6 | Saving your workspace | 47 | | | | |
| | | 2.2.7 | Motivating scripts | 47 | | | | |
| | | 2.2.8 | Commenting your code | 48 | | | | |
| | | | | | | | | |

Shared by Manisha

| 4 | | | | 0 | C | Conte | ents |
|---|------|---------|---|---|---|-------|------|
| | 2.3 | Exerci | ses | | | | 48 |
| | 2.4 | Data t | ypes | | | | 49 |
| | | 2.4.1 | Data frames | | | | 49 |
| | | 2.4.2 | Examining an object | | | • | 49 |
| | | 2.4.3 | The accessor: \$ | | | | 50 |
| | | 2.4.4 | Vectors: numerics, characters, and logical $\ \ldots \ \ldots \ \ldots$. | | | • | 51 |
| | | 2.4.5 | Factors | | | | 52 |
| | | 2.4.6 | Lists | | | | 52 |
| | | 2.4.7 | Matrices | | | • | 54 |
| | 2.5 | Exerci | ses | | | | 55 |
| | 2.6 | Vector | s | | | • | 56 |
| | | 2.6.1 | Creating vectors | | | | 56 |
| | | 2.6.2 | Names | | | | 57 |
| | | 2.6.3 | Sequences | | | | 58 |
| | | 2.6.4 | Subsetting | | | • | 58 |
| | 2.7 | Coerci | on | | | | 59 |
| | | 2.7.1 | Not availables (NA) | | | • | 60 |
| | 2.8 | Exerci | ses | | | • | 60 |
| | 2.9 | Sorting | g | | | | 61 |
| | | 2.9.1 | sort | | | | 61 |
| | | 2.9.2 | order | | | • | 61 |
| | | 2.9.3 | max and which.max | | | | 62 |
| | | 2.9.4 | rank | | | • | 63 |
| | | 2.9.5 | Beware of recycling | | | | 63 |
| | 2.10 | Exerci | ses | | | • | 64 |
| | 2.11 | Vector | arithmetics | | | | 65 |
| | | 2.11.1 | Rescaling a vector | | | | 65 |
| | | 2.11.2 | Two vectors | | | | 65 |
| | 2.12 | Exerci | ses | | | | 66 |
| | 2.13 | Indexi | ng | | | • | 66 |
| | | 2.13.1 | Subsetting with logicals | | | | 67 |
| | | 2.13.2 | Logical operators | | | | 67 |
| | | 2.13.3 | which | | | • | 68 |
| | | 9 19 4 | | | | | co |

Shared by Manisha

| 0.0 | 9 Con | ntents | 5 |
|-----|-------|--|------------|
| | | 2.13.5 %in% | 69 |
| | 2.14 | Exercises | 69 |
| | 2.15 | Basic plots | 70 |
| | | 2.15.1 plot | 70 |
| | | 2.15.2 hist | 70 |
| | | 2.15.3 boxplot | 71 |
| | | 2.15.4 image | 72 |
| | 2.16 | Exercises | 72 |
| 3 | Prog | gramming basics | 7 3 |
| | 3.1 | Conditional expressions | 73 |
| | 3.2 | Defining functions | 75 |
| | 3.3 | Namespaces | 76 |
| | 3.4 | For-loops | 77 |
| | 3.5 | Vectorization and functionals | 78 |
| | 3.6 | Exercises | 79 |
| 4 | The | tidyverse | 81 |
| - | 4.1 | Tidy data | 81 |
| | 4.2 | Exercises | 82 |
| | 4.3 | Manipulating data frames | 83 |
| | 1.0 | 4.3.1 Adding a column with mutate | 83 |
| | | 4.3.2 Subsetting with filter | 84 |
| | | 4.3.3 Selecting columns with select | 84 |
| | 4.4 | Exercises | 85 |
| | 4.5 | The pipe: %>% | 86 |
| | 4.6 | Exercises | 87 |
| | 4.7 | Summarizing data | 88 |
| | 2., | 4.7.1 summarize | 88 |
| | | 4.7.2 pull | 90 |
| | | 4.7.3 Group then summarize with group_by | 91 |
| | 4.8 | Sorting data frames | 92 |
| | - | 4.8.1 Nested sorting | 93 |
| | | 4.8.2 The top n | 93 |
| | 4.9 | Exercises | 93 |

| 6 | | 0 Cor | ntents |
|----|------|---|--------|
| | 4.10 | Tibbles | 95 |
| | | 4.10.1 Tibbles display better | 95 |
| | | 4.10.2 Subsets of tibbles are tibbles | 96 |
| | | 4.10.3 Tibbles can have complex entries | 96 |
| | | 4.10.4 Tibbles can be grouped \dots | 97 |
| | | 4.10.5 Create a tibble using tibble instead of data.frame | 97 |
| | 4.11 | The dot operator | 97 |
| | 4.12 | do | 98 |
| | 4.13 | The purrr package | 100 |
| | 4.14 | total conditional con | 101 |
| | | $4.14.1 \hspace{0.1cm} \mathtt{case_when} \hspace{0.1cm} \ldots \ldots \ldots \ldots \ldots \ldots \ldots \ldots$ | 101 |
| | | $4.14.2 \ {\tt between} \ $ | 102 |
| | 4.15 | Exercises | 102 |
| 5 | Imp | orting data | 103 |
| | 5.1 | Paths and the working directory | 104 |
| | | 5.1.1 The file system | 104 |
| | | 5.1.2 Relative and full paths | 105 |
| | | 5.1.3 The working directory | 105 |
| | | 5.1.4 Generating path names | 106 |
| | | 5.1.5 Copying files using paths $\dots \dots \dots \dots \dots \dots$ | 106 |
| | 5.2 | The readr and readxl packages | 107 |
| | | 5.2.1 readr | 107 |
| | | $5.2.2 {\rm readxl} \dots \dots \dots \dots \dots \dots \dots \dots \dots $ | 108 |
| | 5.3 | Exercises | 108 |
| | 5.4 | Downloading files | 109 |
| | 5.5 | R-base importing functions | 110 |
| | | $5.5.1 \mathtt{scan} \ \ldots \ $ | 110 |
| | 5.6 | Text versus binary files | 111 |
| | 5.7 | Unicode versus ASCII | 111 |
| | 5.8 | Organizing data with spreadsheets | 112 |
| | 5.9 | Exercises | 112 |
| II | Da | ata Visualization | 113 |
| 6 | Intr | oduction to data visualization | 115 |

| 0.0 | Contents | | 7 | , |
|-----|----------|--|---|---|
| | | | | |

| 7 | ggpl | $\mathrm{lot}2$ | 119 |
|---|---|---|--|
| | 7.1 | The components of a graph $\ \ldots \ \ldots \ \ldots \ \ldots \ \ldots \ \ldots$ | 120 |
| | 7.2 | ggplot objects | 121 |
| | 7.3 | Geometries | 122 |
| | 7.4 | Aesthetic mappings | 123 |
| | 7.5 | Layers | 124 |
| | | 7.5.1 Tinkering with arguments | 125 |
| | 7.6 | Global versus local aesthetic mappings | 126 |
| | 7.7 | Scales | 127 |
| | 7.8 | Labels and titles | 128 |
| | 7.9 | Categories as colors | 129 |
| | 7.10 | Annotation, shapes, and adjustments | 130 |
| | 7.11 | Add-on packages | 131 |
| | 7.12 | Putting it all together | 132 |
| | 7.13 | Quick plots with qplot | 133 |
| | 7.14 | Grids of plots | 134 |
| | 7.15 | Exercises | 134 |
| 8 | Visu | ualizing data distributions | 137 |
| | 8.1 | Variable types | 137 |
| | | | 101 |
| | 8.2 | Case study: describing student heights | 138 |
| | 8.2 8.3 | Case study: describing student heights | |
| | | | 138 |
| | 8.3 | Distribution function | 138 138 |
| | 8.3 8.4 | Distribution function | 138 138 139 |
| | 8.3 8.4 8.5 | Distribution function | 138 138 139 140 |
| | 8.3 8.4 8.5 | Distribution function | 138 138 139 140 141 |
| | 8.3 8.4 8.5 | Distribution function Cumulative distribution functions Histograms Smoothed density 8.6.1 Interpreting the y-axis | 138 138 139 140 141 145 |
| | 8.3 8.4 8.5 8.6 | Distribution function Cumulative distribution functions Histograms Smoothed density 8.6.1 Interpreting the y-axis 8.6.2 Densities permit stratification | 138 139 140 141 145 146 |
| | 8.3 8.4 8.5 8.6 | Distribution function Cumulative distribution functions Histograms Smoothed density 8.6.1 Interpreting the y-axis 8.6.2 Densities permit stratification Exercises | 138 139 140 141 145 146 |
| | 8.3 8.4 8.5 8.6 8.7 8.8 | Distribution function Cumulative distribution functions Histograms Smoothed density 8.6.1 Interpreting the y-axis 8.6.2 Densities permit stratification Exercises The normal distribution Standard units | 138 139 140 141 145 146 150 |
| | 8.3 8.4 8.5 8.6 8.7 8.8 8.9 8.10 | Distribution function Cumulative distribution functions Histograms Smoothed density 8.6.1 Interpreting the y-axis 8.6.2 Densities permit stratification Exercises The normal distribution Standard units | 138 139 140 141 145 146 150 152 |
| | 8.3 8.4 8.5 8.6 8.7 8.8 8.9 8.10 8.11 | Distribution function Cumulative distribution functions Histograms Smoothed density 8.6.1 Interpreting the y-axis 8.6.2 Densities permit stratification Exercises The normal distribution Standard units Quantile-quantile plots | 138 139 140 141 145 146 150 152 153 |
| | 8.3 8.4 8.5 8.6 8.7 8.8 8.9 8.10 8.11 8.12 | Distribution function Cumulative distribution functions Histograms Smoothed density 8.6.1 Interpreting the y-axis 8.6.2 Densities permit stratification Exercises The normal distribution Standard units Quantile-quantile plots Percentiles | 138 139 140 141 145 146 150 152 153 155 |
| | 8.3 8.4 8.5 8.6 8.7 8.8 8.9 8.10 8.11 8.12 8.13 | Distribution function Cumulative distribution functions Histograms Smoothed density 8.6.1 Interpreting the y-axis 8.6.2 Densities permit stratification Exercises The normal distribution Standard units Quantile-quantile plots Percentiles Boxplots | 138 139 140 141 145 146 150 152 153 155 |

| | 8.15 | Exerci | ses |
|---|------|---------|--|
| | 8.16 | ggplot | 2 geometries |
| | | 8.16.1 | Barplots |
| | | 8.16.2 | Histograms |
| | | 8.16.3 | Density plots |
| | | 8.16.4 | Boxplots |
| | | 8.16.5 | QQ-plots |
| | | 8.16.6 | Images |
| | | 8.16.7 | Quick plots |
| | 8.17 | Exerci | ses |
| 9 | Dat | a visua | alization in practice 169 |
| | 9.1 | | tudy: new insights on poverty |
| | | 9.1.1 | Hans Rosling's quiz |
| | 9.2 | Scatte | rplots |
| | 9.3 | Facetin | ng |
| | | 9.3.1 | facet_wrap |
| | | 9.3.2 | Fixed scales for better comparisons |
| | 9.4 | Time s | series plots |
| | | 9.4.1 | Labels instead of legends |
| | 9.5 | Data t | ransformations |
| | | 9.5.1 | Log transformation |
| | | 9.5.2 | Which base? |
| | | 9.5.3 | Transform the values or the scale? |
| | 9.6 | Visual | izing multimodal distributions |
| | 9.7 | Compa | aring multiple distributions with boxplots and ridge plots 183 |
| | | 9.7.1 | Boxplots |
| | | 9.7.2 | Ridge plots |
| | | 9.7.3 | Example: 1970 versus 2010 income distributions |
| | | 9.7.4 | Accessing computed variables |
| | | 9.7.5 | Weighted densities |
| | 9.8 | The ec | cological fallacy and importance of showing the data 196 |
| | | 9.8.1 | Logistic transformation |
| | | 9.8.2 | Show the data |

| 0.0 Contents | 9 |
|--|-----|
| 10 Data visualization principles | 199 |
| 10.1 Encoding data using visual cues | 199 |
| 10.2 Know when to include $0 \dots \dots \dots \dots \dots \dots$ | 202 |
| 10.3 Do not distort quantities | 205 |
| 10.4 Order categories by a meaningful value | 207 |
| 10.5 Show the data | 208 |
| 10.6 Ease comparisons | 211 |
| 10.6.1 Use common axes | 211 |
| 10.6.2 Align plots vertically to see horizontal changes and horizontally to see vertical changes | 212 |
| 10.6.3 Consider transformations | 213 |
| 10.6.4 Visual cues to be compared should be adjacent | 215 |
| 10.6.5 Use color | 216 |
| 10.7 Think of the color blind | 216 |
| 10.8 Plots for two variables | 217 |
| 10.8.1 Slope charts | 217 |
| 10.8.2 Bland-Altman plot | 219 |
| 10.9 Encoding a third variable | 219 |
| 10.10 Avoid pseudo-three-dimensional plots | 221 |
| 10.11 Avoid too many significant digits | 223 |
| 10.12Know your audience | 224 |
| 10.13Exercises | 224 |
| 10.14Case study: vaccines and infectious diseases | 229 |
| 10.15Exercises | 232 |
| 11 Robust summaries | 233 |
| 11.1 Outliers | 233 |
| 11.2 Median | 234 |
| 11.3 The inter quartile range (IQR) | 234 |
| 11.4 Tukey's definition of an outlier | 235 |
| 11.5 Median absolute deviation | 236 |
| 11.6 Exercises | 236 |
| 11.7 Case study: self-reported student heights | 237 |
| III Statistics with R 2 | 241 |

| 0 | Contents |
|---|----------|
|---|----------|

| 12 | Introduction to statistics with R | 243 |
|-----------|---|-----|
| 13 | Probability | 245 |
| | 13.1 Discrete probability | 245 |
| | 13.1.1 Relative frequency | 245 |
| | 13.1.2 Notation | 246 |
| | 13.1.3 Probability distributions | 246 |
| | 13.2 Monte Carlo simulations for categorical data $\dots \dots \dots \dots$. | 246 |
| | 13.2.1 Setting the random seed | 248 |
| | 13.2.2 With and without replacement | 248 |
| | 13.3 Independence | 249 |
| | 13.4 Conditional probabilities | 249 |
| | 13.5 Addition and multiplication rules $\dots \dots \dots \dots \dots \dots$ | 250 |
| | 13.5.1 Multiplication rule | 250 |
| | 13.5.2 Multiplication rule under independence | 250 |
| | 13.5.3 Addition rule | 251 |
| | 13.6 Combinations and permutations | 251 |
| | 13.6.1 Monte Carlo example | 255 |
| | 13.7 Examples | 255 |
| | 13.7.1 Monty Hall problem | 256 |
| | 13.7.2 Birthday problem | 257 |
| | 13.8 Infinity in practice | 259 |
| | 13.9 Exercises | 260 |
| | 13.10Continuous probability | 262 |
| | $13.11 Theoretical \ continuous \ distributions . \ . \ . \ . \ . \ . \ . \ . \ . \ .$ | 263 |
| | 13.11.1 Theoretical distributions as approximations | 263 |
| | 13.11.2 The probability density | 265 |
| | 13.12 Monte Carlo simulations for continuous variables | 266 |
| | 13.13Continuous distributions | 267 |
| | 13.14Exercises | 267 |
| 14 | Random variables | 269 |
| | 14.1 Random variables | 269 |
| | 14.2 Sampling models | 270 |
| | 14.3 The probability distribution of a random variable $\dots \dots \dots$. | 271 |

| 0.0 Ca | ontents | 11 |
|--------|--|-----|
| | | 273 |
| | 4 Distributions versus probability distributions | |
| | 5 Notation for random variables | 273 |
| 14.0 | 6 The expected value and standard error | 274 |
| 4.4.1 | 14.6.1 Population SD versus the sample SD | 276 |
| 14. | 7 Central Limit Theorem | 277 |
| | 14.7.1 How large is large in the Central Limit Theorem? | 278 |
| | 8 Statistical properties of averages | 278 |
| 14.9 | 9 Law of large numbers | 280 |
| | 14.9.1 Misinterpreting law of averages | 280 |
| 14. | 10Exercises | 280 |
| 14. | 11Case study: The Big Short | 282 |
| | 14.11.1 Interest rates explained with chance model | 282 |
| | 14.11.2 The Big Short | 285 |
| 14. | 12Exercises | 288 |
| 15 Sta | atistical inference | 289 |
| 15. | 1 Polls | 289 |
| | 15.1.1 The sampling model for polls | 290 |
| 15.5 | 2 Populations, samples, parameters, and estimates | 292 |
| | 15.2.1 The sample average | 292 |
| | 15.2.2 Parameters | 293 |
| | 15.2.3 Polling versus forecasting | 293 |
| | 15.2.4 Properties of our estimate: expected value and standard error | 294 |
| 15.3 | 3 Exercises | 295 |
| 15.4 | 4 Central Limit Theorem in practice | 296 |
| | 15.4.1 A Monte Carlo simulation | 297 |
| | 15.4.2 The spread | 299 |
| | 15.4.3 Bias: why not run a very large poll? | 299 |
| 15. | 5 Exercises | 300 |
| | 6 Confidence intervals | 302 |
| | 15.6.1 A Monte Carlo simulation | 304 |
| | 15.6.2 The correct language | 305 |
| 15 ' | 7 Exercises | 305 |
| | 8 Power | 306 |
| 10.0 | 0 10w01 | 300 |

307

15.9 p-values

| 15. | .10Association tests | 308 |
|-------|---|-----|
| | 15.10.1 Lady Tasting Tea | 309 |
| | 15.10.2 Two-by-two tables | 310 |
| | $15.10.3\mathrm{Chi}\text{-square Test}$ | 310 |
| | $15.10.4\mathrm{The}$ odds ratio | 311 |
| | 15.10.5 Confidence intervals for the odds ratio | 312 |
| | $15.10.6\mathrm{Small}$ count correction | 313 |
| | 15.10.7 Large samples, small p-values | 313 |
| 15. | .11Exercises | 314 |
| 16 St | atistical models | 315 |
| 16. | .1 Poll aggregators | 316 |
| | 16.1.1 Poll data | 318 |
| | 16.1.2 Pollster bias | 320 |
| 16. | .2 Data-driven models | 321 |
| 16. | .3 Exercises | 323 |
| 16. | .4 Bayesian statistics | 326 |
| | 16.4.1 Bayes theorem | 326 |
| 16. | .5 Bayes theorem simulation | 327 |
| | 16.5.1 Bayes in practice | 328 |
| 16. | .6 Hierarchical models | 329 |
| 16. | .7 Exercises | 331 |
| 16. | .8 Case study: election forecasting | 333 |
| | 16.8.1 Bayesian approach | 334 |
| | 16.8.2 The general bias | 335 |
| | 16.8.3 Mathematical representations of models | 335 |
| | 16.8.4 Predicting the electoral college | 338 |
| | 16.8.5 Forecasting | 342 |
| 16. | .9 Exercises | 345 |
| 16. | .10The t-distribution | 346 |
| 17 Re | egression | 349 |
| 17. | .1 Case study: is height hereditary? | 349 |
| 17. | .2 The correlation coefficient | 350 |
| | 17.2.1 Sample correlation is a random variable | 352 |

| 0.0 | Con | tents | 13 |
|-------------|-------|---|----|
| | | 17.2.2 Correlation is not always a useful summary | 54 |
| - | 17.3 | Conditional expectations | 54 |
| | 17.4 | The regression line | 57 |
| | | 17.4.1 Regression improves precision | 58 |
| | | 17.4.2 Bivariate normal distribution (advanced) | 59 |
| | | 17.4.3 Variance explained | 61 |
| | | 17.4.4 Warning: there are two regression lines | 61 |
| - | 17.5 | Exercises | 62 |
| 18] | Line | ear models 3 | 63 |
| | 18.1 | Case study: Moneyball | 63 |
| | | 18.1.1 Sabermetics | 64 |
| | | 18.1.2 Baseball basics | 65 |
| | | 18.1.3 No awards for BB | 66 |
| | | 18.1.4 Base on balls or stolen bases? | 67 |
| | | 18.1.5 Regression applied to baseball statistics | 69 |
| | 18.2 | Confounding | 72 |
| | | 18.2.1 Understanding confounding through stratification | 73 |
| | | 18.2.2 Multivariate regression | 76 |
| | 18.3 | Least squares estimates | 76 |
| | | 18.3.1 Interpreting linear models | 77 |
| | | 18.3.2 Least Squares Estimates (LSE) | 77 |
| | | 18.3.3 The lm function | 79 |
| | | 18.3.4 LSE are random variables | 80 |
| | | 18.3.5 Predicted values are random variables | 81 |
| | 18.4 | Exercises | 82 |
| | 18.5 | Linear regression in the tidyverse | 83 |
| | | 18.5.1 The broom package | 86 |
| | 18.6 | Exercises | 87 |
| | 18.7 | Case study: Moneyball (continued) | 88 |
| | | 18.7.1 Adding salary and position information | 92 |
| | | 18.7.2 Picking nine players | 93 |
| | 18.8 | The regression fallacy | 95 |
| - | 18.9 | Measurement error models | 96 |
| | 18.10 | DExercises | 99 |

| 14 | | θ Con | ntents |
|-----------|------|--|--------|
| 19 | Asso | ociation is not causation | 401 |
| | 19.1 | Spurious correlation | 401 |
| | 19.2 | Outliers | 404 |
| | 19.3 | Reversing cause and effect | 406 |
| | 19.4 | Confounders | 407 |
| | | 19.4.1 Example: UC Berkeley admissions | 407 |
| | | 19.4.2 Confounding explained graphically | 408 |
| | | 19.4.3 Average after stratifying | 409 |
| | 19.5 | Simpson's paradox | 410 |
| | 19.6 | Exercises | 411 |
| IV | , L | Oata Wrangling | 413 |
| 1 1 | L | vata wranging | 413 |
| 20 | Intr | oduction to data wrangling | 415 |
| ว1 | Posi | haping data | 417 |
| 41 | | gather | 417 |
| | | spread | 419 |
| | | separate | 419 |
| | | unite | 422 |
| | | Exercises | 423 |
| | 21.0 | Exercises | 423 |
| 22 | Join | ing tables | 425 |
| | 22.1 | Joins | 426 |
| | | 22.1.1 Left join | 427 |
| | | 22.1.2 Right join | 428 |
| | | 22.1.3 Inner join | 428 |
| | | 22.1.4 Full join | 428 |
| | | 22.1.5 Semi join | 429 |
| | | 22.1.6 Anti join | 429 |
| | 22.2 | Binding | 430 |
| | | 22.2.1 Binding columns | 430 |
| | | 22.2.2 Binding by rows | 430 |
| | 22.3 | Set operators | 431 |
| | | 22.3.1 Intersect | 431 |
| | | 22.3.2 Union | 432 |

| 0.0 | Con | tents | 15 |
|-----|-------|--|-----|
| | | 22.3.3 setdiff | 432 |
| | | 22.3.4 setequal | 432 |
| | 22.4 | Exercises | 433 |
| 23 | Web | o scraping | 435 |
| | 23.1 | HTML | 436 |
| | 23.2 | The rvest package | 437 |
| | 23.3 | CSS selectors | 439 |
| | 23.4 | JSON | 440 |
| | 23.5 | Exercises | 441 |
| 24 | Stri | ng processing | 443 |
| | 24.1 | The stringr package | 443 |
| | 24.2 | Case study 1: US murders data | 445 |
| | 24.3 | Case study 2: self-reported heights | 447 |
| | 24.4 | How to <i>escape</i> when defining strings | 449 |
| | 24.5 | Regular expressions | 451 |
| | | 24.5.1 Strings are a regexp | 451 |
| | | 24.5.2 Special characters | 451 |
| | | 24.5.3 Character classes | 453 |
| | | 24.5.4 Anchors | 454 |
| | | 24.5.5 Quantifiers | 454 |
| | | 24.5.6 White space \s | 455 |
| | | 24.5.7 Quantifiers: *, ?, + | 456 |
| | | 24.5.8 Not | 456 |
| | | 24.5.9 Groups | 457 |
| | 24.6 | Search and replace with regex | 458 |
| | | 24.6.1 Search and replace using groups | 460 |
| | 24.7 | Testing and improving | 461 |
| | 24.8 | Trimming | 463 |
| | 24.9 | Changing lettercase | 464 |
| | 24.10 | OCase study 2: self-reported heights (continued) | 464 |
| | | | 465 |
| | | 24.10.2 Putting it all together | 466 |
| | 24 11 | | 467 |

| 16 | 6 |) | Co | ntents |
|--------------|--|---|----|--------|
| | 24.12Case study 3: extracting tables from a PDF | | | 470 |
| | 24.13Recoding | | | |
| | 24.14Exercises | | | |
| | | | | |
| 25 | 5 Parsing dates and times | | | 477 |
| | 25.1 The date data type | | | |
| | 25.2 The lubridate package | | | 478 |
| | 25.3 Exercises | | | 481 |
| 26 | 3 Text mining | | | 483 |
| | 26.1 Case study: Trump tweets | | | 483 |
| | 26.2 Text as data | | | 485 |
| | 26.3 Sentiment analysis | | | 490 |
| | 26.4 Exercises | | | 495 |
| \mathbf{V} | V. N.C. alaine T. annuine | | | 407 |
| V | Machine Learning | | | 497 |
| 27 | 7 Introduction to machine learning | | | 499 |
| | 27.1 Notation | | | 499 |
| | 27.2 An example | | | 500 |
| | 27.3 Exercises | | | 502 |
| | 27.4 Evaluation metrics | | | 502 |
| | 27.4.1 Training and test sets | | | 503 |
| | 27.4.2 Overall accuracy | | | 504 |
| | 27.4.3 The confusion matrix | | | 506 |
| | 27.4.4 Sensitivity and specificity | | | 507 |
| | 27.4.5 Balanced accuracy and F_1 score | | | 509 |
| | 27.4.6 Prevalence matters in practice | | | 510 |
| | 27.4.7 ROC and precision-recall curves | | | 511 |
| | 27.4.8 The loss function | | | 512 |
| | 27.5 Exercises | | | 514 |
| | 27.6 Conditional probabilities and expectations | | | 514 |
| | 27.6.1 Conditional probabilities | | | 515 |
| | 27.6.2 Conditional expectations | | | 516 |
| | 27.6.3 Conditional expectation minimizes squared loss function | | | 516 |
| | 27.7 Exercises | | | 517 |

| 0.0 Contents | | | | | | | |
|---|-----|--|--|--|--|--|--|
| 28 Smoothing 521 | | | | | | | |
| 28.1 Bin smoothing | 523 | | | | | | |
| 28.2 Kernels | 525 | | | | | | |
| 28.3 Local weighted regression (loess) | 526 | | | | | | |
| 28.3.1 Fitting parabolas | 530 | | | | | | |
| 28.3.2 Beware of default smoothing parameters | 531 | | | | | | |
| 28.4 Connecting smoothing to machine learning | 532 | | | | | | |
| 28.5 Exercises | 532 | | | | | | |
| 29 Cross validation | 535 | | | | | | |
| 29.1 Motivation with k-nearest neighbors | 535 | | | | | | |
| 29.1.1 Over-training | 537 | | | | | | |
| 29.1.2 Over-smoothing | 538 | | | | | | |
| 29.1.3 Picking the k in kNN | 539 | | | | | | |
| 29.2 Mathematical description of cross validation | 541 | | | | | | |
| 29.3 K-fold cross validation | 542 | | | | | | |
| 29.4 Exercises | 545 | | | | | | |
| 29.5 Bootstrap | 546 | | | | | | |
| 29.6 Exercises | 549 | | | | | | |
| 30 The caret package | 551 | | | | | | |
| 30.1 The caret train functon | 551 | | | | | | |
| 30.2 Cross validation | 552 | | | | | | |
| 30.3 Example: fitting with loess | 554 | | | | | | |
| 31 Examples of algorithms | 557 | | | | | | |
| 31.1 Linear regression | 557 | | | | | | |
| 31.1.1 The predict function | 558 | | | | | | |
| 31.2 Exercises | 559 | | | | | | |
| 31.3 Logistic regression | 561 | | | | | | |
| 31.3.1 Generalized linear models | 562 | | | | | | |
| 31.3.2 Logistic regression with more than one predictor | 566 | | | | | | |
| 31.4 Exercises | 567 | | | | | | |
| 31.5 k-nearest neighbors | 568 | | | | | | |
| 31.6 Exercises | 569 | | | | | | |
| 31.7 Generative models | 569 | | | | | | |

| 18 | 0 Contents |
|----|------------|
| | |

| | | 31.7.1 Naive Bayes | 570 |
|----|-------|---|-------------|
| | | 31.7.2 Controlling prevalence | 571 |
| | | 31.7.3 Quadratic discriminant analysis | 573 |
| | | 31.7.4 Linear discriminant analysis | 575 |
| | | 31.7.5 Connection to distance | 577 |
| | 31.8 | Case study: more than three classes | 577 |
| | 31.9 | Exercises | 581 |
| | 31.10 | OClassification and regression trees (CART) | 582 |
| | | 31.10.1 The curse of dimensionality | 582 |
| | | 31.10.2 CART motivation | 583 |
| | | 31.10.3 Regression trees | 586 |
| | | $31.10.4$ Classification (decision) trees $\dots \dots \dots$ | 592 |
| | 31.11 | Random forests | 594 |
| | 31.12 | 2Exercises | 599 |
| 32 | Mac | chine learning in practice | 3 01 |
| _ | | | 602 |
| | | | 603 |
| | | | 606 |
| | | - | 607 |
| | | | 607 |
| | | | 608 |
| | | | |
| 33 | | , | 609 |
| | 33.1 | <u> </u> | 609 |
| | | 33.1.1 Notation | 610 |
| | | 33.1.2 Converting a vector to a matrix | 612 |
| | | 33.1.3 Row and column summaries | 613 |
| | | 33.1.4 apply | 614 |
| | | 33.1.5 Filtering columns based on summaries | 614 |
| | | 33.1.6 Indexing with matrices | 616 |
| | | 33.1.7 Binarizing the data | 618 |
| | | 33.1.8 Vectorization for matrices | 618 |
| | | 33.1.9 Matrix algebra operations | 619 |
| | 33.2 | Exercises | 619 |

| 0.0 Con | etents | 19 |
|---------|--|-----|
| 33.3 | Distance | 619 |
| | 33.3.1 Euclidean distance | 620 |
| | 33.3.2 Distance in higher dimensions | 620 |
| | 33.3.3 Euclidean distance example | 621 |
| | 33.3.4 Predictor space | 623 |
| | 33.3.5 Distance between predictors | 623 |
| 33.4 | Exercises | 623 |
| 33.5 | Dimension reduction | 624 |
| | 33.5.1 Preserving distance | 624 |
| | 33.5.2 Linear transformations (advanced) | 627 |
| | 33.5.3 Orthogonal transformations (advanced) $\dots \dots \dots \dots \dots$ | 628 |
| | 33.5.4 Principal component analysis | 630 |
| | 33.5.5 Iris example | 632 |
| | 33.5.6 MNIST example | 635 |
| 33.6 | Exercises | 637 |
| 33.7 | Recommendation systems | 638 |
| | 33.7.1 Movielens data | 638 |
| | 33.7.2 Recommendation systems as a machine learning challenge | 640 |
| | 33.7.3 Loss function | 640 |
| | 33.7.4 A first model | 641 |
| | 33.7.5 Modeling movie effects | 642 |
| | 33.7.6 User effects | 643 |
| 33.8 | Exercises | 644 |
| 33.9 | Regularization | 645 |
| | 33.9.1 Motivation | 645 |
| | 33.9.2 Penalized least squares | 647 |
| | 33.9.3 Choosing the penalty terms | 650 |
| 33.10 | DExercises | 652 |
| 33.11 | Matrix factorization | 653 |
| | 33.11.1 Factors analysis | 656 |
| | $33.11.2\mathrm{Connection}$ to SVD and PCA | 658 |
| 33,12 | PExercises | 661 |

| 20 | 0 Contents |
|----|------------|
| | |

| 34 Clustering | 667 |
|--|---------|
| 34.1 Hierarchical clustering | 668 |
| 34.2 k-means | 670 |
| 34.3 Heatmaps | 670 |
| 34.4 Filtering features | 671 |
| 34.5 Exercises | 672 |
| VI Productivity Tools | 673 |
| 35 Introduction to productivity tools | 675 |
| 36 Organizing with Unix | 677 |
| 36.1 Naming convention | 677 |
| 36.2 The terminal | 678 |
| 36.3 The filesystem | 678 |
| 36.3.1 Directories and subdirectories | 679 |
| 36.3.2 The home directory | 679 |
| 36.3.3 Working directory | 680 |
| 36.3.4 Paths | 681 |
| 36.4 Unix commands | 681 |
| 36.4.1 ls: Listing directory content | 682 |
| 36.4.2 mkdir and rmdir: make and remove a directory | 682 |
| 36.4.3 cd: navigating the filesystem by changing directories | 683 |
| 36.5 Some examples | 685 |
| 36.6 More Unix commands | 686 |
| 36.6.1 mv: moving files | 686 |
| 36.6.2 cp: copying files | 687 |
| 36.6.3 rm: removing files | 687 |
| 36.6.4 less: looking at a file | 688 |
| 36.7 Preparing for a data science project | 688 |
| 36.8 Advanced Unix | 689 |
| 36.8.1 Arguments | 689 |
| 36.8.2 Getting help | 690 |
| 36.8.3 Pipes | 691 |
| 36.8.4 Wild cards | |
| 36.8.5 Environment variables | 692 |

| U.U Contents | | | | | |
|---|------|---|--|--|--|
| | | 36.8.6 Shells | 692 | | |
| | | 36.8.7 Executables | 693 | | |
| | | 36.8.8 Permissions and file types | 693 | | |
| | | 36.8.9 Commands you should learn \hdots | 694 | | |
| | | $36.8.10\mathrm{File}$ manipulation in R | 694 | | |
| 37 Git and GitHub | | | | | |
| ; | 37.1 | Why use Git and GitHub? | 695 | | |
| | 37.2 | GitHub accounts | 695 | | |
| | 37.3 | GitHub repositories | 698 | | |
| | 37.4 | Overview of Git | 699 | | |
| | | 37.4.1 Clone | 700 | | |
| | 37.5 | Initializing a Git directory | 704 | | |
| | 37.6 | Using Git and GitHub in RStudio | 706 | | |
| 38 Reproducible projects with RStudio and R markdown 71 | | | | | |
| 38] | Rep | roducible projects with RStudio and R markdown | 711 | | |
| | _ | roducible projects with RStudio and R markdown RStudio projects | 711 711 | | |
| ę | 38.1 | | | | |
| ę | 38.1 | RStudio projects | 711 | | |
| ę | 38.1 | RStudio projects | 711 714 | | |
| ę | 38.1 | RStudio projects | 711 714 716 | | |
| ę | 38.1 | RStudio projects | 711 714 716 716 | | |
| ę | 38.1 | RStudio projects | 711 714 716 716 717 | | |
| 6 | 38.1 | RStudio projects R markdown 38.2.1 The header 38.2.2 R code chunks 38.2.3 Global options 38.2.4 knitR | 711 714 716 716 717 717 | | |
| 6 | 38.1 | RStudio projects R markdown 38.2.1 The header 38.2.2 R code chunks 38.2.3 Global options 38.2.4 knitR 38.2.5 More on R markdown | 711 714 716 716 717 717 718 | | |
| 6 | 38.1 | RStudio projects R markdown 38.2.1 The header 38.2.2 R code chunks 38.2.3 Global options 38.2.4 knitR 38.2.5 More on R markdown Organizing a data science project | 711 714 716 716 717 717 718 718 | | |
| 6 | 38.1 | RStudio projects R markdown 38.2.1 The header 38.2.2 R code chunks 38.2.3 Global options 38.2.4 knitR 38.2.5 More on R markdown Organizing a data science project 38.3.1 Create directories in Unix | 711 714 716 716 717 717 718 718 718 | | |
| 6 | 38.1 | RStudio projects R markdown 38.2.1 The header 38.2.2 R code chunks 38.2.3 Global options 38.2.4 knitR 38.2.5 More on R markdown Organizing a data science project 38.3.1 Create directories in Unix 38.3.2 Create an RStudio project | 711 714 716 716 717 717 718 718 718 719 | | |
| 6 | 38.1 | RStudio projects R markdown 38.2.1 The header 38.2.2 R code chunks 38.2.3 Global options 38.2.4 knitR 38.2.5 More on R markdown Organizing a data science project 38.3.1 Create directories in Unix 38.3.2 Create an RStudio project 38.3.3 Edit some R scripts | 711 714 716 716 717 717 718 718 718 719 720 | | |