

Table of Contents

Group 1: Anthony Adu, Kenzo Mendoza, Thomas Spalding, Florie Trinh

1. Motivation & Discussion	1
2. Objectives	2
3. Definition	2
a. Theremin	2
b. Pitch-to-MIDI Converter	3
c. Expandome	3
4. Requirements and Specifications	4
a. Theremin	4
b. Pitch-to-MIDI Converter	4
c. Expandome	5
5. Research	5
a. Theremin	5
i. Antennae	6
1. Antenna Material Considerations	6
2. Pitch Antenna	7
3. Volume Antenna	7
4. Dimension and Capacitance Considerations	8
ii. Oscillators	8
1. Beat Frequency Oscillators	9
a. Fixed Pitch Oscillator	9
b. Variable Oscillator	10
c. Pitch Tuning	10
2. Amplitude Oscillation	11
a. Volume Oscillator	11
b. Volume Tuning	12
iii. Frequency Detector	12
iv. Volume Amplification	13
1. Voltage Controlled Amplifier (VCA)	13
2. VCA Processor	14
3. Analog Audio Output	14
v. Power Considerations	15
b. Pitch-to-MIDI Converter	15
i. Hardware	16
1. A/D Conversion	16
2. Audio interface, pre-amplification, latency, and Sound-card	17
ii. Pitch Mapping	17
iii. Preserving Analog Audio Subcomponent	18
iv. Noise Performance	18
1. Raw MIDI Data Display	18
2. Frequency and musical scale note pitches	19

v.	Input and Output Components	20
1.	MIDI	20
2.	Analog Audio	21
3.	Power	21
4.	LCD Power	22
c.	Expandome	23
i.	Hardware	23
1.	Button Related	24
a.	Button Pad	24
b.	Buttonpad PCB	24
2.	Integrated Circuits	25
a.	Atmel Atmega	25
b.	Shift Registers	25
c.	LED Driver	26
3.	Passive Components	26
4.	Input and Output Components	27
a.	Analog Audio	27
b.	MIDI and USB	28
c.	Power	28
d.	SD Card	29
ii.	Software	30
1.	Data Transfer Considerations	30
a.	Between Devices	31
b.	Compatibility and Device Recognition	31
c.	Latency	32
2.	Data Structure	32
3.	Code (sorted by environment)	33
a.	Arduino Environment	33
b.	Löve Lua	34
c.	Processing	34
d.	Pure Data	35
4.	MIDI Software and Sequencer Discussion (DAW)	35
a.	Steinberg's Cubase	35
b.	Protools	35
c.	Propellerhead's Reason	36
5.	Multiplexing and Persistence of Vision	36
iii.	Preserving Analog Audio Subcomponent	37
iv.	Enclosure	37
v.	Power Supply Considerations	38
1.	Battery Power	38
2.	DC Input	39
3.	USB and MIDI Power	39
4.	Passing Power	40
6.	Design	41
a.	Theremin	41
i.	Meeting Specifications and Requirements	41

ii. Antennas Circuit	42
1. I/O Characteristics	42
2. Connections Considerations	43
3. Antenna Dimensions	44
4. Components Considerations	44
iii. Oscillator Circuits	45
1. Fixed Pitch Oscillator	45
a. I/O Characteristics	46
b. Components Considerations	46
2. Variable Pitch Oscillator	47
a. I/O Characteristics	48
b. Components Considerations	48
3. Amplitude Oscillation	49
a. I/O Characteristics	49
b. Components Considerations	49
iv. Frequency Detector	50
v. Volume Amplification	51
1. Voltage Controlled Amplifier (VCA)	51
a. I/O Characteristics	52
b. Amplifier Specs	53
2. VCA Processor	53
a. I/O Characteristics	54
b. Amplifier Specs	54
b. Pitch-to-MIDI Converter	56
i. Meeting Specifications and Requirements	56
ii. Data Structure and Transfer	57
iii. Biasing Network	58
iv. Envelope Follower	58
v. Differential Amplifier	59
vi. Buffer and Low-pass Filter	59
vii. Threshold Comparator	60
viii. Integrated Circuits	60
1. Shift Registers	61
2. Atmel Atmega	62
3. Generic Operational Amplifiers	62
4. Phototransistor Optocoupler	63
ix. Modes	64
1. Pitch Mode	64
2. Controller Mode	65
3. Arpeggiator Modes	65
a. Arp 1	66
b. Arp 2	67
x. Preserving Analog Audio Subcomponent	67
c. Expandome	68
i. Meeting Specifications and Requirements	68
ii. Hardware	69

1. Button Related	69
a. Button Pads	70
b. Button PCBs	70
2. LED Related	71
a. LED Selection	71
b. Rset	72
c. Driver	72
3. Data Transfer	73
a. Shift Registers	73
b. MIDI	74
4. Embedded Systems	74
a. Atmega	75
b. SD Card	75
5. Power Related	76
6. Preserving Analog Audio Subcomponent	76
iii. Software and Embedded Systems	77
1. Embedded Programs	77
a. Primary Expandome Routine	78
b. Default Programs	78
i. Pitch-to-MIDI	79
1. Mode Selection	79
2. Data Display Console	80
ii. Expandome	80
1. Virtual Grid Display	81
2. Button and Row Assignment	81
a. SD Card Reading	82
iii. Theremin	82
1. Pitch Trainer	83
2. Device Recognition & MIDI Software Interaction	83
d. Power Supply	84
i. Theremin	84
ii. Pitch-to-MIDI	85
iii. Expandome	85
iv. Passing Power and Distribution	86
v. Power Options	87
1. Battery Power	87
2. Wall Power	88
3. USB and MIDI Power	88
vi. Regulation and Accuracy	89
vii. Voltage and Current Output	89
e. Enclosure	90
i. Theremin	90
1. Aesthetics Consideration	91
2. External Interference Consideration	91
ii. Pitch-to-MIDI	92
1. Aesthetics Consideration	92

2. External Interference Consideration	92
iii. Expandome	93
1. Aesthetics Consideration	93
2. External Interference Consideration	93
3. 8x8, 4x8, and 4x4 Grids	94
7. Prototyping & Build	95
a. Theremin	95
i. Antenna Construction	95
ii. PCB and Routing	96
iii. Build Discussion	97
b. Pitch-to-MIDI Converter	97
i. PCB and Routing	97
ii. Build Discussion	99
c. Expandome	100
i. PCB and Routing	100
ii. Build Discussion	101
d. Enclosure and Craftsmanship Discussion	102
8. Test	103
a. Theremin	103
i. I/O Characteristics	104
ii. Frequency Response	106
iii. Tuning	107
iv. Sound Quality Discussion	108
v. Troubleshooting	109
vi. Confirming Specifications Met	110
b. Pitch-to-MIDI Converter	111
i. I/O Characteristics	111
ii. Pitch Accuracy	112
iii. Latency	112
iv. Troubleshooting	113
v. Confirming Specifications Met	114
c. Expandome	116
i. I/O Characteristics	116
ii. Embedded Systems	117
iii. Interaction with External Software	118
iv. Troubleshooting	119
v. Confirming Specifications Met	120
d. Power Supply	121
i. Battery Power Efficiency	121
ii. Wall Power Efficiency	122
iii. USB and MIDI Power Requirements	122
iv. Power Switching	123
v. Confirming Specifications Met	123
e. Full Build	124
i. Data Transfer and Latency Across All Devices	124
ii. Power Cascade Across All Devices	125

iii. MIDI Performance via DAW	125
1. musical notation	125
2. pitch	126
3. velocity	126
4. control signals for parameters	127
5. ON and OFF Event	127
iv. Troubleshooting	129
9. Administration	130
a. Milestones	130
b. Budget and Finance	131
c. Donors and Funding	132
10. Project Summary	132
11. Conclusion	133
12. Future Work	133
13. Appendix	134
a. Acronyms and Nomenclature	
b. Alternative Device Configurations	
c. Alternative Expandome Uses	
d. Alternative Internal Theremin Configurations	
e. Alternative Theremin Uses	
f. Build Log	
g. Code	
h. Extraneous Figures	
i. Instructions	
i. Theremin	
ii. Pitch-to-MIDI	
iii. Expandome	
iv. Digital Audio Workstation and External Software	
v. Full Build	
j. Optional Modules	
k. Parts Lists	
i. Theremin	
ii. Pitch-to-MIDI Converter	
iii. Expandome	
1. 8x8	
2. 4x8	
3. 4x4	
l. Schematics	
m. References	