

DOVA

Integrator REST contract | v1 | September 2026

Integrator Guide

Status: Active · Last updated: 2026-09-01 · Author: Dozer

Audience: partners and apps that call DOVA over HTTP

Version: `v1`

This is the public contract. Import [OpenAPI](https://api.dova.dntech.id/api/v1/openapi.json) into Postman or Bruno. Storefront: dova.dntech.id.

01 Base URL

Every JSON endpoint is under `/api/v1`.

Environment	Base
Production	`https://api.dova.dntech.id/api/v1`
Local	`http://localhost:3000/api/v1`

Discover the API:

```
```http GET /api/v1 ```
```

```
```json { "service": "dova-api", "version": "v1", "health": "/api/v1/health", "openapi": "/api/v1/openapi.json" } ```
```

Product images are not under `/api/v1`. Use the `imageUrl` returned on a product (often `{host}/uploads/...`).

02 What you can integrate

You are	Typical flow
Catalog / listing partner	No login. `GET /categories`, `GET /products`
Customer app	Register or login -> cart -> order -> Paystack checkout
Supplier / admin	Same host, extra role. Not a separate API key product

There is no API key today. Customer, supplier, and admin use the same REST API with a JWT (`Authorization: Bearer`).

03 Authentication

1. `POST /api/v1/auth/login` (or register). 2. Read `accessToken` from the JSON body. 3. Send it on every private request:

```
``` Authorization: Bearer <accessToken> ```
```

Access tokens last 15 minutes. Refresh with `POST /api/v1/auth/refresh` and body `{ "refreshToken": "..." }` (or the `refreshToken` cookie). Prefer Bearer over cookies when your app is not on `dova.dntech.id`.

#### Roles

Role	Can call
*(none)*	Catalog, health, OpenAPI, contact, register/login, Paystack webhook
`customer`	Cart, orders, payments initialize/verify, profile
`supplier`	Own products and supplier orders (account must be approved)
`admin`	`/api/v1/admin/*`

Missing token -> 401. Wrong role -> 403.

#### Register a customer

```
```http POST /api/v1/auth/send-registration-code Content-Type: application/json
```

```
{ "email": "ada@company.com", "fullName": "Ada Okonkwo" } ```
```

A 6-digit code is emailed. (On localhost without Resend, the API process logs `[Reg OTP] email: 123456`.)

```
```http POST /api/v1/auth/register Content-Type: application/json
```

```
{ "fullName": "Ada Okonkwo", "email": "ada@company.com", "password": "password123", "confirmPassword": "password123", "code":
```

```
"123456", "rememberMe": true } ```
```

Response includes `user`, `accessToken`, `refreshToken`, and `message`. Passwords are never returned.

## Login

```
```http POST /api/v1/auth/login Content-Type: application/json
{ "email": "ada@company.com", "password": "password123" } ```
```

04 Errors

JSON (Nest):

```
```json { "statusCode": 400, "message": "Invalid verification code", "error": "Bad Request" } ```
```

HTTP	Meaning
400	Bad body, OTP, min order, payment amount mismatch
401	Not logged in or bad Paystack webhook signature
403	Authenticated but wrong role
404	Product / order / payment not found
429	Rate limited

Money: request/response amounts are naira (NGN). Paystack charges in kobo (×100) on their side.

Minimum order: pickup N3,000, delivery N5,000. Below that, create-order returns 400.

### Rate limits (per IP, 60s window)

Limit	Endpoints
10	login, register, send-registration-code, verify-otp, reset-password
5	resend-otp, forgot-password
20	refresh
10	supplier register
100	most other routes
none	`POST /api/v1/payments/webhook`

## 05 Catalog (no auth)

```
```http GET /api/v1/health GET /api/v1/categories GET /api/v1/products?search=&categoryId=&page=1&limit=20 GET
/api/v1/products/{id} ```
```

`GET /products` response:

```
```json { "data": [ { "id": "uuid", "name": "Fresh Tomatoes", "description": "...", "price": 25000, "stockQuantity": 10, "categoryId": "uuid",
"categoryName": "Vegetables", "supplierName": "?", "imageUrl": "https://api.dova.dntech.id/uploads/?", "isActive": true }],
"pagination": { "page": 1, "limit": 20, "total": 40 } } ```
```

## 06 Customer checkout

All of these need `Authorization: Bearer`.

Method	Path	Body
GET	`/api/v1/cart`	-
POST	`/api/v1/cart/add`	`productId`, `quantity` (1 or more), `deliverySlot`: morning or evening
PUT	`/api/v1/cart/items/{id}`	optional `quantity`, `deliverySlot`
DELETE	`/api/v1/cart/items/{id}`	-
POST	`/api/v1/orders`	`deliveryName`, `deliveryPhone`; optional `fulfillmentType` (pickup or delivery), `deliveryAddress`
GET	`/api/v1/orders`	-
GET	`/api/v1/orders/{id}`	-

POST	<code>`/api/v1/payments/initialize`</code>	<code>`orderId`, `amount` (must equal order total)</code>
GET	<code>`/api/v1/payments/verify?reference=`</code>	-

Initialize response:

```
```json { "authorization_url": "https://checkout.paystack.com/?", "reference": "DOVA-?", "mode": "paystack" } ```
```

``mode`` is ``paystack``, ``paystack_test``, or ``mock`` (no secret key on the server). Send the user to ``authorization_url``, then call verify.

``POST /api/v1/payments/webhook`` is for Paystack, not for your app. Do not call it from a client.

Profile: ``GET/PATCH /api/v1/auth/me``, ``POST /api/v1/auth/change-password``.

07 Other routes (same API)

Area	Prefix	Auth
Contact form	<code>`POST /api/v1/contact`</code>	Public
Supplier apply	<code>`POST /api/v1/suppliers/register`</code> (multipart, file field <code>`verificationDocs`</code>)	Public
Supplier ops	<code>`/api/v1/suppliers/products`, `/orders`</code>	<code>`supplier`</code>
Admin	<code>`/api/v1/admin/...`</code>	<code>`admin`</code>
Feedback board	<code>`/api/v1/feedback/...`</code>	Mix of public and JWT

08 Copy-paste

```
```bash BASE=https://api.dova.dntech.id/api/v1
```

```
curl -sf "$BASE/" curl -sf "$BASE/health" curl -sf "$BASE/products?limit=5"
```

```
curl -sf "$BASE/auth/me" -H "Authorization: Bearer $ACCESS_TOKEN" ```
```

## 09 Support

- Production health: ``GET https://api.dova.dntech.id/api/v1/health``
- OpenAPI: ``GET https://api.dova.dntech.id/api/v1/openapi.json``
- QA Postman list (internal): [DOVA-API-QA-POSTMAN.md](./DOVA-API-QA-POSTMAN.md)

Author: Dozer · 2026-09-01