
Environment III | the four recorded role transitions

Each row shows the immediately preceding saved node, the shared milestone, and the immediately following saved node.


S1 before | node 178 (0-based)
A1 → A2 active; incoming edge 3 / outgoing 4

A1 active




S1 shared milestone | node 179 (0-based)
A1 → A2 active; incoming edge 3 / outgoing 4

A2 active on outgoing edge




S1 after | node 180 (0-based)
A1 → A2 active; incoming edge 3 / outgoing 4

A2 active




S2 before | node 247 (0-based)
A2 → A1 active; incoming edge 4 / outgoing 5

A2 active




S2 shared milestone | node 248 (0-based)
A2 → A1 active; incoming edge 4 / outgoing 5

A1 active on outgoing edge




S2 after | node 249 (0-based)
A2 → A1 active; incoming edge 4 / outgoing 5

A1 active




S3 before | node 391 (0-based)
A1 → A2 active; incoming edge 7 / outgoing 8

A1 active




S3 shared milestone | node 392 (0-based)
A1 → A2 active; incoming edge 7 / outgoing 8

A2 active on outgoing edge




S3 after | node 393 (0-based)
A1 → A2 active; incoming edge 7 / outgoing 8

A2 active




S4 before | node 491 (0-based)
A2 → A1 active; incoming edge 9 / outgoing 10

A2 active




S4 shared milestone | node 492 (0-based)
A2 → A1 active; incoming edge 9 / outgoing 10

A1 active on outgoing edge



S4 after | node 493 (0-based)
A2 → A1 active; incoming edge 9 / outgoing 10

A1 active



Switch markers refer to edge roles, not an instantaneous physical action; node poses remain unchanged. All frames are exact saved configurations.

Source mesh frames / aligned discrete qualification only; native TCP mismatch retained. No interpolation, new solve, IK, collision query, or CCD.