Reflection Report

Current product and role-based analysis

Xuerui Huang, Bin Wang and Yonghui Dai

Updated 24 October 2026. ROLE-BASED REFLECTION DRAFTS. The group discussion and first-person passages analyse the written case and current reference product. They are not statements supplied by the named students or records of their participation. Actual technical observations are attributed to the assistant.

Technical choices and learning

The current product combines a desktop GUI and terminal interface with the same LoanService and SQLite repository. Adding Tablet and Microphone extends the fixed inventory without adding a device subclass hierarchy. The required phone field crosses every layer: input, validation, data object, database query, saved history and tests. This makes a small requirement change a useful example of tracing data through an object-oriented system.

Persistence now includes migration. Older loan rows cannot supply a contact that was never collected, so the repository adds an empty default and the interface shows Not recorded. Keeping IDs, timestamps and active status matters more than making old rows look complete. Current assistant execution passed 12 business/storage checks, 8 GUI checks and 12 acceptance checks. Windows execution remains unverified.

Teamwork and scope

The baseline two-sprint case remains an illustrative coordination model. The later owner requests add GUI access, Windows startup, two devices and phone collection. They should be recorded separately from the earlier meeting example. The current planning estimate is 66 hours and NZD 2,211; equal estimated allocations do not prove equal contribution. Cross-explanation and a review of one complete borrowing path would provide stronger evidence of shared understanding.

Cultural considerations and Te Tiriti

A phone requirement changes the discussion of protection. The product now retains contact details locally without login or encryption, so demonstrations use fictional data and real use needs an agreed data approach. Partnership calls for appropriate input, participation requires room to change the requirement, and protection includes examining what is collected and retained. Unicode preservation is a technical property, not cultural approval. No Kaiārahi guidance or community sign-off is established.

Next review

Run the extracted release on the presentation computer, including Windows if that is the target. Each member should explain one component owned by another role and record any unresolved question. Then connect actual feedback, changes and tests to the published source version. Replace these role drafts with the members' own examples of technical learning, cultural challenges and teamwork.

Xuerui Huang

Requirements, coordination and interface

SIMULATED ROLE EXAMPLE. Review this reasoning and replace proposed actions with your own actual contribution and learning before using it as a personal account.

Technical learning

In this role, I would connect the GUI to observable requirements rather than treat the window as a separate project. Equipment selection, name/alias input and the required phone must lead to the same loan rules as the terminal interface. A successful operation should update availability and history; a rejected phone must leave the database unchanged. The current six stories and backlog make those expectations explicit.

Evaluating scope and teamwork

The owner's later requests add Tablet, Microphone and a phone contact to the original case. I would record that change after the baseline sprint example, check the new acceptance criteria with Bin and ask Yonghui to verify persistence. The 12-hour extension allowance is an estimate for adaptation and review. It does not establish that I completed four extra hours or that the team accepted the current estimate.

Cultural considerations and Te Tiriti

Partnership would involve an appropriate advisory route before treating contact collection or wording as culturally settled. Participation would allow people to question whether a phone is necessary and suggest accessible ways to complete the workflow. Protection would include examining purpose and retention, not only preserving macrons. The current demonstration uses fictional contacts; no adviser review is represented.

A specific next action

I would give the classroom operator a borrowing-and-return task without coaching and record completion, incorrect selections and questions. The task should include a missing phone, a valid fictional phone and a return selected from history. I would then ask the other two members to review the wording and connect any resulting change to its requirement and Git version.

Bin Wang

Domain model, business rules and integration

SIMULATED ROLE EXAMPLE. Review this reasoning and replace proposed actions with your own actual contribution and learning before using it as a personal account.

Technical learning

The phone change shows why the interfaces should call a shared service. LoanService trims and checks the contact format before creating a loan; both GUI and CLI receive the same rule. The repository stores the value and returns it in a Loan object. The database also enforces one active loan per device. This combines readable validation with a stored integrity constraint.

Evaluating design and scope

Tablet and Microphone use the existing Equipment model and fixed IDs 4 and 5. A subclass hierarchy would add complexity without a different behaviour to model. Migration adds a column to the earlier schema and preserves historical rows. I would review one request from widget to service to database with Xuerui, then ask Yonghui to check the stored result and restart behaviour. The actual current implementation and checks were assistant-supported; this draft does not establish my contribution.

Teamwork, culture and Te Tiriti

Shared understanding matters when names and phone contacts move across components. Partnership and participation would require relevant input before the team treats a data requirement as final. Protection includes recognising that a local SQLite file is not protected merely because the screen is a desktop application. The prototype has no login or encryption, and fictional demonstration details do not establish readiness for real campus use.

A specific next action

I would record a review of duplicate borrowing and invalid phone input with another member. We would identify the service check, confirm that the loan count is unchanged on rejection and return the selected loan using its Loan ID. The review would name the source commit, note any part either person could not explain and keep operational or cultural questions open for appropriate guidance.

Yonghui Dai

Persistence, testing and evidence

SIMULATED ROLE EXAMPLE. Review this reasoning and replace proposed actions with your own actual contribution and learning before using it as a personal account.

Technical learning

The current persistence requirement includes contact details and an upgrade path. A useful check opens an earlier no-phone database, records its original rows, opens it with the new repository and compares IDs, names, timestamps and loan status. Missing historical contacts should remain blank and display Not recorded. Reopening must not add the seed devices again. These checks test preservation rather than the appearance of a complete table.

Evaluating the current evidence

Current assistant execution passed 20 unittest methods, including eight GUI methods, and 12 acceptance checks on macOS. The GUI methods use real Tk widgets with temporary databases. The Windows batch launcher is implemented but was not executed on Windows. I would keep that distinction visible and avoid describing skipped GUI checks, a reviewed launcher or a Git upload as proof that I ran a presentation-machine test.

Teamwork, culture and Te Tiriti

I would circulate a short review record for correction and connect each observed result to its source version and criterion. For cultural questions the record also needs to identify who supplied guidance and how it may be used. Partnership requires appropriate involvement; participation requires a chance to influence the phone requirement; protection includes examining access and retention. The prepared questions contain no adviser endorsement, and Unicode handling cannot fill that gap.

A specific next action

My next action would be a clean extraction on the actual Windows presentation computer. I would record its Python/Tk environment, create a fictional loan with a phone, return it, restart and compare the stored history. I would also check how a migrated old record displays. Bin could review the result against the criteria, while any failure or unresolved data concern remains open.