acaristan.py

p

p

p

p

p _

p _

_

p_ _

_p

_p

_

_p_

_p_

_

_

_

p_ _

_ _

_ _

__

__

_

__

_

__

__

_

_

p pp

__ p

__ p p

p

p_

p_

p_

p__

_

_ _

_p_

__ []

_ _pp

__ __

_ _ p p

_ _

_ _p_ p p

_

_ _

p _ _p_ _ _ _

_

__ p

_p_

_

__

_ _

_ _ p

_ _p _

_ _ _

_ _ _ _ __

_ __ _

_ _ __

__

__

__

_

__ p_

_ _

__

__ _

__

_ _

_p_ _

_ _ _ p

__ _

__ _

_ _ { _ }

_ __ _p

p

___ ___

_p

__ _ _ __

___ p__ _

___ __ _

___

p_

___

_p _p_

p

p

p p

pp_

p p

p

_ __ _p

__

_ _

__p

p

__p

_ _

p p

_ _ __p

pp _p_

pp p

_p_

p | p

p | p

_ p p_

_p_

p

p _

_

_ _

_

_

pp {[ ][]}

p p

pp {}

p p_ p

p _

_

_p _

p p

p p {}

_ _p_

p

_ _ _ p _

_ _ _ _

p_ _ _

_ _ _

_p

_p _p _

p p

_p

_ p _

p p

_

_

_ __p

_ _ _ _

_ _

_

_ p

so e 0 e oud ese 0

so e 8 sea ea ese 0

so e a0 easedse 00 5 *

so e a0 00 soe

o suess:

a

e soe :

a S

e soe 8:

a

e soe 68:

a

e soe 5:

a

ese:

a

eu

s: .osesed

sosed: .sosed

sos: .sos

aua: aua

es: easedse 60:0d:easedse 60:0d

aseed : aseed

aosused: aosused

eoud: eoud

seaea: seaea

soe: soe

a: a

de da soseesee:

oose a sae so o e aa o oue.

oba soes

eu.daeubaoud

d ae.Suae G ae.S

d .0 0 0 80

see.bd 0 0

ee S S SO so seeuose e ese O U S S

sub e oose a so o oee use o e e aa.

soseeuose e

ese oose a es sa e e o oue o.

e ae.o.S soosoas bodue.e deee ue

sub oeas a.edesube ue 55 55 5

see.be e. ed 86

see.bsub sub.e d 36

soes

daa saesse.oaddaa

ouse ae.ouse. eos

ad ad 60 30

a 8

sa ad * 3 a *

0

o ae3:

sa * ad a

e ae.e ad a d

soes.aede

so daasos

seeabe so seeuose e o so.e oued

oeed e.o deoouse ad seeabe

ad ae.Su aead ad ae.S

ad. 8 38 oeed ese 50 o seeabe ese 8

ae.da.e ad OG oeed ese 50 50 55 o se eabe ese 5 8 05 ad.e e oeed ese

ae.da.e ad U 0 0 ad

see.bad

eade oe a.edeS SO ue OG oeed ese 0 80 0

see.beade 0

so.eou ed:

saus o o.ede ue 0 0 35

sso so .easoe edabe aa saed

oeed s o.easo eedsso

oeed:

S O

ss o

ese:

OGSS

ss o

e O : so.e oae 00:00

udaed U : saesse.oaesaso.euda eda

ese:

saus o o.ede ue 0 0 0

O G

Sa a e aa

e O : :

udaed U : ee

see.bsaus 58

o e eueae :30 e udaed :

o 0 0 60 ! 0 ese 80 0 80

su oeasa.edee ue o

see.bsu 6 * 8

oe O US SO seeabe ese

o oe asa.ede oe ue OG oe ed ese 0 5 00

see.bo ad o.ed ad 3

oo e oea sa.edeSa e e: saedaa.so ue 85 0 5

see.booe ooe .ed G 0

de sa bed aeouse:

Sa a ue os e esa see. o aea sae s aed ee.

oba bee bed asbeeas

bee 0

bed d

asbee as 0

aud o.aadosa oue0.

aud o.aeu oue0.35

de sbe:

d e ose b e ad ee aea.

oba aesae

bed aeouse:

.sasso eseeeue

aesae G

ae.ouse.se sbease

de da besee :

a sa sso be eseao see . ose o.

oba asbe eas

bee

aoud: ea bue da ade o adeoba deede.

o aeG :

G

o * 6 8 * 5 *

ae.da.esee o 0

o sa bads sa ose.

ado.ado

o ae55:

.ad0

.ad0 G

sade .ad 3

see.sea sade sade sade 0

o ae * 6 G 6:

ae.da.esee 0 0 0 3 0

see * . G 0 60

see ae.Suae 80 ae.S

o ae80:

a 36 * abs 0 0

ae.da.esee 5 0 60 a0 a 0

see.bsee 0 see

a ea ae. deae so o saus es ad obees do o .

ae ae 860 0 0

ae ae

ae G ae

ae ae.Suaeae ae ae.S

ae.5 0 3

ae.da.eae 5 88 6 0 ae.ee

ae.da.eae U 0 0 ae

ae.da.eae 5 88 6 0 8 6 a e 8 6

see.bae ae ae

S ss.

8 80 o 5 5 0:

o ae3:

ae .ad0 ae 0

.ad

ae .ad6 6

s ae.Suaeae ae.S

s.0 0 0 .ad8 5

crnlit(tri, (gx, g))

f litlh(rf, x, , lh)

rftlh(mx(, min(2, int(lh))))

crnlit(rf, (x,))

tlh min(2, t * 7)

rw fnttrmin lmllrnr("KRAP INAL INTERCEPTED", Tr, (, 17, 22))

litlh(rw, nlx 24, nl 2, tlh)

tm fnttrminl mllrnr("FIELD CPY NVERIFIED", Tr, (19, ,))

litlh(tm, n lx nlw - tmgtwith() - 22, nl 2, tlh)

T -n titl

titltxt "MIIN BRIEFIN"

titlchr min(ln(titltxt), mx(, (t - 2) 2))

if titlchr > ltrifingtitlchr

ch titltxttitlchr - 1

ltwritrtick(ch, titlchr - 1, vlm9)

ltrifingtitlchr titlchr

titl gmfnt Fnt("Cnl", 4, lTr)rnr(titltxttitlchr, Tr, (22, 22, 22))

litlh(titl, n lx , nl , 2)

lc lh min(2, mx(, (t - 2) *))

lin

("PERATIN", "BLACK NTEBK"),

("LCATIN", "KILEMEN HARBR DITRICT WAREHE RW"),

("TAT", "FFH RE RI DETRYED — NKNWN ATTACK CRAFT CNFIRMED"),

vl x nlx 17

mx vlw nlw - 21

fr i, (ll, vl) in nmrt(lin)

nl 1 i * 42

ll fnttrmin lmllrnr(l l, Tr, (, 12 , 1))

Th TAT tring i lng, th mllr rmt fnt if n

vlfnt fntt rminl

vl vlfntrnr(vl, Tr, (19, 19, 17))

if vlgtwith() > mxvlw

vlfnt fntrmt

vl vlfntrnr(vl, Tr , (19, 19, 17))

litlh(ll, nlx 42, , lclh - i *)

litlh(vl, v lx, - 4, lc lh - i *)

j lh min(2, mx(, (t - 12) *))

j ivir nl 292

g mrwlin(cr n, (, , 9), (nlx , j ivir), (nlx nlw - , jivir), 1)

j titl fnttrminlrnr("BJECTIVE", Tr, (2, 1,))

litlh(jtitl, nlx 42, n l 12, jl h)

j ctiv

"Infiltrt th w rh rimtr",

"Lct n rcv r th lck nt k",

"Ec thrgh th rvic xit",

fr i, txt in nmrt(jctiv)

lh jlh - i *

llt fnttrminlrnr("■", Tr, (, 1, 21))

lin fntrmtrnr(txt, Tr, (2, 2, 19))

rw nl i * 2

litlh(llt, nlx 4, rw, lh)

litlh(lin, nlx 72, rw , lh)

B ttm tt rmt

r w int((nlw - 72) * min(1, m x(, (t - 42) m x(1, BRIEFINDRATIN - 92))))

r nl nlh - 4

g mrwrct(crn, (1, 2,), (nlx , r, nlw - 72,))

g mrwrct(crn, CKRAPBLE, (nlx , r, rw,))

rmttxt "PRE PACE T DEPLY" if t > 11 l "DECDIN FIELD TRANMIIN"

rmtcl CRANE if t > 11 l (9, 12, 14)

rmt fnttrminlmllrnr(rmttxt, Tr, rmtcl)

if t < 11 r (gmtimgttick() 4) % 2

litlh(rmt, WIDTH 2 - rmtgtwith() 2, nl nlh 22, min(2, t *))

rwcnlin(crn)

rwvigntt(crn, trngth1)

f lvrg()

""" mll vlr hrtct fr tting cmign ntr int"""

gll gmtt, miincmltv

rg t(rgv1)

if "--v-miin2" in rg r "--m2" in rg

trt t th fll Miin 2 intr ctcn, thn ntr gml nrmll

gcmiintrttim gmtim gttick()

gcmiinntim

miincmlt v Fl

start_cutscene(gc.mission2_intro_shots, "MISSION2", use_fades=False)

game_state = "CUTSCENE"

pygame.mouse.set_visible(True)

elif "--dev-mission2-game" in args or "--m2-game" in args:

Skip the intro and spawn directly into Route 12 gameplay.

gc.mission_start_time = pygame.time.get_ticks()

gc.mission_end_time = 0

mission_complete_saved = False

gc.start_mission2(preserve_timer=True)

game_state = "GAME"

pygame.mouse.set_visible(False)

_apply_dev_args()

───

MAIN LOOP

───

running = True

while running:

mouse_x, mouse_y = pygame.mouse.get_pos()

keys = pygame.key.get_pressed()

if hasattr(audio, "update"):

audio.update()

pygame.mouse.set_visible(game_state not in ("GAME", "WALK"))

for event in pygame.event.get():

if event.type == pygame.QUIT:

running = False

if not transitioning:

if game_state == "SLOT_SELECT":

if event.type == pygame.KEYDOWN and event.key == pygame.K_ESCAPE:

game_state = "MENU"

if event.type == pygame.MOUSEBUTTONDOWN and event.button == 1:

data = save_system.load_data()

for i, rect in enumerate(_slot_rects):

if rect.collidepoint(mouse_x, mouse_y):

if slot_select_purpose == "continue" and not data["slots"][i].get("occupied"):

continue

save_system.select_slot(i)

audio.play("menu_click", volume=0.5)

if slot_select_purpose == "new":

save_system.start_new_campaign(i)

gc.mission_start_time = pygame.time.get_ticks()

gc.mission_end_time = 0

mission_complete_saved = False

start_cutscene(gc.cutscene1_shots, "WALK", use_fades=False)

trigger_transition("CUTSCENE")

else:

slot = save_system.get_slot(i)

if slot.get("last_completed_mission") == "MISSION_1":

gc.mission_start_time = pygame.time.get_ticks()

gc.mission_end_time = 0

mission_complete_saved = False

start_cutscene(gc.mission2_intro_shots, "MISSION2", use_fades=False)

trigger_transition("CUTSCENE")

elif slot.get("last_completed_mission") == "MISSION_2":

menu_notice = "MISSION 2 COMPLETE — MISSION 3 NOT AVAILABLE YET"

menu_notice_timer = 220

game_state = "MENU"

else:

menu_notice = "SAVE SELECTED — NO CHECKPOINT RESUME YET"

menu_notice_timer = 200

game_state = "MENU"

break

elif game_state == "MENU":

Page 1

[]_ _ _ ___

_ _pp

_ _

[]_ _ _

_ _pp

_ _

[]_ _ _

p_

p_

p_ _

_

[]_ _ _

_

[]_ _ _

_

p p p_

p_

p_

p__

p_

__p_

_

_

p p p_

_p_

__

_p_

__

p_

_p_ __p_

p p

p_

_ _

p_

__p __p []

p __p

__p

p p

__ _

_ _ p_ _

_

_ _p _ _

_p_

__ p_ _

_p_

_p_

__p _ _

__

_ __

__

_

_[][]

_ _

_p__ _ _ _

_

_ p

__

_

__

_

_ p _ _

p_

p_

p_

_ _

_p_

_ __

_ __

_

_

__ _ _ __

_ __ _ _

_ _

_

___

_ _

_ p_ _ _

_ p _ _

p _

p_

p p

_ __p_ _

p_

p__

p_

_

p p p_

_

p p

__ _

__ p _ _

_

__ _p _ _

__ __ _

__ _p _ _

__ __ _

_p __ p_ _

_ _p_ _

pp_p_ _

_p __ p_ _

_ _p_ _

pp_p_ _

__ _p _ _

_ _

__ _

__ _p _ _

_ _

__ _

_

p p p_

__ [_ _]

__ []

__ []

p_ p _ __

p_ _

p _

__ _ _

p _

__

_ _

_ _

_ _

_

_ _ p _

_ _

_

_ _

_

_ p_

_

_ p_

_p_

_

_

_ _

_p_

_p_

p _

_

_

_

p p p_ p_

_

_

p p p_

p_ _

_

p p p_

__

___ __

_ __ __

_ _

p p p_

__

_

_ _

p p

p

p p p_ p_ p_ p _

_

__

ee.e ae.O ad ee.e ae.S ae.e ae.U:

.dsssoe

e .saeeadae:

ee.e ae.OUSUOO a d ee.buo :

.adeead ee.os

e ee.e a e.O:

ee.e ae.S:

.saeeadae ase

ae.ouse.se sbease

e se:

.adeeadeessee.e

ese:

ee.e ae.OUSUOO a d ee.buo :

.uo :

.adeo eee.os

e se:

.adesoo

ee.e ae.OUSUOO a d ee.buo 3:

o .uo :

.adeo boe

ee.e ae.O ad ee.e ae.:

.adeobo e

ee.e ae.O ad ee.e ae.:

.saeoad

ee.e ae.O ad ee.e ae.e:

.uo :

.adeo eess

e se:

.adeea

ee.e ae.O ad ee.e ae.:

.adeeee

ee.e ae.O ad ee.e ae.:

.soa o .soa

ee.e ae.O ad ee.e ae. :

.debuuoe

ee.e ae.O ad ee.e ae.S:

eaesae G

aesae US

e aesa e SUS :

ee. e ae. O ad ee.e ae.S ae.U :

.ssoede ae.e.e s

aesae SSOO

ssooeee 0

ssooeeade 0

ae.ouse.sesbeue

e aesa e OOOS:

ee. e ae. O ad ee.e ae.S ae.U :

aesae G

ae.ouse.sesbease

e aesa e US:

ee. e ae. O ad ee.e ae.S :

aesae eaesae

ae.ouse.sesbease

eu.ausebuos0.s edee ouse ouse:

aesae eaesae

ae.ouse.sesbease

eu.ausebuos.s edee ouse ouse:

.esauess o

aesae G

ae.ouse.sesbease

eu.ausebuos.s edee ouse ouse:

easoU

e aesa e :

eu.deabuos0.s edee ouse ouse:

.esauess o

aesae G

ae.ouse.sesbease

eu. esedeaaa o

eu.deabuos.s edee ouse ouse:

easoU

eu. esedeaaa o

e aesa e SSOO :

ee. e ae. O ad ee.e ae.S ae.U :

e a ae sso SSO SSO:

.ssosa e ae.e.es

.ssoede 0

ssooeesa ed ase

s ausee. ssoosos SSO use adesase

easo US

ese:

easo U

U

aesae US:

useee

so aeuseesosuse esod

ade so oso aso

useeas oe 0:

useeasoe

usee asoe 8:

da so: adae s o

useesod

usee ad 0

usee e 0

useesae ae.e.es

usee asoe ade

e useea soe 0:

useeasoe

useea d esoe :

usee e S:

usee e 0

as soea0 useead

as .!?:

useee 5

e as ::

useee

e as :

useee 5

e soeus eead useead esoe ese

aeee useea d oue0.

usee ad

e aesae :

oee .udaea ses

oee:

a usee eas adeee e be a eas o ae eds.

sausee.useeso s G useadesase

eas oUS

e aesae G:

bee

bee GU O:

sbe

e aesae U:

eu.udaesee boseaao

eu.udaedsae

sae oe:

e

e 0:

sae ed

Use se ese aaabe

0 seeed eeu.sees:

see ae eu.seesseeed0

s eu.e essaeoseeseeae

ese:

s ado.oeeu.SSGS

e 0

e aesae G :

.euesdea see:

.euesdeasee ase

o .ssoede:

.sso ede ae.e.es

aesae

ae.ouse.sesbeue

eu.esedeaaao

e .euesoeboose:

aesae OOOS

.eueso eboose ase

ae.ouse.sesbeue

o uud uud.eseoeboose

ese:

as as .aeudaees

ea euessso ed ase:

gcrtmiin2ning Fl

trtct cn(gcmiin2 ninght, "MI IN2CMPLETE", fTr)

triggrtrnitin("CTCENE")

gmm tviil(Tr)

lif gtttr(gc, "rtc ctcn", Fl)

gcrtcctcn Fl

gmtt "ECAPECTCENE"

cctcntimr

gmm tviil(Fl)

lif gcr tmiincmlt

gcrtmiincmlt Fl

if nt gc miinntim

gcmi inntim gmtimgttick()

gmtt "MIINCMPLETE"

miinc mlttimr

miinc mltf

lif gmtt "E CAPECTCENE"

cctcntimr 1

if cctcn timr 1

il(" rn", vlm 4)

if cctcn timr

il("riglwm", vlm2)

if cctcn timr 1

il("miillnch", vlm2)

if cctcn timr

il("r ittic", vlm22)

if cctcn timr 7

il("t rminlglitch", v lm24)

if cctcn timr 2

il("m nclick", vlm 4)

if cctcn timr > ECAPECTCENEDRATIN

gcmiinn tim gmtimgttick()

gmtt "MIINCMPLETE"

miincml ttimr

miincml tf

gmm tviil(Tr)

--- AMBIENCE ---

if gmtt "CT CENE"

ht ctivct cnhtctcnhtix

rincn "cnwi", "cit klin", "iril rrivl", "krc nv", "rt12ch ckint", "rt12tnkr", "rt12ftrmth"

m "mintrn"

if ht"cn" in rincn

m("rin")

m("win")

tminc(m)

lif gmtt "WALK"

tminc("mintrn", "rin", "win")

lif gmtt "DEATH"

tminc("h rtt")

lif gmtt "E CAPECTCENE"

tminc("r in", "win", "mintrn")

lif gmtt "MIINCMPLETE"

tminc(t())

if miincmlttimr 1

il("miincmlt", vlm)

lif gmtt "BRIEFIN"

tminc("mintrn")

lif gmtt "AME"

if gtttr(gc, "ctivmiin", "MIIN1") "MIIN2"

tminc("mintrn", "rin", "win")

l

tminc(t())

lif gmtt in ("MEN", "MLTIPLAYER", "ETTIN", "PAED", "NTEBKINPECT")

tminc(t())

trm th min mn thm nl n mn-fmil crn

mictt nxttt if trnitining n f > l gmtt

tmnmic(mictt in MENMICTATE)

--- RENDER ---

if gmtt "LTELECT"

rwltlct crn()

lif gmtt "MEN"

mnrwmn()

if mnntictimr >

ntic fnt rmtrnr(mn ntic, Tr, C RANE)

g gm rfc((nticgt with() 2, nticgthight() 12), gmRCALPHA)

bg.fill((0, 0, 0, 190))

pygame.draw.rect(bg, (120, 70, 20), bg.get_rect(), 1)

screen.blit(bg, (WIDTH // 2 - bg.get_width() // 2, HEIGHT - 120))

screen.blit(notice, (WIDTH // 2 - notice.get_width() // 2, HEIGHT - 114))

menu_notice_timer -= 1

elif game_state == "MULTIPLAYER":

menu.draw_menu_background()

mp_connect_progress = 0.0

if mp_state == "connecting":

mp_connect_progress = 1.0 - max(0, min(180, mp_timer)) / 180.0

menu.draw_server_browser(

mp_selected,

mp_state == "connecting",

mp_kick_msg if mp_state == "kicked" else "",

mp_connect_progress,

)

elif game_state == "SETTINGS":

menu.draw_menu_background()

menu.draw_settings(settings_display_mode, settings_volume, settings_res_idx)

elif game_state == "CUTSCENE":

shot = active_cutscene_shots[cutscene_shot_idx]

t_ms = pygame.time.get_ticks() - cutscene_start_time

gc.draw_cutscene_scene(screen, shot, t_ms)

if shot["scene"] == "title_card":

lines = shot["text"].split("\n")

gc.draw_typewriter_title(screen, lines, cutscene_char_idx)

else:

if shot["scene"] in ("ocean_wide", "city_skyline", "biribel_arrival", "krap_convoy", "route12_checkpoint", "route12_tanker", "route12_aftermath"):

draw_rain(screen, gc.rain_drops, speed_mul=1.0)

screen.blit(_cutscene_fog, (0, 0))

screen.blit(_cutscene_top_fog, (0, LETTER_H))

draw_vignette(screen, strength=180)

draw_scanlines(screen)

draw_letterbox(screen)

can_continue = (pygame.time.get_ticks() - cutscene_start_time) >= shot.get("min_ms", 0)

gc.draw_dialogue_box(

screen,

shot["speaker"],

shot["text"],

cutscene_char_idx,

len(shot["text"]),

can_continue,

)

grain_frame += 1

if grain_frame >= 3:

grain_frame = 0

grain_idx = (grain_idx + 1) % len(GRAIN_VARIANTS)

screen.blit(GRAIN_VARIANTS[grain_idx], (0, 0))

── Shot transition fade ──

if abs(cutscene_transition_timer) > 0:

fade_alpha = 0

if cutscene_transition_timer > 0:

fade_alpha = int(255 * (cutscene_transition_timer / 15))

else:

fade_alpha = int(255 * (1 - abs(cutscene_transition_timer) / 12))

fade_surf = pygame.Surface((WIDTH, HEIGHT))

fade_surf.fill((0, 0, 0))

fade_surf.set_alpha(min(255, fade_alpha))

screen.blit(fade_surf, (0, 0))

elif game_state == "BRIEFING":

draw_briefing_screen()

elif game_state == "WALK":

Page 2

__

_

_

_

_ _ _

_[_]

_

__ _

_

_

_

_ _ _

_[_]

__

__p

_ _

__ p_ p_ _

_ _

__ _

__ p

_

__ _

_

_

_

_ _ _

_[_]

_p_

_

__ _

_

_

_

_ _ _

_[_]

__

_ _

_p_

_p_ _p_

_ p_

p _ _p_

_

_ __ p

_

p [_]

p

{_p _p }

_ __ p

_

p [_]

p

{_p }

_p _

p

_p _

_ _ p_

_

_

_

_

_ _

_ _

_ _

p _ _ p

_ _

p _ _ p

p _ _

p _

_ _

__ p

_p p

p

_ _ _

p

_ _

_ _ _

_ _

__

_ _ _

_ _p _

p

_ _

__ _ _ _

_ _p _

_ p

_ _

___

_ _ __

_ _p _

p

p_ _ _p

p _ p_

__p

_ _ p _

_ _p _

_ _ _ p

_ _

_

__

_ _ _

_ _p _

p

_ _

_ _ _

_p _

_ _ p_

p _ _p_

[

p[ ]

p[_]

{p[ ]}

p[_]

p[_ p]

p[_]

p[_]

p[]

]

_ _

_ _

_

_

__

_ p_

_ p

_

_ _

_ p_

_p _

p p

_ p

q

p

_ _

_ _ _

q

_p _

q_ _p _

_ _

__q_ p

_p q_

_ _

q _

__q

_

q_p q_

q

_ _ q_

_

p

ad 6 ad ad 3

ad ad 6 ad ad 3

ooe oe asa.ede

G SO O ue 5 65 80

eooe

ad ad oo e.ed

ad ad 6 ss ooeeade

oue o

ssooe ee 0 ad ae.e.e s 600 0:

eo SS S O S SSO ea a esso SSO SSO ese SS S O U O U

o o b.edee o ue O G

o.sea assooe eade

see.b o

o .ed

ad ad 8

SO

aso:

adeaa adeseed

adeaa 55:

adeaa 55

adeseed

aesae esae

e adeaa 0 ad adeseed 0:

adeaa 0

aso ase

adesu.0 0 0

adesu.sea aadeaa

see.bade su 0 0

ae.dsa.

o .60

ae.u

ss.e

config.py

o ae

o a

o ss

o ado

o os

o e

de esoueaeaea:

:

basea ss. SS

ee bueo:

basea os.a .absa.

eu os.a.obasea eae a

ae.

o audo o udoa ae

audo udoaae

G 000 00

see ae.dsa.seode G ae.S | ae.S

ae.dsa.seao a o asa

o ae.e.o

80

SO

SO G

S SO S O

o ous

5 5 8

0 0 0

G 50 50 50

OG 55 0 0

GG 5 38

0 00 80

O 0 0 5

UO 60 0 50

S 0 80 0

UO 80 60 50

S 0 60 30

U 55 30 50

OO 30 0 0

50 55 50

U 35 65 0

0 30 50 80

O 0 0 0

O 55 80 50

ao oous

U O 80 60 50

80 0 0

GU O 50 55 5

G 30 30 30

UO 55 65 80

0 80 0

SG O 55 0 00 30

SG OOU 55 0 00 60

SGO 55 60 60 5

SGOOU 55 60 60 0

aa e daoue oous

S 00 60 0

00 00 00

OO 55 00 60

S 0 0 0

e od

S 6

e u

G 350

G 00

OOO 60

G 8

US 300

6

O 3

SUOU 0

O 8

o s

o e ae.o.Ssoa 80

ob ae.o.Ssoa bodue

oe a ae.o .Ssoosoas bodue

oe asa ae.o.Sso osoas

odaoue ae.o .Ssoosoas bodue

oseae ae.o .Ssoosoas 6 bodue

oo ae.o.Ssoosoas 6 bodue

oo ao ae.o .Ssoa 36

oo aosub ae.o.Ssoo soas 8

a oud ae

baea esoue aos.a.o asses b.

os.a.essbaea:

:

bae ae.ae.oadba ea.oe

bae ae.aso.saeb ae G

ee eo as e:

aed o oad eu baoud baea : e

bae ae.Suae G.oe

bae. 6

ese:

b ae ae.Su ae G .oe

b ae. 6

Ga

de aea :

s ae.Suae ae.S

o ae800:

a ado.ad 3 0

s.seaado. ad0 ado.ad0 0 0 0 a

o ae300:

a ado.ad

s.sea

ado.ad 0 ado.ad0 55 55 0 a

)

rt rn

RAINVARIANT mkgr in(WIDTH, HEIHT) fr in rng()

grini x

grinfrm

── Dr wing hlr ──

f rwkgrint(

rfc, tclr, tclr, trt CENETP, nCENEBT

fr i in rng(n - trt)

t i (n - trt)

r int(tclr (tclr - tclr) * t)

g int(tclr 1 (tclr1 - tclr1) * t)

int(tclr 2 (tclr2 - tclr2) * t)

gmrwlin(rfc, (r, g,), (, trt i), (WIDTH, trt i))

f rwiling(rfc, x, grn, w, h, cl, winc l, winlitcl,)

rng rnmRnm( )

h w gmrfc((w , h), gmRCALPHA)

h wfill((, , ,))

rfclit(hw, (x 4, grn - h 4))

g mrwrct(rf c, cl, (x, grn - h, w, h))

fr rw in rng(, h, 1)

gmrwlin(

rfc,

(

mx(, cl - 1),

mx(, cl1 - 1),

mx(, cl2 - 1),

),

(x, grn - h rw),

(x w, grn - h rw),

1,

)

fr w in rng(grn - h 12, grn - 1, 22)

fr wx in rng(x , x w - , 1)

lit rngrn m() > 4

cl winlit cl if lit l wincl

gmrwr ct(rfc, cl, (wx, w, , 12))

if lit

glw gmrfc((12, 1), gmRCALPHA)

glwfill((*winlitcl,))

rfclit(glw, (wx - 2, w - 2))

g mrwrct(

rfc,

(mx(, cl 1), mx(, cl1 1), mx(, cl2 1)),

(x, grn - h, w,),

)

f rwcitc(rfc , grn, ltt, timtick, rllx)

ilingfr

(, 1, , (22, 2, 2), (1, 1, 22), (, ,), 1),

(, 2, 7, (2, 24,), (1, 1, 22), (, ,), 2),

(12, 1, , (24, 2, 4), (1, 1 , 22), (, ,),),

(17, 22, , (2 , 24,), (1, 1 , 22), (, ,), 4),

(2, 19, , (22, 2, 2), (1, 1 , 22), (, ,),),

(, 17, , (24, 2, 4), (1, 1 , 22), (, ,),),

(, 24, 7, (2 , 24,), (1, 1 , 22), (, ,), 7),

(42, 2, 9, (22, 2, 2), (1, 1, 22), (, ,),),

(1, 1, , (24, 2, 4), (1, 1, 22), (, ,), 9),

(7, 22, 7, (2, 24,), (1, 1, 22), (, ,), 1),

(4, 19, , (22, 2, 2), (1, 1, 22), (, ,), 11),

(9, 21, , (24, 2, 4), (1, 1, 22), (, ,), 12),

(77, 17, 7, (2, 24,), (1, 1, 22), (, ,), 1),

(, 2, , (22, 2, 2), (1, 1, 22), (, ,), 14),

(9, 1, 7, (24, 2, 4), (1, 1, 22), (, ,), 1),

(9, 2, , (2, 24,), (1, 1, 22), (, ,), 1),

xfr rllx *

fr x, h, w, c, wc, wlc, in ilingfr

rwiling(rfc, int(x - xfr), grn, w, h, c, wc, wlc,)

ilingmi

(, 27, 9, ltt, (1, 1, 2), (7, ,), 2),

(, 1, , l tt1, (1, 1, 2), (7, ,), 21),

(1, 2, 1, ltt, (1, 1, 2), (7, ,), 22),

(2, , 7, ltt1, (1, 1, 2), (7, ,), 2),

(2, 2, , ltt, (1, 1, 2), (7, ,), 24),

(405, 350, 90, palette[1], (15, 15, 20), (70, 60, 38), 25),

(490, 270, 80, palette[0], (15, 15, 20), (70, 60, 38), 26),

(565, 300, 95, palette[1], (15, 15, 20), (70, 60, 38), 27),

(655, 320, 85, palette[0], (15, 15, 20), (70, 60, 38), 28),

(735, 260, 90, palette[1], (15, 15, 20), (70, 60, 38), 29),

(820, 340, 80, palette[0], (15, 15, 20), (70, 60, 38), 30),

(895, 290, 95, palette[1], (15, 15, 20), (70, 60, 38), 31),

]

px_mid = parallax * 0.6

for bx, bh, bw, bc, wc, wlc, seed in buildings_mid:

draw_building(surface, int(bx - px_mid), ground_y, bw, bh, bc, wc, wlc, seed)

lamp_positions = [80, 220, 400, 580, 760, 920]

for lx in lamp_positions:

lx_offset = int(lx - parallax * 0.9)

pygame.draw.rect(surface, (30, 32, 38), (lx_offset - 2, ground_y - 120, 4, 120))

pygame.draw.rect(surface, (30, 32, 38), (lx_offset - 12, ground_y - 122, 14, 4))

halo = pygame.Surface((60, 40), pygame.SRCALPHA)

for r in range(20, 0, -1):

alpha = int(6 * r)

pygame.draw.circle(halo, (200, 180, 100, alpha), (30, 20), r)

surface.blit(halo, (lx_offset - 42, ground_y - 136))

pygame.draw.circle(surface, (220, 200, 130), (lx_offset - 6, ground_y - 122), 4)

def draw_rain(surface, drops, speed_mul=1.0):

for i, (x, y, spd) in enumerate(drops):

ex = x - int(spd * 0.4)

ey = y + int(spd * speed_mul)

pygame.draw.line(surface, C_RAIN, (x, y), (ex, ey), 1)

drops[i] = (x - 1, ey, spd)

if ey > SCENE_BOT:

drops[i] = (

random.randint(0, WIDTH),

SCENE_TOP - random.randint(0, 40),

spd,

)

def _make_vignette(strength=130):

vig = pygame.Surface((WIDTH, HEIGHT), pygame.SRCALPHA)

cx, cy = WIDTH // 2, (SCENE_TOP + SCENE_BOT) // 2

max_r = int(math.hypot(WIDTH // 2, SCENE_H // 2)) + 10

step = 6

for r in range(max_r, 0, -step):

t = 1.0 - (r / max_r)

alpha = int(strength * t * t)

alpha = min(alpha, strength)

rw = int(r * 2)

rh = int(r * 1.15)

rect = (cx - r, cy - rh // 2, rw, rh)

pygame.draw.ellipse(vig, (0, 0, 0, alpha), rect)

return vig

VIGNETTE = _make_vignette(130)

def draw_vignette(surface, strength=130):

surface.blit(VIGNETTE, (0, 0))

def draw_letterbox(surface):

pygame.draw.rect(surface, (0, 0, 0), (0, 0, WIDTH, LETTER_H))

pygame.draw.rect(surface, (0, 0, 0), (0, HEIGHT - LETTER_H, WIDTH, LETTER_H))

pygame.draw.line(surface, (40, 40, 40), (0, LETTER_H), (WIDTH, LETTER_H), 1)

pygame.draw.line(

surface, (40, 40, 40), (0, HEIGHT - LETTER_H), (WIDTH, HEIGHT - LETTER_H), 1

)

def _make_scanlines():

sl = pygame.Surface((WIDTH, HEIGHT), pygame.SRCALPHA)

for y in range(SCENE_TOP, SCENE_BOT, 4):

pygame.draw.line(sl, (0, 0, 0, 18), (0, y), (WIDTH, y))

Page 3

__

_

_ __

p

__

_

__

[]

[]

[]

_

_

__[ ]

__[ ]

__[ ]

p _

p _

_

p p p

pp

p

p

_

p [ ]

_

ppp

_

__ []

__ []

__ []

p

p _ p[] p[ ]

_ ___

_ _

_ __

p

_

[]

[]

[]

_

_

p

p

p

p p p p p

pp p p p

p p p p p

_

p

[ ] [] []

_ ___

_ __ __

__ p

__

__

p _ _

_

p _

_

_

_

p p

_ _ [

_

_

_ _

]

p

_ _

p

_ _

_ __

p _ _

_

_

_

_

_

p

_

p

_ _ _

_

_

_

p

__ _ __

__ _ __

__ _ __

__ _ __

_ __ _

_ __

p p

p

p

_ __ _

____

p

p

p

p

se.e ado .ad5 35

se.oo oo

se.se ado .ad

de udaese:

se. se.d

se. se.d

se.d * 0.

se.d * 0.

se.e

se.se a se.e 8

de dase suae ose ose :

se.e 0:

ae.da.e

suae

se.oo

se. ose se. ose se.s e se.se

ass as:

S G SG 8

80

de se eeae:

se. se.

sead ado.u o0.3 0.3

seed ado.u o5

se.d a.oseeae s ead * seed

se.d a.s eeae s ead * seed

se.o ado.uo0 a. *

se.oseed ado.uo0. 0.

se.e se.

se.ouded ase

de ese:

eu ae.e

se. se.SG

se. se.SG

se.SG

se.SG

de udaese as:

o se.ouded:

se.o se.oseed

e se. se.d

ee ae.e

e se.SG

se. se.SG

se.S G

se.S G

o as:

ee .odee:

se .d 0:

ee. . e

e se.d 0:

ee.e .

se. ee.ee

se.d * 0.3

se. oseed * 0.5

bea

ese:

se. e

e se. se.d

ee ae.e

se. se.SG

e se.SG

se.S G

se.S G

o as:

ee .odee:

se .d 0:

ee.boo .o

e se.d 0:

ee.o .bo o

se. ee.ee

se.d * 0.3

se. oseed * 0.5

bea

ese:

se. e

se.d * 0.85

se.d * 0.85

se.oseed * 0.88

absse.d 0.05 ad absse.d 0.05:

se.d 0

se.d 0

se.ou ded ue

se.e

de dase suae ose ose :

se.e 0:

eu

s se. ose

s se. ose

se.SG

se.SG

osa a.osse.o

sa a.sse.o

oes

o :

* os a * sa

* s a * osa

oes.aeds s

ae.da.oosuae 0 55 0 oes

ae.da.oosuae 0 0 0 oes

oo osas

OO 00 5 55

OO 65 8 35

OO 00 80 00

OO O 85 6

OOO G 8

OOOS 30

OO UO 0

OO G 6

OO ae.SuaeS S

OO .OO

ae.da.eOO OO 0 0 S S 3

o ae8 S 8 :

ae.da.eOO 58 6 65 6 S 6

ae.da.eOO 38 5 6 S 6

ae.da.e

OO 58 6 65 6 S 3 S 6 S 3

ae.da.e

OO 58 6 65

6 S * 3 S 6 S * 3

o

6 6 S 6 6 6 S 6 S 6 S 6

ae.da.eOO 80 8 85 3

ae.da.eOO 60 6 65

d d S S

ae.da.eOO 65 68 0 d d

ae.da.eOO 5 8 80 d d 8

o a e 0 5 0 35:

ad a.adasa e

e d a. osad * 0

e d a.sad * 0

ae.da.eOO 5 8 80 d d e e

ae.da.eOO OO d d

ae.da.eOO 00 80 0 d d

OO ae.SuaeS S a e.S

ae.da.e

OO * OO 80

0 S S S 3

ae.da.eOO *OO 60 0 S

ae.da.e

OO * OO 60

S 0 S S

a oo es

BAYDRBAE (, 2, 4)

BAYDRACCENT (, 4,)

BAYDRDARK (4, ,)

BAYDRFRAMECL (, 4, 4)

BAYDRTILE gmrfc((TILEIZE, TILEIZE))

BAYDRTILEfill(BAYD RBAE)

fr rw in rng(, TILE IZE,)

h - if (rw) % 2 l

c (

mx(, BAYDRBAE h),

mx(, BAYDRBAE1 h),

mx(, BAYDRBAE2 h),

)

g mrwlin(BAYDRTILE, c, (, rw), (TILEIZE - 1, rw), 2)

fr cl in (, TILEIZE -)

g mrwlin(BAYDRTILE, BAYDRACCENT, (cl,), (cl, TILEIZE - 1),)

fr r in (12, TILEIZE - 12)

g mrwlin(BAYDRTILE, BAYDRDARK, (4, r), (TILEIZE - , r), 1)

hnlx, hnl TILE IZE - 1, TILEIZE 2

gm rwrct(

BAY DRTILE, (, 7 ,), (hnlx - 2, hnl - , , 12), rrr i2

gm rwcircl(BAYD RTILE, (1, 9,), (hnlx 2, hnl),)

BAYDRFRAMETILE g mrfc((TILE IZE, TILEIZE), gmRCALPHA)

gm rwlin(

BAY DRFRAMETILE, (*BAYDRFRAMEC L,),

(, TILEIZE - 2), (TILEIZE, TILEIZE - 2), ,

gm rwlin(

BAY DRFRAMETILE, (*BAYDRFRAMEC L,), (2,), (2, TILEIZE),

gm rwlin(

BAY DRFRAMETILE, (*BAYDRFRAMEC L,),

(TILEIZE - 2,), (TILEIZE - 2, TILEIZE), ,

fr trckx in (, TILEIZE -)

g mrwlin(

BAYDRFRAMETILE, (*BAYDRACCENT,),

(trckx,), (tr ckx, TILEIZE), 4,

)

fr rllr in rng(4, TILEIZE, 1)

g mrwcircl(BAYDRFRAMETILE, (*BAYDRACCENT, 7), (, rllr),)

g mrwcircl(

BAYDRFRAMETILE, (*BAYDRACCENT, 7), (TILEIZE - , rllr),

)

BAYW TILEIZE *

BAYDRTILEW gm rfc((BAYW, TILEIZE))

fr x in rng(, BAYW, TILEIZE)

BAY DRTILEWlit(BAYDRTILE, (x,))

fr x in (TILEIZE, TILEIZE * 2)

g mrwrct(BAYDRTILEW, BAYDRBAE, (x, , , TILEIZE))

g mrwrct(BAYDRTILEW, BAYDRDARK, (x, , 1, TILEIZE))

BAYDRFRAMEW gm rfc((BAYW, TILEIZE), gm RCALPHA)

gm rwlin(

BAY DRFRAMEW, (*BAYDRFRAMECL,),

(, TILEIZE - 2), (BAYW, TILEIZE - 2), ,

gmrwlin(

BAY DRFRAMEW, (*BAYDRFRAMECL,), (2,), (2, TILEIZE),

gmrwlin(

BAYDRFRAMEW, (*BAYDRFRAMECL,),

(BAYW - 2,), (BAYW - 2, TILEIZE), ,

fr trckx in (, BAYW -)

g mrwlin(

BAYDRFRAMEW, (*BAYDRACCENT,),

(trckx,), (trckx, TILEIZE), 4,

)

fr rllr in rng(4, TILEIZE, 1)

g mrwcircl(BAYDRFRAMEW, (*BAYDRACCENT, 7), (, rllr),)

g mrwcircl(

BAYDRFRAMEW, (*BAYDRACCENT, 7), (BAYW - , rllr),

)

── h r rnring rfc (wlkingim & miin) ──

wall_shadow = pygame.Surface((TILE_SIZE + 8, TILE_SIZE + 8), pygame.SRCALPHA)

pygame.draw.rect(wall_shadow, (0, 0, 0, 80), (4, 4, TILE_SIZE, TILE_SIZE), border_radius=4)

bullet_glow = pygame.Surface((16, 16), pygame.SRCALPHA)

pygame.draw.circle(bullet_glow, (255, 220, 100, 180), (8, 8), 6)

pygame.draw.circle(bullet_glow, (255, 255, 200, 100), (8, 8), 3)

bay_door_shadow = pygame.Surface((TILE_SIZE * 3 + 8, TILE_SIZE + 8), pygame.SRCALPHA)

pygame.draw.rect(bay_door_shadow, (0, 0, 0, 80), (4, 4, TILE_SIZE * 3, TILE_SIZE), border_radius=4)

player_shadow = pygame.Surface((36, 18), pygame.SRCALPHA)

pygame.draw.ellipse(player_shadow, (0, 0, 0, 100), (0, 0, 36, 18))

def get_scaled_mouse():

win_w, win_h = screen.get_size()

win_x, win_y = pygame.mouse.get_pos()

Maintain aspect ratio scaling

s = min(win_w / WIDTH, win_h / HEIGHT)

off_x = (win_w - WIDTH * s) / 2

off_y = (win_h - HEIGHT * s) / 2

scaled_x = (win_x - off_x) / s

scaled_y = (win_y - off_y) / s

return (int(max(0, min(WIDTH, scaled_x))), int(max(0, min(HEIGHT, scaled_y))))

state.py

"""Central game state singleton.

Everything that used to be a module-level global in game_core.py now lives

on STATE. Every submodule does:

from state import STATE

STATE.player.hp -= 10

reset() is called by mission.start_mission().

"""

import pygame

class GameState:

def __init__(self):

Persistent across missions (NOT reset)

self.show_minimap = True

self.minimap = None

self.rain_drops = []

self._footstep_timer = 0

self._walk_footstep_timer = 0

self._last_explosion_triggers = set()

self.reset()

def reset(self):

"""Reset everything that should be fresh at the start of a mission."""

─── Entities ──

self.player = None

self.enemies = []

self.bullets = []

Page 4

[]

[]

p []

[]

pp []

[]

_ []

_ []

_ []

_p_q []

_p_

_p_

__ _p

__ _p

_

_

__

__

_

__

__

__

_

p_

_

_

_

_

_

__

p_

_ []

_ []

_ []

p_

_

q_ _

q_ _p

q_p_

q_ _p

_

_

_ _p

_p_

_p

_

_

_p_

_

_ _

_p _

_p _p

_ p_p

_p

_ p

_p

_p

_

_

_ _

p

_

_q _

_

__

_ _

__

__ p

_ _p

_ _

_

_

_p _p

_ _p

__

_

_ _

_

_ _pp

q_

__p

_ _

_ _

_p_ _

_p _p

_p _

_

_

__p

_p_

_p_

_p_

_p_

_

_ _p

_

_

_ _

__

__

__

_ _

_ []

_ _p

_p _

_

_p _

__

p_ _

p_ _

__

_

_

_

_ _

_ _

_ _p

_ _

_ __

_ _

__

__

__ _

__

__

__

__

_ []

_p []

_ _

_ _

_ [ ]

game_core.py

_p p

p

p _

_

p

_p

p p

_p _

_

p

p p

p

p

p _

p

p

p _

p p

p

p

OUS

usees

a s

sso

sso

u ud

ea os

eaos

ees

ese ae s oed b as odu eee obas.

e ese soud ee S s.

OU SS

a daoueae

a daoueseae

a daouee

a daouead

a daouee

a dos

a eousebous

a eouseabous

a eouseee

aeaos

de s ssoae:

eu eaS aesso SSO SSO

oued sso eudaeda ees

de sa ssoeseeease:

Sa sso .

eu sso.sa ssoesee eeseee

de sa ssoese eease:

Sa sso : ue o oue .

eu sso.sa ssoesee eesee e

de es auesso:

esa ee aabe sso s ue ae.

sssoae:

eu sso.s assoeseeease

eu sso.sa ssoesee ease

de aeudaees:

sssoae:

eu sso.aeudaees

eu sso.aeu daees

de aeda :

sssoae:

eu sso.aeda

eu sso.aed a

de adeea:

sssoae:

eu sso.adeea

eu eaos.adeea

de debuuoe:

sssoae:

eu sso.debuuoede e

eu sso.debu uoe

ass Gaeoeoduees.oduee:

o odue ou es od aeoe obas o e oduesS.

de ease ae:

ae OU SS:

o od OUS:

asa od ae:

eu eaod ae

asaS ae:

eu ea S ae

o od OU S:

asaod ae:

eu e aod ae

ase bue oodue ae oe as o a bue ae!

de sease ae aue:

oe ase

asaS ae:

seaS ae aue

oe ue

oa: oaae o odues a oed s eeo oba s.

o od OU S:

asaod ae:

seaod ae aue

oe ue

o oe:

sue.seaae aue

o Gaeoeodue ae

o.d.udae

do: do

e: e

aae: aae

oade: oade

se: se

oued u os oede sa eaed uos s odues.

sasso: sa sso

sasso: sa sso

esauess o: esauesso

a eudae: aeu dae

a eda: aeda

a deea: a deea

debuuoe: debuuoe

ss.oduesae o

player.py

ae aae: oe e da ea o .

o a

o e

o ae

o o o

S U O S

ae sado ae.Suae36 8 ae.S

ae.da.eseaesado 0 0 0 55 0 0 36 8

ass ae:

f init(lf, x, , mxh1)

lfrct gm Rct(x, , 2, 2)

lf

lfngl

lfh mxh

lfmxh mx h

lfrthing

lflinktimr

lfwnri Fl

lfwlkccl

lfwmving Fl

lfrciltimr

lfrcilff t

lflitimr

f mv(lf, x, , wll)

lfrctx x

fr wll in wll

if lfrctcllirct(wll)

if x >

lfrctright wlllft

if x <

lfrctlft wllright

lfrct

fr wll in wll

if lfrctcllirct(wll)

if >

lfrctttm wll t

if <

lfrctt wllttm

f rrlti(lf)

"""Wrl-c i tl mzzl iti n

Mt mtch th i tl rwing rrtin in rw()

"""

lfngl

rmln 1

grifft 4

gnln 17

mzzlxtr 2

rch rmln grifft gn ln mzzlxtr

rtrn (

lfrctcntrx mthc() * rch,

lfrctcntr mthin() * rch,

)

f rw(

lf,

rfc,

fftx,

fft,

wll(),

rlctivFl,

rlrgr,

mlctivFl,

mlrgr,

ngnFl,

imvingFl,

)

rwx lfrctcntrx - fftx

rw lfrctcntr - fft

if imving n nt lfwmving

lfwlkccl

lfwmving imving

lfrthing mthin(timtim() *) * 1

rw lfr thing

── Wlk ──

if imving

self.walk_cycle += 0.12

else:

self.walk_cycle *= 0.85

sway_offset = 0.0

── Recoil ──

if self._recoil_timer > 0:

self._recoil_timer -= 1

self._recoil_offset = -3.0 * (self._recoil_timer / 8.0)

else:

self._recoil_offset *= 0.8

if self._slide_timer > 0:

self._slide_timer -= 1

self.blink_timer += 1

blinking = 2 if (120 < self.blink_timer < 140) else 0

if self.blink_timer > 140:

self.blink_timer = 0

a = self.angle

d_x = math.cos(a)

d_y = math.sin(a)

perp_x = math.cos(a + math.pi / 2)

perp_y = math.sin(a + math.pi / 2)

arm_angle = a

if is_moving:

Weapon hand lags behind direction changes

arm_angle += sway_offset * 0.06

if reload_active:

p = reload_progress

if p < 0.25:

arm_factor = 1.0 - (p / 0.25) * 0.5

elif p < 0.75:

arm_factor = 0.5

wobble = math.sin(p * math.pi * 4) * 0.08

arm_angle = a + wobble

else:

t = (p - 0.75) / 0.25

arm_factor = 0.5 + t * 0.5

wobble = math.sin(p * math.pi * 4) * 0.08 * (1.0 - t)

arm_angle = a + wobble

elif melee_active:

p = melee_progress

if p < 0.25:

t = p / 0.25

arm_factor = 1.0 - t * 0.6

arm_angle = a - t * math.pi / 4

elif p < 0.75:

t = (p - 0.25) / 0.5

arm_factor = 0.4 + t * 0.8

arm_angle = a - math.pi / 4 + t * (math.pi / 4 + math.pi / 3)

else:

t = (p - 0.75) / 0.25

arm_factor = 1.2 - t * 0.2

arm_angle = a + math.pi / 3 - t * math.pi / 3

else:

arm_factor = 1.0

surface.blit(_player_shadow, (int(draw_x - 18), int(draw_y - 6)))

body_w, body_h = 22, 14

cos_b, sin_b = math.cos(a), math.sin(a)

torso_pts = []

Page 5

[

_ _

_ _

_ _

_ _

]

_ _

_ _

_ppp _ _

pp _ _ _p

_p

_ _

_p []

[

_ _

_ _

_ _

_ _

]

_ _

_ _

_p pp_ _

pp _p

pp _p

_ pp_ _

_ pp_ _

_ pp_ _

_ pp_ _

p

_ _

_p []

[

_ _

_ _

_ _

_ _

]

_ _

_ _

_p pp_ _

pp _p

p

__ []

__ []

__ []

_ _ _ _

_ _ _ _

_ pp_ _

_ pp_ _

_ pp_ _

_ pp_ _

p

_ _[]

_ _[]

_ _[]

__ _

__ _

__ _

_p_ _ __ __

_p_ _ __ __

___ _p_ __

___ _p_ __

_

_

p

_ _ _ _

pp p

_p_ _p_ ___ ___

pp

pp[]

_p_ __

_p_

__

_

_

_

_ _

_ _

p_ _

_ _ _ p

_ _ _

_ _

_ _

_ _

_pp_ _ p

_pp_ _ p

_ _ p p_

_ _ p p_

_ _ p p_

_ _ p p_

_ _ _ _

_ _ _ _

p

__

_ _

_ _pp_ _ _pp_

p

__

_ _

_ _pp_ _ _pp_

p_ _ _ _

p_ _ _ _

p _ _ p_ p_

_

p p

__ _

__ p_ _

__ p_ _

__ p_ _ __

__ p_ _ __

pp_ _

pp_ _

q _ _

[

pp_ _ pp_ _

pp_ _ pp_ _

pp_ _ pp_ _

pp_ _ pp_ _

]

p

q __ _ _ __ __

pp

p

__ __ _ pp_

__ __ _ pp_

__ __ _ pp_

__ __ _ pp_

q __ __ _ _ __

pp

pp

_ __ _

_ __ _

p

__ __

_ _

p _ _

p

base usa a d * ed * 3

base usa a d * ed * 3

ed base ad * ed * 5

ed base ad * ed * 5

ae.da. e

suae

8 0

base base

ed ed

5

e uad

usa ad * ed * .5

usa ad * ed * .5

ae.da. esuae 8 0 3

Sa ed o do u ess bu a e o d ase odue

do us a ad * ed * 3

do us a ad * ed * 3

ae.da. esuae 80 35 35 do do

ead da d *

ead da d *

ead

ae.da.esuae 30 35 8 ead ead ead

ae.da.a

suae

50 58

ead ead ead ead ead * ead *

a 0.8

a 0.8

ae ead d * 3

ae ead d * 3

ae.da.esuae S ae ae 5

o ao 0.5 0.5:

e ae a.osa ao * 3

e ae a.sa ao * 3

ae.da. esuae 30 0 0 e e b

weapons.py

ae eaos: so eee ooo oas e oes.

o a

o ado

o ae

o o o

G S audo a e as OO

o sae o S

o e es o sa aes sae

OOO US

OOO UO 300

OOO G 0.

OOO G 0.8

ass eoe:

esse oud e eaed b a ooo a.

de se :

se.

se.

se.adus 8

se.e 0

se.ae 0

se.daae 0

de udaese ee es aee audoss:

se.e

se.daae

aeee aee.ee aee.e e aee ese se. se .

se.daae :

se.daae 0

o e ee es:

e. 0:

o ue

ds a .oe.e.e e se. e. e.ee se .

ds se.adus:

d 5 ds se.adus * 0. ese 8

e u eae eeaess .0

e. d * eu

e.ae ed ue

sa ou ea e sbeaee ase ese 3

o aesaou:

S .aes.aedae

e.e.ee ado.ad6 6

e.e.ee ado.ad6 6

55 ado.a d80 0 0

ado.ado 0.0 ad audo ss:

audoss.a 3deoso se. se. aeee baseoue0.08

eu se.e 0

de dase suae a a:

s se. a

s se. a

o se.ad us 60 s se.adus 60 ad

se.ad us 60 s G se.adus 60:

eu

eao a0.0 se.e se.ae

e 0.5 0.5 * a.s ae.e.es * 0.08

Soed eu a oud a

so ae.Suaese.adus * 3 se.adus * 3 ae.S

se.adus * 3

ado.adose. * 3 se. *

os

o ae8 :

a 8.0 * a. *

se.ad us * .uo0.5 .5

os.aed a.osa * a.sa * * 0.

ae.da.ooso 0 5 5 * e ao os

ae.da.ooso 5 8 80 * e ao os

suae.bso s s

o oae o o a a ee e

o ae.Su aese.adus * 3 se.adus * ae.S

o a

se.adus 5

se.adus 0

se.adus 0 65

:

0:

ae.da.ese

o

55 5 0 a * eao * e

se.adus * 3

se.adus * 0.5

*

* 0.

suae.bo s se.adus * 3 s se.adus

e ae o ues

aeou * eao 3

o aeaeou:

seed * 3

a seed * 0. a.s ae.e.es * 0.00

se.ad us * 0.5 5 * 0.3

s a .osa *

s a .sa * * 0.55

h int((1 (i % 4) *) * lifrti * flickr)

w mx(4, h)

tr

(fx, f - h),

(fx - w, f h * 2),

(fx w, f h * 2),

innr

(fx, f - h *),

(fx - w * 4, f h *),

(fx w * 4, f h *),

gmrw lgn(rfc, (2 , , 1), tr)

gmrw lgn(rfc, (2 , 2,), innr)

mk wi

if lifrti > 2

fr i in rng ()

rift m thin(gmtim gttick() * 2 i) * 12

mkx x int(rift) (i - 2) * 12

mk - - i *

r 7 i

mk int(2 * lifrti)

m gmrfc((r * 2, r * 2), gm RCALPHA)

gmr wcircl(m, (4, 4, 4, mk), (r, r), r)

rfclit(m, (mkx - r, mk - r))

if lifrti > 1

fr in rng (2)

mkx x rnmrnint(-int(lfri *), int(lf ri *))

mk - rnmrnint(1,)

mkr rnmrnint(4, 1)

mk int(4 * lifrti)

mk gmrfc((mkr * 2, mkr * 2), gmRCALPHA)

gmr wcircl(mk, (, 4, 4, mk),

(mkr, mkr), mkr)

rfclit(mk, (mk x - mkr, mk - mkr))

f wlllcklin(x1, 1, x2, 2, li wll)

fr w in liwll

if wclilin((x1, 1), (x2, 2))

rtrn Tr

rt rn Fl

f liwll()

t lit(TATEwll)

fr in TATEr

if clliinrct

tn(clliinrct)

rt rn t

f trtrl()

if (TATErmg <

r TATEmm inmg TATEm giz

r TATEir ling)

rtrn

TATEirling Tr

TATErltimr

il("rl", vlm)

if TATElr

fr in rng()

TATErticln(Prticl(

TATElrrctcntrx rnmrnint(-,),

TATEl rrctcntr rnmrnint(-4, 4),

(1, 1, 14),

))

f hnlht()

frm nmi imrt nmhrht

if (TATElr r nt TATElr

r TATEir ling r TATEhtclwn >)

rtrn

if gtttr(TATElr, "wnri", Fl)

rtrn

if TATEmminmg <

il("mt click", vlm)

rtrn

TATElr

if httr(, "rrl ti")

x, rrl ti()

l

bx = p.rect.centerx + math.cos(p.angle) * 39

by = p.rect.centery + math.sin(p.angle) * 39

STATE.bullets.append({

"x": bx,

"y": by,

"prev_x": bx,

"prev_y": by,

"dx": math.cos(p.angle) * 24,

"dy": math.sin(p.angle) * 24,

"life": 20,

"owner": "player",

})

enemy_hear_shot(bx, by, STATE.enemies, _solid_walls())

shake(13)

STATE.muzzle_flash_timer = 4

── Recoil — slide snaps back, hand pushes back ──

p._recoil_timer = 8

p._recoil_offset = -6.0

p._slide_timer = 6

── Camera kickback — shifts screen backwards along firing angle ──

recoil_dir_x = -math.cos(p.angle)

recoil_dir_y = -math.sin(p.angle)

STATE.cam_kick_x = recoil_dir_x * 15.0

STATE.cam_kick_y = recoil_dir_y * 15.0

── Casing ejects 1 frame after shot (visual delay) ──

eject_x = (p.rect.centerx + math.cos(p.angle) * 8

+ math.cos(p.angle - math.pi / 2) * 10)

eject_y = (p.rect.centery + math.sin(p.angle) * 8

+ math.sin(p.angle - math.pi / 2) * 10)

STATE.casings.append(Casing(eject_x, eject_y, p.angle - math.pi / 2))

STATE.ammo_in_mag -= 1

STATE.shot_cooldown = 12

STATE.shots_fired += 1

audio.play("gunshot", volume=0.7)

if STATE.ammo_in_mag <= 0 and STATE.spare_mags > 0:

start_reload()

def handle_melee():

if STATE.player_dead or not STATE.player or STATE.melee_active:

return

STATE.is_reloading = False

STATE.reload_timer = 0

STATE.melee_active = True

STATE.melee_timer = 18

STATE.melee_hit_done = False

audio.play("melee_hit", volume=0.6)

def handle_throw_bottle():

if STATE.player_dead or not STATE.player:

return

if STATE.player_bottles <= 0:

STATE.floating_texts.append([

STATE.player.rect.centerx,

STATE.player.rect.centery - 40,

"NO MOLOTOVS", (220, 60, 60), 60,

])

return

mx, my = pygame.mouse.get_pos()

world_mx = mx + STATE.camera_x

world_my = my + STATE.camera_y

dx = world_mx - STATE.player.rect.centerx

dy = world_my - STATE.player.rect.centery

dist = math.hypot(dx, dy)

if dist > 400:

Page 6

_ p

_ p

p_

_ pp{

p

p

_ p

_ p

_ _

p

p

}

p_

p __ _

_pp{

_

_ _

}

_pp

p p

p

p_ _p _

p

_ p_p

_ p_p

_ p_p

_ p_p

p

_

_

p _ _

p _ _

p pp p p

p []

p []

p

_ ___

_

__p

_

_

_

p []

mission.py

p p

p

p

p

p p

p

_ p __

p

_ p p

p p

p

__

__

p p

p __ _p__

_ __

_

_

__

__

p _ _ _

p _

_p [

_

p

_ _ _ _

_ p

__ p_

_ p [

_ _

_

_p _

_

__ _

__

__ p

__ p

__q_ p

__q

p_

_

q__

q__p

q_p_

_

_

_p

_

_p_

_p_

__

_p_p

_p _p

_p

_p

_ []

__ p

_p _

q_ _p

_p

p p_p

_

_

_

p_ __

_ _ p _

__

p

[]

[]

[]

p []

[]

[]

__

S .eeeae ase

S .eeee 0

S .eeedoe ase

S .aea S .aea 0

S .seesae 0

S .booddeas

S .ueas e 0

S .aoa

S .saeas 3 as.ae ouseabous

S .ase 0

S .sooodo 0

S .seoad ase

S .eoade 0

S .oaes

S .us

S .ooos o e

S .oadeos oe

S .OOOOS oe

S .OS oe

S .asead ase

S .aea ase

S .aeaoess 0.0

S .saeeada e ase

S .saeeadode

S .uo ase

S .uoe oess 0.0

S .esaeeoeee 0

S .esaeeoeeou 0

S .aeeadoe oe

S .seaaed ase

S .uee ue

S .oos doe ase

S .oos e 0

S .oos aed ase

S .oosed ase

S .oosbe ase

S .oodsa os oe

S .aao doe ase

S .beasae 0

S .beasae e 0

S .oeadosad ase

S .oosee 0

S .aeboes

S .oboes

S .oooes

S .eoes

S .oaes.aed

* S 3

3 * S 3

G o G o o a oo o u0 bus a aea

0 00 50

360

S .dess

: 3 * S 3

: * S 3

ue:

GU O O O:

oade ods e ae ead.

Use as ee ds o o sae aess.

eso ae ead.

ead: ase

: 0 * S 3

: * S 3

ue:

OGSS OG:

Se eaed b oad.

Sae odes oo as ee ds

o a se.

ead: ase

: 6 * S 3

: * S 3

ue:

O O:

odes o aed s o.

e ode: as 3 o s e .

o O e e u ode.

ead: ase

: * S 3

: 8 * S 3

ue: USS

ead: ase

Ooa oe des e aeouse oe

: * S 3

: 6 * S 3

ue:

O S S

3

ee : eoa o ad

e 88 u0 ed 6 os ao.

oue: S. oo.

ead: ase

ooa: ue

o od o e ueaesso a:

o od e eueaeo:

od * S o d * S

e :

S.a s.aedae.e S S

S.aeouseasse.addod od

e e :

S.a s.aedae.e S S

e e :

sba od

sae od 5

edoo oo sba

edoo. sae sae

edoo. oed sae

S.doo s.aededoo

e e :

S.a e ae 6 6 a 00 as. aeousebous

e e :

S.ee es.aede 6 6

e e :

S.o oos 3 3

e e :

oade ee e 6 6

oade ee. 50

oade ee.soade ue

oade ee.seed .

S.ee es.aedoadeee

S.o adeos oe

o e S.eees:

o e.e.ee S

o e.e.ee S

o :

e.sae O

e.seed .5

o 6:

e.ao os

6 * S 3 * S 3

* S 3 * S 3

e o 5:

e.ao os

5 * S 3 * S 3

(1 * TILEIZE 2, * TILEIZE 2),

lif cl 22

trl int

(22 * TILEIZE 2, * TILEIZE 2),

(22 * TILEIZE 2, 9 * TILEIZE 2),

lif 11 < rw < 14

tt "PATRL"

1

if gtttr(, "icmmnr", F l)

trl int

(9 * TILEIZE 2, 1 * TILEIZE 2),

(14 * TILEIZE 2, 1 * TILEIZE 2),

(14 * TILEIZE 2, 17 * TILEIZE 2),

lif cl < 12

trl int

(rctcntrx, rct cntr),

(rctcntrx * TILEIZE, rctc ntr),

l

trl int

(rctcntrx, rct cntr),

(rctcntrx - * TILEIZE, rctc ntr),

lif 1 < rw < 1

tt "PATRL"

1

trlint

(rctc ntrx, rctcntr),

(rctc ntrx 4 * TILE IZE, rctcntr),

mini Enm(1 * TILEIZE 1, 17 * TILEIZE 1)

minih 4

miniimini Tr

mini 1

TATEnmin(mini)

TATENTEBKP Nn

TATEEXFILP Nn

f initmiincil ()

TATENTEBKP Nn

TATEEXFILP Nn

fr rwix, rw in nmrt(miin1m)

fr clix, til in nmrt(rw)

x, clix * TILEIZE, rw ix * TILEIZE

if til "N"

TATENTEBKP (x 2, 2)

lif til "X"

TATEEXFILP (x 2, 2)

f triggrcivilin ff()

""" n it ff lin n wlking im chic"""

ki hl n(

ngt("hgivn") n ngt("rwr ") "kvlr"

fr n in wlking imwlknc

)

wmnhl n(

ngt("hgivn") n ngt("rwr") "intl"

fr n in wlkingimwlknc

)

if kihl

triggrrichttr(

'VAILE "Whr' gt th lt K it n"'

)

lif wmnhl

triggrrichttr(

'VAILE "If tht civilin w right, th c' lr in r h"'

)

l

triggrrichttr('VAILE "N lcl hl rch th k"')

HTWIRE WIRE

("RED", (21, , 4), "PWER FEED"),

("YELLW", (22, 19,), "BATTERY RETRN"),

("BLE", (, 1, 22), "INITIN B "),

("REEN", (7, 1, 9), "CIL WAKE"),

("BLACK", (35, 35, 38), "GROUND"),

("WHITE", (220, 220, 205), "STARTER"),

HOTWIRE_TARGET_PAIRS = {

frozenset(("RED", "YELLOW")): "POWER",

frozenset(("BLUE", "GREEN")): "IGNITION",

frozenset(("BLACK", "WHITE")): "STARTER",

def _hotwire_wire_nodes():

"""Screen-space wire end nodes for the hotwire panel."""

panel_w, panel_h = 640, 410

panel_x = WIDTH // 2 - panel_w // 2

panel_y = HEIGHT // 2 - panel_h // 2

left_x = panel_x + 112

right_x = panel_x + panel_w - 112

ys = [panel_y + 118, panel_y + 206, panel_y + 294]

Scrambled layout: correct pairs are intentionally NOT side-by-side.

return {

"RED": {"pos": (left_x, ys[0]), "side": "L", "color": (215, 55, 45), "label": "POWER FEED"},

"BLACK": {"pos": (left_x, ys[1]), "side": "L", "color": (35, 35, 38), "label": "GROUND"},

"BLUE": {"pos": (left_x, ys[2]), "side": "L", "color": (60, 130, 220), "label": "IGNITION BUS"},

"GREEN": {"pos": (right_x, ys[0]), "side": "R", "color": (70, 185, 95), "label": "COIL WAKE"},

"WHITE": {"pos": (right_x, ys[1]), "side": "R", "color": (220, 220, 205), "label": "STARTER"},

"YELLOW": {"pos": (right_x, ys[2]), "side": "R", "color": (225, 190, 55), "label": "BATTERY RETURN"},

}

def _reset_hotwire_minigame():

STATE.hotwire_stage = 0

STATE.hotwire_selected_wire = None

STATE.hotwire_connections = []

STATE.hotwire_wrong_attempts = 0

STATE.hotwire_spark_timer = 0

STATE.hotwire_fail_flash = 0

STATE.hotwire_panel_timer = 0

STATE.hotwire_message = "Panel open. Read the wire labels carefully."

def handle_hotwire_press():

"""Legacy E handler. The new hotwire is mouse-driven, so E just toggles a hint."""

if not STATE.truck_hotwiring:

return

STATE.hotwire_message = "Click one wire, then the matching wire. ESC pauses."

audio.play("menu_hover", volume=0.25)

def handle_hotwire_click(pos):

if not STATE.truck_hotwiring:

return

if getattr(STATE, "hotwire_panel_timer", 0) < 28:

return

nodes = _hotwire_wire_nodes()

clicked = None

for name, data in nodes.items():

x, y = data["pos"]

if math.hypot(pos[0] - x, pos[1] - y) <= 24:

clicked = name

break

if clicked is None:

return

Already connected wires cannot be re-used.

used = {w for pair in STATE.hotwire_connections for w in pair}

if clicked in used:

STATE.hotwire_message = f"{clicked} already bridged"

audio.play("empty_click", volume=0.25)

return

if STATE.hotwire_selected_wire is None:

STATE.hotwire_selected_wire = clicked

Page 7

_ {}

p_

__

_ _

_

p_

p

p _ _

p

_ pppp

_ _

_ _[p]

_ {}

_ _

_p _

ppp

p _

_ pp[

p p

{} _

]

_

_

p _p

pp

_

q_p_

_

_ _p

_ _

_p _

_ _

_ p

pp_

p _

_ _

_ __ p

_pp

_ _

_

_ pp[

p p

]

_p__

p p p p

p

_ _

___p

_

_p p

_

_

_

_ _

_ []

__ p

_p_

_

p _[]

p _[]

_ p

_ p

_ pp[

p p

_

]

p_

__

_p

__

_ _

__

__

p pp

__

__ p _

q __

q__

_

_ _

__ _p_

_ _

p ___

_

___p

p _

p

_ _

p

p _

_p _

_p_

__ _p

_

_ _ p _

_ _

__

p

_ _ _

p

p _[]

p _[]

__

_ _

q

_ _

_ _

_

__

p _

_ _

__

_

__

_

__

_ _

__

_

__

_

__

p _

_ _

__

_

__

_

_ _

__ p

_

p _ _ _

p _ _

p p p [ ]

p

p

p

pppp

__

_

__

_

_ _

_

_p _

_ q_

_

_p

_p

_

_

p

_

d.o ed ase

d.a eoe ue

d.a oess .0

d.o sodsabed ue

d.auae

8 S O OOS sou sde o 0

basas

3 0 0 5 0 6 0

0 5 6

baaes

8 8 6 8 8 8

3 5 5 6

o eueaeba sas:

baaes e baaes

ee e

ee.ae ed ue

ee.sa e S

ee.as seeos

ee.sabusee ue

ee.sbeaee ue

ee.eeaess .5

ee. 5

ee.eoodo 0 * 5 ado.a d0 30

ee.seed ado.uo .0 .

S.ee es.aedee

o ae0:

S.aes.aed ae 50 50 50

o ae0:

S.aes.aed ae 55 0 30

6 S O O OO os

easas

0 8

6 0

0 3 5 3

eaaes

0 8

8 6 0 6

8 6 8

o eueaeeasas:

eaaes eeaaes

ee e

ee.ae ed ue

ee.sa e S

ee.as seeos

ee.sabusee ue

ee.sbeaee ue

ee.eeaess .5

ee. 5

ee.eoodo 60 * 8 ado.a d0 5

ee.seed ado.uo .8 .

S.ee es.aedee

o ae5:

S.aes.aed ae 00 00 00

S

audo.ab ea oue0.

audo.ae oso oue0.

S.oa es.aed

5 * S 3 * S

OO !

55 00 30 0

S.oa es.aed

5 * S 3 5 * S

OS O !

55 0 0 0

eado ae

S: ee o o bo sdes! Ge o e u O!

oo0 80 60

duao 0

S.beasae 6

oo esae a ao

S.ooesaee 0:

S.ooesa ee

badoo * S 3

S.ooesaeos ad o S.ooesaed:

d 5 * S 3 S.ooesaeos0

d badoo S.ooesaeos

ds a. od d

ds 5:

S.o oesaeos0 d ds * .5

S.o oesaeos d ds * .5

ese:

S.o oesaed ue

S.oade esaeos ad o S.oade esaed:

d 5 * S 3 S .oadeesae os0

d badoo S.oadeesaeos

ds a. od d

ds 5:

S.o adeesaeos0 d ds * .5

S.o adeesaeos d ds * .5

ese:

S.o adeesaed ue

S.ooesaee 30:

eado ae

S: oo esaed! Ge a oeboo a d e ou.

S.ooesaee 0:

S.ooesaed ue

S.oadeesaed ue

so das S.as:

o d S.doos:

d.osoe :

sodas.a edd.oso e

aeoed ad.oed o d S .doos ea d sae a se

aeoed ad S .ae:

dsoosoe a.o

S.ae. e.ee 3 * S 3

S.ae. e.ee 5 * S 3

dsoosoe 80:

S.as ead:

ead bass sa oe o ae

es ae.e:

o d S.doos:

ead sae ase:

d.oed ase

d.aeoe ue

audo.adoo oe oue0.5

S.oa es.aed

d.e. ee

d.e. ee 0

G O

0

S.aea a se

S.aeaoess 0.0

ese:

o ead a ae

es ae.e:

S.aea ue

S.aeaoess .0 80.0

ae.e.e s 00 0:

audo.aeuo e oue0.

S .aeao ess .0:

o d S.doos:

if gtttr(, "igt", Fl)

lck Fl

trgt n Tr

il("rn", vlm)

TATEfltingtxtn(

r ctcntrx,

r ctcntr - 2,

"ATE HACKED",

CTERMINAL,

12,

)

TATEgthcking Fl

TATEgthckrgr

l

TATE gthcking Fl

TATE gthckrgr

l

if TATEgt hcking

TATEgt hcking Fl

TATEgt hckrgr

l

if TATEgthcking

TATEgthcking Fl

TATEgthckrgr

fr in TATEthrwn ttl

rvx, rv "x", ""

"t" min(1, "t" "")

nwx "trtx" ("tx" - "trtx") * "t"

nw "trt " ("t" - "trt") * "t"

hitwll Fl

imctx, imct nwx, nw

Mltv cnnt thrgh TATE wll cl TATEr

fr wll in li wll

cli wllclilin((rvx, rv), (nwx, nw))

if cli

imctx, imct cli

hitwll Tr

rk

if "t" > 1 r hitwll

wnmltvfir(imctx, imct, liwll)

TATEthrwn ttlrmv()

l

"x" nwx

"" nw

── Mltv fir m g ──

fr fir in TATEml tvfir

fir"lif" - 1

fx, f fir"x" , fir""

if rnmrnm() < 7

x fx rn mnifrm(-MLT VRADI * , MLTVRADI *)

f rn mnifrm(-MLT VRADI * , MLTVRADI *)

if mthht(x - fx, - f) < MLTVRADI *

cl rn mchic((2, 9, 2), (2, 1, 4), (2, 21,), (, 7,))

Prticl(x, , cl)

- rnmnifrm(1, 24)

x *

lif rnmrnint(1, 4)

TATErticln()

fr in TATEn mi

it mthht(rctcntrx - fx, rctcntr - f)

if it < MLTVRADI n nt wlllcklin(

fx, f, rctcntrx, rctcntr, liwll

)

ht 1 - it MLTVRADI

firmlt gtttr(, "firwkn", 1)

h - MLTVENEMYDAMAE * (4 ht) * firmlt

if gtttr(, "irchnm", Fl) n rnmrnm() < 1

TATE rticln(Prticl(rctcntrx, rctcnt r, (2, 19, 7)))

lrt Tr

cmt lrttimr mx(gtttr(, "cmt lrttimr",),)

Fir h l lrt nmi, t it hl NT cntntl vrwrit

thir t rgt if th cn lr th l r

if TATE lr

ptx = STATE.player.rect.centerx

pty = STATE.player.rect.centery

can_see_player = not _wall_blocks_line(

e.rect.centerx,

e.rect.centery,

ptx,

pty,

solid_walls,

)

else:

can_see_player = False

if can_see_player:

e.last_seen_pos = (ptx, pty)

Don't constantly knock enemies out of ATTACK flow.

if e.state not in ("ATTACK", "CHASE"):

e.state = "CHASE"

else:

Fire is only a distraction if they are not already committed.

if e.state in ("IDLE", "PATROL"):

e.state = "SEARCH"

e.distraction_target = (fx, fy)

e.search_timer = max(getattr(e, "search_timer", 0), 120)

if random.random() < 0.12:

STATE.particles.append(

Particle(e.rect.centerx, e.rect.centery, (255, 110, 30))

)

if STATE.player and not STATE.player_dead:

pdist = math.hypot(STATE.player.rect.centerx - fx, STATE.player.rect.centery - fy)

player_burn_radius = MOLOTOV_RADIUS * 0.72

if pdist < player_burn_radius and not _wall_blocks_line(fx, fy, STATE.player.rect.centerx, STATE.player.rect.centery, solid_walls):

heat = 1.0 - pdist / player_burn_radius

STATE.player.hp -= MOLOTOV_PLAYER_DAMAGE * (0.35 + heat)

player_hit_this_frame = True

if fire["life"] <= 0:

STATE.molotov_fires.remove(fire)

Process active fire zones

if STATE.player and not STATE.player_dead:

STATE.fire_zones[:] = [fz for fz in STATE.fire_zones if fz.update(

STATE.enemies, STATE.player.rect, audio

)]

if STATE.mission_phase == "escape" and STATE.player:

dist_to_truck = math.hypot(

STATE.player.rect.centerx - STATE.EXFIL_POS[0],

STATE.player.rect.centery - STATE.EXFIL_POS[1],

)

if dist_to_truck < 80:

if STATE.enemies:

if keys[pygame.K_e] and not STATE.hotwire_radio_said:

STATE.hotwire_radio_said = True

trigger_radio_chatter('VASILE: "Not yet. Clear the yard before you put your head under that dash."')

STATE.truck_hotwiring = False

STATE.hotwire_selected_wire = None

elif not STATE.truck_hotwiring:

if keys[pygame.K_e]:

STATE.truck_hotwiring = True

_reset_hotwire_minigame()

audio.play("door_creak", volume=0.35)

if not STATE.hotwire_radio_said:

STATE.hotwire_radio_said = True

trigger_radio_chatter('VASILE: "Open the panel. Red feeds yellow. Blue wakes green. Black bites white."')

else:

STATE.hotwire_panel_timer = min(60, STATE.hotwire_panel_timer + 1)

Page 8

_p_

_p_

_

_

__

_p_

_ _

__

p

pp p_

p_

_

_

p pp

p p _

p_

_

_

__

__ p_

q __

p _

_

[p _]

pp

[p _]

pp

[p _]

pp

[p _]

pp

_

p _

_

_ p_

_p_

pp

_p_

_ p_

_ p _

_ p _

_ _ _ _

_ _ _ _

_

_

_ _ _ _

_

_

_

_

_

__ _

p_

_

p

p p

p p_

p

_ _

_ _ __

_

_

p

_ p _ p

_

_

__ _

_ _

p p _

_

p

p

p

__

__ p

p

p

p _

_

_

p

p p

_

_

_

p

p

_ p p

_

ppp

_

_

_

_

[]

[p_] [ ]

[p_] [ ]

[] []

[] []

[]

p [] []

_

_

ppp [] []

p p_

p_

_p

[] []

p p

_

p_p

[ ] p

_ _p

_p _p

_ _p

_p_p

_ _p_p

_p

_ _p

p

[] _ _p[] [] __p[]

_

ppp [] []

_pp

[[] []]

_p _p

p[] _p[] [] _p[]

_

ppp [] []

_pp

[[] []]

p[] []

p

ue

S .sos

S.ae:

e.oS. ae.e.ee S.ae.e .ee

e se:

e.aeed ue

e.sae S

o ae:

S.aes.aedaeb b OO

S.ae ad o S.aedead:

audo.a3d

bueaee

b b

S.ae.e.ee S .ae.e.ee

baseoue 0.5

e se:

audo.abu eaee oue0.5

S .booddeas.aed

b b 0 ado.ad 8 6

b ea

o ad b oe ee ad S.ae ad o S.a edead:

a.o b S. ae.e.ee b S. ae.e.ee

:

daae b.edaae G

S.a e. daae

ae sae ue

ue

S.seesae 6

o ae8:

S.aes.aed aeb b OO

audo.a bueae e oue0.6

o be 0

o o 000 b 3000 a d 000 b 3000

:

S.bues.eoeb

o e S.eees::

S.ae a d o S.ae dead:

e.udae

S.a e.e.ee

S.a e.e.ee

soda s

S.bu es

S.a es

S.ee es

S.eoes

e. 0:

o ae5:

S.a es.aeda ee.e.ee e.e.ee OO

S.booddeas.aed

e.e.ee e.e.e e 60 ado. ad

eae soade ase:

S. us.aede.e .ee e.e. ee ead

S.oaes.aed

e.e.ee

e.e.ee 0

O

55 00 00

0

S. us.aede.e .ee 0 e. e.ee 0 badae

S. us.aede.e .ee 0 e. e.ee 0 badae

S.oaes.aed

e.e.ee

e.e.ee 0

GS O

00 0 00

0

ese:

saeouseee e.e.ee * S

o a do.ado

saeouseee:

o 0.30:

S .us.aede.e.ee e.e.ee badae

e o 0.55 ad S .saeas 3 as.aeouseabous:

S .us.aede.e.ee e.e.ee a

e o 0.5 ad S .aeboes :

S .us.aede.e.ee e.e.ee boe

ese:

o 0.0 ad S .saeas 3 as.aeouseabous:

S .us.aede.e.ee e.e.ee a

e o 0.65 ad S .aeboes :

S .us.aede.e.ee e.e.ee boe

S.osesed

S.eees.eoee

S.ae ad o S. aedead:

audo.a 3d

bueaee

e.e .ee e.e.ee

S .ae.e.ee S.ae. e.ee

base oue0.

ese:

audo.a bueae e oue0.

o S.a es::

.udae

.e 0:

S.aes.eoe

o S.ass::

.udaesoda s

.e 0:

S.ass.eoe

o S.oa es::

e 6 o 5 ! :

.0

0:

S.oa es.eoe

S.ae ad o S.aedead:

o u S. us::

d u0 S.ae.e. ee

d u S.ae.e. ee

a.o d d 30:

u a ad S.saeas 3 as.aeouseabous:

S.saeas

S.oaes.a edu0 u 6 G 0

audo.au o ue0.5

S.us.eoeu

e u ead:

S.asead ue

S.oaes.a ed

u0 u 6 G U 0

audo.au o ue0.5

S.us.eoeu

e u badae:

eaaou 0

od S.ae.

S.ae. S .ae.a S.ae. eaaou

aua eaed S. ae. od

a uaeaed 0:

S .oaes.aed

u0

u 6

aua eaed

00 0 00

0

)

l

TATEfltingtxt n(

, 1 - 1, "HP FLL", (1 , 22, 1), 7

)

i l("ick", vlm)

TATE ickrmv()

lif 2 "ttl"

if TATElrttl < 4

TATElrttl 1

TATEfltingtxt n(

, 1 - 1, "1 MLTV", (14, 2, 1), 7

)

il("ick", vlm)

TATEickrmv ()

l

TATEfltingtxt n(

, 1 - 1, "MLTV FLL", (14, 2, 1), 7

)

TATEickrmv ()

if lrhitthi frm n TATEtrckhtwiring

TATEtrckh twiring Fl

TATEhtwir tg

TATEfltingtxtn(

TATE lrrctcntrx,

TATE lrrctcntr - 4,

"INTERRPTED",

(22, ,),

,

)

rt rn fcx, fc

───

MINIMAP

───

f r wmltvicn(rfc, cx, c, ctivTr)

""" mll chnk ixl-rt Mltv icn fr th HD"""

if ctiv

gl (1, 7, 42)

glrk (42, 2, 1)

fl (2, 12,)

rg (19, 17, 12)

flmtr (2 , 9, 2)

flminnr (2 , 22, 9)

l

gl (42, 4, 4)

glrk (2, 27, 2)

fl (, 2, 4)

rg (, ,)

flmtr Nn

flminnr Nn

B ttl

g mrwrct(rf c, glrk, (cx - , c - , 1, 1), rrri 2)

g mrwrct(rf c, gl, (cx - 4, c - 7, , 1), rrri2)

Fl tri

g mrwrct(rfc, fl, (cx - 2, c - , , 11))

N ck

g mrwrct(rfc, glrk, (cx - 2, c - 14, 4,))

g mrwrct(rfc, gl, (cx - 1, c - 14, 2,))

Rg

g mrwrct(rfc, rg, (cx - 4, c - 17, ,))

Highlight

if ctiv

gmrwlin(rfc, (2, 1, 9), (cx - , c -), (cx - , c), 1)

Tin flm

if ctiv

gmrwlgn(

rfc,

flmtr,

(cx, c - 2), (cx - , c - 1), (cx , c - 1),

)

gmrwlg n(

rfc,

flame_inner,

[(cx, cy - 22), (cx - 2, cy - 16), (cx + 2, cy - 16)],

)

def _escape_subtitle(surface, speaker, text, alpha=255):

box_w, box_h = 720, 92

box_x = WIDTH // 2 - box_w // 2

box_y = HEIGHT - LETTER_H - box_h + 16

box = pygame.Surface((box_w, box_h), pygame.SRCALPHA)

box .fill((0, 0, 0, min(205, alpha)))

pygame.draw.rect(box, (120, 120, 105, min(180, alpha)), box.get_rect(), 1)

pygame.draw.line(box, C_KRAP_BLUE, (0, 0), (0, box_h), 4)

surface.blit(box, (box_x, box_y))

sp = font_speaker.render(speaker, True, (190, 190, 175))

tx = font_dialogue.render(text, True, C_WHITE)

sp.set_alpha(alpha)

tx.set_alpha(alpha)

surface.blit(sp, (box_x + 22, box_y + 12))

surface.blit(tx, (box_x + 22, box_y + 48))

def _draw_biribel_soldier_closeup(surface, cx, cy, t, scale=1.0):

"""Procedural close-up of Biribel as a soldier.

Drawn from the portrait reference: narrow oval face, sharp dark side-parted

hair, strong brows, large serious eyes, straight nose, defined lips.

Kept in game identity as a field soldier/tactical uniform, not a suit.

"""

s = scale

── Soldier uniform / shoulders ───────────────────────────────────

pygame.draw.polygon(surface, (25, 38, 29), [

(cx - 155*s, cy + 190*s), (cx - 96*s, cy + 74*s),

(cx + 96*s, cy + 74*s), (cx + 155*s, cy + 190*s),

])

pygame.draw.polygon(surface, (15, 24, 18), [

(cx - 78*s, cy + 184*s), (cx - 34*s, cy + 66*s),

(cx + 34*s, cy + 66*s), (cx + 78*s, cy + 184*s),

])

for ox in (-54, 54):

pygame.draw.line(surface, (9, 15, 11), (cx + ox*s, cy + 86*s), (cx + ox*0.55*s, cy + 184*s), max(3, int(6*s)))

pygame.draw.rect(surface, (44, 62, 46), (int(cx - 68*s), int(cy + 114*s), int(136*s), int(42*s)), border_radius=max(2, int(4*s)))

pygame.draw.rect(surface, (16, 24, 18), (int(cx - 68*s), int(cy + 114*s), int(136*s), int(42*s)), max(1, int(2*s)), border_radius=max(2, int(4*s)))

collar / throat shadow

pygame.draw.polygon(surface, (10, 15, 12), [(cx - 28*s, cy + 72*s), (cx, cy + 104*s), (cx + 28*s, cy + 72*s), (cx + 16*s, cy + 142*s), (cx - 16*s, cy + 142*s)])

── Face shape: long, narrow, angular oval like the reference ──────

skin = (184, 146, 116)

skin_hi = (215, 181, 148)

cheek = (157, 112, 88)

shadow = (105, 74, 58)

neck

pygame.draw.rect(surface, skin, (int(cx - 24*s), int(cy + 48*s), int(48*s), int(62*s)), border_radius=max(4, int(8*s)))

pygame.draw.rect(surface, shadow, (int(cx + 14*s), int(cy + 52*s), int(13*s), int(58*s)), border_radius=max(3, int(5*s)))

angular face polygon over a soft oval base

pygame.draw.ellipse(surface, (150, 106, 82), (int(cx - 58*s), int(cy - 84*s), int(116*s), int(156*s)))

face_pts = [

(cx - 49*s, cy - 51*s), (cx - 42*s, cy - 77*s), (cx - 18*s, cy - 92*s),

(cx + 16*s, cy - 92*s), (cx + 42*s, cy - 76*s), (cx + 50*s, cy - 48*s),

(cx + 47*s, cy + 7*s), (cx + 31*s, cy + 49*s), (cx + 8*s, cy + 72*s),

(cx - 8*s, cy + 72*s), (cx - 31*s, cy + 49*s), (cx - 47*s, cy + 7*s),

]

pygame.draw.polygon(surface, skin, face_pts)

pygame.draw.polygon(surface, shadow, face_pts, max(1, int(2*s)))

forehead/cheek highlights and jaw shadow

pygame.draw.polygon(surface, skin_hi, [(cx - 18*s, cy - 72*s), (cx + 22*s, cy - 73*s), (cx + 35*s, cy - 26*s), (cx - 30*s, cy - 22*s)], 0)

pygame.draw.polygon(surface, cheek, [(cx + 31*s, cy - 26*s), (cx + 48*s, cy + 2*s), (cx + 25*s , cy + 34*s), (cx + 16*s, cy + 8*s)], 0)

pygame.draw.arc(surface, (95, 62, 52), (int(cx - 38*s), int(cy + 19*s), int(76*s), int(54*s)), 0.15, math.pi - 0.15, max(1, int(2*s)))

Page 9

p p

p p

p

p

p

_

_

p p

p_p [

]

p p p_p

p

p p [ ]

p p [ ]

_p [

]

p p _ _p

p p [ ]

_p [

[ ]

[ ]

[ ]

]

p _p

pp p

p _

p _

p

_

p

p

_ p

pp _ _

pp _

p

p

p

p p

p

p

p

p

p

p p

p

p p

_

_

p _

p _

p p

_ p p

p

p p

p p _

p p

p p _

_ _p_

p p

p p _

p

p _

p _

p

p _

p _

p _

p __

p

p p

p p

pp [ ]

p

p

__p_

p

p

p

p p p p

_

_

_

_ _ _ _ _

p

p

_

p _ _

p _ _

p _ _

[ ]

_

p

p

_

_

p

_

p _ _

_p_

p

p _ _

p _ _

___ _p

p _ _

_p_

p

p

p

_ _

p _ _ _

p _ _ _

p

p _ _ _

p _ _

p

_

_ _

_ _

p _ _ _ _

p _ _ _ _

_ _

p _ _ _

_ _ _

_ _ _ _ _ _

p _ _ _

_ _

p

_p

p _p

oud .ad8 86

ae.da.e sesuae 0 8 38 30 .ad 5 00 .ad8 8

eadabe sdee u.

e u o see b e ed o e so e ous eed ae.

u e 0 35 ease

u oud 8 a.s * 0. *

ead bea

bea ae.Su ae330 35 ae.S

ae.da.oobea 55 5 5 8 0 8 35 6 35 6 0 8

suae.bbea u 0 u

oo a s a a

o ae :

u 5 * 8 8 * ease

u 38 ado.ado .ad6

ae.da. esuae 00 8 50 80 5

u sado

ae.da.esesuae 0 0 0 0 u u 6 5 38

ao bod

ae.da.esuae 8 3 8 u 06 u 3 56 bodead us5

ae.da.esuae 8 6 u 06 u 3 56 3 bode adus5

ae.da.esuae 8 5 8 u u 6 3 bodeadus3

ae.da.esuae U u 88 u 8 u u 8 5

ae.da.esuae 0 0 05 u 88 u u u

ab

abs u 5 u 3 u 3 u 8 u 6 u 0 u 06 u 0 u 6 u 0

ae.da.oosuae 36 50 36 abs

ae.da.oosuae 80 0 abs

ae.da.oosuae 5 u 58 u 0 u 88 u u 0 u 0 u 60 u 0

eads a s

ae.da.esuae 5 0 30 u 08 u 6 0

ae.da.esuae 80 35 8 u u 6 6

ae.da.esuae 80 35 8 u u 6

ees e ob ous.

o u 0 u 0 u 6:

ae.da. esuae 5 6 u 3

ae.da. esuae 6 50 50 u

soea * 0.

o s a e:

a soe a s * a.

ae.da.esuae 85 88 8 u a.osa* u a .sa*

Sads o ae

30:

s ado .ado800 3

o ae0:

s ae ae 30 s.ad5 0 300 *.

s ae s.ad 0 ae 8 300*0.5

ae.da.esuae 5 8 56 s s s.ad s.ad

ea e oe a o eadab .

bae oe a.edeS U OG ue 55 80 0

b ae.Sua ebae.ed 8 bae.e e0 ae.S

b.0 0 0 50

ae.da.eb 55 80 0 0 b.ee

suae.bb b.e d

suae.bbae ba e.ed

3:

esaesub esuae Go o o! 55

ese:

ea eae esae: sbe u bod a s oad aeouse o bed.

o .0 500 60.0

oo 0

oadbo G

ae.da.esuae 6 8 0 G *

sa aeouse e o be d.

ae.da.esuae 0 oo 5 0

o eue ae0 0 805 00:

o ae.Suae0 0 ae.S

a 30 * a.s*0.0

ae.da.e seo 55 05 30 a a o.ee

suae.b o oo 8

oad ese e.

oad 8 oo 8 oo 80 oadbo 80 oad bo

ae.da.oosuae 0 6 oad

o ae8:

a

oo a*a*oadbooo

ae.da. esuae 3 5 0

ae.da.esuae 8 8 0 o o 50 oadbo

ae.da.esuae 8 8 0 o o 50 oadbo

a sbe ea u s o dsae.

Sa oed o e esee oad eee o suseso sa.

a.s * 0.05 * 5 * .0 o

eoadbo 88 oo 38 o

s e. 0.36 o

* s

6 * s

ae.da.esesuae 0 0 0 0 *0.38 a8 *s

ae.da.esuae 35 5 bodeadusa 5*s

ae.da.esuae 0 8 6 a *s bodeadusa 5*s

ae.da.esuae 5 8 *s *s 8*s 36*s bodeadusa 3*s

ea dosa s

ae.da.esuae 8 8 36 8*s 8*s 8*s 6*s

ae.da.esuae 8 8 36 0*s 8*s 8*s 6*s

o sde :

sde * 3*s

0*s

ae.da.esuae 0 35 8 6*s 5*s a3 *s a3 0*s

e ae.Suaea8 5*s a8 30*s ae.S

ae.da.e see 0 35 8 85* o e.e e

suae.b e e.ed *s

o ae.Suae G ae.S

o.8 3 0 * o

suae.bo 0 0

o ooaosub.ede O O O 03: ue 65 65 50

o.seaa 55 a0 50*

suae.bo o.ed 3

50:

esaesub esuae O Sa ea. ee aa. 55 50*5

osed ado o e esus see :

o ado auso od soe sa ou o 3 eadabe eo boo ad.

60:

ase : ee e oad sbe ad od e ado a uso o eou o ead.

aaa 30 a0 60 * 3

0:

eadou ae.Suae500 0 ae.S

eadou. 0 0 0 5 aaa

ae.da.eeadou 50 0 50 65 aaa eadou.ee

ae.da.eeadou U 0 0 eadou.ee

oe a.edeO SG U ue 0 0 0

oe asa.ede e oed ae ed eo ue 65 50 5

.seaaaaa

.seaaaaa

suae.b eadou 50 0

suae.b .ed 8

suae.b .ed 6

ase : sa eas so ae oe e oad a e.

00:

.0 00 0.0

ado .ado8800

o ae * 6:

.ad G

.ad 0

s ae.Suae ae.S

o .oe0 60 0 55 30 50 30 30 0

s. *o .ad6 0

suae.b s . ad35 35

o ae5 * :

s .ad0

s .ad G

sade .ad0 0

suae.seas s s ade sade sade

da ae.Suae G ae.S

da.0 0 0 5 *

suae.bda 0 0

ase 3: eo eee ad as a u soe boo ead e.

0:

eo .0 0 0.0

e ae.Suae G ae.S

e. 5 35 * eo

suae.b e 0 0

ad ad 600 0

crx WIDTH 2 - crw 2

cr HEIHT 2 - crh 2

crlh int(2 * rrtt)

cr gm rfc((crw, crh), gmRCALPHA)

crfill((, 11, 1, min(2, crlh)))

gmrwr ct(cr, (4, , 12, min(1, cr lh)), crgtrct(), 1)

gmrwr ct(cr, CKRAPBLE, (, , , cr h))

gmrwlin(cr, (4, , 12, min(12, cr lh)), (22, 2), (crw - 22, 2), 1)

rfclit(cr, (crx, cr))

f ftxt(rf, x, , crlh)

rft lh(mx(, min(2 , int())))

rfclit(rf, (x,))

rw fnttrminlmllr nr("KRAP ARCHIVE LINK ETABLIHED", Tr, (, 1, 21))

ftxt(rw, crx 24, cr 22, min(crlh, mx(, (t - 79) *)))

tm fnttrminlmllrn r("EXFIL CNFIRMED", Tr, (, 22 , 1))

ftxt(t m, crx cr w - tmgtwith() - 24, cr 22, min(crlh , mx(, (t - 1) *)))

titl fnttrminlrnr("FIELD REPRT RECEIVED", Tr, (22, 222, 21))

ftxt(titl, crx , cr , min(c rlh, mx(, (t -) *)))

fntr mtrnr("PERATIN BLACK NTEBK PLADIN AFTER ACTIN REPRT", Tr, (17, 1, 1))

ftxt(, crx , cr 12, min(crlh, mx(, (t -) *)))

rw, rh crw - 7,

x crx

cr 17

gmrwr ct(rfc, (12, 2, 2), (x, , rw, rh))

Dlirtl lw l fill th lr cn ctll r th rrt hnff

lt min(1, mx(, (t -) 17))

gmrwr ct(rfc, CKRAPBLE, (x, , int(rw * lt), rh))

ct fnttrminlmllrnr(f"PLAD int(lt * 1)%", Tr, (9, 1, 1))

ftxt(ct, x rw - ctgtwith(), 12, min(crlh, mx(, (t -) * 4)))

if t > 12

rlh min(2, (t - 12) * 7)

r f nttrminlmll rnr("REPRT READY", Tr, CRAN E)

ftxt(r, crx crw 2 - r gtwith() 2, cr 22, r lh)

rwvigntt(rfc, trngth1)

rwcnlin(rfc)

rwlttrx(rfc)

f gm rw(fcx flt, fc flt) -> Nn

cr nfill(CBAME)

trttx int(fcx FLRTILEIZE) * FLRTILEIZE

trtt int(fc FLRTILEIZE) * FLRTILEIZE

wr htrt 11 * TILEIZE

wr hn 2 * TILEIZE

fr tx in rng(

trttx - FLRTILEIZE,

int(fcx WIDTH FLRTILEIZE * 2),

FLRTILEIZE,

)

fr t in rng(

trtt - FL RTILEIZE,

int(fc HEI HT FLRTILEIZE * 2),

FLRTILEIZE,

)

til (

FLRTILE

if (wrh trt < t < wrhn)

l LM FLR

)

crnlit(til, (tx - fcx, t - fc))

cntinrtil

CNTAINERTILERED,

CNTAINERTILEBLE,

CNTAINERTILERT,

CNTAINERTILEREY,

fr wll in TATEwll

r gmRct(wllx - fcx, wll - fc, TILEIZE, TILEIZE)

crnlit(wllhw, (rx - 4, r - 4))

cl wllx TILEIZE

rw wll TILEIZE

if (cl, rw) in TATEwrhwllt

crnlit(WAREHEWALL, (r x, r))

l

tilix (c l rw) % 4

crnlit(c ntinrtiltil ix, (rx, r))

fr mrkr in TATErchmrkr

mx, my, timer = marker

mx -= fcx

my -= fcy

if -50 < mx < WIDTH + 50 and -50 < my < HEIGHT + 50:

alpha = min(255, timer * 2)

for i in range(3):

radius = 8 + i * 4 + math.sin(pygame.time.get_ticks() * 0.01 + i) * 3

s = pygame.Surface((radius * 2, radius * 2), pygame.SRCALPHA)

pygame.draw.circle(

s,

(255, 80, 20, alpha // (i + 1)),

(int(radius), int(radius)),

int(radius),

)

screen.blit(s, (mx - radius, my - radius))

marker[2] -= 1

if marker[2] <= 0:

STATE.breach_markers.remove(marker)

for desk in STATE.desks:

dx = desk["x"] - fcx

dy = desk["y"] - fcy

if -50 < dx < WIDTH + 50 and -50 < dy < HEIGHT + 50:

── Desk shadow ──

shad = pygame.Surface((72, 54), pygame.SRCALPHA)

pygame.draw.rect(shad, (0, 0, 0, 45), (0, 0, 72, 54), border_radius=3)

screen.blit(shad, (dx - 34, dy - 23))

── Desk surface ──

pygame.draw.rect(screen, (70, 52, 32), (dx - 32, dy - 22, 64, 46), border_radius=2)

wood grain lines

for gi in range(4):

gy = dy - 18 + gi * 10

pygame.draw.line(screen, (62, 46, 28), (dx - 30, gy), (dx + 30, gy), 1)

pygame.draw.rect(screen, (95, 72, 44), (dx - 32, dy - 22, 64, 46), 1, border_radius=2)

── Desk legs (visible corners in top-down) ──

for lx2, ly2 in [(-28, -18), (24, -18), (-28, 18), (24, 18)]:

pygame.draw.rect(screen, (48, 36, 22), (dx + lx2, dy + ly2, 6, 6))

── Papers / scattered docs on desk ──

pygame.draw.rect(screen, (220, 215, 200), (dx - 20, dy - 14, 28, 20), border_radius=1)

pygame.draw.rect(screen, (200, 195, 178), (dx - 20, dy - 14, 28, 20), 1, border_radius=1)

for li in range(3):

pygame.draw.line(screen, (140, 135, 120), (dx - 16, dy - 8 + li * 5), (dx + 4, dy - 8 + li * 5), 1)

── Folded note / envelope ──

pygame.draw.rect(screen, (230, 220, 190), (dx + 6, dy - 6, 18, 14), border_radius=1)

pygame.draw.line(screen, (190, 180, 155), (dx + 6, dy - 6), (dx + 15, dy + 1), 1)

pygame.draw.line(screen, (190, 180, 155), (dx + 24, dy - 6), (dx + 15, dy + 1), 1)

── Coffee mug ──

pygame.draw.circle(screen, (42, 32, 24), (dx + 22, dy + 12), 7)

pygame.draw.circle(screen, (58, 44, 30), (dx + 22, dy + 12), 7, 1)

pygame.draw.circle(screen, (80, 55, 20), (dx + 22, dy + 12), 4) # coffee inside

── Unread/read indicator dot ──

dot_col = (100, 220, 100) if desk["read"] else (240, 190, 50)

glow2 = pygame.Surface((14, 14), pygame.SRCALPHA)

pygame.draw.circle(glow2, (*dot_col, 70), (7, 7), 7)

screen.blit(glow2, (dx - 3, dy - 21))

pygame.draw.circle(screen, dot_col, (dx, dy - 14), 4)

label = font_terminal_small.render("DESK", True, (150, 140, 120))

screen.blit(label, (dx - label.get_width() // 2, dy + 28))

bay_x = 15 * TILE_SIZE + 32 - fcx

bay_y = 19 * TILE_SIZE + 32 - fcy

if -50 < bay_x < WIDTH + 50 and -50 < bay_y < HEIGHT + 50:

label = font_terminal_small.render("BAY DOOR", True, (150, 140, 120))

screen.blit(label, (bay_x - label.get_width() // 2, bay_y - 40))

Page 10

_

_ _ _

_

p _ _

_

_

p p_

p p

p

p

p _ _

p p _ _[] _

pp

_ pp _

_

p _

_p

_ _ _p

p _

__

___

___

p p _

p p

p

p

p __

pp __ [] _

p p pp_

_ _

_ __

_p

_ _ _p

p _ _

_

_

_

p p _

p p

p

p

p __

pp __ [] _

p p

_ pp_

_[]

_ p [] [] p

p

_ [] [] [] []

_ [] [] [] []

[]

[]

_

_

_ [] []

p _ [] []

p

[] []

p_ [] [ ]

p_ [] [ ]

_

[]

_

__ p _

[]

[] __

_p __ _

_ p p

pp _ _p

_ []

p

_

_

_

_ _

_ _

_p [

_ _

_

_

_

_

_

_

_

_

]

pp _p

pp _p

p _ _

p _ _

p _ _

_p _

_ _

_ _

__ _

__ _

__ _

_ p p

p _

_ _ p[] _p[]

pp [_p _ _]

pp [_ _ __ __]

_

_ _

_ _ p _

_ [_] [ ] [_] _

_ [_] [ ] [_] _ _

_

p p

_

p

p

_ _

_ _p_

_ p_p _p

_p_p[]

_p_p[]

_p _p[] _

_ _

_p_p _p

_p_p[]

_p_p[]

_ p_p[] _

_

_

_p

_ _

_p _

_p

_ _

_p _

p

p

_

_p

_

_p

_ p_

__

__[p_] __[p _]

as esae.a o asesa e.d

o S.a es:

.dasee

o S.ass:

.dasee

o u S.u s:

u0

u a.se. e * 3 u0 * 3

o ae.Su ae3 3 ae.S

u badae:

ae.da. eo 00 55 00 0 6 6 6

e u bo e:

ae.da. eo 00 00 30 0 6 6 6

ese:

ae.da. eo 55 0 0 0 6 6 6

see.bo 6 6

u a:

o bo

ae o bo

s

o

o

ae bo

ae bo

ae.da.oosee 00 5 8 s

ae.da.oosee 55 0 0 s

o b a e5:

b 5 b * 3

ae.da.esee 0 85 5 b

e u e ad:

ae.da.esee 00 00 00 8 6

ae.da.esee 55 50 50 8 6 6 6

ae.da.esee 00 00 00 8 6

e u ba dae:

ae.da.e

see 0 0 0 0 0 0 0 bodead us3

ae.da.e

see 80 80 80 0 0 0 0 bode adus3

ae.da.esee 0 0 0 6

ae.da.esee 0 0 0 6

e u bo e:

ae.da.esee 60 60 60

ae.da.esee 80 55 5 0

ae.da.esee 5 5 35 5 6 0 6 bodeadus

ae.da.esee 55 55 55 3

ae.da.esee 50 30 5 5 6 0 6 bodeadus

S.e eed ad o S .oeboooe ed ad S.O OOOS:

S.OOOOS0

S.OOOOS a.se.e * * 3

o ae.Su ae0 0 ae.S

use 60 a.se.e * * 30

ae.da.eo 55 0 00 use 0 0 8

see.bo 0 0

ae.da.esee 5 5 5 8 0 6 0

ae.da.esee 0 0 0 8 0 6 0

ae.da.esee 0 0 0 0 0

S.ae

ad a.o

S.a e.e.ee S.OOOOS0

S.a e.e.ee S.OOOOS

80

:

eab

e

o e S.eees

a. o

e.e .ee S. OOOOS0 e.e.ee S .OOOOS

300

eeab 0:

o o.ede O O O ue 55 0 00

ese:

o o.ede OSS S ue 0 60 60

see.b .ed 35

S.oebooo eed ad S. OS:

e S. OS0

e S. OS

a odo a u

od sado

sad ae.Suae0 56 ae.S

ae.da.esad 0 0 0 60 0 0 0 56 bodeadus

see.bsad e 53 e 6

u bed ao aea ea 3

ae.da.esee 5 55 0 e 50 e 68 bodeadus

ao bed sa es

o s ae :

ae.da. esee 35 30

e 8 e 6 s * 0

e 6 e 6 s * 0

ao ao a ses

ae.da.esee 55 68 8 e 6 e 8 6 36 bodeadus

o ae3 :

ae.da. esee 5 36

e 6 * 0 e 8

e 6 * 0 e 8

ae.da.esee 36 6 30 e 6 e 8 6 36 bodead us

ab o bo sde u aes

ab e 8

ae.da.esee 38 8 3 ab e 3 bodeadus3

ae.da.esee 5 6 6 ab e 3 bodeadus3

ab dsed dae ed e ae

ae.da.esee 30 8 ab 8 e 6 3 bodeadus

ae.da.esee 3 0 ab 8 e 6 3 bodeadus

ab dasboad s

ae.da.esee 8 36 6 ab e 0 6

ood ee b o

ae.da.esee 5 38 ab 30 e 0 8 bodeadus

ae.da.esee 3 0 8 ab 30 e 0 8 bodeadus

eads

ae.da.esesee 00 00 0 ab 38 e 8 6

ae.da.esesee 00 00 0 ab 38 e 8 8 6

as ea e

ae.da.esee 80 0 30 e 5 e 8

ae.da.esee 80 0 30 e 5 e 8

ees 6 ees 3 aes sbe o o

eeo 6 6 8

o 55 58 6

o a

e 36 e 6 e 0

e e 6 e 0

e 8 e 6 e 0

:

o a:

ae.da.esesee eeo 8

ae.da.esesee o 8 5

a o ab doo

ab oeasa.ede ue U

see.ba b ab e 6

us ad abe aboe u

use 80 a.se.e * 3 * 0

esu ae.Suae00 00 ae.S

ae.da.eesu 50 00 00 use 50 50 0 3

ae.da.eesu 50 00 00 use 50 50 30

see.besu e 50 e 50

e oo.ede ue 50 00 00

see.be e e.e d e

S.ae

ad a.o

S.a e.e.ee S.OS0 S.ae.e .ee S.OS

<

)

if nt TATEtrckhtwiring

if TATE nmi

rmttxt fntrmtrnr(

f"CLEAR HTILE FIRT ln(TATEn mi) LEFT", Tr , (2, ,)

)

l

rmttxt fntrmtrnr(

" E PEN INITIN PANEL", Tr, (1, 2, 1)

)

crnlit(

rmttxt, (int(x) - rmttxtgtwith() 2, int() -)

)

if TATEtrckhtwiring

Firt-rn-ih ignitin nl vrl with hrt n nimtin

nt min(1, gtttr(TATE, "h twirnltimr",) 4)

1 - (1 - nt) **

vrl gm rfc((WIDTH, HEIHT), gmRCALPHA)

vrlfill((, , , int(112 *)))

crnlit(vrl , (,))

nlw, nlh 4, 41

nlx WIDTH 2 - nlw 2

nl int(HEI HT 2 - nlh 2 (1 -) * 9)

nl gmrfc((nlw, nlh), gmRCALPHA)

nlfill((1, 12, 1, 2))

gmrwrct(nl, (, 2, 7), nlgtrct(), 2)

gmrwrct(nl, CKRAPBLE, (, , , nlh))

crtch mtl lt

rngnl rnmRnm(74)

fr in rng(4)

x1 rngnlrnint(24, nlw - 24)

1 rngnlrnint(, nlh - 2)

gmrwlin(nl, (, 4, , 1), (x1, 1), (x1 rngnlrnint(, 4), 1 rngnlrnint(-2, 2)), 1)

crnlit(nl, (nlx, nl))

titl fnttrminlrnr("VAN I NITIN PANEL", Tr , (1, 2, 21))

crnlit(titl, (nlx 2, nl 1))

fnttrmin lmllrnr("Brig th crrct x wir Wrng ir hrt th nl", Tr, (1 , 1, 1))

crnlit(, (nlx 2, n l 4))

n htwirwirn()

w fr ir in TATEhtwir cnnctin fr w in ir

Drw l wir til frm i ning

fr nm, t in nitm()

x, t" "

cl t"c lr"

i t" i"

trtx n lx if i "L" l nlx nlw -

mix x - 4 if i "L" l x 4

gmrwlin(crn, (1, 1 , 2), (trtx,), (mix,), 7)

gmrwlin(crn, cl, (trtx,), (mix,),)

gmrwlin(crn, cl, (mix,), (x,), 4)

cr x ti

gmrwcircl(crn, (21, 1, 7), (x,), 9)

gmrwcircl(crn, (4, 24, 12), (x,), 9, 1)

if nm TATEhtwirlct wir

glw gmrfc((,), gmRCALPHA)

gmrwcircl(glw, (*cl,), (29, 29), 2)

crnlit(glw, (x - 29, - 29))

if nm in

gmrwcircl(crn, (1, 2, 1), (x,), 14, 2)

ll fnttrminlmllrnr(nm, Tr, cl if nm "BLACK" l (12, 12, 12))

lx x - llgtwith() - 1 if i "L" l x 1

crnlit(ll, (lx, -))

Drw cmlt rig

fr ir in TATE htwircnnctin

, ir

x, n""

x, n""

irk fr znt(ir)

r HTWIRETARETPAIRgt(irk, "")

cl (9, 24 , 14)

cl crv with thr gmnt

mi ( ) 2 - 24

gmrwlin(crn, (1, , 24), (x,), (WIDTH 2, mi),)

gmrwlin(crn, (1, , 24), (WIDTH 2, mi), (x,),)

pygame.draw.line(screen, col, (ax, ay), (WIDTH // 2, mid_y), 4)

pygame.draw.line(screen, col, (WIDTH // 2, mid_y), (bx, by), 4)

Purpose text is shown in the status lights below; avoid center overlap.

Status lights.

statuses = ["POWER", "IGNITION", "STARTER"]

connected = {HOTWIRE_TARGET_PAIRS.get(frozenset(pair)) for pair in STATE.hotwire_connections}

for i, st in enumerate(statuses):

sx = panel_x + 128 + i * 150

sy = panel_y + panel_h - 76

live = st in connected

pygame.draw.circle(screen, (70, 240, 120) if live else (50, 55, 55), (sx, sy), 9)

pygame.draw.circle(screen, (10, 15, 12), (sx, sy), 9, 1)

stxt = font_terminal_small.render(st, True, (160, 220, 170) if live else (90, 95, 95))

screen.blit(stxt, (sx + 16, sy - 8))

Sparks on wrong pair / fresh connection.

if STATE.hotwire_spark_timer > 0:

rng_s = random.Random(pygame.time.get_ticks() // 20)

center = nodes.get(STATE.hotwire_selected_wire or "RED", {"pos": (WIDTH // 2, HEIGHT // 2)})["pos"]

for _ in range(18 if STATE.hotwire_fail_flash > 0 else 8):

ang = rng_s.random() * math.tau

dist = rng_s.randint(8, 46)

sx = center[0] + math.cos(ang) * dist

sy = center[1] + math.sin(ang) * dist

pygame.draw.line(screen, (255, 210, 90), center, (sx, sy), 1)

if STATE.hotwire_fail_flash > 0:

flash = pygame.Surface((panel_w, panel_h), pygame.SRCALPHA)

flash.fill((255, 55, 35, min(95, STATE.hotwire_fail_flash * 8)))

screen.blit(flash, (panel_x, panel_y))

msg_col = (220, 90, 70) if STATE.hotwire_fail_flash > 0 else (180, 215, 190)

msg = font_prompt.render(STATE.hotwire_message or "Click a wire endpoint", True, msg_col)

screen.blit(msg, (WIDTH // 2 - msg.get_width() // 2, panel_y + panel_h - 34))

hint = font_terminal_small.render("VASILE'S HINT: red feeds yellow / blue wakes green / black bites white", True, (115, 125, 120))

screen.blit(hint, (WIDTH // 2 - hint.get_width() // 2, panel_y + panel_h + 10))

pinned = [ft for ft in STATE.floating_texts if len(ft) >= 6 and ft[5] == "pin"]

unpinned = [ft for ft in STATE.floating_texts if not (len(ft) >= 6 and ft[5] == "pin")]

for ft in unpinned:

txt = font_terminal_small.render(ft[2], True, ft[3])

screen.blit(txt, (ft[0] - fcx - txt.get_width() // 2, ft[1] - fcy))

radio_top_y = HEIGHT - 260

for i, ft in enumerate(pinned):

alpha = min(255, ft[4] * 3)

txt_surf = font_terminal_small.render(ft[2], True, ft[3])

bg = pygame.Surface(

(txt_surf.get_width() + 16, txt_surf.get_height() + 6), pygame.SRCALPHA

)

pygame.draw.rect(bg, (0, 0, 0, min(180, alpha)), bg.get_rect())

pygame.draw.line(

bg,

(ft[3][0], ft[3][1], ft[3][2], min(200, alpha)),

(0, 0),

(0, bg.get_height()),

3,

)

faded = pygame.Surface(txt_surf.get_size(), pygame.SRCALPHA)

faded.blit(txt_surf, (0, 0))

faded.set_alpha(alpha)

row_y = radio_top_y + i * (txt_surf.get_height() + 8)

screen.blit(bg, (20, row_y - 3))

screen.blit(faded, (28, row_y))

ch_x, ch_y = get_scaled_mouse()

if STATE.truck_hotwiring:

Compact pointing-hand cursor. The ACTUAL click/contact point is the

Page 11

p _ _

_

_

_

pp

[_ _ _ _ _ _

_ _ _ _ _ _

_ _ _ _ _ _]

p p p

[

_ _

_ _

_ _

_ _

_ _

]

pp

_ [

_ _

_ _

_ _

_ _

_ _

]

pp _

p _ _ _ _ _

p

p p _ _

p p _

p p _

p _ _

p _

p _

p _

pp

[_ _ _ _ _ _ _ _]

pp

pp [_ _ _ _ _ _ _ _]

p _ _ _

p _ _ _ _

p _ _ _ _

p p p

p _ _ _

p _ _ _

p _ _ _

p

[

_ _ _ p _

_ p _ _ _

_ _ _ _ p

_ _ p _ _

]

p _

__

p

p _p

p_ p_ p _p

p_ p p

p_ p p

_ p_

_ p_

_ _ _ _

_ _ _

_ _

p_

_ p p

p _

_ p

_

__

_ p p

_ _ _

_

_

p _

p p

_

_

p _

_ _ _ _

p_ pp p _p

_ p _ _ p

p _ _ _

_ _ _

__ _ _ _

p _ _ _ _

p_

_ p_ p_

p_

_ p_

_

p _ _ _ _ p_ _

p _ _ _ _ _

_

_p

_

_

_ { }

_

_p p

_

_ p p

p _

p _ __

_ _

_ _p p_ _

_ _

_ _ _

_ _

p _ _ p

p _ _ _

p _ _ _

_ _

_

_

_

_

_ __

_p __

_ p_

_p p_

p_ _

p p_ _

_p [

p_

p _

p

]

_p

_

pp _p

pp

[

p

p

]

_ _ _ p

pp _p

_

_ p

o od b bues ese da

ae.da.esee o o bue b * 3

se:

ae.da.e

see

0 55 55

o

ae.da.e

see

0 55 55

o

aoe S .aoaS.ase

eo S.ao a 0 ese 0 60 60

see.b

oea sa.edeao e ue e o

ao 5 ao 8

see.b

oea sa.ede ue 00 0 00

ao 5 ao 6

S.seoad:

ba ba ao 8 a o 6

ba ba 80 8

oess .0 S.eoad e 60.0

ae.da.e

see 50 50 50 ba ba ba ba bodeadus

ae.da.e

see

0 60 0

ba ba ba * oess ba

bodeadus

eoadb oeasa .edeOG ue 0 60 0

see.beoadb ao 50 ao 58

ese:

aabe GS: S.saeas

see.b

oe asa.ede aabe ue 0 50 30

ao 5 ao

oe U

bo ao 6

bo ao

bob bob 6 36

bob ae.Suaebob bob ae.S

ae.da.ebob 0 0 0 0 0 0 bob bob bo deadus

ae.da.ebob 0 38 0 0 bob bob bodeadus

see.bbob bo bo

o b ae :

o bo 8 b * 6

o bo 3

daooo osee o o b S .aeboes

bob oe asa.ede

OOOS G ue

55 50 60 S.aeboes 0 ese 30 80 80

see.bbob bo 0 bo

boou o easa.ede

S.aeboes ue

S.aebo es 0 ese 80 60 60

see.bboou bo 0 bo 8

udb ae.Suae80 6 ae.S

ae.da.e udb 0 0 0 0 0 0 80 6

see.budb 0 0

see.b

oea sa.edeOSS: eS.eees ue

30 5

S.soa ad S.a:

S.a.da

see

S.ae

S.eees

S.OOO OS

S.OS

S.oo os

S.oadeos

mission2.py

ss o : ue o oue ea ea ea s e.

s odue ees e es ae ea o a:

aeoe.sasso

aeoe.aeuda eaeda ou

a asa. sso o ad ed usees

sae as SSO

de oad: o aasa. de sso

euo oas o s ebud:

ee sses oe auoed beas.

o oao a d suadaes ae sed aos.

eadabe seo ads a sa u e ae oses e.

sso se U o uso ue .

S o eadabe usees ad ea obees.

o a

o ado

o e

o ae

o o o *

o sae o S

o ae o ae

o eea o e

o u ud o a

o eaos o eadoa e

o eaos o

sa oooe as saooo e

a bose

OOOUS

OOOG

OOOG

ub sso eadaa usee ss

SSO SSO

SSO SSO

SSO ue o oue

SSO OO oue eo a odo

SSO S Sobu e o oused a o seee

MIIN2TRYFLA

"initilmtin" "KRAP initill liv Rt 12 w MA ming",

"r lnm" "IPA frc cting nr Blcn n Print tin Rtrvici",

"r intrl" "Pr int tin Rtrvici i nl cmlicit in th frm-",

"mgrnc" "MA i mntin n lm, t MA l ir nvr r ",

"kr mt" " i, , n Dri r crit KRAP ctr wh i in th nir kill-x",

"v ilcntct" "V il l cntct ftr th tnkr lt",

K th nm cri tn thm

miin2intrht

"cn" "rt12 lck",

"kr" "VAILE",

"txt" "Vlkv' fil mntin Rt 12 fr th ttck w rrt ",

"lighting" (, 4, 7),

,

"cn" "rt12 fil",

"kr" "VAILE",

"txt" "Chckint 12 w mrk ntl fr th firt m wnt ff",

"lighting" (, 1 , 2),

Lt th ir ht rch it cl -fingr t fr vncing

"minm" 2,

,

"cn" "rt12 mglrt",

"kr" "VAILE",

"txt" "fficil lin MA m ing Th timtm thrwi",

"lighting" (1, 17, 1),

"minm" 19,

,

"cn" "rt12 chckint",

"kr" "VAILE",

"txt" "W g in it W vrif th cn W n t rt thir li ",

"lighting" (11, 14, 1),

,

"cn" "titlc r",

"kr" "",

"txt" "MIIN 2nQIET N RTE 12",

"lighting" (, ,),

,

miin2ninght

"cn" "rt12 ftrmth",

"kr" "YTEM",

"txt" "TRANMI IN ENT ARCHIVE PARTIALLY CRRPTED",

"lighting" (12, 1,),

,

"cn" "rt12 rct",

"kr" "PREIDENT RETARDVICI",

"txt" "Rt 12 will rmmr th KRAP icilin fil th ntin",

"lighting" (1, 14, 12),

,

"cn" "rt12rct",

"kr" "BALACEAN",

"txt" "Effctiv immitl, KRAP rtin in th highw crrir fll nr gvrnmnt rviw",

"lighting" (1, 14, 12),

,

"cn" "rt12ftrmth",

"kr" "VAILE",

"txt" "Biril tll m gt t",

"lighting" (1, 1, 12),

,

"cn" "rt12 ftrmth",

"kr" "BIRIBEL",

"txt" "Th frm KRAP",

"lighting": (10, 10, 12),

},

{

"scene": "route12_black",

"speaker": "VASILE",

"text": "No. They framed you first.",

"lighting": (2, 2, 4),

},

OPENING_CINEMATIC = [

{"speaker": s["speaker"], "text": s["text"]}

for s in mission2_intro_shots

if s.get("speaker")

SQUADMATE_DEATH_CUTSCENE = [

{"speaker": "GABI", "text": "No MAG banners. No claim. Just a scene waiting for us."},

{"speaker": "VASILE", "text": "Stop. Everybody down."},

{"speaker": "SEBY", "text": "Sniper! Highway sign!"},

{"speaker": "VASILE", "text": "That is IPA fire discipline. Biribel, survive the kill-box."},

MISSION_PHASES = [

{"phase": 1, "name": "Investigation", "objective": "Inspect the staged MAG evidence."},

{"phase": 2, "name": "Sniper Kill-Box", "objective": "Witness the squad ambush."},

{"phase": 3, "name": "IPA Reveal", "objective": "Clear a small authored IPA team."},

{"phase": 4, "name": "Tanker Run", "objective": "Run before the hidden detonator fires."},

{"phase": 5, "name": "Comms Blackout", "objective": "Process the blast and move alone."},

{"phase": 6, "name": "Evidence", "objective": "Collect and upload proof of the frame-up."},

EVIDENCE_ITEMS = [

{

"id": "presidential_decree",

"name": "Presidential Decree",

"description": "Retardovici prepared KRAP-blame language before the checkpoint was secured .",

},

{

"id": "balaceanu_chain",

"name": "Balaceanu Authorization Chain",

"description": "Balaceanu's office authorized IPA cleanup access on Route 12.",

},

{

"id": "mag_packet",

"name": "MAG Blame Packet",

"description": "The media line blaming MAG was written before investigators arrived.",

},

───

Map / authored layout

───

MAP_W, MAP_H = 34, 22

STAGE_INVESTIGATE = "investigate"

STAGE_SNIPER = "sniper"

STAGE_COMBAT = "combat"

STAGE_TRUCK = "truck"

STAGE_TANKER = "tanker"

STAGE_RUN = "tanker_run"

STAGE_BLACKOUT = "blackout"

Page 12

_

_ p

_

_

_

_ _ _ _

_ _

_ _

_ _ _

_ _ p

_ _

_ _

_ _ _

_ _

_ _p

[[_ _] _ _]

_

[][] [_][]

_

[][] [][_]

p

[][]

[][]

[ ][]

[ ][]

[][]

[ ]

[][]

[

]

[][]

p

[][]

[ ][]

[ ][]

[ ]

_ __ p

p

__

_ p []

__

p

_

p[] [] [] []

_p _p

p

p p

_ p

p __p_p p

_ _

_ _

_

_

_ _ __

p p

_ _

__

__ __

__

_ p_

_

p

p p_

p p_

p

pppp

_p _ _

p p p p

[]

_ {

}

p_

_ _

_

_

p_

_

_ _

_p _

__pp

_ _

_

_ _

_p _

__ p

_p__ p

_

__ [] p

p_

_ _

_p _

_ _

__

_ _ __

_p _ p p p

_

p p

p p

__p _p _p

_

__p

__p p

p

p

p

pp

de bu dod:

S .as

S .doos

S .eees

S .us

S .booddeas

S .bues

S .ass

S .aes

S .oboes

S .oooes

S .eoes

S .oaes

S .ssobae s

S .ae oe

o od o e ueaeSSO :

o od e eueaeo:

od * S o d * S

e :

S.a s.aedae.e S S

e e :

ae.e S 8 S

S.a s.aed

S.ssobaes.aed

e e :

S.a e ae 6 6 a 5

S.ae s o e:

S.ae aeS0 6 S 6 a 5

S .ae.seed 3.35

S .ssoae e ae.e 0 * S 0 * S 8 S * 3 8 S * 6

S .as.aedS .ssoae e

S .ssoees

d: a e: ae.e5 * S 8 8 * S 8

d: au e: ae.e6 * S 8 * S 5 5

d: bued e: ae.e3 * S 6 * S 0 0 6

S .us.eed

* S 3 5 * S 3 badae

* S 3 * S 3 a

de sedos :

S .ssoues

d: a

d: a a

ae: G

os: 0

doe: ase

e: S G

es:

e se s e.

ee s soo ude e a o oe .

Soeoe aed s ae e bas.

d: ado

d: ado

ae: O O

os: 0

doe: ase

e: O O

es:

e ae ode oos beoe e s bob eo.

e o a G so as ueued oo ea.

S .ssou aes

d: aes

ae: S

os: U OS

doe: ase

e: U S

es:

ao eaed b aaeau asuue oe.

esao: eo .

esa: beoe e bob eo.

S .ssoede e

d: deee

d: deee

ae:

os: 6

doe: ase

e: S

es:

eado sed bae auae ad ae.

e deee edaes e eo see.

d: baaeau

d: e a

ae: U

os: 3 8

doe: ase

e: U UOO

es:

ea u aess as ou ed ou aaeaus oe.

e ode ass se as asuue ea.

d: aa e

d: ae

ae: G

os: 8 0

doe: ase

e: G

es:

e e ess ae baes G.

as eaed ous beo e esaos a ed.

S ed aos. e do o ad ad ao ase ou as.

S .ssosuad

ae: G os: s ae: ue

ae: S os: s0 ae: ue

ae: US os: s ae: ue

de sa ssoese eease:

aed b aeoeaasa o be sso ae a.

oba obee adoas as es

S .ese

S .aesso SSO

S .aesso d SSO

S .aesso e SSO

S .aessooeao OU U O OU

S .aessoouoe aed dee ased o s oosed

S .aesso uoea as e oe boe sa:

S .aesso uoe o. e aed ou s.

S .soa ase

S .a aSSO

S .ssosa e S.sso sae eseee ad S.ssosa e ese ae.e.es

S .ssoede 0

S .osesed 0

S .sosed 0

TATEhthit

TATErtmiin cmlt Fl

TATErtmiin2ning Fl

TATErtthcrn Fl

TATElr F l

TATEthtimr

TATEmiin2tg TAEINVETIATE

TATEmiinh "m2invtigt"

TATEmiin2timr

TATEmiin2vnt t()

TATEmiin2cr Nn

TATEmiin2cmmct Fl

TATEmiin2tnkr xl Fl

TATEmiin2hckw v Nn

TATEmiin2cn rlt

TATEmiin2nir ft

TATEmiin2cnt wn

TATEmiin2l rgr

TATEmiin2l trt Fl

TATEmiin2vincl Fl

TATEmiin2finl wn Fl

TATEmiin2cmr fc Nn

TATEmiin2nir trc

TATEmiin2nir lr

TATEmiin2nir flh

TATEmiin2nrmiflh

TATEmiin2rinr rnmrnint(, WIDTH), r nmrnint(-, HEIHT), rnmrnint(1, 24) fr in rng(1)

TATEmminmg 12

TATEmgiz 12

TATErmg 4

TATElrttl 2

TATEhtclwn

TATEirling Fl

TATErltimr

TATEmlctiv Fl

TATEmltimr

ilwrl()

initcritr()

jctiv "Inct llw cl mrkr with E (2)"

r imrk t()

l tk Nn

r i('VAILE "trt with th vi li Inct th llw mrkr"', mrk"trt")

rt rn TATElr

───

tr criting intr ctin

───

f cl cnt()

rt rn m(1 fr c in TATEmiin2cl if cgt("n"))

f vinccnt()

rtrn m(1 fr in TATEmiin2vinc if gt("n"))

f trtnirnc()

TATEmiin2tg TAENIPER

TATEmiinh "m2nir"

TATEmiin2timr

TATEmiin2vntclr()

TATEmiin2cmrfc KILLZNE

TATEmiin2nir trc

TATEmiin2nirlr

TATEmiin2nirflh

tjctiv("Cinmtic nir kill-x")

r imrkclr()

TATEfltingtxt ft fr ft in TATEfltingtxt if nt (ln(ft) > n ft "in")

itin tc(12, 1), tc(11, 11), tc(1, 11)

fr ctr, in zi(TATEmiin2 , itin)

ctr"" , 1

ctr"liv" Tr

audio.play("radio_static", volume=0.35)

audio.play("heartbeat", volume=0.30, loops=-1, channel="sniper_heartbeat")

def _kill_actor(index, shooter):

if index >= len(STATE.mission2_squad):

return

actor = STATE.mission2_squad[index]

if not actor.get("alive"):

return

actor["alive"] = False

x, y = actor["pos"]

STATE.blood_decals.append([x, y, 230, 18])

_burst(x, y, C_BLOOD, 34, speed_mul=1.7)

STATE.mission2_sniper_traces.append({"from": shooter, "to": (x, y), "life": 34})

STATE.mission2_sniper_flash = 12

audio.play("gunshot_distant", volume=0.92)

audio.schedule(5, "bullet_impact_enemy", volume=0.75)

audio.schedule(13, "radio_static", volume=0.16)

try :

audio.duck_ambience(frames=45, factor=0.22)

except Exception:

pass

STATE.screen_shake = max(STATE.screen_shake, 16)

def _add_sniper_laser(target_pos, life=55):

STATE.mission2_sniper_lasers.append({"from": _tc(23, 7), "to": target_pos, "life": life})

def _spawn_initial_ipa_team():

_spawn_enemy(23, 7, hp=90, speed=0.0, sniper=True)

_spawn_enemy(20, 6, hp=115, speed=2.1)

_spawn_enemy(20, 14, hp=115, speed=2.1)

_radio('VASILE: "IPA rifles. Not MAG. Clear the lanes."', color=(255, 170, 80), mark="ipa_reveal")

def _spawn_control_cleanup():

Small authored team; do not overwhelm the evidence phase.

if "control_cleanup" in STATE.mission2_events:

return

STATE.mission2_events.add("control_cleanup")

_spawn_enemy(27, 8, hp=105, speed=2.0)

_spawn_enemy(31, 10, hp=105, speed=2.0)

_radio('SYSTEM: IPA cleanup team in control sector.', color=(255, 130, 75), mark="cleanup", allow_when_cut=True)

def _start_tanker_run():

STATE.mission2_stage = STAGE_RUN

STATE.mission_phase = "m2_tanker_run"

STATE.mission2_timer = 0

STATE.mission2_countdown = 420

STATE.mission2_camera_focus = None

_set_objective("RUN to the blue shelter marker before the tanker detonates")

_radio('VASILE: "Hidden detonator! Run to the concrete shelter!"', color=(255, 150, 70), mark= "run")

audio.play("alarm", volume=0.45)

def _explode_tanker():

if STATE.mission2_tanker_exploded:

return

STATE.mission2_tanker_exploded = True

Page 13

_ _

_p _

_

_

__

__ _

_ _

p

_ _

_ _

p

pp

p__

__p

__p

_

__

p

_ { _[] _[] _ p }

__

_

[

]

p

p_

p p_

p p_

p

pppp

p p

_

[ ]

p

p

p

p

pppp

p

[ ]

_p__ __

pp

_ _ [

{ }

{ }

{ }

]

p

__p_p _

p p

_pp[p p {}]

_ p_

q__

_ _

_ _p

__ p _

q_ _

p_

_

p [ ] _

p p_

_

_

__

_

_

_

[ ] _ [p]

[ ]

_p_ [] []

__

__ p

_

__

[ ] _ [p]

[]

_p_ [] [] _

_

_ [p] _ []

_pp [p p]

_

[ ] _[p]

[]

_ __

_p_ [] [ ] _

__ _ __

__ [] p

_p_

p pp p

_ _

_

_ _ _ _

_p__

p

_ _

_p __

__

__p

__

p _

_ _ p

p

_ _

p_

_ _ _ _

_

_p _

_

_

_

_ []

_

__

__ p [] {}

__ p

__

__ p_q

_

_

_q[]

_q[][p]

_q[][p]

_q[][p][ ]

_q[][p][ ]

_q[]

_[][p]

_q[][p]

_q[][p][ ]

_q[][p][ ]

_ _

_ _

__p_ p _q[][p]

p _

_ _

__

__ _

_ _

_ _

__p_ p _q[][p]

_ _

S.sso ees.add seb

ao 3

555 ad asedaus o S.ssoees:

S.sso ees.addase daus

addseaseueS. ssosuad os e0

65 ad daus o S.ssoe es:

S.sso ees.add daus

ao 8 6

35 ad eass o S.ssoee s:

S.sso ees.addea ss

a eos

S.sso seaes.a edo: 3 o: 0 3 e: 30

S.sso seas 8

S.sso eassas

S.seesae aS.seesae 0

audo.ausodsa oue0.5

audo.sedue3 sseb oue0.8

audo.sedue buea oue0.8

audo.sedue5 adosa oue0.0

:

audo.du abeeaes55 ao0.8

ee e o:

ass

855 ad o eaS ssoseadeou 0:

S.sso seadeou sa adeou

eaS ssose adeou 0:

S.sso seadeou

S.ss oseadeou 55:

S.ssosae SG O

S.ssoase oba

S.ssoe 0

S.ssoaeaous oe

S.ssoseases

S.ssoseadeou 0

audo.so aese eabea

sa aaea

seobe eea e ea

e sae SGO:

S.eees:

seobeeea oas eS.e ees e

ese:

S.sso sae SGU

S.sso ase u

seobeese e u aes

adoS : o G sodes. d ou a u s e e. au

e sae SG U:

seobee se e u aes

e sae SG :

eaOS 0:

saae u

ese:

seobeeoa e ea ue ae

e sae SGU:

eaSO 05:

S.sso oudo S.ssoou do 0

seobeeSa oe bae o e a e bas

ese:

seobeeU o e bue see ae be oe e ae de oaes

S.ssooudo

S.sso oudo 0:

eodeae

e sae SG OU:

e e a bas a a aea ba o e ae.

S.sso e 0 ad S .ssoae aous s o o e:

S.sso aeaous oe

ad soae .

s eaS ssoso ae oe

s:

sadus 6

saa a0 saa

saa 0 o sadus saadus:

S.ssosoae oe

oess deaed seoda bass.

o sb se aS ss oseodabass :

sbdea

sbdea 0:

S.ssoseodabass.eoesb

ae S.ssoa ee

ae.ee sbo

ae.ee sbo

o ae5:

o ado.oe55 0 30 55 80 55 0 65 58

ae ado .ad5 5 ado.ad 0 0 o

.d * ado.uo.8 3.5

.d * ado.uo.8 3.5

.e ado.ad 0 60

S.aes.aed

S.seesae aS .seesae 8

S.sso e 0:

oead

OS OS

as e us ou dse ee.

e eo oudseaes ae dead.

O e oo bud s as oe .

oo65 0 80

aebasdoe

dsa

e sae SG :

oud edee ou

S.eees:

seobeeea ea u ea eS .eees e

e oud 3:

seobeese ee edee eas oud 3

ese:

seobeeod a e uoad ea

eaUO OS 5 ad esae.e:

S.ssosae SG UO

S.ssoase u oad

S.ssoe 0

sau oadea

e sae SGU O:

o eaUO OS 0:

seobeeeu o e u oad ea

S.sso uoadoess a0.0 S. ssouoado ess 360

ese:

seobeeod o uoad oue ede e

esae.e:

o S .ssouoadsaed:

S.ssouoads aed ue

adoSS: S G OU G o o aoeuue auoad

seed 0

S.eees:

seed 30

S.ssouoadoess .0 S .ssouoad oess seed

S. ssouoadoess .0:

oe ad

SSSO S

e oue e dee aae s ou.

oued a o e ae bu eou su ed.

oe o ea o beoe e sae boadas ads.

oo

a euoaddoe

dea

ese:

S.ssouoadoess a0.0 S .ssouoad oess 500

e sae SG :

seobeeea e ee e ae

eaOS :

oeesso

de sauoadea:

S.ssoasaed:

eu

TATEmiin2finl wn Tr

wnnm(27, 1, h1, 2)

wnnm(29, 11, h1, 2)

r i('YTEM IPA t-wi tm ntring', clr(2, 1, 7), llwwhnctTr, mrk "wi")

───

Cmtt hlr

───

f tlr(k, liwll)

if nt TATElr r TATElr

rtrn

if TATEmiin2tg TAEINVETIATE

TATElr

lif TATEmiin2tg TAERN

TATElr 41

l

TATElr 4

mx, m gtclm ()

wrlmx mx TATE cmrx

wrlm m TATE cmr

TATElrngl mthtn2(wrlm - TATElrr ctcntr, wrl mx - TATElrrctcntrx)

x

if nt mvmntlck ()

if kgmKw

- TATElr

if kgmK

TATElr

if kgmK

x - TATElr

if kgmK

x TATElr

if x n

x * 77

* 77

TATElrmv(x, , liwll)

if x r

TATEftttimr - 1

if TATEftt timr <

il("f tt", vlm 2)

TATEftt timr 27 rnmrnint(,)

f twntimr()

if TATEhtclwn >

TATEhtclwn - 1

if TATEirling

TATErltimr - 1

if TATErltimr <

TATEirl ing Fl

if TATEr mg >

TATErmg - 1

TATEmm inmg TATEm giz

if TATEmlctiv

TATEmltimr - 1

if TATElr n nt TATEmlhitn n TATEmltimr < 1

x, lr()

fr in TATEnmi

if mthht(rctcntrx - x, rctcntr -) <

h - 7

nhit(x,)

TATE mlhitn Tr

TATE hthit 1

rt(rctcntrx, rctcntr, CBLD, 12)

rk

if TATEmltimr <

TATEmlctiv Fl

TATEmlhitn Fl

f tmltv(li wll)

l rhit Fl

for b in STATE.thrown_bottles[:]:

prev_x, prev_y = b["x"], b["y"]

b["t"] = min(1.0, b["t"] + b["speed"])

nx = b["start_x"] + (b["tx"] - b["start_x"]) * b["t"]

ny = b["start_y"] + (b["ty"] - b["start_y"]) * b["t"]

ix, iy = nx, ny

hit_wall = False

for wall in solid_walls:

clipped = wall.clipline((prev_x, prev_y), (nx, ny))

if clipped:

ix, iy = clipped[0]

hit_wall = True

break

if b["t"] >= 1.0 or hit_wall:

_spawn_molotov_fire(ix, iy, solid_walls)

STATE.thrown_bottles.remove(b)

else:

b["x"], b["y"] = nx, ny

for fire in STATE.molotov_fires[:]:

fire["life"] -= 1

fx, fy = fire["x"], fire["y"]

if random.random() < 0.55:

STATE.particles.append(Particle(fx + random.randint(-55, 55), fy + random.randint(-45, 45), random.choice([(255, 95, 25), (255, 160, 45), (70, 65, 60)])))

for e in STATE.enemies:

d = math.hypot(e.rect.centerx - fx, e.rect.centery - fy)

if d < MOLOTOV_RADIUS and not _wall_blocks_line(fx, fy, e.rect.centerx, e.rect.centery , solid_walls):

e.hp -= MOLOTOV_ENEMY_DAMAGE * (0.5 + (1 - d / MOLOTOV_RADIUS))

e.alerted = True

e.state = "CHASE"

if STATE.player and not STATE.player_dead and not _movement_locked():

d = math.hypot(STATE.player.rect.centerx - fx, STATE.player.rect.centery - fy)

if d < MOLOTOV_RADIUS * 0.7 and not _wall_blocks_line(fx, fy, STATE.player.rect.centerx, STATE.player.rect.centery, solid_walls):

STATE.player.hp -= MOLOTOV_PLAYER_DAMAGE

player_hit = True

if fire["life"] <= 0:

STATE.molotov_fires.remove(fire)

if STATE.player and not STATE.player_dead:

STATE.fire_zones[:] = [fz for fz in STATE.fire_zones if fz.update(STATE.enemies, STATE.player.rect, audio)]

return player_hit

def _update_sniper_enemy(e, solid_walls):

"""Mission 2 sniper: fixed nest, long sightline, deliberate shots."""

if not STATE.player or STATE.player_dead:

return

px, py = _player_pos()

dx = px - e.rect.centerx

dy = py - e.rect.centery

e.angle = math.atan2(dy, dx)

if e.fire_cooldown > 0:

e.fire_cooldown -= 1

if _wall_blocks_line(e.rect.centerx, e.rect.centery, px, py, solid_walls):

return

if e.fire_cooldown <= 0:

dist = max(1.0, math.hypot(dx, dy))

vx, vy = dx / dist, dy / dist

STATE.bullets.append({

"x": e.rect.centerx + vx * 22,

"y": e.rect.centery + vy * 22,

"prev_x": e.rect.centerx + vx * 22,

Page 14

p_

}

_ p_pp { p p }

p _

_

_p __ _

p _

[]

[p_] [p _] [] []

[] []

[] []

[]

_

p [p_] [p_] [ ] []

_[ ] []

p _p

p

p[] []

p

_ p p

_

_pp [[] []]

_ [] [] _

p_p _

p p_

p [] p [] p

p p _

p_

_ _

_[ ] [] _

p _p_

[ ] [] _ _ [] _ _

[]

p p _

__p

_p_ p_ _

_ _p _p_p

p p p _ p _

p

_

_ pp[ ]

_ _

p ppp[ ]

p _

p ppp[ ]

p_

_p _pp

p p_

p pp[]

pp[ ] p p[] p

p[]

p p

p p p _p pp

_pp[p[] p[] {p p }]

p_ p_

_pp[p[] p[] _]

ppp

pp p

_p _p_ _

p p []

pp

p

p p

[]

p_

_[]

[] p

[]

[]

[]

_

_p_[ ]

[]

[]

_p_

_ p_ [][]

[]

[]

_p_

_p_

_ p_

___

_ __

_p _

__ _p_p

_

_ _

_ _

_ _

__

__

_ __

_ __

_ _ _ _

_ _ _ _

_ _

_p

__

_ _

__

__

p pp p _

p_

_

_

_p p _ p_

p_

_

_

__

__ p _

q__

_ __

_p _p _

_p _p_

p _ _p_ _

_ _ _ _ _

p_ _p __ _ p_

p_

_ _

_p _pp

_p _

_p _p_ _

_p_

p

_ p

p[] p[]

_ _

p

p_

p

pp

asss ude aae.

ae.da.esuae 36 8 . . . 8 . 8 bodeadus

ao bed ea 3.

bed .

bed . * 0.6

ae.da.esuae 58 bed . bed . 8 bodeadus

ao bed sde as.

ae.da.esuae 88 5 bed . bed bodeadus

ae.da.esuae 88 5 bed .bo o 8 bed bodeadus

ao sas edo as.

o sa a ebed 8 bed bed 0 :

ae.da. esuae 58 8 38 sa . 6 sa .boo 6

a oe a a oed ba .

a ae.Su aebed . 6 ae.S

a.55 60 50 0

ae.da.e a 65 0 58 80 0 0 a.ed a.ee bodeadus3

a od e.

od a.ed * 0.

ae.da.e a 8 5 00 a.e d od 0 od a.e e

suae.ba bed 6 . 8

ab o 3.

ab bed bed

ab . bed

ab .

ab . 6

ae.da.esuae 80 6 8 ab ab ab ab bodeadus5

dsed.

s ab 0

s ab * 0.5

ae.da.esuae 3 ab 5 ab 3 s s bodeadus3

dsee eeo.

e ae.Suaes s ae.S

ae.da.e e 60 0 0 0 s s bodeadus

suae.be ab 5 ab 3

oo e.

ae.da.esuae 60 8 36 ab ab ab ab ab ab ab

ees o e dea.

o . 0 .boo . 8 .boo

. 8 .bo o . 0 .boo :

ae.da. esuae 8

ae.da. esuae 38 38 38 5

ae.da. esuae 5 5 5

o . 0 . . 8 .

. 8 . . 0 . :

ae.da. esuae 8

ae.da. esuae 38 38 38 5

ae.da. esuae 5 5 5

sa o e ao sde.

ae.da.esuae 60 35 8 bed 8 . . 8 36 6 bodeadus

abe oe asa.ede ue 0 0 80

suae.babe bed 0 . .

eads.

o ab 6 ab ab 0:

ae.da. esuae 80 5 0 ab ab 6

ae.da. esuae 0 5 80 ab ab 6

Oue .

ae.da.esuae 05 5 80 bode adus5

ese:

a bued ees: o ed bu se.

o a: 58 53 8 bued: 3 30 8.ed 58 53 8

Goud sado.

ae.da.esesuae 0 0 0 . . . 6 . 8 0

od.

ae.da.esuae o bodeadus5

dsed.

ae.da.esuae 8 . . 3 . 8 . 6 bodeadus3

oo dea.

ae.da.esuae ue 55 5 o o . 8 . 6 . 50 . bodeadus3

ae.da.esuae 05 5 80 bode adus5

ees.

o . 8 . . :

ae.da. esuae .boo 8

ae.da. esuae 38 38 38 .boo 5

ae.da. esuae . 8

ae.da. esuae 38 38 38 . 5

de daaesuae :

e S.sso aee

e. e.

e.ee e.ee

ae.e.e s

S.ssoa eeoded:

O ae s GO. us a so ae

saeed debs. o e oabe eas.

ae : OOUS oud so ada a ou ad.

o s s sa o o eueae

e. 30 e. 60 0 0 0 a oue soo

e. 60 e. 00 0 30 0 oue so

e. 80 e. 0 50 0 60 d so

e. 00 e. 80 60 50 35 e a

e. 30 e. 0 30 5 8 oe bu

e. 0 e. 0 0 0 5 dee

:

bu ae.Suaes s ae.S

ae.da.e sebu 8 *3 5 * 3 sa 0 0 s s

suae.bbu o o

ae : ee ae ba od ee e ae S.

ae a e.Suaee. 0 e. ae.S

ae.da.eseae 6 0 00 0 0 ae.e d ae .ee

suae.bae 0

aee ae.Suaee. 0 e. 30 ae.S

ae.da.eseaee 30 0 0 aee.ed ae e.ee

suae.baee 0 5

oe o us a e ae boo.

oease a .s * 0.00 * 0.3 0.

oea 50 * oease

aeo ae.Suaee. 60 e. 0 ae.S

ae.da.eseaeo 0 5 5 oea 0 0 ae o.ed aeo.ee

suae.baeo 30 35

ae 3: ada as eed ouad o ae .

o a a e0:

aa a * a.au 0 0.

ae 5 a 3 * 5

s a.osaa * e. 0

s a.saa * e. 0

e a.osaa * e. ae

e a.saa * e. ae

ae.da. esuae 5 s s e e

ba a a 0.5 * a 0 ese

b s e

b s e

be b a.osba *

be b a.sba *

ae.da. esuae 6 b b be be

ae : oo ees saeed o e bas o e sdes.

ee : o a e.

85 5

ae.da.esesuae 6 6 6 3 5 6 0

ae.da.esesuae 0 3 8 6

ae.da.esesuae 38 38 3 8

ae.da.esuae 5 38 8 3 30 3

ee : o ue.

e . 5 5

ae.da.esesuae 8 8 8 5 0

ae.da.esesuae 6 6 3 6

gmrwlli (rfc, (42, 42,), (w2x - , w2 - 2, , 4))

Whl thrwn w wn-lft

wx, w x - 4, rcth 7

gmrwlli (rfc, (, ,), (wx - 12, w - , 24, 1))

gmrwlli (rfc, (2, 2 , 1), (wx - , w - , 1,))

Whl 4 nr crtr g, till mlring

w4x, w4 x rctw 2, rcth

gmrwlli (rfc, (1, 1 , 1), (w4x - 11, w4 - 4, 22,))

gmrwlli (rfc, (2, 2 , 2), (w4x - 7, w4 - , 14,))

firw 1 int(mthin(t * 1) * 4)

whlfir gmrfc((firw, firw), gm RCALPHA)

gmrwlli (whlfir, (2 , 7, 1,), (, , firw, firw))

rfclit(whlfir, (w4x - fir w 2, w4 - firw 2))

Lr Twit mtl hrnl — rnm jgg h , NT hll

lrghrnl

(x - 7, - , (,12),(,),(22,),(2,1),(1,2),(4,22), (,2,1,22), (,4,2,1), -1),

(x rctw , , (,),(12,),(2,),(,1),(2,2),(,24), (4,24,1,2), (4,42,2,1), 2),

(x 2, - , (,1),(1 ,),(,),(2,22),(12,2), (4,,2,21), (,4,4,17), 4),

(x rctw - , rcth , (,),(1,),(24,4),(2,1),(14,24), (,2,1,19), (,44,,1), -),

(x - , rcth 4, (,),(1,),(2,),(24,2),(,1), (2,22,14,2), (2,4,2,1), 1),

(x rctw , rcth - 2, (,),(14,),(22,),(1,22),(4,1), (42,2,22,1), (2,,,14), -),

fr x, , t, fillcl, gcl, rtngl in lrghrnl

mxx mx(fr in t) 4

mx mx(1 fr in t) 4

hr gm rfc((mxx, mx), gmRCALPHA)

gmrw lgn(hr, fill cl, t)

gmrw lgn(hr, g cl, t, 2)

rtt g mtrnfrmrtt(hr, rtngl)

rfclit(rtt, (x,))

Lr Twit i rmnnt — it f th tnk' intrnl i

ifrg

((x - ,), (x - , 4), , (, 42,)),

((x rctw 1, rcth), (x rctw 4, rcth - 1), , (4, , 2)),

((x 7, rcth), (x 9, rcth 1), 2, (4, 4, 22)),

((x - 2, -), (x , - 2), 2, (4, 4, 2)),

((x rctw - , rcth 4), (x rctw - , rcth), , (44, , 24)),

fr (x1, 1), (x2, 2), w, c in ifrg

gmrwlin(rfc, c, (x1, 1), (x2, 2), w)

gmrwcircl(rfc, (c 1, c11, c2), (x1, 1), w 1)

Lr 7 Mim ri — cttr mtl chnk, rivt, lt

mimri

(x - , 4, , , -), (x - , - 1, 11, , 1),

(x rctw 2, rcth - , 9, , -2),

(x rctw 4, 12, 7, 4, 4),

(x , rcth 22, 1, , -),

(x 1, rcth 12, 1, ,),

(x 2, - 2, , ,), (x rctw - 2, - , 12, , -4),

(x - 22, rcth 1, 9, 4, 1),

(x rctw 2, rcth 2, 11, , -2),

(x 1, rcth , , , 7),

(x rctw - , - 2, , 4,),

(x - , 7, 7, , -), (x rctw 7, , , ,),

(x 1, - 4, 9, 4, -1), (x - , 1, 1, ,),

(x 4, rcth , , 4, -7),

(x rctw , rcth 4, 7, , 2),

fr x, , w, h, ngl in mimri

frg gmrfc((w 2, h 2), gmRCALPHA)

clv rnmrnint(,)

gmrwrct(frg, (44 clv, clv, 2 clv, 21), (1, 1, w, h), rrri1)

rtt gmtrnfrmrtt(frg, ngl)

rfclit(rtt, (x,))

Lr Tin ri rivt lt cttr vrwhr

tinri

(x - 9,), (x - 7, - 2), (x - 4,),

(x rctw ,), (x rctw , -),

(x rctw ,), (x , -),

(x , - 4), (x rctw - 1, - 4),

(x - , rcth), (x , rcth),

(x + rect.w + 10, y + rect.h + 55), (x - 75, y + 35),

(x + 110, y + rect.h + 40), (x + 160, y + 20),

(x - 100, y + 60), (x + rect.w + 90, y + 15),

(x + 25, y + rect.h + 70), (x + rect.w - 70, y + rect.h + 55),

]

for tdx, tdy in tiny_debris:

pygame.draw.circle(surface, (50 + random.randint(0,10), 42 + random.randint(0,8), 32 + random.randint(0,6)), (tdx, tdy), 2)

Layer 9: Glass shards from the cab windshield.

for gx, gy, ga in [

(x + rect.w + 8, y + 5, 15),

(x + rect.w - 5, y - 10, -25),

(x + rect.w + 18, y + rect.h - 20, 40),

(x + rect.w + 40, y - 35, -10),

]:

glass = pygame.Surface((8, 6), pygame.SRCALPHA)

pygame.draw.polygon(glass, (40, 55, 70, 120), [(0, 3), (4, 0), (8, 2), (6, 6)])

rotated_g = pygame.transform.rotate(glass, ga)

surface.blit(rotated_g, (gx, gy))

Layer 10: Smouldering fires — large animated flames across the blast zone.

fire_points = [

(cx - 40, cy - 15), (cx + 25, cy + 12), (cx - 15, cy + 30),

(cx + 55, cy - 25), (x + 12, cy + 5), (x - 20, cy + 20),

(cx, cy + 45), (x + rect.w - 20, cy - 10),

]

for i, (fx, fy) in enumerate(fire_points):

base_w = 34 + int(math.sin(t * 0.006 + i) * 8)

base_h = 22 + int(math.cos(t * 0.008 + i * 1.5) * 5)

fire_base = pygame.Surface((base_w, base_h), pygame.SRCALPHA)

pygame.draw.ellipse(fire_base, (180, 60, 10, 55), (0, 0, base_w, base_h))

surface.blit(fire_base, (fx - base_w // 2, fy - base_h // 2))

core_w = base_w // 2

core_h = base_h // 2

fire_core = pygame.Surface((core_w + 6, core_h + 6), pygame.SRCALPHA)

pygame.draw.ellipse(fire_core, (255, 170, 30, 90), (0, 0, core_w + 6, core_h + 6))

surface.blit(fire_core, (fx - core_w // 2 - 3, fy - core_h // 2 - 3))

tip_h = 18 + int(math.sin(t * 0.012 + i * 2.3) * 10)

flame_tip = pygame.Surface((14, tip_h), pygame.SRCALPHA)

pygame.draw.polygon(flame_tip, (255, 120, 20, 100), [

(7, 0), (0, tip_h), (14, tip_h)

])

sway = int(math.sin(t * 0.01 + i * 1.7) * 4)

surface.blit(flame_tip, (fx - 7 + sway, fy - tip_h - base_h // 3))

Layer 11: Heavy smoke — thick, dark, rising columns.

for i in range(6):

smoke_x = cx - 40 + i * 18 + int(math.sin(t * 0.003 + i) * 10)

smoke_y = cy - 40 - int((t * 0.018 + i * 35) % 100)

smoke_a = max(0, 70 - int((t * 0.018 + i * 35) % 100) * 0.65)

if smoke_a > 0:

smoke_r = 16 + int(((t * 0.018 + i * 35) % 100) * 0.2)

smoke = pygame.Surface((smoke_r * 2, smoke_r * 2), pygame.SRCALPHA)

pygame.draw.circle(smoke, (30, 25, 20, int(smoke_a)), (smoke_r, smoke_r), smoke_r)

surface.blit(smoke, (smoke_x - smoke_r, smoke_y - smoke_r))

Layer 12: Ember particles — tiny bright dots drifting upward.

for i in range(8):

em_phase = (t * 0.03 + i * 47) % 120

em_x = cx - 50 + i * 16 + int(math.sin(t * 0.005 + i * 2) * 12)

em_y = cy - 20 - int(em_phase)

em_a = max(0, int(180 - em_phase * 1.5))

Page 15

_

p _ _ _

p

_ __

__ p

_ __

p p

pp _ _

p

_

_

_ _

_

p

p _ _ _ _ _

p _ _ _ _ _ _

p _ _ _ _ _

_ p _ _ _

p _ _

p _ _

p _ _ p

p _ _ _

_p

_ p _ _ _ _

p _ _

p _ _

p _ _ _ _ _ _ _

p _ _ _ _

p _ _ _ _

p _ _ _

_ _ _

p p

p p

_ _

p _ _

p _ _

_ _ _

p _

p

p _ _ _ _ _

p _ _ _ _ _

_ _

_ _ _

p _ _ _

p _ _

p

p_p

p_p

p_ p_p

p p p

p pp p_

p _ _ p _p

_

_

_ _

_

pp _ _ _ _

p_ _

p_ _

_

_

_

p _ _ _ _ _ p_ _ _ _ p_

p p p

p_ p _ p

p p_ _

p_ _ _ _

p

p_ p_ [_ _ _]

p p _ p

_ _

_ _

_

_

_

p p _ _ _ _ _

p p_ _

p _ _ _ _ _

_ _ _

p _ _ _

p _ _

p

_ _ _

_

p _ _ _ _ _

p

_ _

_ _ _

p _ _ _ _ _

p _ _ _ _ _

_ _

_ _ _ __ _

_ _ _

p _ _ _ _

p

_ _ _

p p

p _ _ _

p _ _ _

p _ _

p _ _

p _ _

p

p p

p

_ _

_ _

_ _ _

p _ _ _

p _ _

p _ _

_ _ _ _

p _ _ _ _

p _ _ _ _ _

p _ _ _ _ _

p

p_ _ _

aad a 8

ae.da.esuae 0 00 50 aad aad 0 bodeadus

ae.da.esuae 0 0 0 aad aad 0 bodeadus

aod aad sbo sde.

ae.da.oosuae 00 30 0

aad aad 3

aad aad 0

aad aad

aad 3 aad 0

SSS S

asss a ude e oe u .

ae.da.esuae 0 3 8 e. e. 8 bodeadus

ossebes.

o ae 0 e. 0 0:

ae.da. esuae 0 36 30 e. e.

ees oe u duaes dea.

eeosos

e. 6 0 e. 6 ea duae

ab e. 6 ab ab 8 e. 6 o ae

o eeosos:

ae.da. esuae

ae.da. esuae 5 5 50 8

ae.da. esuae 68 68 65 5

o a ae5:

a a * a.au 5 * 0.00

ae.da.esuae 58 58 55

a.osa * 6 a .sa * 6

o ees s be o odo .

o 5 0 5 ab 5 ab ab 8 5:

ae.da. esuae 0

ae.da. esuae

ae.da. esuae 60 60 58

udas bed ea ees.

o 8 3:

ae.da.esuae 5 5 e. 6 6 bodeadus

U

ae sead udde.

eases 0 5 30 0 35 00 60 6 0

o a eases:

ea ae.Suae ae.S

ae.da.e seea 3 a 0 0

suae.b ea e. 35 3 e. 0

ue s ea aaed.

dase * 0.05 .0

o d ae 8:

d e. d * 5 dase * 5 0

da a 0 00 d * 0

ds a e.Suae6 ae.S

ae.da.e seds 0 3 0 da 0 0 6

suae.bds e. d

a se ea e ea.

a oe asa.ede G U ue 55 0 50

ab ae.Suaea.e d 6 a. ee ae.S

ae.da.e ab 0 0 0 0 0 0 ab.ed ab.ee bodeadus

suae.ba b e. a.ed e. 5

suae.ba e. a .ed 8 e. 3

de daaosuae ao :

a sed suad aos as ua odo ee.

ess obo ess d: sbe s ae oea sa es soe ee

ua ads o e e ad a ess bo oso.

aoos0 aoos

a e ao.ea e

ae aoae

aeo 50 85 30 ae ese 30 80 80

ae

G: 0 5 0

S: 85 0 5

US: 0 0 5

.eae U

ae:

Sado ad boos.

ae.da.esesuae 0 0 0 58 3 3

ae.da.esesuae 0 3

ae.da.esesuae 0

ae.da.esuae 8 3 38 0 3 8 5 bode adus

ae.da.esuae 8 3 38 3 8 5 bodeadus

Soe ua o so: es oe u o o a obo bo.

osos

5 5

0 5 5

5 5 0

ae.da.oosuae 8 58 63 osos

ae.da.oosuae 3 3 osos

Uo soude s ude es.

ae.da.esuae U O 8 3 3 bodeadus3

ae.da.esuae U O 3 3 bode adus3

es aes se.

ae.da.esuae 36 3 8 8 8 5 bode adus3

ae.da.esuae 30 3 8 8

ae.da.esuae U 3 bode adus

ae.da.esuae ae 3

e ed aoss e bod o ua ads o .

os ae e oa ose so e u eads as a se e.

bu 5

so 8

eee 5

oe

ue 0

ead 5

ad

Seeesoeas s.

ae.da.esuae U O 3 ead 5

ae.da.esuae U O 3 6 ad 5

e bod.

ae.da.esuae 5 55 3 bu eee 5 ood so

ae.da.esuae 6 6 5 so ue soueebae

ae.da.esuae 5 0 eee u e

ae.da.esuae 5 6 8 bodeadus

as 0 0 6 0

ae.da.oosuae 5 6 5 as

ae.da.oosuae 55 50 as

ae.da.esuae 8 ue0 ue

ua ads sae ad ess a oo.

ae.da.esuae S e ad0 e ad 3

ae.da.esuae S ad0 ad 3

ae.da.esuae 5 65 0 ead0 e ad 3

ae.da.esuae 5 65 0 ad0 ad 3

ead: sbe ae ee o a u obo so.

ae.da.esuae 8 0

ae.da.esuae 58 0 8 8

ee o.

ae.da.asuae 6 8 38 8 3 6 6 a. a.au 3

ae.da.esuae U 3 bodeadus

ae oe a.

ae.da.esuae S 5

Sa ees ose es so eads ua o as .

ae.da.esuae 35 3

ae.da.esuae 35 3 3

ae.da.esuae 5 5 5 0 0

ese:

oed ao: ea oe soue e.

ae.da.esesuae 0 0 0 0 8 5

gmrwrct(rfc, (4, 42, 2), (x - 21, - 9, 4, 1), rr ri)

gmrwrct(rfc, CKRAPBL E, (x - 12, - 1 , 22, 4), rrri2)

gmrwlin(rfc, (1, 1, 1), (x - 24, - 4), (x 24,), 4)

gmrwcircl (rfc, CPLAYERKIN, (int(x - 1), int(-)),)

l l fnttrminl mllrnr(nm, Tr, nmcl)

h w fnttrminlmllrnr(nm , Tr, (, ,))

l l - 4 if liv l -

rfclit(hw, (x - llgtwith() 2 1, l l 1))

rfclit(ll, (x - llgtwith() 2, ll))

f r wricn(rfc, kin, cx, c, cl1, ctivTr, clrCTERMINAL)

"""Drw rl in-wrlinctin r icn"""

cl

l * m thin(gmtim gttick() *)

if kin "ri" r kin "ttic"

mllr rkn fil ri crck c, nt ntnn, kr,

l wir, n filing r inictr

w, h int(4 *), int(24 *)

x, cx - w 2, c - h 2

Brkn hw tilt ri lt

gmrwlli (rfc, (, , ,), (x - int(*), int(1*), w int(1*), int(1*)))

gmrwrct(rfc, (1, 1, 14), (x, , w, h), rrrimx(2, int(*)))

gmrwrct(rfc, (74, ,), (x, , w, h), mx(1, int(2*)), rrrimx(2, int(*)))

Chi crnr

chi (x w - int(*),), (x w,), (x w, int(*))

gmrwlg n(rfc, (4, , 7), chi)

Crck il

gmrwrct(rfc, (, , 7), (x int(*), int(*), int(1 *), int(*)))

gmrwlin(rfc, (, 7, 7), (x int(*), int(7*)), (x int(1*), int(1*)), mx(1, int(1*)))

gmrwlin(rfc, (, 7, 7), (x int(12*), int(7*)), (x int(9*), int(14*)), mx(1, int(1*)))

krkn, rk n mg

gmrwcircl (rfc, (2, 29,), (x int(2*), int(1*)), mx(4, int(*)))

gmrwcircl (rfc, (, 1, 11), (x int(2*), int(1*)), mx(2, int(*)))

Bnt ntnn n l cl

gmrwlin(rfc, (2, 9, 92), (x int(7*), int(1*)), (x - int(*), - int(1*)), mx(1, int(2*)))

gmrwlin(rfc, (2, 9, 92), (x - int(*), - int(1*)), (x - int(2*), - int(2*)), mx(1, int(1*)))

gmrwlin(rfc, (4, 4, 42), (x int(*), h), (x - int(*), h int(*)), mx(1, int(2*)))

gmrwcircl (rfc, (, 4,), (x - int(9*), h int(*)), mx(1, int(2*)))

l (2, 4,) if ctiv n l > l (7, 1, 14)

gmrwcircl (rfc, l, (x w - int(*), int(*)), mx(2, int(2*)))

lif kin "mgint"

tg fnttrmin lrnr("MA", Tr, (22, 22, 2))

tg gmtrn frmrtt(tg, -9)

if cl 1

tg gmtrnfrmmthc l(tg, (mx(1, int(tggtwith()*)), mx(1, int(tggthight()*))))

tgtlh(19 if ctiv l 12)

rfclit(tg, (cx - tggtwith()2, c - tggthight()2))

gmrwlin(rfc, (1, 1, 1), (cx - int(2*), c int(1*)), (cx int(*), c - int(1*)), mx(2, int(*)))

gmrwrct(rfc, (9, 9, 7), (cx int(2*), c - int(2*), int(1*), int(22*)), rrri mx(1, int(2*)))

gmrwrct(rfc, (2, 2, 2), (cx int(2*), c - int(2*), int(1*), int(*)))

lif kin in ("mnif t", "cr", "ckt", "cmnt")

w, h int(42*), int(2*)

x, cx - w2, c - h2

hw

gmrwrct(rfc, (, ,), (x int(*), int(4*), w, h), rrrimx(1, int(2*)))

Pr with tl g tint

if kin "mnif t"

rcl (22, 21, 1)

lif kin "cr"

rcl (2, 22, 19)

lif kin "ckt"

rcl (19, 1, 14)

l

rcl (22, 21, 1)

gmrwrct(rfc, rcl, (x, , w, h), rrrimx(1, int(2*)))

tin wrn g

gtint gmrfc((w, h), gmRCALPHA)

gmrwrct(gtint, (9, 7, 4,), (, , w, h), mx(1, int(4*)), rrri mx(1, int(2*)))

rfclit(g tint, (x,))

gmrwrct(rfc, (7, , 42), (x, , w, h), mx(1, int(1*)), rrrimx(1, int(2*)))

Mnift cli r with IPA tm

if kin "mnif t"

Clir cli t t

clip_w, clip_h = int(18*s), int(10*s)

pygame.draw.rect(surface, (95, 85, 68), (x + w//2 - clip_w//2, y - int(4*s), clip_w, clip_h), border_radius=max(1, int(2*s)))

pygame.draw.rect(surface, (120, 108, 82), (x + w//2 - clip_w//2 + int(2*s), y - int(2*s), clip_w - int(4*s), clip_h - int(4*s)), border_radius=max(1, int(1*s)))

IPA red stamp.

stamp_w, stamp_h = int(26*s), int(10*s)

pygame.draw.rect(surface, (170, 38, 30), (x + w//2 - stamp_w//2, y + int(5*s), stamp_w , stamp_h), border_radius=max(1, int(1*s)))

if s >= 0.6:

stamp_txt = font_terminal_small.render("IPA", True, (220, 200, 170))

if stamp_txt.get_width() < stamp_w - 2:

surface.blit(stamp_txt, (x + w//2 - stamp_txt.get_width()//2, y + int(5*s)))

if kind == "decree":

pygame.draw.rect(surface, (160, 35, 30), (x + int(5*s), y + int(7*s), w - int(10*s), int(8*s)))

Text lines.

for i in range(5):

yy = y + int((18 + i*6)*s)

line_w = w - int(14*s) - (int(6*s) if i == 4 else 0) # last line shorter

pygame.draw.line(surface, (105, 90, 68), (x + int(7*s), yy), (x + int(7*s) + line_w, yy), max(1, int(1*s)))

if kind == "packet":

pygame.draw.circle(surface, (155, 30, 28), (x + w - int(10*s), y + int(12*s)), max(3, int(5*s)), max(1, int(1*s)))

else:

w, h = int(54*s), int(38*s)

x, y = cx - w//2, cy - h//2

pygame.draw.rect(surface, (4, 9, 10), (x, y, w, h), border_radius=max(2, int(4*s)))

pygame.draw.rect(surface, color, (x, y, w, h), max(1, int(2*s)), border_radius=max(2, int(4*s)))

pygame.draw.rect(surface, (7, 22, 18), (x + int(7*s), y + int(7*s), w - int(14*s), h - int (16*s)))

for i in range(3):

yy = y + int((12 + i*6)*s)

pygame.draw.line(surface, color, (x + int(12*s), yy), (x + w - int(12*s), yy), max(1, int(1*s)))

if active:

pygame.draw.circle(surface, color, (x + w - int(8*s), y + int(8*s)), max(2, int(3*s)))

def _draw_world_prop(surface, item, fcx, fcy, active=True):

sx, sy = _world(item["pos"], fcx, fcy)

kind = item.get("kind", item.get("id", "document"))

_draw_prop_icon(surface, kind, sx, sy, scale=0.85, active=active, color=C_TERMINAL if kind not in ("mag_paint", "manifest") else (245, 190, 65))

def _draw_marker(surface, pos, label, col, fcx, fcy, radius=28):

sx, sy = _world(pos, fcx, fcy)

pulse = int(80 + math.sin(time.time() * 5) * 35)

if -60 < sx < WIDTH + 60 and -60 < sy < HEIGHT + 60:

ring = pygame.Surface((radius * 3, radius * 3), pygame.SRCALPHA)

pygame.draw.circle(ring, (*col, pulse), (radius * 3 // 2, radius * 3 // 2), radius, 3)

pygame.draw.circle(ring, (*col, pulse // 2), (radius * 3 // 2, radius * 3 // 2), radius + 8, 1)

surface.blit(ring, (sx - radius * 3 // 2, sy - radius * 3 // 2))

txt = font_terminal_small.render(label, True, col)

surface.blit(txt, (sx - txt.get_width() // 2, sy - radius - 28))

else:

Edge arrow.

cx = max(32, min(WIDTH - 32, sx))

cy = max(90, min(HEIGHT - 58, sy))

ang = math.atan2(sy - HEIGHT / 2, sx - WIDTH / 2)

pts = [

(cx + math.cos(ang) * 16, cy + math.sin(ang) * 16),

(cx + math.cos(ang + 2.45) * 12, cy + math.sin(ang + 2.45) * 12),

(cx + math.cos(ang - 2.45) * 12, cy + math.sin(ang - 2.45) * 12),

]

pygame.draw.polygon(surface, col, pts)

txt = font_terminal_small.render(label, True, col)

surface.blit(txt, (cx - txt.get_width() // 2, cy + 16))

Page 16

_ _

_ _

_

___p p []

[ ]

{[]} []

__ [p]

__

__ _ _

_ _

__

___pp []

__ __ []

_ _

__ _

_ _

__ _ _

_ _

_

___p p []

[ ]

__ [p] {[]} [] _

__

__ _ _ [] _

_ _

__pp_ __ _ _

__ _ _ _

_ _

__ _

_ _

_

p _

p_

p p

[]

p p

p _

p _

p _

p _

_p [ ]

pp_ pp_

p p p

_

p p _

p p _

_ _pp_p

p p _ _

p pp_ pp_

_

_

[ ]

p

pp []

p

_ [] _

pppp

pppp

p pp

_ p _

_

_ []

p _

_

_ _

p

p

_ _ _ _

p_ pp p_p

_ p _ _ p

p _ _ _

_ _ _

_ _ _ _ _

p _ _ _ _

p_

_ p_ p_

p_

_ p_

_

p _ _ _ _ p_ _

p _ _ _ _ _

_ p p

p _

p _ __

_ _

_ _pp _ _

_ _

_ _ _

_ _

p _ _ p

p _ _ _

p _ _ _

_ _

_

_

_

_

_ _ _

_p __

_ p _

_p p_

p_ _

p p_ _

_p [p_ p _ p]

_p

_

pp _p

pp [p p]

_ _ _p

pp _p

_

_p

_

p p_ _

_p

p p_

p p_

_ { __}{ _}

_ _ __

_ _ _ _ _ _

_ _ _ _

_

_ _ _ _

_ _

p _

p _ _ _ _ _

p _ _ _ p _ _

_ __

_ _ _

_ {p_ }

__ _ _ _

_ _

_ _

__ __

_ p __ _ _ p

p _ __ __ _

p _ __ __ _

_ _ _

p _ __ __ _

_ _

_ _

___ _ _ p_

bo b oeasa.ede OOOS G ue 55 50 60 S.aebo es 0 ese 30 80 80

su ae.bbob bo 0 bo

bo ou oe asa.ede S.aebo es ue S .aeboes 0 ese 80 60 60

su ae.bboou bo 0 bo 8

ud b ae.Suae80 6 ae.S

ae.da.eudb 0 0 0 0 0 0 80 6

su ae.budb 0 0

su ae.boe asa.ede OSS: eS.eees ue 30 5

o s OS O S.sso osu ese OS: S

o so 0 60 55 S.ss oosu ese S

s oeasa.edeos ue oso

su ae.bs s.ed 8 G 0

S.ssosa e SGU:

se a0 S .ssooudo 60

a oseae.edeU OO se ue 55 5 5

ae ae.Su aea.ed 3 a.ee ae.S

ae.0 0 0 5

ae.da.e ae 0 60 0 ae.ee

suae.bae ae.ed 6

suae.ba a .ed 03

S.ssosa e SGUO:

S. ssouoado ess * 00

ba 360

b ba

b G 6

ae.da.esuae 0 0 0 b b 8 ba 58

suae.bo ea.ede UO ue b b 3

ae.da.esuae 30 30 30 b b ba 0

ae.da.esuae b b ba * S.ssouoadoess 0

ae.da.esuae b b ba 0

de daadoesuae:

eaS ssoad oe o S.sso sae SGS SGOU:

eu

ed o S.oaes e 6 ad 5

o eueaeed::

aa 30 * 3

oeasa.ede ue 3

b ae.Sua e50 .ed 6 .ee 8 ae.S

b.0 0 0 50 aa

ae.da.eb *3 00 aa 0 0 0 b.ee 3

b.e d 8

* 30

suae.bb

suae.b 0

de daseoeasuae:

seso se O ea.

e eous eso ooed e a deoae U ued oe e a. s

oe s saed as a u see e ou e ses o: o ae

abes o oess s o odo oea. bes a bea s a

ea eass: e so ses oee besde o s bod.

S.ssosa e ! SGS:

eu

S.sso e

de a o :

eu ao

de soo:

a 0.0 .0

eu * * 3 *

de ea b u:

eu a b a * u

u seso ae.

su ae.5 8

a dsa e o baoud.

o ae G :

u a G *

o 8 u * 3 u * u * 0

ae.da.esuae o 0

o o 58

ado.ado

o b ae0 60 56:

b .ad35 0

ae.da.esuae b oo b b

ae.da.esuae 0 oo G oo

ae.da.oosuae 3 3 3 60 G 60 G 650 oo 350 oo

o ae6:

oo 0 *

d * 8

a * 8

ae.da.esuae 35 58 a d d

ae.da.esuae 35 58 a d

eo obes e dsae.

o boe 0 85 0 5 ue 38 0 80 85 ase 60 8 88 ue 5 8 8 ase :

ae.da.esuae 38 6

ae.da.esuae 86 6 00

ae.da.esuae 6 5 0 30 8

boe:

ae.da. esuae 35 35 8 3

o 5 5 5 0 0:

ae.da.esuae 8 8 0 6 0 bodeadus

ae.da.esuae 5 5 6 0 bodead us

a o asses.

ado.ado 0

o ae5:

.ad 0 * .

.ad0 G * * .0 G *

ae.da.esuae 35 55 0 5 .ad5

seso ao oodaes.

ab 30

seb sa 5 3

seb u 58 5

da ussa 56 3

da usado 650 38

b be 0 50

seb u soo 5 0

da usu soo 50 0

seb esebsa 0 sebu0 sebu esebsa seb u sebu

da us edaus sa0 daus ado0 dausu edaussa dausado dausu

de dasode oo doa se aease eaase:

sa ua ae o oa ae abes.

uo UO ae ese UO

do:

ae.da.e sesuae 0 0 0 5 38 oo 8 6 8

ae.da.esuae 36 5 5 3 oo 6 8 bodeadus6

ae.da.esuae U o ae ese U O 0 oo 3 5 bodeadus

ae.da. esuae S 30 oo 6

ae.da. esuae 8 8 6 38 oo 8 38 oo

eu

ae.da.esesuae 0 0 0 8 3 oo 5 6

ae.da.esuae 3 oo 36 0 3 bodeadus

ae.da.esuae 3 oo 36 0 3 bodeadus

ae.da.esesuae 6 8 8 oo 5 8

ae.da.esesuae 6 8 3 oo 5 8

ae.da.esuae uo 0 oo 6 0 3 bodeadus

ae.da.esuae 8 30 0 oo 6 0 3 bodeadus

ae.da.esuae 8 58 63 oo 66 8 bodeadus

ae.da.esuae U 6 oo 3 6 bodeadus

ea:

ae.da. esuae uo oo 63 5 oo

ae.da. esuae S oo 3

ese:

gmrwlin(rfc, nifrm, (cx - 1, ft - 4), (cx - , ft -), 7)

gmrwlin(rfc, nifrm, (cx 1, ft - 4), (cx , ft -), 7)

gmrwlin(rfc, (7, , 4), (cx - 2, ft - 2), (cx - 4, ft - 1),)

gmrwlin(rfc, (12, 1, 1), (cx - 2, ft -), (cx , ft - 7),)

gmrwlin(rfc, (7, , 7), (cx - 4, ft - 1), (cx , ft - 7), 2)

gmrwlg n(rfc, (14, 1 , 1), (cx 2, ft -), (cx 12, ft -), (cx 9, ft -), (cx 2, ft - 4))

gmrwcircl (rfc, CPLAYERKIN, (cx - , f t -), 4)

gmrwcircl (rfc, CPLAYERKIN, (cx 9, f t -), 4)

gmrwcircl (rfc, (7, , 9), (cx, ft - 91), 1)

gmrwcircl (rfc, (, 7, 2), (cx, ft - 91), 1)

gmrwrc(rfc, (11, 1, 1), (cx - 1, f t - 14, 2, 2), mthi, mtht , 4)

gmrwcircl (rfc, CPLAYERKIN, (cx 1, f t - 7),)

rwflir(gi , gi1, wnt > 2)

rwflir(, 1, wnt > 42)

rwflir(ri , ri1, wnt > 4, rching(4 < t < 4))

if t >

rwflir(iril, iril 1, lrTr)

R ticl trgt n ilg

nrmi Fl

if t < 11

kr, lin " ABI", "N MA nnr N clim J t cn witing fr "

trgt (gi, gi1 -)

lif t < 2

kr, lin "VAILE", "t Ev r wn"

trgt (gi, gi1 -)

lif t <

kr, lin " EBY", "i i hit I'm lling him ck"

trgt (, 1 -)

lif t < 42

kr, lin "VAILE", "D nt tn Th ht r h th ln i l in"

trgt (, 1 -)

lif t <

kr, lin "DARI", "Ri i I cn rch th t—"

trgt (ri , ri1 -)

lif t < 4

kr, lin "VAILE", "Dri, lv it Biril, t lw"

trgt (ri , ri1 -)

lif t < 7

kr, lin "BIRIBEL", "Th wr witing fr KRAP"

Aim li nr Biril, t nt n hi

trgt (iril 4, iril1 - 9)

nrmi Tr

l

kr, lin "VAILE", "Tht i IPA fir icilin Biril, rviv th kill-x"

trgt (iril 2, iril1 - 9)

nrmi Tr

F ll-crn ticl n ffct

c gmrfc ((WIDTH, HEIHT), gmRCALPHA)

g mrwrct(c , (, , , 17), (, , WIDTH, LETTERH))

g mrwrct(c , (, , , 1), (, HEIHT - LETTERH, WIDTH, LETTERH))

fr r, in (, 42), (44,), (, 12)

g gmrfc((WIDTH, HEIHT), gmRCALPHA)

gmrwlli (g, (, , ,), (WIDTH 2 - r, HEIHT 2 - int(r * 2), r * 2, int(r * 1)), 24)

clit(g, (,))

rfclit(c, (,))

tx trgt mthin(t *) *

t trgt1 mthc(t * 2) * 4

rt gmrfc((WIDTH, HEIHT), gmRCALPHA)

cl (9, 19, 1, 1)

g mrwlin(rt, cl, (tx - 9, t), (tx - 14, t), 1)

g mrwlin(rt, cl, (tx 14, t), (tx 9, t), 1)

g mrwlin(rt, cl, (tx, t - 9), (tx, t - 14), 1)

g mrwlin(rt, cl, (tx, t 14), (tx, t 9), 1)

g mrwcircl(rt, (2, 7, 4, 1), (int(tx), int(t)), , 1)

fr rr in (, 72, 112)

gmrwcircl (rt, (, 1, 12, 4), (int(tx), int(t)), rr, 1)

rfclit(rt, (,))

R glintlr nl tnin c, nt vigm trgt ll

fr lr in gtttr(TATE, "miin2nirlr",)

lh mx(, min(1, lr"lif" *))

lsurf = pygame.Surface((WIDTH, HEIGHT), pygame.SRCALPHA)

pygame.draw.line(lsurf, (255, 40, 25, alpha), (WIDTH, 235), (tx, ty), 2)

pygame.draw.circle(lsurf, (255, 50, 35, alpha), (int(tx), int(ty)), 5, 1)

surface.blit(lsurf, (0, 0))

Shot flash / impact. Near-miss draws concrete sparks beside Biribel.

if getattr(STATE, "mission2_sniper_flash", 0) > 0:

flash = pygame.Surface((WIDTH, HEIGHT), pygame.SRCALPHA)

flash.fill((255, 235, 210, min(170, STATE.mission2_sniper_flash * 16)))

surface.blit(flash, (0, 0))

if near_miss or getattr(STATE, "mission2_near_miss_flash", 0) > 0:

spark_x, spark_y = int(tx), int(ty)

pygame.draw.circle(surface, (255, 210, 95), (spark_x, spark_y), 7)

for i in range(12):

ang = i / 12 * math.tau

pygame.draw.line(surface, (255, 180, 70), (spark_x, spark_y), (spark_x + math.cos(ang) * 28, spark_y + math.sin(ang) * 18), 2)

chip = font_terminal_small.render("CONCRETE HIT", True, (210, 190, 120))

surface.blit(chip, (spark_x + 16, spark_y - 8))

else:

pygame.draw.circle(surface, (190, 20, 20), (int(tx), int(ty)), 10)

for i in range(8):

ang = i / 8 * math.tau

pygame.draw.line(surface, (160, 20, 20), (tx, ty), (tx + math.cos(ang) * 22, ty + math.sin(ang) * 14), 2)

Sniper rifle foreground silhouette.

gun = pygame.Surface((420, 160), pygame.SRCALPHA)

pygame.draw.polygon(gun, (4, 5, 5, 235), [(90, 118), (400, 76), (410, 98), (102, 142)])

pygame.draw.rect(gun, (8, 8, 8, 245), (260, 56, 110, 28), border_radius=8)

pygame.draw.rect(gun, (16, 16, 14, 245), (50, 120, 80, 28), border_radius=6)

pygame.draw.circle(gun, (5, 5, 5, 245), (315, 70), 38, 8)

surface.blit(gun, (WIDTH - 430, HEIGHT - 194))

Dialogue plate.

box_w, box_h = 820, 82

bx, by = WIDTH // 2 - box_w // 2, HEIGHT - 100

pygame.draw.rect(surface, (0, 0, 0), (bx, by, box_w, box_h))

dcol = C_VASILE if speaker == "VASILE" else (220, 220, 205)

pygame.draw.rect(surface, dcol, (bx, by, 5, box_h))

pygame.draw.line(surface, dcol, (bx + 5, by + 34), (bx + box_w, by + 34), 1)

surface.blit(font_speaker.render(speaker, True, dcol), (bx + 22, by + 5))

surface.blit(font_dialogue.render(line, True, C_WHITE), (bx + 22, by + 43))

Smooth fade-out before transitioning to gameplay.

fade_progress = getattr(STATE, 'mission2_sniper_fade_out', 0)

if fade_progress > 0:

alpha = min(255, int(fade_progress * 255 / 50))

fade_surf = pygame.Surface((WIDTH, HEIGHT), pygame.SRCALPHA)

fade_surf.fill((0, 0, 0, alpha))

surface.blit(fade_surf, (0, 0))

def _draw_blackout_overlay(surface):

if STATE.mission2_stage != STAGE_BLACKOUT:

return

fade = min(220, 220 - max(0, STATE.mission2_timer - 70))

overlay = pygame.Surface((WIDTH, HEIGHT), pygame.SRCALPHA)

overlay.fill((0, 0, 0, max(90, fade)))

surface.blit(overlay, (0, 0))

if 35 < STATE.mission2_timer < 125:

txt = font_dialogue.render('VASILE: "Biribel, the file said there was a second--"', True, C_VASILE)

surface.blit(txt, (WIDTH // 2 - txt.get_width() // 2, HEIGHT // 2 - 52))

if STATE.mission2_timer > 95:

Page 17

_p

_

_

_ _

_ _ _

_ _ _ _

_ _ _

_ _ _ _

_ _

_ _

_ _ _ _

_[][]

p _ _

p _ _ _

p

_ _ _

_

p

_

__ [] [ ] _ _

_ { _}

__

p _ _

_

p _

p _

p

p

p

_[]

p [] [] p

p [] [] [] []

[] [] _ [] [] _

[]

[]

_

_ _ _ _

_

_ _

p

_

[p]

_ [] _

_ [] _

_ [ ]

_ [p]

p p

p _ _ _ _ _

_

p _ _ _ _ _

_ _ _ _

p _ [] _ [] _

p [] _ [] _ p_ [] [] _ p_ [] [] _

_p_

_ [] _ _

_ [] _ _

[]

p p

p

p

_

[]

[] _

[] _ p

p

p

_q

__ _ _

_ _

_p _ _ _

_p _ _ _

p

p

_

_

_

_p

_

_p

_ p_ __ __[p _] __ [p_] __[p _] __[p_]

p p

p _ _

_ _

p pp

p p[] _

p p[] _ p[]

p[]

p p p _

p p p

p p p

p p p

p __p

p

p _

p[]

p[]

p[]

p[]

p[]

__ p

p_ p_ p_ p

_ p_ _ p_ _

_ _

_ _ _ _

_ _ _ _

p _ _ _

p _ _ _

[_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _]

p _

p_

p p

__

p p

__

_

_

_ _

__p_

_ _

___

__

___

_ p p

p p _ _ _p __ _p_

_ _

p

__

{

d: SSO

e: SSO

oao: SSOOO

se: SSO S

soas: SSOSOGS.o

de e oeea :

eu sOG

de e suadaedeausee:

eu sSU US

de e ssoases:

eu sSSO SS

de e edea :

eu sssoedsos

de e adaouees:

ou

o ou sso osos ssoedsos SU US:

o bea ou:

bea.eseae ad bea.ee:

ou.aedseae: bea seae e : beae

eu ou

a e a:

SSO ea ea se

a:

o sos: essoosos

d sos: essoed sos

cutscenes.py

us ee suas ad d aoue: aae das see baouds so ss.

o a

o ado

o ae

o o o *

de da oosuae oo sae .0 a ue:

d a *

s sae

ead 8 * s

oso 0 * s

oso 60 * s

e 0 * s

e * s

a 6 * s

a 0 * s

oo 8 * s oo

oo 8 * s oo

oo e

so oso

ead so ead 8 * s

sado ae.Sua e80 * s 6 * s ae.S

sado.0 0 0 60

su ae.bsado 0 * s oo 8 * s

e o 8 8

o 8 * s 8 * s:

ae.da.esuae eo e e e

soeo 0 0

ae.da.ese

suae

soeo

oo0 * s oo 8 * s 8 * s 6 * s

ae.da.ese

suae

soeo

oo0 * s oo 8 * s 8 * s 6 * s

oa o 0

o 55 0 0

s

oso * d so

oso * d so

oso 8 * d

oso 8 * d

ae.da.oo

suae

o0 * 0. o * 0. o * 0.

s

oa s

oso so

oso so

oso 6 * s

oso 6 * s

ae.da.oosuae oao oas

ae.da.e

suae

30 8 3

so

8 * s * d so 0 * s

3 * s

a sde oso * d

ba a oso * d

ae.da.e

suae 8 8 baa a so a a

ae.da.e

suae 8 8 asde a so a a

ae.da.e

suae

o0 * 0.6 o * 0.3 o * 0.

o 0 * 0.0 * d ead

ead 5 * s

s o 36 3

ae.da.esu ae so ead ead

ae.da.a

suae

8 6 6

ead ead ead ead * ead *

0

a.

ead * 0.5

ee 0 * s * d

ee ead * s

ae.da.esu ae 00 35 35 ee ee * s

ae.da.e

suae 80 60 0 ee * s * d ee * s * s

6 * s * d

ead 0 * s

ae.da.e

rfc,

(2, 2, 2),

(cigx, cig),

(cigx int(1 *) * , cig - int(2 *)),

int(2 *),

)

if int(gmtimgttick()) % 2

gmrwcircl (

rfc,

(2, , 2),

(cigx int(1 *) * , cig - int(2 *)),

int(*),

)

m r gmrfc ((int(12 *), int(12 *)), gm RCALPHA)

g mrwcircl(m r, (2, 1, ,), (int(*), int(*)), int(*))

rfclit(mr, (cigx int(4 *) * , cig - int(*)))

f rwvil(rfc, cx, ft, cl1, fcingrightTr)

int(fcingright) * 2 - 1

cl

h r int(2 *)

tr h int(112 *)

tr w int(2 *)

lg h int(92 *)

lg w int(22 *)

hi ft - lgh

h hi - tr h

h h - h r - int(*)

h w gmrfc((int(*), int(1 *)), gm RCALPHA)

h wfill((, , ,))

rfclit(hw, (cx - int(4 *), ft - int(*)))

lg cl (, 42,)

fr lx in (cx - int(1 *), cx int(1 *))

gmrwrct(rfc, lgcl, (lx - lgw 2, hi, lgw, lgh))

g mrwlli(

rfc,

(1, 1, 1),

(cx - int(*), ft - int(*), int(2 *), int(14 *)),

)

g mrwlli(

rfc,

(1, 1, 1),

(cx int(2 *), ft - int(*), int(2 *), int(14 *)),

)

ni cl CKRAPNIF RM

ctt

(cx - trw 2, h),

(cx trw 2, h),

(cx trw 2 int(*), hi),

(cx - trw 2 - int(*), hi),

g mrwlgn(rfc, nicl, c tt)

g mrwlin(

rfc,

CKRAPBLE,

(cx - int(2 *), h int(2 *)),

(cx int(2 *), h int(2 *)),

int(*),

)

fr i in rng()

x cx int((trw 2 - - i *) *)

gmrwcircl(

rfc, (2, 1,), (x, h int(*)), int(2 *)

)

rmcl nicl

g mrwrct(

rfc,

rmcl,

(cx - int(trw 2) * - int(*), h, int(1 *), int(9 *)),

)

g mrwrct(

rfc,

rmcl,

(cx int(trw 2) * - int(*), h, int(1 *), int(9 *)),

)

g mrwcircl(rfc, (1, 1, 1), (cx, h), hr)

pygame.draw.arc(

surface,

(60, 50, 45),

(cx - head_r, head_y - head_r, head_r * 2, head_r * 2),

math.pi * 0.2,

math.pi * 0.8,

3,

)

cig_x = cx + int(14 * s) * d

cig_y = head_y + int(8 * s)

pygame.draw.line(

surface,

(220, 220, 220),

(cig_x, cig_y),

(cig_x + int(8 * s) * d, cig_y - int(1 * s)),

int(2 * s),

)

if int(pygame.time.get_ticks() / 350) % 2 == 0:

pygame.draw.circle(

surface,

(255, 80, 20),

(cig_x + int(8 * s) * d, cig_y - int(1 * s)),

int(2 * s),

)

eye_x = cx + int(8 * s) * d

eye_y = head_y - int(3 * s)

pygame.draw.circle(surface, (40, 50, 70), (eye_x, eye_y), int(2 * s))

def draw_biribel(

surface, cx, foot_y, scale=1.0, facing_right=True, in_silhouette=False

d = int(facing_right) * 2 - 1

s = scale

head_r = int(24 * s)

torso_h = int(108 * s)

torso_w = int(58 * s)

leg_h = int(90 * s)

leg_w = int(22 * s)

hip_y = foot_y - leg_h

sho_y = hip_y - torso_h

head_y = sho_y - head_r - int(8 * s)

shadow = pygame.Surface((int(80 * s), int(16 * s)), pygame.SRCALPHA)

shadow.fill((0, 0, 0, 60))

surface.blit(shadow, (cx - int(40 * s), foot_y - int(8 * s)))

if in_silhouette:

for lx in (cx - int(15 * s), cx + int(15 * s)):

pygame.draw.rect(

surface, (8, 8, 12), (lx - leg_w // 2, hip_y, leg_w, leg_h)

)

coat_pts = [

(cx - torso_w // 2, sho_y),

(cx + torso_w // 2, sho_y),

(cx + torso_w // 2 + int(4 * s), hip_y),

(cx - torso_w // 2 - int(4 * s), hip_y),

]

pygame.draw.polygon(surface, (8, 8, 12), coat_pts)

pygame.draw.rect(

surface,

(5, 5, 8),

(cx - int(22 * s), sho_y + int(10 * s), int(44 * s), int(60 * s)),

)

pygame.draw.circle(surface, (8, 8, 12), (cx, head_y), head_r)

pygame.draw.arc(

Page 18

_

_ _

_

_

p

_

_

p _ _ p_ _ _

p

_ p_ _

p p

_

p p

_

_

_p [

_ _

_ _

_ p_

_ p_

]

p p _ _p

_

p

_

_

p

p

p _

p

p _

p _

p

__

_

p

_

_ _

p

_

_ _

p

_

_ _

p _ _

p

_

_ _

_

_

p

_

p p

_

_

_

_

_ _

p _ _

p

_

_

_

_

p

p

__ _ _

_

_

_

_

_

_

p_ _ _

_ p_ _

_ _ _

p p

_

_

p _ _ p_ _ _

p p

_

p p

_

_

_p [

_ _

_ _

_ p_

_ p_

]

p p _ _p

p

_

p_

p

_

p_

p

_

_

_

p

oao

oso 6 * s

so 5 * s

* s

85 * s

ae.da.esu ae 0 0 5 ead ead

ae.da.a

suae

00 00 5

ead ead * s ead * ead 6 * s

a.

a. *

ead * 0.

ae.da.ese

suae

60 55 5

ead 6 * s

ead 8 * s

ead 6 * s *

* s

ae.da.e

suae

60 55 5

ead * s

ead 6 * s

ead * s *

0 * s

ee * s * d

ee ead * s

ae.da.e

suae

30 5 0

ee * s ee

ee * s ee

* s

de da oadesuae oo sa e.0 a ue:

d a *

s sae

ead 6 * s

oso 5 * s

oso 65 * s

e 5 * s

e * s

oo e

so oso

ead so ead 8 * s

sado ae.Sua e80 * s 6 * s ae.S

sado.0 0 0 60

su ae.bsado 0 * s oo 8 * s

e o 0 8

o 8 * s 8 * s:

ae.da.esuae eo e e e

ae.da.ese

suae

0 0

30 * s oo 8 * s 8 * s * s

ae.da.ese

suae

0 0

* s oo 8 * s 8 * s * s

u o 30 3 38

oa s

oso so

oso so

oso 5 * s

oso 5 * s

ae.da.oosuae uo oas

ae.da.e

suae

60 30 30

oso 8 * d 8 * s

so 0 * s

6 * s

0 * s

ae.da.oo

suae

0 0 0

* s so * s

* s so * s

3 * s so 60 * s

3 * s so 60 * s

a o uo

ae.da.e

suae

ao

oso * d 8 * s so 6 * s 5 * s

ae.da.e

suae

ao

oso * d 8 * s so 6 * s 5 * s

ae.da.esu ae 5 5 0 ead ead

ae.da.a

suae

5 0

ead ead ead ead * ead *

0

a.

ead * 0.5

ae.da.ese

suae

5 0

ead ead 8 * s ead * 0 * s

ee 0 * s * d

ee ead 3 * s

ae.da.esu ae 5 30 35 ee ee 3 * s

S S

de da aosuae :

oud SO 60

da sadesu ae 8 0 6 8

a e 50

a 850

a o SO 80

a oud a o

ae.da.e

suae 6 3 ae ao a ae a

o aeae a :

sade 8 *

ae.da.e

suae sade sade sade 6 ao oud

o aeae 0 a 0 0:

o o a e0 3:

ao 30 o * 0

ilit (wx 9 wff) %

winc (, , 2) if ilit l (1, 2, 24)

gmrwr ct(rfc, winc, (wx, w, , 4))

gmrwr ct(rfc, (1, 2, 2), (wx, w, , 4), 2)

if ilit

glw gmrfc((4, 49), gmRCALPHA)

glwfill((, , , 2))

rfclit(glw, (wx - 2, w - 2))

fr chx, chh in (2, 1), (, 1), (7, 11)

gmrwrct(rfc, (2, 2, 4), (chx, fct - chh, 2, chh))

fr i in rng(4)

ff (t 2 i * 1) %

lh mx(, 7 - ff)

r 1 i * 4

rf gm rfc((r * 2, r * 2), gmRCALPHA)

gmrwcircl(rf, (, , 44, lh), (r, r), r)

rfclit(rf, (chx 14 - r, fct - chh - 2 - ff))

g mrwrct(rf c, (1, 1, 1), (, grn, WIDTH, CENEBT - gr n))

f rwilrig(rfc, x, grn, t, cl1, rningFl, lightnl Fl)

cl

w int(12 *)

h int(2 *)

ck grn - int(*)

tw rh int(1 *)

tx x

t ck - twrh

if nt lightnl

lgcl (4, 4,)

ckcl (, , 7)

twrcl (, , 7)

fr lx in (-w 2 1, w 2 - 1)

gmrwlin(

rfc,

lgcl,

(x lx, ck h),

(x lx, grn 2),

int(4 *),

)

gmrwrct(rfc, ckcl, (x - w 2, ck, w, h))

gmrwlin(

rfc, twrcl, (tx - int(2 *), ck), (tx, t), int(*)

)

gmrwlin(

rfc, twrcl, (tx int(2 *), ck), (tx, t), int(*)

)

fr i in rng(4)

rti i 4

l ck - int(twrh * rti)

lw int(2 * * (1 - rti))

gmrwlin(

rfc, twrcl, (tx - lw, l), (tx lw, l), int(2 *)

)

gmrwcircl (rfc, (12, 1 ,), (tx, t), int(4 *))

l

if (t 1) % 2

gmrwcircl(rfc, (2 , ,), (tx, t), int(*))

cnglw gmrfc((int(*), int(*)), gmRCALPHA)

gmrwcircl(

cnglw, (2, , , 7), (int(1 *), int(1 *)), int(1 *)

)

rfclit(cnglw, (tx - int(1 *), t - int(1 *)))

fr lxff in rng(-w 2 1, w 2 - 1, int(2 *))

gmrwcircl(

rfc,

(2, 2, 1),

(x lxff, ck h 2),

int(2 *),

)

ckglw gmrfc((int(12 *), int(12 *)), gmRCALPHA)

gmrwcircl(

ckglw, (2, 2, 1,), (int(*), int(*)), int(*)

)

rfclit(

ckglw, (x lxff - int(*), ck h 2 - int(*))

)

spot_surf = pygame.Surface((WIDTH, HEIGHT), pygame.SRCALPHA)

beam_len = 220 * s

phase_offset = x * 0.13

beam_angle = math.sin(t * 0.02 + phase_offset) * 0.5 - math.pi / 2

end_cx = x + math.cos(beam_angle) * beam_len

end_cy = deck_y + math.sin(beam_angle) * beam_len

perp_angle = beam_angle + math.pi / 2

cone_half_w = 30 * s

bx1 = end_cx - math.cos(perp_angle) * cone_half_w

by1 = end_cy - math.sin(perp_angle) * cone_half_w

bx2 = end_cx + math.cos(perp_angle) * cone_half_w

by2 = end_cy + math.sin(perp_angle) * cone_half_w

pygame.draw.polygon(

spot_surf, (255, 255, 220, 20), [(x, deck_y), (bx1, by1), (bx2, by2)]

)

surface.blit(spot_surf, (0, 0))

if burning:

fire_x = x + int(math.sin(t * 0.01) * 5)

fire_y = deck_y - int(5 * s)

for ri, (rc, ra) in enumerate([(255, 180), (220, 130), (160, 80)]):

rr = max(2, int((15 - ri * 4) * s))

pygame.draw.circle(

surface,

(rc, max(0, 80 - ri * 20), 10, ra),

(fire_x, fire_y - ri * int(5 * s)),

rr,

)

for pi in range(5):

poff = (t // 15 + pi * 12) % 80

palpha = max(0, 100 - poff)

pr = int((10 + pi * 3) * s)

psurf = pygame.Surface((pr * 2, pr * 2), pygame.SRCALPHA)

pygame.draw.circle(psurf, (40, 40, 45, palpha), (pr, pr), pr)

surface.blit(

psurf,

(fire_x - pr + random.randint(-3, 3), deck_y - int(40 * s) - poff),

)

def draw_propaganda_poster(surface, x, y, w, h, defaced=False):

pygame.draw.rect(surface, (200, 180, 140), (x, y, w, h))

pygame.draw.rect(surface, (60, 50, 40), (x, y, w, h), 2)

face_x = x + w // 2

face_y = y + h // 3

face_r = min(w, h) // 6

pygame.draw.circle(surface, (40, 30, 25), (face_x, face_y), face_r)

pygame.draw.rect(

surface, (40, 30, 25), (face_x - face_r, face_y, face_r * 2, face_r * 2)

)

for i in range(3):

ty = y + h * 2 // 3 + i * 8

pygame.draw.rect(surface, (60, 50, 40), (x + 10, ty, w - 20, 4))

pygame.draw.rect(surface, (160, 30, 30), (x, y, w, 12))

if defaced:

pygame.draw.circle(

surface, (15, 15, 15), (face_x - 4, face_y - 2), face_r + 2, 3

)

pygame.draw.line(

surface, (15, 15, 15), (x + 4, y + 4), (x + w - 4, y + h - 4), 3

)

tag = font_terminal_small.render("MARU", True, (15, 15, 15))

surface.blit(tag, (x + w // 2 - tag.get_width() // 2, y + h - 18))

def draw_mag_graffiti(surface, x, y, scale=1.0):

s = scale

Page 19

p [

]

p p p

p

p

__

p

__

_ _

[ ]

p _

p _

p _ _ _

_ _

p

[ ][ ]

p p

pp

_

_

_ _

p p

p p

_ _

p _ _ _

p _ _ _

p

p p

[

_ _

_ _

_ _

_ _

]

p p

[

_ _

_ _

_ _

_ _

]

p _ _ _

p _ _ _

p _ _ _ _

p

p __ _ _

p _ _

p __

p _ _

p _ _

p p _ _

_ _

p _

p _

p _

p p

p p [ ]

_ _

_ p p

_

_

_ _ _ _

p _ _

_

p

__

p _ _ p

_

_

__

pp

_ _

p _ _

p

p

p

p

p

p _ _

_ _

p

p _ _

p _ _

p

p_

p_ _

p p_ p_

p p

pp

_

_

_ _

_

_

p _ _ _ _

p _ _ _ _

_ _

_ _

[ ][ ]

p

_ _

_ _

p

p

_

_ _

_

_

p _ _ _ _

p _ _ _ _

_ [ ]

p [

_ _

_ _

_ _

_ _

_ _

_ _

]

p

p _ [_] p[] p[ ]

p _ p []

p _ _ _

_ _

p _ _ _

p _ _

p _ _

ae.da.esuae 8 0 oo 35 60 8 bode adus3

ae.da.esuae 8 6 6 360 oo 35 300 8 bodeadus

ae.da.esuae 8 360 oo 35 300 8 bodeadus3

Gea aes

ae.da.esuae 55 58 8 35 oo 5 86 6 bode adus3

ae.da.esuae 85 88 35 oo 5 86 6 bodeadus3

a oeasa.ede ue U

su ae.ba 350 oo 38

ae.da.esuae 0 5 38 30 oo 38 bode adus

ae.da.esuae 5 3 30 oo 38 bodeadus

aae oes

as eo ae.Suae60 0 ae.S

ae.da.eseaseo 00 60 0 8 0 0 60 80

su ae.base o 5 oo 5

b beo ae.Suae80 0 ae.S

ae.da.eseb beo 80 0 00 8 0 0 80 00

su ae.bbbe o 50 oo 30

aaes ae a d bee saed

da asesuae 60 oo sae0. a ue

da bbesuae 50 oo sae0.6 a ase soueeue

oeoud soue es: ado e ase es aed de

ae.da.esuae 5 6 8 0 S O 0 8 bodeadus3

ae.da.esuae 6 5 SO 8 50 S O 8 3

ae.da.esu ae 8 0 58 SO 8 6

Sube ed as

ed o ae.Su ae G ae.S

ed o.60 0

su ae.bedo 0 0

a do seso ees a usee

de easeusee:

a0.0 .0

eu .0 .0 ** 3

de e useea b :

eu a b a *

de daadososuae s ae.0 ae8 :

s sae

50 * s 80 * s

u ae.Suae ae.S

de :

eu ae.e * s * s * s * s

ae.da.eu 5 56 6 3 5 bo deadus3 * s

ae.da.eu 8 0 3 5 * s bodeadus3 * s

ae.da.eu 0 80 8 8 bodeadus * s

ae.da.eu 8 8 0 3 * s 3 * s * s

ae.da.eu 8 30 3 36 38 58 3 bo deadus3 * s

s 8 * s 8 * s * s 8 * s

8 * s 3 * s 56 * s 5 * s

ae.da.oou 3 5 s

ae.da.oou 0 3 s * s

ae.da.eu 6 83 * s * s 8 * s * s

ae.da.eu 05 0 38 * s * s 3 * s * s * s

ae.da.eu 80 35 35 8 * s * s * s

o ae.aso .oaeu ae

e o.eeee

su ae.bo e

de daadoooo suae sae.0 ae0 :

U ooo: ass boe abe ue a sued e e.

s sae

6 * s 50 * s

bo e ae.Sua e ae.S

b

a o 6 8 30

a da 50 3

ae.da.ooboe ao

b * s 8 * s

b 6 * s 3 * s

b * s 0 * s

b * s 6 * s

ae.da.ebo e ada

b 6 * s * s

b * s 36 * s a * s

ae.da.eseboe ao

b 8 * s 0 * s 6 * s * s

ae.da.eseboe ada

b 8 * s 0 * s 6 * s * s a * s

ass 6 66 30

assda 5 36 8

ae.da.ebo e assda

b * s 8 * s * s 6 * s

bodeadus3 * s

ae.da.ebo e ass

b 5 * s 0 * s 0 * s 3 * s

bodeadus3 * s

ae.da.ooboe assda

b * s * s

b * s * s

b 0 * s 6 * s

b 0 * s 6 * s

ae.da.ooboe ass

b 5 * s * s

b 5 * s * s

b * s 6 * s

b * s 6 * s

bod e ae.e b 0 * s 60 * s 0 * s 8 * s

ae.da.ebo e assda bode bodeadus8 * s

e bode. ae6 * s 6 * s

ae.da.ebo e ass e bodeadus * s

ue e.e * 0.65

ue e ae.e e. e.boo ue e.d ue

ae.da.ebo e 6 30 uee bode adus6 * s

ae.da.ebo e 5 60 55

ue e. uee . uee.d * s

ae.da.ebo e 55 0 60

e. * s e. 6 * s

e. * s e.boo 8 * s a * s

ae.da.ebo e 60 60 6

b * s 30 * s * s 5 * s

o ae.aso .oaeboe a e

e o.eeee

su ae.bo e

de da aadosuae eeao:

da aeosu ae

d ae.Suae G ae.S

d .0 0 0 05

su ae.bd 0 0

ae 650

ae 355

ae ae

ae SO

ae ae.eae ae ae ae

sado ae.Sua eae 8 ae 8 ae.S

ae.da.esado 0 0 0 5 sado.ee bodeadus8

su ae.bsado ae ae

ae.da.esuae 0 3 ae bodeadus6

ae.da.esuae 5 6 ae bode adus6

ae.da.esuae U ae ae 5 ae bodeadus

o aeae 35 ae. 35 80:

ae.da.esuae ae 0 ae.bo o 0

o aeae 5 ae.boo 0 :

ae.da.esuae 8 0 5 ae 5 ae. 5

abe OOU S S S e eao ese O OU S G

a oeas a.edeabe ue 0 50 80

su ae.ba a e 8 ae

e oeas a.ede ue 0 55 5

su ae.be a e. e.e d a e

ae.e.e s 00 0:

ae.da.esuae 0 55 5 ae. e.ed 3 ae

ab e ae 50

ab es ae 0 abe ae. 0 abe

ae. 55 ae.boo 8 ae 55 ae.bo o 8

ae.da.oosuae 8 36 abes

ae.da.oosuae 80 60 38 abes

o aeabe 8 ae.bo o 35 :

ae.da.esuae 35 5 ae 5 ae. 5

a eb oe asa.ede ue 30 0 80

e eao:

suae.baeb aeb.e d ae.boo 58

ctcn((t - 2) 11)

il mthin(t *) * 2

if itm "wn"

hn nl 22 il

lfttrt (n lx 9, nl 19)

righttrt (nlright - 9, nl 2)

lfthnx lrctcn(nlx 2, WIDTH 2 - ,)

lfthn lrctcn(nl 19, hn,)

righthnx l rctcn(nl right - 2, WIDTH 2 ,)

righthn l rctcn(nl 21, hn ,)

glw gmrfc((, 21), gmRCALPHA)

fr r in rng(1 , , -)

int(22 * (1 - r 1))

gmrwlli(glw, (12, 1, 22,), (1 - r, 1 - r 2, r * 2, r))

rfclit(glw, (WIDTH 2 - 1 , nl 9))

gmrwlin(rfc, CKRAPNIFRM, lfttrt, (lfthnx, lfthn), 22)

gmrwlin(rfc, (2, ,), lfttrt, (lfthnx, lfthn),)

gmrwcircl (rfc, (17, 1 , 12), (int(lfthnx), int(lfthn)), 1)

gmrwcircl (rfc, (7, 2, 1), (int(lfthnx -), int(l fthn)), 7)

irillv (4, , 4)

gmrwlin(rfc, irillv, righttrt, (righthnx, righthn), 22)

gmrwlin(rfc, (24, , 2), righttrt, (righthnx, righthn),)

gmrwcircl (rfc, (4, 44,), (int(righthnx), int(right hn)), 1)

gmrwcircl (rfc, (17, 14, 112), (int(righthnx - 4), int(righthn 1)), 7)

itmx lrctcn(lfthnx, WIDTH 2,)

itm hn - 2

rwhnffitl(rfc, itmx, itm, cl1 , ngl-)

mll fnttrminlmllrnr("9MM IDEARM 12-RD MA", Tr, (1 , 1, 17))

rfclit(mll, (WIDTH 2 - mllgtwith() 2, nl 292))

l

── MLTV cr t li cr th tl twr Biril ──

crtw, crth 19,

crttrtx nlx 17

crtnx WIDTH 2

crtx lrc tcn(crttrtx, crtnx,)

crt tl - 14 il *

h gmrfc((crtw , 2), gmRCALPHA)

gmrwlli (h, (, , , 11), hgtrct())

rfclit(h, (int(crtx - crtw 2 - 1), int(crt crth - 2)))

crtrct gmRct(int(crtx - crtw 2), int(crt), crtw, crth)

gmrwrct(rfc, (4, , 2), crtrct, rrri4)

gmrwrct(rfc, (4, , 1), crtrct, , rrri4)

intrir crtrctinflt(-1, -1)

intrir -

gmrwrct(rfc, (2, 1, 12), intrir, r rri)

fr x2 in rng(crtrctx 2, crtrctright - 1,)

gmrwlin(rfc, (, , 2),

(x2, crtrct 4), (x2, crtrctttm - 4), 2)

tncil fnttrminlmllrnr("FLAMMABLE", Tr , (1, , 4))

rfclit(tncil, (crtrctc ntrx - tncilg twith() 2,

crtrct ttm - 22))

rwhnffml tv(rfc, crt rctcntrx - 4, crtrct - 2,

cl2, ngl-12)

rwhnffml tv(rfc, crt rctcntrx 4, crtrct - 24,

cl2, ngl1)

glw gmrfc((2, 1), gmRCALPHA)

fr r in rng(11, , -)

int(1 * (1 - r 11))

gmrwlli(glw, (2, 17, 9,), (14 - r, 9 - r 2, r * 2, r))

rfclit(glw, (int(crtrctcntrx - 14), int(crtrct - 9)))

hx crtrctx -

h crtrctcntr -

lfttrt (nlx , nl 19)

gmrwlin(rfc, CKRAPNIFRM, lfttrt, (hx, h), 22)

gmrwlin(rfc, (2, ,), lfttrt, (hx, h),)

gmrwcircl(rfc, (17, 1, 12), (int(hx), int(h)), 14)

rch ctcn((-) 4)

if rch >

righttrt (nlright - , nl 21)

rchx lrctcn(nlright - 19, crt rctright 4, r ch)

rch lrctcn(nl 21, crtrctcntr - 2, rch)

irillv (4, , 4)

gmrwlin(rfc, iri llv, righttrt, (rchx, r ch), 22)

gmrwlin(rfc, (24, , 2), righttrt, (rchx, rch),)

gmrwcircl(rfc, (4, 44,), (int(r chx), int(rch)), 1)

pygame.draw.circle(surface, (170, 140, 112),

(int(reach_x - 4), int(reach_y + 1)), 7)

small = font_terminal_small.render(

"2x MOLOTOV // UNLIT — FIELD EXPEDIENT", True, (190, 135, 80))

surface.blit(small, (WIDTH // 2 - small.get_width() // 2, panel_y + 18 + 24))

scan = pygame.Surface((panel_w, panel_h), pygame.SRCALPHA)

for sy in range(0, panel_h, 4):

pygame.draw.line(scan, (0, 0, 0, 22), (0, sy), (panel_w, sy))

surface.blit(scan, (panel_x, panel_y))

pygame.draw.line(surface, (80, 95, 110), (panel_x + 12, panel_y + 34), (panel.right - 12, panel_y + 34), 1)

───

CUTSCENE 1 — THE WORLD

───

GROUND_Y = SCENE_BOT - 55

PAL_RAINY = [(26, 30, 38), (22, 28, 36)]

def draw_route12_black(surface, t):

surface.fill((2, 3, 6))

rng = random.Random(int(t // 80))

for _ in range(45):

x = rng.randint(0, WIDTH - 1)

y = rng.randint(SCENE_TOP, SCENE_BOT - 1)

shade = rng.randint(8, 28)

surface.set_at((x, y), (shade, shade, shade + 4))

pulse = int(35 + math.sin(t * 0.006) * 20)

glow = pygame.Surface((WIDTH, HEIGHT), pygame.SRCALPHA)

pygame.draw.circle(glow, (40, 80, 120, pulse), (WIDTH // 2, HEIGHT // 2), 220)

surface.blit(glow, (0, 0))

tag = font_terminal.render("KRAP FIELD AUDIO // ROUTE 12", True, (75, 125, 165))

surface.blit(tag, (WIDTH // 2 - tag.get_width() // 2, SCENE_TOP + 210))

sub = font_terminal_small.render("RAIN AUDIO // FILE ROOM STATIC // NO LIVE SIGNAL", True, (90 , 90, 95))

surface.blit(sub, (WIDTH // 2 - sub.get_width() // 2, SCENE_TOP + 244))

def draw_route12_files(surface, t):

"""Vasile studies the recovered Route 12 file.

Cleaner spacing pass: the close-up now uses three separated document zones

instead of stacking every clue on top of the main security order.

"""

def ease01(v):

v = max(0.0, min(1.0, v))

return v * v * (3 - 2 * v)

push = ease01((t - 1350) / 1100.0)

finger_t = ease01((t - 2450) / 850.0)

flicker = 0.78 + 0.22 * math.sin(t * 0.009)

── Base van interior, without default characters.

surface.fill((7, 8, 10))

for y in range(SCENE_TOP, SCENE_BOT):

p = (y - SCENE_TOP) / max(1, SCENE_H)

pygame.draw.line(

surface,

(int(13 + p * 9), int(11 + p * 6), int(13 + p * 7)),

(0, y),

(WIDTH, y),

)

for x in range(80, WIDTH - 80, 96):

pygame.draw.line(surface, (25, 22, 24), (x, SCENE_TOP + 10), (x, SCENE_BOT - 92), 1)

for y in range(SCENE_TOP + 50, SCENE_BOT - 90, 48):

pygame.draw.line(surface, (21, 18, 20), (40, y), (WIDTH - 40, y), 1)

Page 20

_ _

p _ _ _

p _

_ p p

p _ _

_

p _

p

p

p [ ][ ]

p p p

p p p

p _

_ _ _

p _

p _

p _

p _

_ _

_p [

_ _

_ _

_ _

_ _

_ _

]

p p _p

p p _p

p _ _ _

p _ _ _

p _ _ _ _

p _ _ _ _

__

_p p

p p p

p p

p p

p

p _

p p _

p p _

p p

q

p

_p [

]

p p p _p

p p p _p

__

_p p

_pp p p_ pp _ _

pp p p

ppp pp_ pp_ _

ppp pp_ _

ppp _

_ _ _ _ _

_ _

pp_ _

_ _

_ _pp _ _

_

pp

pp

p pp

p pp

p

_ p p_

p

_p

pp _ _

pp_p p

p p p

_

pp

p p p

p p

ppp [] pp _

p p p p p

p p p p

p p p p

p p p p p p

p p p p

p

_pp

[ ]

pp_

_

_ p

_pp

_

[

]

p

p _ p

p

_ _

p

_pp

[ ]

p

pp_

_

_ p

[

p p _ _

_ _

_ _

]

p _

p _

p _

p p

_ _

_ _ _ _

_ _ _ _

_ _ _ _

p

p p

pp p [ ]

p p

p p

p p

p

ae.da.eose 55 0 0 05 * us * e ae ae 8

sa des. 8 * 0.05 a des. 56

sa ae.Suae des. 3 a e.S

sa .5 80 5 36 * us

ose.bsa des . sa

a oeas a.edeases e sos o e esas. ue 35 55 65

a .seaa55 * us

ose.ba des. 6 des.boo

su ae.bose 0 0

de da oueaae suae :

Oa oue ubeease bu e.

Sa oused eso: oe eadabe a o sde oes ousde e o

o sase oea a e ds.

a be a.

su ae.8 6

o aeS O SO 36 :

ae.da.esuae 0 8

ae.da.esuae 8 0 8 8

So ed eee bed e boad.

o ae.Suae G ae.S

use 8 a.s * 0.005 * 0

ae.da.eo 5 30 use SO 5 30

su ae.bo 0 0

de ba boad so s oes a e OUS e a see.

boa d ae.e 5 S O 3 850 30

ae.da.esuae 5 3 boad bodead us

ae.da.esuae 5 8 5 boad 3 bode adus

ae.da.esuae 30 5 boad.ae8 8 bode adus

a ae: eeed ad a eou o seaae eds o oe ede e.

ae ae.e 65 S O 58 530 330

sado ae.Sua eae. ae. ae.S

sado.0 0 0 5

su ae.bsado ae. ae. 3

ae.da.esuae 6 86 ae bode adus

ae.da.esuae 8 60 38 ae 3 bode adus

eade s.

eade ae.e ae. ae. ae. 8

ae.da.esuae 5 8 eade

ae.da.esuae 86 8 6 eade. eade.boo 5 eade . 5

d oseae.e deG S U ue 6 6 6

su ae.bd eade.ee d.ed eade. 0

o ae. 0 ae. 0:

ae.da.esuae 88 8 a e.

ae.da.esuae 0 6 6 ae . 0

O a o eds ae e a sa ad o sa oea.

o ae.

o ae. 6

abeo 5 5

aueo 3 36 8

a o 3 8

os

OU O aueo

U SUS G O G ao

SOU SU S aueo

SUS U G a o

o abe aue o eueae os:

o *

ab oeasa.edeabe ue abeo

ao oea eaue ese o o

a ao.e deaue ue o

suae.bab o 6

suae.ba o 5

ae.da.esuae 6 08 8 o 30 ae. 30

o e susous saus o o e oe doue.

ae.Suae ae. 8 3 ae.S

.0 38 6 6

su ae.b o o 3 * 3

oe edee o. e ee s beo e eds.

edee ae. 50

o o ae.eae. ede e 3 8

ae.da.esuae 3 oo

ae.da.esuae 6 80 58 oo

a oea.edeG ue 5 5

a ae.aso .oaea

a .seaa0

su ae.ba oo. 36 oo.

o ob oe asa.ede OO U ue 0 58

su ae.boob oo. oo.boo 5

S a sa s o oe aea o o o o o eds.

sa bo ae.e ae. 00 edee 60 60

ae.da.esuae 0 0 0 8 sabo

ae.da.esuae 30 8 sabo

sa oea.edeSUS G ue 0 6

sa ae.aso.oaesa 5

sa .seaa8

su ae.bsa sabo.ee sa.ed sabo.

bob oeasa.edeO G ue 0 6

bob ae.aso .oaebob 5

bob.seaa

su ae.bbob s abo.ee bob.ed sabo. 36

ooe a e e boo seaae o oo ad sa .

oo e ae.e ae. 3 ae .boo 8 ae. 68 0

ae.da.esuae 0 0 0 3 ooe

oo e oe asa.ede U S O G ue 8 3

su ae.booe ooe.ee ooe.e d oo e.

S de oes: ousde e ae so e ao oe o eds.

oe ae.eboad. 36 boad. 0 66

ae.da.esuae 8 6 oe bode adus

ae.da.esuae 8 6 38 oe bode adus

oeasa.edeO ue 00 36 8

oeasa.edeSG ue 00 36 8

su ae.b oe. 6 oe. 6

su ae.b oe. 5 oe. 38

oe ae.eboad. 5 boad.boo 06 6 60

ae.da.esuae 5 3 oe bodeadus

ae.da.esuae 8 6 38 oe bode adus

3 oeasa.edeS ue 8 3

oeasa.edeUU ue 5 36 8

su ae.b3 oe. 8 oe.

su ae.b oe. 30 oe. 3

e sube boadas . Goba saes s da ae.

60 0:

ae.da.esuae 55 55 55 ae. ae. 5 ae.

de daoueeo basesuae aease:

ea oue eo ae a ao suas sa aboe daoue.

da sadesu ae 8 8 8 8 30

o o SO 6

oad SO 300

ae.da.esuae 6 8 0 0 oo SO oo

sa eebud souees.

ado.ado

o ae0 60 56:

.ad30 0

ae.da.esuae 0 oad 58

a suae.

ae.da.esuae 30 3 3 0 oad 0

ae.da.esuae 3 5 0 oad 86 38

o ae80 * 0.0 50 50 50:

ae.da.esuae 5 36 60 oad 0 5

T ll th chck int ln with rctiv cing

thc (12, r - 1, 14, 12), (, r - 7, 92, 112), (9, r - 72, 92, 1), (79, r - 9, 14, 12)

fr i, (x, , w, h) in nmrt(thc)

gmrwrct(rfc, (7, 44, 4), (x , , w, h))

gmrwrct(rfc, (9, , 72), (x, , w, h))

gmrwrct(rfc, (12, 112, 11), (x, , w, h), 2)

gmrwrct(rfc, (, 12, 1), (x 1, 24, w - 2,))

gmrwlin(rfc, (1, 4, 4), (x 4, h -), (x w - 4, 1), 4)

if i 1

gmrwcircl(rfc, (2 , 11,), (x w - 1, 12),)

B rn KRAP flg in clr r-lft cmitin

l x

g mrwlin(rf c, (, ,), (lx, r - 1), (lx, r 2),)

flg (lx, r - 14), (lx 94, r - 1), (lx 7, r - 9), (l x, r - 14)

g mrwlgn(rfc, CKRAPBLE, flg)

g mrwlgn(rfc, (, ,), (lx , r - 1), (l x 94, r - 1), (lx 7, r - 9), (lx , r - 11))

F rgrn wrck n vinc ilh tt

wrck (2, r 74, 112, 4, (, 2,)), (, r 7, 12, 42, (4, , 4))

fr wx, w, ww, wh, c l in wrck

gmrwrct(rfc, cl, (wx, w, ww, wh), r rri)

gmrwrct(rfc, (2, ,), (wx, w, ww, wh), 2, rrri)

gmrwcircl (rfc, (1, 1, 1), (wx 1, w wh), 9)

gmrwcircl (rfc, (1, 1, 1), (wx ww - 1, w wh), 9)

mk clmn kt mi-trnrnt

fr i in rng(1)

x rngrnint(, 9)

r - rng rnint(2, 1)

rift mthin(t * 14 i) * 1

fr r in rng(4, 1, -9)

m gm rfc((r * 2, r * 2), gmRCALPHA)

gmrwcircl(m, (4, 4, 4, mx(1, 42 - r 2)), (r, r), r)

rfclit(m, (x rift - r, - i * - r))

if tnkr

tnk gmRct(WIDTH 2 - 12, r 2, 24, 72)

gmrwlli (rfc, (, , , 9), (tnkx - 2, tnk , tnkw 4, 72))

gmrwrct(rfc, (, 74, 2), tnk, rrri24)

gmrwrct(rfc, (1, 42, 2), (tnkx 1, tnkcntr - 1 , tnkw - , 2))

gmrwrct(rfc, (12, 124, 9), tnk, 2, rrri24)

fr x in rng(t nkx 4, tnkright - 2, 4)

gmrwlin(rfc, (42, 4, 4), (x, tnk 1), (x, tnkttm - 1),)

lk gmrfc((1, 42), gmRCALPHA)

gmrwlli (lk, (4, , 2, 12), (, , 1 , 42))

rfclit(lk, (tnkright - 2, tnkttm -))

wrn fnttrminlrnr("LEAKIN FEL", Tr, (2 , 12,))

rfclit(wrn, (tnkcntrx - wrngtwith() 2, tnk - 4))

l

ll fnttrminlrnr("CHECKPINT 12 PECTED MA BMBIN", Tr, (17, 14, 9))

rfclit(ll, (WIDTH 2 - l lgtwith() 2, r - 4))

f rwrt12chckint(rfc, t)

"""Miin 2 intr ch ckint hr ht

l n rl cinmtic img, nt flt rw f th Th imrtnt

tff t v th ilg x rn KRAP flg, rin chckint,

h light ntring, n th ici MA ll

"""

rwkgrint(rfc, (7, 11, 17), (2, 2, 1))

t CENETP

t CENEBT

hrizn t 11

rnr t -

rfr t

Ditnt klin tr lin, lw cntrt it n't fight th ctin

g mrwrct(rfc, (11, 14, 17), (, hrizn, WIDTH, t - hrizn))

rng rnmRnm(1212)

fr x in rng(-, WIDTH 4, 42)

h rngrnint(, 11)

cl rngchic((9, 11, 14), (12, 1, 1), (14, 1, 1))

gmrwrct(rfc, cl, (x, rfr - h, 4, h))

if rngrnm() > 7

gmrwr ct(rfc, (9, ,), (x 12, rfr - h 1 , , 7))

Highw in rctiv

pygame.draw.polygon(

surface,

(28, 30, 31),

[(-110, bot), (WIDTH + 110, bot), (760, road_far_y), (240, road_far_y)],

)

pygame.draw.polygon(

surface,

(20, 22, 23),

[(0, bot), (210, bot), (375, road_far_y), (255, road_far_y)],

)

pygame.draw.polygon(

surface,

(20, 22, 23),

[(WIDTH, bot), (WIDTH - 210, bot), (625, road_far_y), (745, road_far_y)],

)

Perspective lane marks.

for i in range(7):

p = i / 6

y = road_far_y + p * (road_near_y - road_far_y)

w = 52 + p * 62

gap = 60 + p * 100

x_center = WIDTH // 2

col = (145, 132, 66)

pygame.draw.rect(surface, col, (x_center - gap - w, y, w, 5))

pygame.draw.rect(surface, col, (x_center + gap, y, w, 5))

Checkpoint gantry/sign: makes the place identifiable immediately.

gantry_y = top + 165

pygame.draw.line(surface, (46, 54, 58), (122, gantry_y), (878, gantry_y), 6)

pygame.draw.line(surface, (18, 22, 25), (122, gantry_y + 5), (878, gantry_y + 5), 3)

for gx in (145, 855):

pygame.draw.rect(surface, (35, 42, 45), (gx - 5, gantry_y, 10, 244))

pygame.draw.rect(surface, (16, 18, 20), (gx - 2, gantry_y + 8, 4, 232))

sign = pygame.Rect(WIDTH // 2 - 240, gantry_y - 50, 480, 42)

pygame.draw.rect(surface, (12, 15, 18), sign, border_radius=3)

pygame.draw.rect(surface, (70, 83, 88), sign, 2, border_radius=3)

sign_txt = font_terminal.render("CHECKPOINT 12 // ROUTE 12", True, (195, 190, 150))

surface.blit(sign_txt, (sign.centerx - sign_txt.get_width() // 2, sign.y + 10))

alert = font_terminal_small.render("PUBLIC LABEL: SUSPECTED MAG BOMBING", True, (176, 132, 58))

surface.blit(alert, (sign.centerx - alert.get_width() // 2, sign.bottom + 10))

Toll booths, varied and damaged instead of repeated boxes.

booths = [

(185, road_far_y - 42, 110, 132, True),

(382, road_far_y - 16, 92, 112, False),

(565, road_far_y - 18, 96, 116, True),

(748, road_far_y - 40, 108, 130, False),

]

for i, (bx, by, bw, bh, broken) in enumerate(booths):

pygame.draw.rect(surface, (21, 24, 27), (bx + 8, by + 10, bw, bh))

pygame.draw.rect(surface, (53, 63, 66), (bx, by, bw, bh))

pygame.draw.rect(surface, (98, 108, 112), (bx, by, bw, bh), 2)

pygame.draw.rect(surface, (5, 9, 12), (bx + 16, by + 28, bw - 32, 34))

if broken:

pygame.draw.line(surface, (140, 42, 34), (bx + 4, by + bh - 8), (bx + bw - 5, by + 20), 4)

pygame.draw.polygon(surface, (16, 18, 20), [(bx + bw - 28, by), (bx + bw, by + 8), (bx + bw - 8, by + 35)])

if i == 1:

pygame.draw.circle(surface, (235, 92, 34), (bx + bw - 10, by + 12), 5)

glow = pygame.Surface((46, 46), pygame.SRCALPHA)

pygame.draw.circle(glow, (235, 92, 34, 65), (23, 23), 20)

surface.blit(glow, (bx + bw - 33, by - 11))

Page 21

p _

p p_ __ p_ __

[p_ __ p _ _ _ p_ __ p_ __]

p p __

p p [p_ __ p_ _ _ p _ __ p_ __]

[

__

__

]

p _

p _

p _

p

p

p q

_ _ __

p _ _ _

p __ _ _

p _ _

p _ _ _

_ _

p p

pp [ ]

_

p _

q

q _ __

pp q_

_ _ _ __

p _ q_ _

p _ _ q_

p q _ q_

p

__

p p

p

p __

p __

p p

p p

p __ __

__

_ __p _

__

p

p

__

_ _

p _ _ _

p p

p _

p _

p

p _

p __ _

p _

p _

p _

p _

_p

_

p _ _

p p_ _

p p_ _

p p _

p _

_ _

_ __

[

]

_ _

pp p_

p _ p_ _

p p _ _

p p _

p p _ p

pp _ [p _ p_ p_]

p p _

p p _

p p _ p_

p

p p_ p _

p p_

p

_ _

_ p _

p _

p

p

_

_

p

p _

__

_ __p _

p p

_

p

p

_ _ _ _

__

[]

_

__

_ _

p

_ _ _

_ _

p

_

_ _

_ p p

p _

_ _ _

p _ _

_

p p

_

__ _

__ _

__ _

_

__

_ _

p _ _ _

o s ae0 35:

sa .ad 5

o s a esa:

su s *

ooes 58 38 3 38 50 5 6 38 6 6 8

o .oeooes

ae.da.esuae o s 3

ae.da.e

sua e

a0 o0 5 a0 o 5 a0 o 5

s 3

.a do 0.6:

ae.da.esuae 00 60 80 s 6

o

50 80 5 50 60

30 350 50 55 65

50 30 5 50 60

0 380 50 55 65

880 0 5 50 60

:

su

ae.da.esuae 60

ae.da.e

suae 0 0 0 0 60 6

o a e 0 su 0 5:

o ae 8 5 8:

.ado 0.5:

ae.da.esu ae 80 00 0 8 0

o ae.Sua e 6 ae.S

o.80 00 0 5

suae.bo 3 3

ae.da. esuae 00 50 30 30

e see aose:

suae.5 0

ado.ado

o b aeS O SO 0:

o b a eb 0 * 30 30 60:

sade .ad8 8

o 60 sade 50 sade sade

ae.da.esuae o b b 58 8

ae.da.e

sua e 0 8 6 b b 8 b 58 b 8

ae.da.e

sua e 0 8 6 b 58 b b 58 b 8

ose ose 380 60

ose ose

ose S O 50

daoaadaose

suae ose ose ose ose deaedase

be os eae.edeS ue 0 30 5

suae.b

be

ose ose be.ed

ose ose 00

sub oea.edeOS S ue 60 5 0

suae.b

sub

ose ose sub.ed ose ose 60

a oeasa.ede ue 60 30 30

suae.b

a

ose ose a.ed ose ose 30

e see aa:

suae.35 3 30

o aeS O SO 8:

sade 6 8 0 ese 6

ae.da. e

suae 60 sade 50 sade 5 sade 0

ado.ado3

o ae0 :

.ad 0

.ad SO S O

.ad 0 60

.ad 5 0

us ae.Suae ae.S

us.0 50 30 50

suae.b us

ee

ee S O SO

o ae80 :

d .ad 0 0

d .ad 0 0

a.o d d 00:

ae.da.e

sua e

5 5 5

ee d ee d

.ad

daaa suae ee ee sae6.0

a oseae .edeU SS OU ue 5 5 5

suae.ba ee a.ed ee 0

o ae0 :

d .ad 00 00

ae.da. e

suae

5 5 5

ee d ee 5

ee d ee 5 .ad0 0

e see aoo:

dasade suae 60 50 5 0 0 55

ae.da.e

suae 60 50 35 0 GOU S O GOU

o d ae50 30:

ae.da. e

suae 30 8 3 d GOU d G OU 0

ae.da. e

suae

30 8 3

d 6 GOU 35

d 6 GOU 35

oad GOU 0

ae.da.esuae 30 8 30 0 oad 0

o ae0 60:

ae.da.esuae 00 0 00 0 oad 30 30

o eueae

50 oad 5 380 oad 5 60 oad 5

:

ae.da.esuae 5 55 0 60 35

ae.da.esuae 35 5 60 60 35

ae.da.esuae 50 60 5 60 0 00 5

ae.da.esuae 30 0 55 60 0 00 5

ae.da.esuae U 0 5 30 8

ae.da. e

suae

0 0 0

0

00

ae.da. esuae 5 5 8 5 35 0

ae.da. esuae 5 5 8 5 35 0

gmrwcircl(rfc, (1, 1, 1), (cxt 9, ct), 1)

gmrwcircl(rfc, (1, 1, 1), (cxt 14, ct), 1)

fr cx in (, 9, , 92)

gmrwr ct(rfc, (, , 4), (cx - 4, RNDY - , ,))

gmrwcircl(rfc, (17 , 14, 11), (cx , RNDY -),)

lif cn "kr tch"

rfcfill((2, 2, 2))

fr in rng(2)

x rnmrnint(, WIDTH)

rnmrnint(CENETP, CENEBT)

v rnmrnint(-,)

CKRAP NIFRM

c (v, 1 v, 2 v)

gmrwr ct(rfc, c, (x, , ,))

tchx, tch 1, CENETP 1

tchw, tchh 2, 2

gmrwrct(rfc, CKRAPBL E, (tchx, tch, tchw, tchh))

gmrwrct(

rfc, (24, 24, 24), (tchx, tch, tchw, tchh),

)

krtxt fnttitlrnr("KRAP", Tr, (24, 24, 24))

rfclit(

krtxt,

(tchx tchw 2 - krtxtgtwith() 2, tch),

)

1 fnttrminlmllrnr("KALIIA REINALĂ", Tr, (24, 24, 24))

rfclit(

1, (tchx tchw 2 - 1gtwith() 2, tch 1)

)

2 fnttrminlmllrnr("DE APĂRARE I PACE", Tr, (24, 24, 24))

rfclit(

2, (tchx tchw 2 - 2gtwith() 2, tch 1)

)

gmrwrc(

rfc,

(24, 24, 24),

(tchx , tch 21, tchw - ,),

,

mthi,

,

)

crtx WIDTH - 2

crt CENET P 1

crtw 24

crth 1

gmrwrct(rfc, (9, 7,), (crtx, crt, crtw, crth))

gmrwrct(rfc, (, ,), (crtx, crt, crtw, crth), 4)

fr in rng(crt, crt crth,)

gmrwlin(

rfc, (, ,), (crtx,), (crtx crtw,), 2

)

fltxt fnt krrnr("Fg Tch", Tr, (2, ,))

rfclit(

fltxt, (crtx crtw 2 - fltxtgtwi th() 2, crt 4)

)

n fnttrminlmllrnr("N FT-4471-K", Tr , (4, , 2))

rfclit(n, (crtx , crt crth -))

tm fnttrminlmllrnr("PRPERTY F IPA", Tr, (1, ,))

rfclit(tm, (crtx , crt crth -))

lif cn "rt12lck"

rwrt12lck(rfc, t)

lif cn "rt12fil"

rwrt12fil(rfc, t)

lif cn "rt12mglrt"

rwrt12mglrt(rfc, t)

lif cn "rt12chckint"

rwrt12chckint(rfc, t)

lif cn "rt12tnkr"

rwrt12tnkr(rfc, t)

lif cn "rt12rct"

rwrt12r ct(rfc, t)

lif cn "rt12ftrmth"

rwrt12ftrmth(rfc, t)

lif cn "irilrrivl"

rwkgrint(rfc, (1, 1, 2), (2, 22, 2))

skyline_y = GROUND_Y - 30

rng = random.Random(13)

for tx_b in range(0, WIDTH, 50):

th = rng.randint(40, 140)

pygame.draw.rect(surface, (15, 15, 22), (tx_b, skyline_y - th, 45, th))

for wy_b in range(skyline_y - th + 10, skyline_y - 5, 18):

if rng.random() > 0.5:

pygame.draw.rect(surface, (200, 160, 80), (tx_b + 8, wy_b, 4, 6))

pygame.draw.rect(

surface, (10, 12, 16), (0, GROUND_Y, WIDTH, SCENE_BOT - GROUND_Y)

)

for lx in (200, 450, 700):

refl = pygame.Surface((30, 60), pygame.SRCALPHA)

refl.fill((200, 160, 100, 25))

surface.blit(refl, (lx, GROUND_Y))

draw_biribel(

surface,

WIDTH // 2 + 80,

GROUND_Y,

scale=0.95,

facing_right=False,

in_silhouette=True,

)

shadow_pts = [

(WIDTH // 2 + 60, GROUND_Y),

(WIDTH // 2 + 100, GROUND_Y),

(WIDTH // 2 - 60, GROUND_Y + 30),

(WIDTH // 2 - 100, GROUND_Y + 30),

]

shadow_surf = pygame.Surface((WIDTH, HEIGHT), pygame.SRCALPHA)

pygame.draw.polygon(shadow_surf, (0, 0, 0, 80), shadow_pts)

surface.blit(shadow_surf, (0, 0))

elif scene == "title_card":

surface.fill((5, 5, 8))

elif scene == "van_exterior":

draw_van_exterior(surface, t)

elif scene == "van_interior":

draw_van_interior(surface, t)

elif scene == "van_volkov_photo":

draw_van_interior(surface, t)

dim = pygame.Surface((WIDTH, HEIGHT), pygame.SRCALPHA)

dim.fill((0, 0, 0, 70))

surface.blit(dim, (0, 0))

draw_volkov_dossier_overlay(surface, t)

elif scene == "van_handoff_weapon":

draw_van_handoff(surface, t, item="weapon")

elif scene == "van_handoff_molotovs":

draw_van_handoff(surface, t, item="molotovs")

elif scene == "factory_exterior":

draw_factory(surface, t)

def draw_typewriter_title(surface, lines, char_idx_total):

"""Title card with proper sizing & spacing."""

title_font = pygame.font.SysFont("Impact", 56)

line_h = 72

total_h = len(lines) * line_h

start_y = HEIGHT // 2 - total_h // 2

cum = 0

for i, line in enumerate(lines):

cur_count = max(0, min(len(line), char_idx_total - cum))

partial = line[:cur_count]

if partial:

surf = title_font.render(partial, True, (210, 210, 210))

Page 22

_

_ _

_p

_ p _

_ _

p

_ _

_ {

_

_

_

_

_

_

_

_

_

_

_

_ __

__

___

_ __

__ p _ _ _

___

_ [_]

p p _ p

_

_ _

_ []

p pp

pp

_pp

pp

_ [] _

_pp p

_ [] _

[]

_ppp

_pp p

_ []

p _p p

pp

_pp

pp

_ [] _

_ pp p

_ppp

_ _

_

_

_p

_ _ _ _ _p

_ _ _

_

_ p _ _ _ _

p

_

___ _ __

___ _ __

_ _ __

p p _ _ p

p p p_

_ ppp _

p p _

p p _ _

p _ _ _

p

p_p _

p_ _pp pp

p__p p_p

p_ _ _ _

_[_]

_p _

_ _

_p _p

_ _ _ _ _

_ _

_p p_

pp_ _

_ _

pp_

[] [] []

_p _p

_ _ _ _

p

_ _ _ _

_ _ _ _

___

_

_

_ _

_ _

p

p _ _ p

_ _

p _ _ _ _ _

p _ _ _ _ _

p _ _ _ _

p _ _ _

p __ _ _

_

_ _

p _ _

p _ _

p _

p _

p p_ p_ p_ p_

p p_ p_ p_ p_

p

_ p_ p _

_ p_

p _ _

p _ _ p

p _ _

p _ _

p _ _ p p

p p

[

p_ p_ p_

p_ p _ p_ p_

p_ p _ p_ p_

p_ p_ p_

]

p p_ p_ p

_

p_

p_

_

p_ p_

_ _

o ab 58

os

SS OO

O OGSS 0 0 00

SUS 80 0 0

O G 30 80 65

S S SU OUS 0 0 30

O U U

o o eueaeos:

o *

s oea sa.ede ue 5 0 5

s oea .ede ue o

suae.bs o

suae.bs o

oo a

ae.da.esuae 5 50 58 ab 0 ab ab 38 ab ab 0 ab ab 38

a oeasa.ede G: G O O UGO S GS ue OG

su ae.ba ab ab ab

sae e

ae.e.e s 0 0:

ab 0 ae.e.e s ab 50

ae.da.esuae 80 0 55 5 ab ab ab

US SO SS

useesos

see: oea de

seae: O

e: e e eo Oea. Oe a s oue.o a aead o des ad boe eaes.

: 30 5 30

see: s e

seae: O

e: asa . ao ae o.e oud beea s o oe a e eoe sad o .

: 8 30

see: aos e

seae: O

e: e oses ebud .e o os. e us se.e ads ae ea o e a eas.

: 5 0

see: aa

seae: O

e: G o ses eedo.e bob eos. e bu e dead uaed sees.e sae as e eoss. e oo a e a.

: 35 3 30

see: ao o

seae: O

e: d e ee s .oaa eoaă de ăae ae.eaeeees e a esees.

: 60 50 5

see: aa

seae: O

e: e ee e as oe .e ee e o o.e ee e uesos uased.

: 5 5 8

see: bbe aa

seae: O

e: oda o e o e oeaos aes.e as bee od s s a sabao asse.e as o bee od e u.

: 5 8 8

see: ead

seae:

e: S OO: OOO

: 5 5 8

useesos usee sos

useesos

see: aeeo

seae: O

e: e a u eas ou e a.s de aa ase a oeed e e.

: 0 8

see: aeo

seae: S

e: eoe o asa be.oe ou eoed e see.

: 5

see: ao ooo

seae: S

e: Sebasa oo. a ae.ee bee a o s os.o es a a a do e su ds.

: 5

see: ao ooo

seae: S

e: ou ob: e aue ae e ou.e os aes. e a ose aes.

: 5

see: aeo

seae:

e: d e us?

: 5

see: aeo

seae: S

e: e o e a.u e does b ba a e eaes bed.ae des a oeboo a.

: 5

see: aadoeao

seae: S

e: ee. Sadad sdea.ee oseed u ou ae o oe.

: 5

see: aadoooos

seae: S

e: d ae ese: o ooo s.U oos bu e ea ae s as.

: 5

see: aeo

seae: S

e: os o ae . o de. ae ae o.

: 5

walking_sim.py

a s seo: s u eoao s e oe oo aoaa.

o a

imrt rnm

imrt gm

frm cnfig imrt *

frm t t imrt TATE

frm l r imrt Plr

frm i h imrt MiniM

frm ctcn imrt rwilgx, r wilrig

wlkf tttimr

rinr

(

rnmrnint(, WIDTH),

rnmrnint(CENETP, CENEBT),

rnmrnint(1, 2),

)

fr in rng(2)

f l wlkttick(ch, ix, vlm 9)

if nt ch r chic()

rtrn

if ix % 2 n ch nt in ""

rtrn

tr

il("ttick", vlmvlm)

xc t Exctin

f cl rwlkilg()

gl l wlkilg ctiv, wlkilgkr, wlk ilgtxt

gl l wlkilgchrix, wlkilgtimr

wlkilgctiv Fl

wlkilgkr ""

wlkilgtxt ""

wlkilgchrix

wlkilgtimr

TATEwlkilgctiv Fl

TATEwlkilg kr ""

TATEwlkilgt xt ""

TATEwlkilgchrix

TATEwlkilgtimr

wlkm

"CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC",

"C CCCCC C",

"C PCCCCC C",

"C KKCCCCCCCC C",

"C CCC CCC C",

"C CCCCCC CC T",

"C CCCC CCCCCC V",

"C CCCCC CC C",

"C CC C",

"C CC C",

"C CC CCC C",

"CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC",

lrrtin 2

wrh hn

wrh mgn

wrh intlgivn F l

wlknc

wlkth

wlktrint

(

* TILEIZE,

1 * TILEIZE 2,

"tr",

"PTER",

"Hlf-trn IPA tr Th Cmmnr' fcni cvr in MA r int",

),

(

12 * TILEIZE 2,

* TILEIZE 2,

"lnr",

"LANDRY",

"A wmn hng l nr twn cnt inrnh nt mk cntct",

),

(

1 * TILEIZE 1,

3 * TILE_SIZE + 32,

"checkpoint",

"CHECKPOINT",

"Two KRAP soldiers play cards on an oil drum.\nThey wave you through without asking.",

),

(

28 * TILE_SIZE,

4 * TILE_SIZE + 16,

"fish",

"FISH MARKET",

"Crates of rotting fish. The smell of sulfur\nand stale diesel hits you.",

),

(

40 * TILE_SIZE,

5 * TILE_SIZE + 16,

"overlook",

"OVERLOOK",

"The Kilemeno Ocean stretches to the horizon.\nA fisherman stands at the railing.",

),

(

25 * TILE_SIZE + 32,

8 * TILE_SIZE + 32,

"old_woman",

"OLD WOMAN",

"An elderly woman sits beside a rusted container.\nShe watches the street carefully.",

),

walk_player = None

walk_camera_x = 0

walk_camera_y = 0

walk_walls = []

walk_firefight_triggered = False

walk_firefight_timer = 0

walk_dialogue_active = False

walk_dialogue_speaker = ""

walk_dialogue_text = ""

walk_dialogue_char_idx = 0

walk_dialogue_timer = 0

walk_van_trigger_x = 0

walk_van_trigger_y = 0

walk_fisherman_pos = (0, 0)

walk_complete = False

walk_active_hover = None

walk_after_firefight = False

Cosmetic overlay after the oil-rig feed ends, so returning to top-down play is not abrupt.

walk_return_timer = 0

WALK_PROPS = None

walk_fp_cutscene = None

_walk_player_moving = False

def start_walking_sim():

global walk_player, walk_camera_x, walk_camera_y, walk_walls

global walk_firefight_triggered, walk_firefight_timer, walk_dialogue_active

global \

walk_dialogue_speaker, \

walk_dialogue_text, \

walk_dialogue_char_idx, \

walk_dialogue_timer

global walk_van_trigger_x, walk_van_trigger_y, walk_fisherman_pos, walk_complete

global walk_active_hover, walk_after_firefight, walk_return_timer

global WALK_PROPS, minimap, walk_fp_cutscene

global \

player_rations, \

Page 23

_p_

__

_p

_

__

__p

__

__ _

__

__

__

__ _

__

_ []

_p []

__

__

_ [ ]

__

_

_

_p_

_p

_ []

__

__

__

__p

__

___

__

_p

__

__

__

p _

_p_

__

_p [

{

_

_

[

]

[

p

]

_

_

}

{

_

_

[

p

]

[

p

]

_

_

p _

}

]

_ [

{

_

_

p

[]

_

}

{

_

_

p

p []

_ p

}

]

p p _p

_ _p

_

_ _ _ _

_ ppp _ _

_p

__ _

__ _

__p _ _

__ _p _p

__ _p _p

p __

__ __ __ _ _

__ _ _p _ _

__ _ _ _ _ p

__ __ _p_ __p _ _ _

_p

_ _ __

__

__

_p_

_p__p_

_ _ __

_ __ _ _ __

_

p

[p_]

p

[p_]

p

[p_]

p

[p_]

p

_

__p_ _

_p _

__ p_

_

__p_

__ p_

p p_

__ p_

__p_

__ _p __

__ _p __

__ __

_

_p

_ p p p

_p

p _p

_ __

_ __

_p

_ _p _ _p

__

_ _p

p _p _p

__

__

_ _

_p _

_ _

_ _

_ _ p pp

_ __

_ _

_ _

S.aboa SO 65

S.sa us O O O

S.asses

S.ae osos

S.ae aae a se

S.ae asaus

adaoue ae ase

audo.aadosa ou e0.5

audo.a d oue0. oos

S.aaaae:

S.aaa e

S.aaae 0:

udaeaaaee

adaouea e ad adaouead e adaouee :

adaouee

s e aa es e as so does s o

adaoue ad 8:

esod

ese:

esod

adaoue e esod:

adaoue e 0

e a daoueea daouead adaouead eadaouee ese

aa ee adaouea d oue0.0

adaoue ad

S.adaoueae ad S.adaouea d eS. adaouee :

S.adaouee

ausee daoue soud o a oe ee a a e.

saedaoueseed S.aaaae ese 5

S.ada ouee sa edaoueseed:

S.adaouee 0

e S .adaoueeS.ada ouead S.adaouead eS .adaoue e ese

aa ee S .adaoue ad oue0.0 S.aaaae ese 0.0

S.adaouead

aaee o S.aa ee:

aae.e .ee a ae:

eaadaoue

aoee ue

eu aaea aaea a oee

de easeouub:

a0.0 .0

eu ** 3

de e a b :

eu a b a *

de saause esee ead oe saso e:

oba ause e adaoueae

duaos

dea: 50

aeao: 0

aeea: 00

so dea: .

a daoueae ase

seed so.ese e .0

a usee

see: see

ead: ead

:

sas: sas

e: 0

duao: dua os.esee 80

seed: seed

see.sas ae:

audo.adoo ea oue0.5

ese:

audo.au oue0.5

de sausee:

oba ause e

oba aeousebous aeousea bous aeouse ee

oba adaoueae adao ueseae adaouee

oba adaoue ad aa e

o ause e:

eu

se e auseesee

ead aus eeead

ausee.e

sas ausee.esas

a daoueae ue

a daouead 0

ead de a sasea:

aeousebous 0

aae:

aae.a 00 ae ousebous

aae. aae.a

adaoueseae ae ese SS

:

adaoue e

e d aes ou sa e ae o.

e es a sa od e dsaeas o e ae.

ea e ued. 0 a

ese:

adaoue e

ou oe e daaed oae.

sde: a aed bu usab e ea ae.

ea saaed. 0 a

e ead sas ao:

aeouseabous

adaoueseae SS

adaouee

ou oe e ao ae.

oose a aes s ude a o su a es.

a aa e aued. s a a

aud o.au oue0.55

a usee o e

de udaeausee:

oba ause e

o ause e:

eu

a useee .0 a usee.eseed .0

ausee e a useeduao :

sausee

de daadssuae ea0.0:

base G 55

seeeo 58 68 5

o eo 5 3

s o 85 50 0

e ad

05 ea * 5

base ea * 35

ae.da.esuae seeeo 8 bodeadus8

ae.da.esesuae oeo 0 6

ae.da.esu ae so 0 5

ad

80 ea * 35

base ea * 5

ae.da.esuae seeeo 8 bodeadus8

ae.da.esesuae oeo 0 6

ae.da.esu ae so 0 5

de daeasua e sae.0:

s sae

8 * s

* s

es ae.Suae ae.S

s

* 0.8 0

* 0.8 0

* 0.8

8 6

* 0.68

* 0.3

8 6

* 0.8

ae.da.ooes 6 6 58 s

ae.da.ooes 35 5 3 s

C llr

g mrwrct(vt, (42, ,), (int(w * 2), 2, int(w *), int(h * 1)), rrri)

C ntr m

g mrwlin(vt, (4, 42,), (w 2,), (w 2, h -), 2)

P ch

fr x in (int(w * 1), int(w * 2))

gmrwrct(vt, (4, , 42), (x, int(h *), int(w * 2), int(h * 4)), rrri)

gmrwrct(vt, (, , 2), (x, int(h *), int(w * 2), int(h * 4)), 1, rrri)

gmrwlin(vt, (72, 4,), (x 4, int(h * 4)), (x int(w * 2) - 4, int (h * 4)), 1)

crtch wr

g mrwlin(vt, (1, 11,), (int(w * 1), int(h * 2)), (int(w *), int(h * 2)), 1)

g mrwlin(vt, (2, , 22), (int(w * 2), int(h * 74)), (int(w * 7), int(h * 7)), 1)

rfclit(vt, (int(x - w 2), int(- h 2)))

f r wfmg(rfc, x, , rt)

mg gmrfc((2,), gmRCALPHA)

t

(4, 2),

(22, 2),

(24, 4),

(7,),

g mrwlgn(m g, (, ,), t)

g mrwlgn(m g, (, , 4), t, 1)

fr i in rng()

gmrwlin(mg, (1, 9, 2), (7, 1 i * 7), (2, 1 i * 7), 1)

g mrwrct(mg, (17, 12, 4), (7, 4, 1, 7), r rri2)

rt t gmtrn frmrtt(mg, rt)

rct rttgtrct(cntr(int(x), int()))

rfclit(rtt, rct)

f r wfcrt(rfc , cx, c, nt, cntnt"mm")

cw, ch 2, 1

Crt hw

h w gmrfc((cw 4, ch 4), gmRCALPHA)

g mrwlli(hw, (, , ,), (, 1, cw 4 , ch 1))

rfclit(hw, (cx - cw 2 - 2, c - ch 2 4))

Crt

g mrwrct(rf c, (92, 2,), (cx - cw 2, c - ch 2, cw, ch), rrri)

g mrwrct(rf c, (2, 4, 2), (cx - cw 2, c - ch 2, cw, ch), , rrri)

W lnk

fr i in rng(4)

c - ch 2 2 i * 2

gmrwlin(rfc, (7, 4, 24), (cx - cw 2 ,), (cx cw 2 - ,), 2)

M tl n

g mrwrct(rf c, (, ,), (cx - cw 2 2 , c - ch 2, 12, ch))

g mrwrct(rf c, (, ,), (cx cw 2 - 4 , c - ch 2, 12, ch))

Intrir glw nc ning

if nt > 2

glwlh int(12 * nt)

glw gmrfc((cw - , ch - 2), gmRCALPHA)

gmrwlli (glw, (2, 17, , glwlh), glwgtrct())

rfclit(glw, (cx - cw 2 1, c - ch 2 12))

gmrwrct(rfc, (2, 2, 14), (cx - cw 2 1, c - ch 2 1, cw - , ch -), rrri)

if cntnt "mm"

rwfmg(rfc, cx - , c , rt-)

rwfmg(rfc, cx , c , rt)

rwfmg(rfc, cx 42, c , rt-)

l

rwfkvlr(rfc, cx, c 1, cl7)

Li ning wr

li h 42

li c - ch 2 - int(nt * 9)

lih mx(1, int(lih * (1 - nt *)))

g mrwrct(rfc, (11, 7, 42), (cx - cw 2, li, cw, lih), rrri4)

g mrwrct(rfc, (, , 22), (cx - cw 2, li, cw, lih), 2, rrri4)

g mrwlin(rfc, (7, 4, 2), (cx - cw 2 1, li lih 2), (cx cw 2 - 1, li lih 2), 2)

f r wwlkfctcn(rfc)

if nt wlkfctcn

rtrn

cn wlkfctcn"cn"

tim r wlkfctc n"timr"

r tin wlkfctcn"rtin"

timr rtin

D rk cinmtic fc vrl

vrl gmrf c((WIDTH, HEIHT), gmRCALPHA)

vrlfill((, 7, 1 , 14))

surface.blit(overlay, (0, 0))

Subtle first-person vignette

draw_vignette(surface, strength=180)

Fade in/out

fade = 0

if timer < 22:

fade = int(255 * (1 - timer / 22))

elif timer > duration - 28:

fade = int(255 * ((timer - (duration - 28)) / 28))

if scene == "kid_kevlar":

ground_y = HEIGHT - LETTER_H - 100

center_x = WIDTH // 2

── ENVIRONMENT ──

container_tiles = [

CONTAINER_TILE_RUST, CONTAINER_TILE_RED,

CONTAINER_TILE_GREY, CONTAINER_TILE_BLUE,

]

for col_i, tx in enumerate(range(0, WIDTH + TILE_SIZE, TILE_SIZE)):

for row_i, ty in enumerate(range(LETTER_H, ground_y, TILE_SIZE)):

tile = container_tiles[(col_i + row_i) % 4]

surface.blit(tile, (tx, ty))

wall_shade = pygame.Surface((WIDTH, ground_y - LETTER_H), pygame.SRCALPHA)

wall_shade.fill((5, 8, 12, 120))

surface.blit(wall_shade, (0, LETTER_H))

pygame.draw.rect(surface, (12, 12, 14), (0, ground_y - 8, WIDTH, 8))

pygame.draw.rect(surface, (28, 26, 22), (0, ground_y, WIDTH, HEIGHT - ground_y - LETTER_H))

Debris on ground

rng_debris = random.Random(42)

for _ in range(35):

dx = rng_debris.randint(20, WIDTH - 20)

dy = ground_y + rng_debris.randint(5, HEIGHT - ground_y - LETTER_H - 15)

dw = rng_debris.randint(8, 28)

dh = rng_debris.randint(4, 10)

shade = rng_debris.randint(-8, 8)

pygame.draw.rect(surface, (42 + shade, 38 + shade, 32 + shade), (dx, dy, dw, dh))

puddle = pygame.Surface((160, 35), pygame.SRCALPHA)

pygame.draw.ellipse(puddle, (18, 22, 30, 100), puddle.get_rect())

surface.blit(puddle, (WIDTH // 2 + 60, ground_y + 30))

── Flickering overhead light ──

light_on = ((pygame.time.get_ticks() + timer * 37) // 180) % 5 != 0

if light_on:

light = pygame.Surface((280, 200), pygame.SRCALPHA)

for r in range(100, 0, -4):

a = int(18 * (1 - r / 100))

pygame.draw.ellipse(light, (200, 170, 100, a),

(140 - r, 100 - r // 2, r * 2, r))

surface.blit(light, (center_x - 140, LETTER_H + 20))

── Dripping water detail ──

drip_phase = (timer * 0.04) % (math.pi * 2)

if math.sin(drip_phase) > 0.95:

drip_x = center_x + 180

drip_y = LETTER_H + 40 + int((timer * 3) % 60)

pygame.draw.circle(surface, (30, 40, 55, 180), (drip_x, drip_y), 2)

── RUBBLE PILE (always visible, dim until camera "notices" it) ──

rubble_x = center_x + 130

rubble_y = ground_y - 5

rubble_alpha_t = _ease_out_cubic(min(1.0, max(0, (timer - 140) / 60)))

rubble_brightness = 0.35 + 0.65 * rubble_alpha_t # starts dim, brightens

rng_r = random.Random(99)

for _ in range(12):

rx = rubble_x + rng_r.randint(-55, 55)

ry = rubble_y + rng_r.randint(-30, 20)

Page 24

_

_

_

_

p

_ p _

p _ _ _

_ _

p _ _ _

_ _

p

_p_ _ __

_p_

_ _p_

_p p _ p

_ p p

_p [ ]

pp _ _p

pp _ _p

_p _

_p _ _ _

p p

_ _p_

p p _ _

_ _ _

_

_

__ _ ___

_

_ _p _ __

__ _

_

_ _

__ _

__ __

_

p p

p p _

_ _ __

_ _

_ _

_

p

__ _ _ __ _ _ _

_

p p

__ _ _ _

_ __ _

_p [

_ _ _

_ _ _

_ _ _

_ _ _

]

pp _p

pp _p

p

_ _ _

_ _ _

p

_ _ _

_ _ _

p

_ _ _ p

_

_

_

p _

_ _ _

_ _ _ _

p _

_ _ _ _

p

p_p ___

__ _p__ __ p_p

__ _p_ _ p_p

p _

__ _

_p__ __ p_p

_p_ _ p _p

p _

_p__ __ p_p

_p_ _ p _p

__ __

p _ __ _ _

p _

__ __

__ __

p _

__ _

__ _

p _

__ _

_ _

_

p _ _ _ _ _

_p [

_ _ _

_ _ _

_ _ _

_ _ _

_ _ _

_ _ _

_ _ _

]

pp _p

p

_ _ _

_ _ _

p

_ _

_

_

p

__ _ _

__ _ _

p

_

_ p

_

p p

__ _ _

p

__ _ _ _

p

__ _ _ _

p

__ _ _ _

_

p

__ _ _

p

p

_ _ _

_ _ _

p

_ _

p_

p_

p

_p

p p

__ _ _p

p

__ _

__ _

p p

p p _

_ _ _

p

de seebubbee aa:

aa 0:

eu

odaoue.edee ue 30 0 5

.seaa aa

.e d

b ae.Suae 3 ae.S

ae.da.eb 0 0 0 80 aa b.ee bodeadus

suae.bb

suae.b . ed 6

ase : ou ee 5030

50 e 30:

a 55 e 50 * 6

e 0:

a a0 55 e 0 *

seebubbe*ou* ...e. e se. d 0 oud 80 a

ase : ae eae 0 0

e 0 e 0:

a 55 e 0 * 5

e 5:

a a0 55 e 5 * 0

seebubbe ae eae o das. d 0 oud 80 a

ase : Oe ee 530 ae e sas o

e 5 e 30:

a 55 e 5 * 5

e 85:

a a0 55 e 85 * 0

seebubbeOe ee. e d ose aes. d 60 ou d 85 a

ase : e a eu es s ed u 3080

e 30 e 80:

a 55 e 30 *

e 50:

a a0 55 e 50 * 8

seebubbee aeu s e. e uads ae a o.

a30 d 0 oud 85 a

ads ea 30360

e 305:

ea easeouub.0 e 305 5

daadssuae eaea

ad s e es 35000

e 35:

easeouub.0 e 35 5

esed ee

esed G 0

eubbe esed

eoud 0 esed

s e0.6 .3

seobbe 0

e 30:

seobbe a.s e 30 * 0.08 * 3

daeasuae seobbe saes

ua assesse

35 e 00:

assessa a 55 e 35 * 0

assess oeasa .ede

a ed bu uoa. ee a o . ue 80 5 60

assess.se aaassessa a

suae.b assess ee assess.e d 5

uso bae 380500

e 35:

aaa 55 e 35 * 5

e 80:

aaa a0 55 e 80 * 8

abe oseae.ede U ue 55 0 0

abe.sea aaaa

suae.b abe abe.ed

sub oe asa.ede 0 ue 00 0 00

sub.seaa aaa

suae.bsub sub.ed 55

e see ae ao aee a:

oe easeou ube 35 0

ab easeou ube 5 5

oes ao see aeao ese ea

ads s e ae

daadssu ae ea.0 oe * 0.8

daaesu ae G 80 oe oes oes

see aeao ad e 5:

as oa oad ae

o o eueae38 0 38:

e o 35 * 35 ab

e G 0 G 5 ab

da asuae oa.s e * 0.08 * 8

e 5:

abe oseae.ede G U ue 55 0 0

suae.b abe abe.e d 5

e see aeea ad e 5:

eG 0 G 0 ab

s e0.5 .5 ab

daeasuae saes

e 5:

abe oseae.ede SG ue 55 0 0

suae.b abe abe.e d 5

suo ea ooe

oo e oea sa.ede S SO O ue 0 0 30

su ae.booe ooe.ed G 0

ade 0:

adesu ae.Suae G ae.S

adesu.0 0 0 ade

suae.bade su 0 0

da eebosuae

de adeaea :

oba

adaouea e

adaoueseae

adaouee

adaouea d

oba

aeaos

aeousebous

aeouseabous

as

asases

ausee

ausee:

eu

adaouea e:

eu

o as:

ds a.o

aae.e.ee aae. e.ee

ds 80:

adaoue ae ue

adaoue seae a e

adaoue ad 0

as e:

adaouee doedaoue

ese:

ae aos 0:

ase ue

ae aos

ead e a:

saaus eedea dea

eu

ese:

aeouseee ue

audo.au oue0.5

adaouee

as0

as

as

as 3

ese:

adaouee daoue0 dao ue

eu

fr th in wlkt h

it mthht(

wlklrr ctcntrx - th"x", wlklrrctcntr - th""

)

if it <

if th"rch"

wlkil gctiv Tr

wlkil gkr "Y TEM"

wlkil gtxt "Alr rch"

wlkil gchrix

l

th" rch" Tr

if th"t" "mm"

trtwlkfctcn("crtmm", "t hmm", thth)

rtrn

lif th"t" "kvl r"

trtwlkfctcn("crtkvlr", " thkvlr", t hth)

rtrn

rtrn

f r wwlktr(rfc, x,)

w, h 1, 2

g mrwrct(rf c, (2, 1, 14), (x - w 2, - h 2, w, h))

g mrwrct(rf c, (, , 4), (x - w 2, - h 2, w, h), 1)

g mrwrct(rf c, (1, ,), (x - w 2, - h 2, w, 4))

g mrwcircl(rfc, (4, , 2), (x, - 4),)

g mrwlin(

rfc,

(1, 1, 1),

(x - w 2 2, - h 2 2),

(x w 2 - 2, h 2 - 2),

2,

)

g mrwcircl(rfc, (1, 1, 1), (x - 1, - 4), , 1)

f r wwlklnr(rfc, x,)

g mrwlin(rf c, (11, 9, 7), (x - , -), (x , -), 1)

g mrwlin(rf c, (11, 9, 7), (x - , -), (x , -), 1)

clth

(-2, (14, ,)),

(-12, (2, 2, 19)),

(4, (, , 11)),

(22, (1, 1, 9)),

fr x, cl in clth

cw 1

ch 14

gmrwrct(rfc, cl, (x x - cw 2, - , cw, ch))

gmrwcircl (rfc, (, 4,), (x x, -), 1)

f r wwlkchckint(rfc, x,)

g mrwcircl(rfc, (4, ,), (x,), 12)

g mrwcircl(rfc, (2, ,), (x,), 12, 1)

g mrwcircl(rfc, (, , 7), (x,), , 1)

g mrwrct(rf c, (22, 22, 22), (x - , - 2, , 7))

g mrwrct(rf c, (22, 22, 22), (x 1, - 1, , 7))

g mrwrct(rf c, (4, 4, 4), (x - , - 2, , 7), 1)

g mrwrct(rf c, (4, 4, 4), (x 1, - 1, , 7), 1)

1x, 1 x - 24, - 4

g mrwcircl(rfc, CKRAPNIFRM, (1x, 1),)

g mrwcircl(rfc, (1, 1, 12), (1x, 1), 4)

g mrwrct(rfc, CKRAPBLE, (1x - 7, 1 2, 4,))

2x, 2 x 24, 4

g mrwcircl(rfc, CKRAPNIFRM, (2x, 2),)

g mrwcircl(rfc, (1, 1, 12), (2x, 2), 4)

g mrwrct(rfc, CKRAPBLE, (2x , 2 2, 4,))

f rwwlkfih(rfc, x,)

crt (-1, -), (-2, -1), (12, -4), (-1,), (4,)

fr x, in crt

cw, ch 14, 12

gmrwrct(

rfc, (9, 7,), (x x - cw 2, - ch 2, cw, ch)

)

gmrwrct(

rfc, (, 4,), (x x - cw 2, - ch 2, cw, ch), 1

)

gmrwlin(

rfc,

(50, 40, 30),

(x + ox - cw // 2 + 4, y + oy - ch // 2),

(x + ox - cw // 2 + 4, y + oy + ch // 2),

1,

)

pygame.draw.line(

surface,

(50, 40, 30),

(x + ox - cw // 2 + 9, y + oy - ch // 2),

(x + ox - cw // 2 + 9, y + oy + ch // 2),

1,

)

pygame.draw.ellipse(surface, (160, 170, 180), (x + ox - 4, y + oy - 2, 8, 3))

for fx_o, fy_o in [(-22, -14), (8, -16), (16, 10), (-18, 14)]:

if (pygame.time.get_ticks() // 100 + fx_o) % 4 < 2:

pygame.draw.circle(surface, (10, 10, 10), (x + fx_o, y + fy_o), 1)

def _draw_walk_old_woman_marker(surface, x, y):

pygame.draw.polygon(

surface,

(78, 64, 52),

[(x, y - 6), (x - 8, y + 8), (x + 8, y + 8)],

)

pygame.draw.circle(surface, (185, 155, 128), (x, y - 10), 4)

pygame.draw.arc(

surface,

(60, 55, 50),

(x - 5, y - 16, 10, 10),

0,

math.pi,

2,

)

def _draw_walk_overlook(surface, x, y):

pygame.draw.rect(surface, (80, 70, 60), (x - 40, y - 20, 80, 4))

pygame.draw.rect(surface, (80, 70, 60), (x - 40, y - 10, 80, 3))

for px in (-36, -12, 12, 36):

pygame.draw.rect(surface, (60, 50, 40), (x + px - 2, y - 22, 4, 14))

pygame.draw.circle(surface, (90, 80, 50), (x - 4, y + 4), 10)

pygame.draw.circle(surface, (60, 55, 45), (x - 4, y + 4), 5)

WALK_SPRITE_DRAWERS = {

"poster": _draw_walk_poster,

"laundry": _draw_walk_laundry,

"checkpoint": _draw_walk_checkpoint,

"fish": _draw_walk_fish,

"overlook": _draw_walk_overlook,

"old_woman": _draw_walk_old_woman_marker,

def _gen_walk_props():

rng = random.Random(31)

props = []

map_w = len(walk_map[0]) * TILE_SIZE

map_h = len(walk_map) * TILE_SIZE

def is_walkable(wx, wy):

col = wx // TILE_SIZE

row = wy // TILE_SIZE

if 0 <= row < len(walk_map) and 0 <= col < len(walk_map[row]):

return walk_map[row][col] not in ("C", "W")

return False

lamps = [

(3 * TILE_SIZE + 32, 4 * TILE_SIZE + 32),

(9 * TILE_SIZE + 32, 7 * TILE_SIZE + 16),

(16 * TILE_SIZE, 4 * TILE_SIZE + 48),

(22 * TILE_SIZE + 16, 8 * TILE_SIZE + 16),

Page 25

_ _

_ _

]

p

pppp p

_

_

_ p_ _

_ p_ _

_

[

p

p

p

p

pp

]

pppp

_

_

_ p[]

_ p

_ p[][]

_p[ ][]

_ _

_

[_ _p _pp _]

pp pp

pp

_ _pp_p_p

p p

p

p

p

p p

p

_ _pp_

p p

p

p

p

p

p

_ _pp_

p p

p

p

p

p

p

p

p

_ _pp_p

p p

p

p

p

p p

[ ]

_ _pp_p

p p p

p pp

p pp

p pp

p

_ _pp_pp

p p

p

p

p

p p

_ _pp_

p [ ]

p

p p[] p[ ]

p p[] p[ ]

_ _pp_

_

_

_

_

_

_ [ ]

p

_ _pp__

p [

]

p p p

p

_ _pp__p

p p

[ ]

p

p

_ _pp__pp

p

p

p

_ _pp__

p p

p p [ ]

_ {

__pp_

__pp_

p __pp_p

p __pp_p

pp __pp_pp

__pp_

__pp_

_ _ _pp__

_p __pp__p

_pp __p p__pp

_ __p p__

_ __pp_p

_

_

_ ___pp

_

p

p p p

p p

p

see.b oo s 0 s 0

de daaos :

oba OS

OS s oe:

OS e aos

o d OS:

s

s

o 00 s 00 ad 00 s G 00:

oue

d a:

daoa oesee

ese:

dae O S.ed

dae:

daes ee

a seuee aes 60s

ee a ea:

Seu 0 360 6 s

e Se 00 80 0 s

3 ea 00 00 0 s

O 0 oa ees ae o e e

S 35 ea a beoe e ea eed boos

O 60 obsea o eed boos u

S 360 a us beoe e s sse u

G 00

SSU 60

50

G 60

SSU 680

60

GG 80

SS3U 00

G 80

S 3 0 aea e ae e as as bued o a bea

S 600 a sea e

80 ea bea beoe ado o aod a abu e u

a oa od os os used b O udae ad da

OO OOO S O 80

OS S O 65

GOSOS 5 505 60 G

G S G G G G

G S G

de udaeaaa ee:

es e aa usee: boa sses desu o daoue.

sdeees sou ds see sae daoue S uaos ae

ee. e da uo o eads S so e U ad e suas

a ee dsaee a aua aeed.

o S.aaaae:

eu

S.aaa e

doe S.aaaeesdoe

: Seu

O ad boa o doe:

doe.addboa

S.aboaa e ue

S.aboa 0.0

S.aboa OS

S.aeasaus

S ad s o doe:

doe.adds

eada oue

O S

ea a e e?oo as o a s boa.

O ad ea o doe:

doe.addea

S.aeaae ue

S.aeasaus O : UO SS G

audo.aeu oue0.5

audo.aado sa oue0.3

S ad s o doe:

doe.adds

eada oue

O S

e oe o du e a .

e s ee see e u e s oe.

: e se → → G

oessse doe ee

G SSU

oessse doe e 0

G SSU

oessse doe

GG SS3U G

3: ea

S 3 ad s3 o doe:

doe.adds3

S.aeasaus GS O O OS

eada oue

O S

d e s o.

aes u e o so s o.

S ad s o doe:

doe.adds

eada oue

O S

oue e. ou ea.

a ua eao s ed a e sbe ees o beoe e.

3 ad ea ee o doe:

doe.addeaee

eada oue

O S

ee. ee s od.

35 ad ea e o doe:

doe.addeae

eada oue

O S

e s a o e sea.

G 50 ad ea o do e:

doe.addea

eada oue

O S

o e as oe bus.ee es o e o o.

eaed soud aes: au a oase s eae sead.

o d a eueaeG S:

a 36 ad oase soudd o doe:

doe.addo asesoudd

S.ae asaus SUU OS GSd

audo.a eaoase oue0.

audo.sedue0 ea oue0.

S.seesae aS.seesae d *

a 68 ad aesoudd o doe:

doe.adda esoudd

S.ae asaus S S U G Sd

audo.a aesas oue0.

audo.sedue8 ebus oue0.6

audo.sedue ea oue0.

oa us eo e ae eaes ou o a e

S.aboaa e:

G :

boaseed 0.3

e G 0:

boaseed 0.60

e S :

boaseed 0.8

ese:

boaseed .55

S.aboa boaseed

dae sse ad eoso e es

o S.a sses::

.0 seed

.0:

TATEwlkmi ilrmv(m)

fr x in TATEwlk xlin

x"lif" - 1

if x"lif" <

TATEwlkx linrmv(x)

── En ctcn ──

if t > ATKEND n " n" nt in n

n("n")

TATEwlktrmin ltt "INAL LT — RETRNIN T HARBR"

clrwlkilg ()

TATEwlkttck ctiv Fl

TATEwlktrmin lctiv Fl

gll wlkftr firfight, wlkr trntimr

wlkftrfirfight Tr

wlkrtrntimr 24

TATEwlkftrfirfight Tr

f r crigtrik(t, n, rfix, riginx,

t rgtfrm, lnchfrm, imctfr m)

""" n fll TARETED → LANCH → DETRYED nc fr ingl rig

RIXPITIN th ingl rc f trth th miil

h icll im t th rig cn ct ll

"""

rig x RIXPITINriginx

rig nm RINAMEriginx

TARETED

if t > trgtfrm n f"rfixtrgt" nt in n

n(f"rfixtrgt")

TATErigttriginx "TARETED"

TATEwlktrmin ltt f"TARET LCK rignm "

il("mnhvr", vlm4)

LANCH — miil fir frm crrnt t itin

if t > lnchfrm n f"rfixlnch" nt in n

n(f"rfixlnch")

TATEwlkmiil n(

"trtx" fl t(TATEwlktx),

"trt" fl t(TATEwlkt - 2),

"tx" fl t(rigx),

"t" fl t(HRIZNYVERLK - 7),

"t" ,

"" 1 mx(1, imctfrm - lnchfrm),

"riginx" riginx,

)

TATEwlktrmin ltt f"MIILE INBND — rig nm"

il("miillnch", vlm 42)

ichl(, "miilfl", vlm)

ichl(2, "trminlglitch", vlm1)

IMPACT

if t > imctfrm n f"rfixim ct" nt in n

n(f"rfiximct")

TATErigttriginx "DETRYED"

lif 19 if riginx 2 l 1

TATEwlkxlinn(

"x" flt(rigx),

"" flt(HRIZNYVERLK -),

"lif" lif,

"mxlif" lif,

"riginx" riginx,

)

TATEwlktrminltt f"*** IMPACT — rignm DETRYED ***"

ickminc(frm1, fctr2)

il("rigimctcrck", vlm2)

ichl(4, "riglwm", vlm2)

ichl(1, "rigcnrxlin", vlm42)

ichl(4, "rigmtlcll", vlm)

ichl(, "rigwtrlh", vlm2)

ichl(72, "rigfirrt", vlm2)

ichl(2, "trminlglitch", vlm24)

ichl(2, "trminlglitch", vlm14)

TATEcrnhk 4 riginx *

f triggrwlkilg (kr, txt)

""" hw ilg lin ring th ctcn"""

TATEwlkilgctiv Tr

TATEwlkilg kr kr

TATEwlkilgt xt txt

TATEwlkilgchrix

STATE.walk_dialogue_timer = 0

─── Attack overlook panorama helpers ────────────────────────────────

ATTACK_VANISH_X = WIDTH // 2 + 22

ATTACK_VANISH_Y = HORIZON_Y_OVERLOOK - 6

ATTACK_RIG_LAYOUT = (

{"world_x": -250.0, "depth": 0.76, "tilt": -1.0},

{"world_x": 0.0, "depth": 0.46, "tilt": 0.0},

{"world_x": 250.0, "depth": 0.72, "tilt": 1.0},

def _attack_depth_scale(depth):

near = 1.0 - depth

return 0.82 + near * 1.28

def _attack_rig_pose(index, elapsed):

layout = ATTACK_RIG_LAYOUT[index]

depth = layout["depth"]

near = 1.0 - depth

scale = _attack_depth_scale(depth)

x = ATTACK_VANISH_X + layout["world_x"] * (0.56 + depth * 0.34)

water_y = (

HORIZON_Y_OVERLOOK

+ 12

+ near * 76

+ math.sin(elapsed * 0.014 + index * 0.65) * (1.5 + near * 1.5)

)

deck_y = water_y - int(105 * scale)

return {

"x": x,

"water_y": water_y,

"deck_y": deck_y,

"scale": scale,

"depth": depth,

"tilt": layout["tilt"],

}

def _attack_boat_pose_from_world_x(world_x, elapsed=0):

x = -170 + world_x * 1.65

travel = max(0.0, min(1.25, (x + 170.0) / (WIDTH + 380.0)))

depth = max(0.50, 0.90 - min(1.0, travel) * 0.26)

near = 1.0 - depth

scale = 0.76 + near * 1.08

y = (

HORIZON_Y_OVERLOOK

+ 18

+ near * 84

+ math.sin(elapsed * 0.035 + travel * 4.0) * (2 + near * 2)

)

heading = -0.12 + min(1.0, travel) * 0.14

return {"x": x, "y": y, "scale": scale, "depth": depth, "heading": heading}

def _draw_attack_explosion(surface, cx, cy, t, scale=1.0):

"""Big cinematic oil-rig impact: flash, shockwave, fireball, smoke, debris and spray."""

if t < 0:

return

s = max(0.35, float(scale))

t = float(t)

early = max(0.0, 1.0 - t / 22.0)

burn = max(0.0, 1.0 - t / 135.0)

grow = min(1.0, t / 50.0)

Sudden hot impact flash and expanding blast ring.

if t < 30:

flash_w = int(300 * s)

flash_h = int(190 * s)

flash = pygame.Surface((flash_w, flash_h), pygame.SRCALPHA)

fw, fh = flash.get_size()

Page 26

p [

]

p

p p

_ p

_ [] []

_p

pp _p _

p _

p _

p p p_ p_ p

p p p_

_ p

_ p

p p

p

_p

p _p p

p

p

p

p

p

p _ _

p p p

p p p

pp

pp_ pp_

pp_

pp_p

[pp_]

p _ pp_

[ ]

p p pp_ p _ p

_

p

_ p p

_ _ _

_

_

p p

p p

_ p p

_

p

p

p

p _

p _

p p p p

p p p p

p

p

p p p p

p p p

p p

p_

p_

p p p_ p_ p

p _

p

p pp

p

p p

p p p p

p

p p p

p

_ __ p

p p

p p

_ __ _p

p

_

_

_p

p

p p

p p

p _ _

_ _

p p

p p

_ __ p

_

_

_

_p

[

]

p p _

p p

[

]

p p _

p

p _ _

p _ _

p

p _

_

_

p _ _ _ _

p

p _ _

_

_ __ ___ ___

p

_

_

_p

p _p

p p

pp _p _

p

_ __p p

p

p _ _

eu

e eased S 0.0

e .0:

eu

* 0.68 e * 0

SO e * 3

a a 6 * .0 e * 0.55

bod ae.Suae 6 ae.S

ae.da.esebod 80 86 8 aa bod.ee

su ae.bbod

ooae eased * 0.3

ooe 3

3

ae.da.e

suae

60 66 8 aa

a.oso oae * oo e a.s ooae * ooe

a.oso oae * oo e a.s ooae * ooe

ae.da.esuae 66 8 aa 3 6 6

de daaasoa suae eased :

uae a de aao sead o oe a sa ae.

a ae.Suae G ae.S

se e SO SO

aeses

36 . 0 35 65

56 .8 8 30 50 8

.5 6 5 65 8

o aed ou d e baseo eueaeaeses:

ado.a do aed

o aeou:

base .ad0

base .ad0 see

base eased * d

SO base eased * .0 aed * .3 see

aa aed * .ad0 8

sa aed *

ae.da. e

a

*baseo aa

sa e .ad3 3

su ae.ba 0 0

de daaaaesu ae eased o o:

eseebased oea oe udees a d aeed o.

suae.es e

o aeoo :

oo a o o

0 *

0 * 6

b 3 *

ae.da.esuae b 0

d ae.Suae ae.S

o ae ae8 :

0 S ae * 30

S ae *

ae.da.e d 8 6 0 oo 6 3

o bad ae5:

a bad .0

oo a ** .86 * oo 3

aa 58 * .0 a * 0.55

ae.da.e d 56 8 aa 0

su ae.bd 0 0

aeae ae.Suae ae.S

o bad ae:

a bad .0

oo a ** .5 * oo 0

se a * 8

aa 60 a *

se 3 a * 8

o ae50 50 se:

ae a.seased * 0.08 * 0.03 bad * . a * 3.

ae.da. e

aeae

6 8 36 aa

ae

se ae

su ae.baeae 0 0

de daaaese esuae ae sae eased saeO 0.0:

seudo3 sbe oo aes ad oe suo es.

s sae

oa

ae oaae

de 50 * s

de a8 8 * s

de d 8 * s

de ae 0 * s

s e * 6 * s

o bae de * 0.8 se de de d * 0.08

o ba de * 0.8 se de ded * 0.6

o o de * 0.5 se de ded * 0.0

o oe de * 0. se de ded * 0.

o do de

e o 8 58

sdeo 38 50

o o 68 5 88

udesdeo 8 36

e ae.Suae de * .55 0 * s ae.S

e e.ed

e e.ee

o ae:

a 8.0

8 a * e 0

de * 0. a * 0. 8

aa 30 * .0 a

obbe a.seased * 0.035 * 0.0 * a *

ae.da.e

e

6 0 0 aa

e obbe

e obbe

su ae.be e ae

ae.da.oosuae udesde o

ooe

oo

oo0 oo odo

ooe0 ooe odo

ae.da.oosuae sdeo

oba

oo

oo0 oo odo

oba0 oba odo

ae.da.oosuae oo

obae o ba o o o oe

ae.da.oosuae 8 3 0

obae o ba o o o oe

e os

de * 0.30

de * 0.08

de * 0.

de * 0.3

e boos

de * 0.

de * 0.5

de * 0.8

de * 0.6

lg t

tfrntlft1 frntr - 2,

tfrntlft1 frntr - ,

tfrntright1 frntr - 1 ,

tfrntright1 frntr - 2,

fr tx, x, t in zi(lgtx, lg ttmx, lgt)

lgw *

lgl

(tx - lgw * , t),

(tx lgw * , t),

(x lgw * , wtr 2 *),

(x - lgw * , wtr 2 *),

gmrwlg n(rfc, lgcl, lgl)

gmrwlg n(rfc, (2, ,), lgl, 1)

mtx cx x kw *

mt ck - *

mtt mt - 72 *

mtlft mt x - 1 *

mtright mt x 1 *

g mrwlin(rf c, (, 74,), (mtlft, mt), (mt x - * , mtt), mx(2, int(*)))

g mrwlin(rf c, (, 74,), (mtright, mt), (mt x * , mtt), mx(2, int(*)))

fr i in rng(4)

frc i

l mt - frc * 2 *

hlfw (14 - i *) *

gmrwlin(rfc, (72, 2, 9), (mtx - hlfw, l), (m tx hlfw, l), mx(1, int(2 *)))

i ttm wtr 12 *

g mrwlin(rf c, (44, , 74), (mtx, mt 4 *), (mtx, i ttm), mx(1, int(2 *)))

ring mtt *

g mrwlli(

rfc,

(2, 1, 21),

gmRct(int(m tx - 17 *), int(ring - 12 *), int(4 *), int(2 *)),

1,

)

g mrwlin(rf c, (2, 1, 21), (mtx - 22 * , ring), (mtx 22 * , ring), 1)

g mrwlin(rf c, (2, 1, 21), (mtx, ring - 1 *), (mtx, ring 1 *), 1)

cnh l 1 % 2

if cnh

glw gmrfc((int(4 *), int(4 *)), g mRCALPHA)

gmrwcircl (glw, (2, 7, 2,), (glwgt with() 2, glwgthight() 2), mx(, int(1 *)))

rfclit(glw, (int(mtx - glwgtwith() 2), int(mtt - glwgthight() 2)))

gmrwcircl (rfc, (2, 92, 74), (int(mt x), int(mtt)), mx(2, int (*)))

cklight tfr ntlft1 frntr * 4

fr li in rng(4)

lx cx - ckw * 22 li * ck w * 1

gmrwcircl (rfc, (2, 2 , 11), (int(lx), int(cklight)), mx(1, int(2 *)))

if tt "TARETED"

lck gmrfc((int(*), int(*)), g mRCALPHA)

lc (2, 2, 7 , 7)

gmrwlli (lck, lc, lckgtrct(), 1)

gmrwlin(lck, lc, (lckgtwith() 2,), (lckgtwith() 2, lckgthight()), 1)

gmrwlin(lck, lc, (, lck gthight() 2), (lckgtwith(), lckgthight () 2), 1)

rfclit(lck, (int(mtx - lckgtwith() 2), int(ck - 2 *)))

f rwtrrig(rfc, cx, wtr, cl, lincimct, tilt, riginxNn)

"""Thr iffrnt rig th

LEFT rig i-lm cll, it fl hr int th

CENTER rig vrticl imlin, lg fl inwr n th ck nck wn

RIHT rig twiting rk-, th r ck tr in tw n crkcrw wn

"""

if lincimct <

rtrn Fl

mx(, flt(cl))

ix flt(cx)

wtrlin flt(wtr)

t flt(mx(, lincimct))

if riginx i Nn

if tilt < -1

tl # lft i-l m

lif tilt > 1

tl 2 # right twit- rk

l

style = 1 # center / implosion

else:

style = int(rig_index) % 3

Style tuning. These few values make the three silhouettes behave differently.

if style == 0: # LEFT: slow heavy fall to the left

fall_sign = -1.0

collapse_delay = 3.0

collapse_len = 78.0

sink_start = 92.0

twist_mult = 1.05

smoke_drift = -1.0

deck_mode = "side"

elif style == 1: # CENTER: fast straight-down implosion

fall_sign = 0.0

collapse_delay = 0.0

collapse_len = 48.0

sink_start = 64.0

twist_mult = 0.22

smoke_drift = 0.0

deck_mode = "implode"

else: # RIGHT: delayed twisting break-up to the right

fall_sign = 1.0

collapse_delay = 10.0

collapse_len = 92.0

sink_start = 105.0

twist_mult = 1.45

smoke_drift = 1.0

deck_mode = "twist"

buckle = min(1.0, t / 34.0)

collapse = min(1.0, max(0.0, (t - collapse_delay) / collapse_len))

sink = min(1.0, max(0.0, (t - sink_start) / 165.0))

burn = max(0.34, 1.0 - t / 520.0)

pulse = 0.72 + 0.28 * math.sin(t * 0.105 + ix * 0.01 + style)

── Oil slick and fiery reflections ───────────────────────────────

slick_w = int((105 + min(210, t * (1.15 + 0.22 * style))) * s)

slick_h = int((34 + min(46, t * (0.24 + 0.03 * style))) * s)

oil = pygame.Surface((slick_w, slick_h), pygame.SRCALPHA)

pygame.draw.ellipse(oil, (4, 6, 9, min(180, int(95 + t * 0.42))), oil.get_rect())

if style == 1:

inner = pygame.Rect(int(slick_w * 0.22), int(slick_h * 0.18), int(slick_w * 0.56), int(slick_h * 0.50))

elif style == 0:

inner = pygame.Rect(int(slick_w * 0.08), int(slick_h * 0.26), int(slick_w * 0.68), int(slick_h * 0.34))

else:

inner = pygame.Rect(int(slick_w * 0.25), int(slick_h * 0.23), int(slick_w * 0.67), int(slick_h * 0.36))

pygame.draw.ellipse(oil, (44, 25, 15, int(54 * burn)), inner)

for i in range(6):

y = int(slick_h * (0.35 + i * 0.075))

wob = int(math.sin(t * 0.04 + i + style) * 7 * s)

side_pull = int(smoke_drift * i * 4 * s)

pygame.draw.line(

oil,

(255, 102, 30, int(24 * burn)),

(slick_w // 2 - int(42 * s) + wob + side_pull, y),

(slick_w // 2 + int(42 * s) + wob + side_pull, y),

1,

)

surface.blit(oil, (int(ix - slick_w // 2), int(waterline - 4 * s)))

── Different water hits/ripples ──────────────────────────────────

if t < 155:

ripple = pygame.Surface((int(280 * s), int(96 * s)), pygame.SRCALPHA)

rw, rh = ripple.get_size()

for i in range(4):

Page 27

p

p

p ppp p

pp

__

p

p

_ p

p

_ __ __ p

_ p

_ p

_ [ ]

_ _

_

p_ p

p_ _

_

_ p

p p_ p_ _ _

p _ _ _

p

_ _

_ _ p

p p

p [

_ _ _ _

_ _ p

_ _ p

_ _ _ _

]

p p p

p p p

p _ _

p

_ _

_p _ p

p _[] _[] _p[] _p[]

pp p

_ __ __ p

_ p

_ p

_ p _

p_p p

_ [ ]

_ _

p_

p_ _

_ p_ _ _

_ p

p p_ p_ _ _

p _ _ _

p _ _

p p p

_

_ p _p

p [

_ _ _ _

_ _ _ _

_ _ _ _ p

_ _ _ _ p

]

p p p

p p p

p_p [

_ _ _

_ _ _

_ _ _ p

_ _ _ p

]

_p [p_p[] p_p[] p_p[ ][] p_p[][ ] p p_p[][] p_p[][] p]

p p _p

p p p_p

p p p_p

p p

_ _

_ p _ p

_ p

_p _[] _ _ _ [] _ _

p _[] _[] _p[] _p[]

p

p_ _[] _p[] _[] _[] _p[] _ []

p_p p_[] _ p p_[] p

p p_[] p_[] p_p[] p_p[]

_[] _ p[] _[ ]

_[] _ p[] _[]

p

_

_p [

_ _

_ _

_ _

_

]

_p [

_ _

_ _

_ _

]

_p [

_ _

_ _

_ _

]

p p _p

p p _p

p

[

[_ _ _ _]

[_ _ _ _]

]

[[

_ _

_ _

]]

[

[_ _ _ _]

[_ _ _ _]

]

pp

pp

_

_

_

p

p

p

p

p __

p

o 55 0 80 * o 5 0 * o

ae.da. esuae o a . * s * a0.5 o

ese:

e ae.e a .ado * * s a 3 .ado * 3 * s

ae.da.esuae 6 6 68 80 * a0.5 o e

e oes: a ou des e e.

e ae.Suae 05 * s 80 * s ae.S

e.ese

se :

oes 0

e se 0:

oes 58 33 8 0

ese:

oes 0 68

o oe o e ueaeoes:

oease * 0. oe * 0.03 oe * . se

o ae8:

a .0

o o * s a.soe ase * 0.8 * 5 a * * s

o a * 3 * use a.soe ase * 0. * 3 * s

a 8 a * 3 use * * s

aa 8 a * 0 * bu

ae.da. ee 55 8 a * 05 66 a * 35 aa o 8 * s o

a 0.35:

ae.da.ee 55 0 0 * bu o 8 * s o a

su ae.be e * s

Soe: e eas e ee oes sa u sas .

so e ae.Suae330 * s 350 * s a e.S

s s soe.es e

o ae30:

a .0

se * 0.38 a * 0.8 * a85 30 * s

se :

sa a.s * 0.08 * 0.6 * * .0 * s

e se 0:

sa a * 5 * s a.s * 0.0 * 0.5 * 0 * . * s

ese:

sa a * 58 * s a.s * 0.0 * 0. * * .8 * s

s a8 6 a * 3 .0 80.0 * * s

sade 8 a *

sa a0 00 a * 5 * 0. 0.8 * bu

ae.da.esoe sade s ade sade sa s * 0.50 sa s * s se s

su ae.bsoe s e s 3 * s

eu ue

de daaaea essuae eased ude :

ea eee e buss aoud ae ad a oes.

ud e

bus 0

o ae G SSU

G SS U

GG SS3U G:

d eased ae

0 d :

bus abus d

bus 0:

eu

ado.ado 000 eased

o ae bus :

.ad8 0

.ad 5

.ad8 8

.ad5 5

s ae.Su aea0 ae.S

o .oe80 80 0 55 30 5 0 60 5

s.*o .ad0 50

suae.bs

bus 8:

a oe asa.edeSG U ue 55 0 60

ab ae.Suaea.e d a.ee ae.S

ab.0 0 0 5

suae.ba b a b.ed 8 6

suae.ba ab.ed 8

de daaaao eassuae e ased:

e sbe a oase abes ad sa ea.

ee s

SSU SS U 55 0 60

G 55 5 5

8 O S 55 50 0

SSU SS U 55 0 60

G 55 5 5

8 O S 55 50 0

SS3U SS U 55 0 60

G G G 55 5 5

G 8 O S 55 50 0

a e oe

o ae e o ees:

d eased ae

0 d 3:

ae d e o

o ae:

eu

d e o ae

a 35 * .0 d 3.0

de sa ea es ossbe o ss.

ado.ado 000 eased

o ae0:

.ad G 0

.ad

ea ae.Su ae ae.S

ea.*o .ad0 0

suae.bea .ad 8 8

ee abe.

abeo ae.o.Ssooso as 6 bodue

abe abeo.e dee ue o

abe.seaaa

b ae.Suae abe.ed abe.ee 8 a e.S

b.0 0 0 0 a

ae.da.eb *o 60 a b.ee

ae.da.eb *o 0 a 0 0 5 b.e e

b b. ed

b 8

su ae.bb b b

su ae.babe abe.ed b 8

de daaeuoe asuae:

So saoss o ea ae e o eed eds eas ba o aea.

aeue 0:

eu

o ess .0 a eue 0.0

a a 0 * .0 oess

oe a ae.Suae G ae.S

oe a.0 0 0 a0 30 aa 5

su ae.boea 0 0

aeue 5:

sa 55 aa 35

ae ae.Su ae560 0 ae.S

ae. 0 sa 5

ae.da.e ae 5 88 6 0 sa ae.ee

ae.da.e ae U 0 0 ae. ee

suae.bae 80 G 6

e oe a.ede OSO OS ue 5 86 6

sub oeasa.edeod as ae eau oa e... ue 85 5 5

e.seaasa

sub.seaas a

suae.be e.ed G 38

suae.bsub sub.ed G

e aeue 0:

sa 0 0 * ae ue 5.0

esoe oe asa.ede O OO UG ue 0 5 0

esoe.seaa sa

b ae.Sua eesoe.ed 6 esoe.ee 0 ae.S

b.0 0 0 5 sa

ae.da.eb 5 88 6 50 sa b.ee

b b.ed

b 8

suae.bb b b

suae.besoe esoe.ed b 5

de daaaaoe oosuae o ease:

seudo3 oeoo aoaa o e se seuee.

o eue ees da e a obse ao eed du e eu

trnitin, rvnting n rt n ck t t-wn gml

"""

if nt frc n nt (TATEwlkttck ctiv r TATEw lktrminlctiv)

rtrn

l TATEwlk ttcktimr

w, h rfcgtiz()

hrizn HRIZNY VERLK

H r-clr th tintin firt n thing frm th wlking-im cn cn

vr l thrgh thi cinmtic l r

rfcfill((, ,))

intrlh

if l <

intrlh int(2 * (1 - mx(, l)))

hkmg mx(, int(TATEcrnhk))

if TATEcrnhk >

TATEcrnhk - 1

D nt fft th ntir rnr frm; tht w cing viil n

hkx

hk

Pr-fill n lh cn with lck nthing fr m th wlking-im

m cn l thrgh, whil till ltting r-ixl lh ffct

cn gmrfc ((w, h), gmRCALPHA)

cnfill((, , , 2))

k t (12, 1, 24)

k t (, , 72)

fr in rng(, hrizn)

mx(1, hrizn)

r int(kt (kt - kt) *)

g int(kt1 (kt1 - kt1) *)

int(kt2 (kt2 - kt2) *)

gmrwlin(cn, (r, g,), (,), (w,))

rng tr rnmRnm(42)

fr in rng()

x rngtrrnint(, w)

rngtrrnint(, hrizn 2)

rngtrrnint(7, 17)

r rngtrrnint(1, 2)

gmrwcircl (cn, (19, 2, 2,), (x,), r)

V r tl r-k hz nl; vi n trng hriz ntl ning

hz gmrfc((w, 7), gmRCALPHA)

fr i, (cx, c, rx, r , lh) in nmrt(

(w * 2, , 12, 4,),

(w * 2, 4, 14, 4, 7),

(w * 4, 1, 11 , ,),

)

rift mthin(l * i * 14) *

gmrwlli (

hz,

(1, 2, 4, lh),

gmRct(int(cx - rx rift), c, rx * 2, r * 2),

)

cnlit(hz, (,))

r wttckwtr(c n, l, hrizn)

rng hn rnmRnm(7)

fr in rng()

x (rnghnr nint(, w) int(l *)) % w

hrizn rnghnrnint(42, 24)

w rnghnrnint(24, 4)

hn gmrfc((w,), gmRCALPHA)

c rnghnchic((1, ,), (17, 12, 9), (1, 9, 1))

gmrwlli(hn, (*c, rnghnrnint(1, 2)), hngtrct())

cnlit(hn, (int(x), int()))

rigrwt ttckrig(i, l) fr i in rng()

trcnt m(1 fr in TATErigtt if "DETRYED")

if trcnt >

glwlr gmrfc((w, 12), gmRCALPHA)

glwintnit min(1, trcnt)

l 7 22 * mthin(l *)

fr g in rng(12)

lh int(4 * glwintnit * l * (1 - g 12))

gmrwlin(glwlr, (2 , 1, , lh), (, g), (w, g), 1)

cnlit(glwl r, (, hrizn - 4))

Lng il-fir r flctin nr tr rig Th rit vn ftr th lt rit f

fr ix, rig in nmrt(rigrw t)

if TATErig ttix "DE TRYED"

continue

since = max(0, elapsed - RIG_IMPACT_FRAMES[idx])

refl = pygame.Surface((int(190 * rig["scale"]), int(150 * rig["scale"])), pygame.SRCALPHA)

rw, rh = refl.get_size()

heat = max(0.25, 1.0 - since / 760.0)

for ry in range(0, rh, 3):

frac = ry / max(1, rh)

alpha = int(72 * heat * (1.0 - frac) * (0.72 + 0.28 * math.sin(elapsed * 0.06 + ry)))

if alpha <= 0:

continue

half = int((58 * rig["scale"]) * (1.0 - frac * 0.72))

wob = int(math.sin(elapsed * 0.045 + ry * 0.15 + idx) * (7 + frac * 10))

pygame.draw.line(refl, (255, 104, 32, alpha), (rw // 2 - half + wob, ry), (rw // 2 + half + wob, ry), 1)

scene.blit(refl, (int(rig["x"] - rw // 2), int(rig["water_y"] + 10)))

draw_order = sorted(range(3), key=lambda idx: rig_draw_data[idx]["depth"], reverse=True)

for idx in draw_order:

rig = rig_draw_data[idx]

if STATE.rig_status[idx] == "DESTROYED":

_draw_destroyed_rig(

scene,

rig["x"],

rig["water_y"],

rig["scale"],

elapsed - RIG_IMPACT_FRAMES[idx],

tilt=rig["tilt"],

rig_index=idx,

)

else:

_draw_attack_perspective_rig(

scene,

rig["x"],

rig["water_y"],

rig["scale"],

elapsed,

state=STATE.rig_status[idx],

tilt=rig["tilt"],

)

Waterline occlusion to seat the structures into the ocean a bit better.

for rig in rig_draw_data:

occ = pygame.Surface((int(150 * rig["scale"]), int(28 * rig["scale"])), pygame.SRCALPHA)

pygame.draw.ellipse(occ, (12, 22, 36, 95), occ.get_rect())

pygame.draw.line(

occ,

(76, 108, 142, 55),

(8, int(occ.get_height() * 0.38)),

(occ.get_width() - 8, int(occ.get_height() * 0.38)),

1,

)

scene.blit(occ, (int(rig["x"] - occ.get_width() // 2), int(rig["water_y"] + 2)))

if STATE.walk_boat_active:

boat_pose = _attack_boat_pose_from_world_x(STATE.walk_boat_x + 38, elapsed)

_draw_attack_boat(

scene,

boat_pose["x"],

boat_pose["y"],

boat_pose["scale"],

boat_pose["heading"],

elapsed,

)

current_target = None

for idx, rig_state in enumerate(STATE.rig_status):

if rig_state == "TARGETED":

Page 28

_

_ __

_p _ __p__ ___ p

__ [_]

___

_p[] _p[]

_p[] _p []

[]

[_] [ ]

_

__ [[_]]

_p _ __p___[_] p

_p[ ] _p []

_p[ ] _p []

[] [] []

[_] [ ]

[]

_

_

p_

p_ p_

p_ p_ p_ p_ p _ p_ p_

p_ p_ p_ p_ p _ p_ p_

p p

p

p_ p_

_ _

___

_

_

[p]

_p p

_ p

__ [[_]]

_ [_] [ ]

_p [] _ []

_ [p]

___p

[]

[_] [] _p

_

_

_

_p_ _

___ p

[] []

[_] [ ] _p_

_p _

_

___ p

[] []

[_] [ ] _p_

_

_

p

_

[ ]

_ []

_ _

p

_

[] [_] []

[]

p p

p

p [_]

_

p

p

_

_

[] [_]

_ __p p

_

p _ _

p _ _

p

p_ p p _ _

p p_ _ p _

p p_ _

p

p p _ _

_ ___ p

_

_ _

p

_p_ __

_ p _ p_

_

_ p p

_ _

_ _

_

_ __p_ p

_ _ _ __

_

_ _

_ _

p _ _ p

_

p _

p __ _

_ _

_

_ _ _

{p }{p }

_ _ p __ _

_pp _

_ { }

p []

[]

_

_ []

ppp{ _}{_ [ ]}

pp

pp

pp

_ _ _ _

_

_

_ [__ p p pp]

_ _ _ _

_ _

__ _ _ _ _

__

_

_

_

_

_p p p

_p_p

_p

___ _ p _ _

p p p

__

_ _[]

_ [_] [ ]

sae G:

oo 55 00 60

adus a * sae

ae.da. esuae *oo abe adus

o d d d d

adus 0 adus 0

adus 0 adus 0

0 adus 0 adus

0 adus 0 adus

:

ae.da.e

sua e

*oo 0

d abe d

d abe d

oe asa.ede GS O ue oo

b ae.Suae.ed 8 .e e 3 ae.S

b.0 0 0 0

suae.bb b.ed abe 30

suae.b .ed abe

e sae SO:

se eased G S

0 se 3:

aa a0 50 se *

o easa.ede ue 0 0 5

b a e.Suae.e d 8 .ee 3 ae.S

b.0 0 0 0 aa

b.sea aaa

.sea aaa

suae.b b b.ed abe

suae.b .ed abe 3

a edes o sae eueaeS.saus sae ! SO

aedes:

ousd ue ae ue ae s o oe ese aed es ea edes

ous d adaaousd

soeo 88 0 5 5

ae.da.e

suae

soeo

ous 60 ousae 8

ous 60 ousae 8

ae.da.e

suae

soeo

ous ous ae

ous ous ae 50

ae.da.esuae soeo ous ous ae 8

oaa 0:

ade ae.Su ae G ae.S

ade.0 0 0 oaa

suae.bade 0 0

de daaaasuae :

odo a s seea bu eadabe.

G oud sado

sado ae.Sua e a e.S

ae.da.eses ado 0 0 0 0 0 0 8

su ae.bsado 8

a bod

bod ae.e 0 5

ae.da.esuae 6 bod bodeadus

ae.da.esuae 3 3 5 bod bodeadus

ea ao bo

ae.da.esuae 8 5 8 8 0 38 bodeadus

ae.da.esuae 38 3 50 8 8 0 38 bodeadus

ab

ae.da.esuae 0 30 6 5 36 bodead us3

ae.da.esuae 8 56 66 6 5 36 bode adus3

dsed sde dos

ae.da.esuae 3 6 88 0 5 bodeadus

ae.da.esuae 6 6 36 88 5 bodeadus

ae.da.esuae 0 0 0 0 0

bue se

ae.da.esuae U 3 58 5

ae.da.esuae 0 0 5 8 58

ea doo sea

ae.da.esuae 5 50 55 8 8

ae.da.esuae 8 0 3 8 3 6

a ead

ae.da.esuae 0 35 30 3 5 8

ae.da.esuae 0 35 30 3 3 5 8

ae.da.esuae 0 00 30 6 5

ae.da.esuae 0 00 30 6 35 5

ees

o 0 86:

ae.da.esesuae 5 6 8 8 5 8 0

ae.da.esesuae 5 6 8 8 8 0

ae.da.esesuae 35 38 0 5

ae.da.esesuae 35 38 5 0 5

a o oo

80 0:

ae.da.esuae 5 85 5 8 65

aus u

u ase 80

uase 3:

u ae.Su ae8 8 ae.S

ae.da.eseu 65 0 5 5 uase * 0 0 0

suae.bu 6 u ase * uase

de da as:

aae s oe:

eu

uea oo: e e oeoo a a s ae e de O e

ea see ad s daoue. o o da e a s a a a.

S.aaaae o S.a eaae:

daaaa oeoosee

S.ada oueae ad S .adaoue e:

dadaoue bo

see

S.a daoueseae

S.a daouee

S.a daouead

eS.adaouee

e adaoueae ad adaouee:

dadaoue bo

see

adaoueseae

adaouee

adaouead

eadaouee

eu

aeue 0:

od e a bus eed ude e saos oea beoe

ad o e aabe abo e. s aes e ado beae.

daaaa oeoosee oeue

daaeu oeasee

eu

see.6 8

aaea a aea

sa OOS * OOS

sa OOS * OOS

o ae

sa OO S OOS * OO S

:

o ae

sa OOS

G OOS *

OOS

:

see.bS UOO

daaosoos

o aees

CNTAINERTILERED,

CNTAINERTILEBL E,

CNTAINERTILER T,

CNTAINERTILEREY,

fr wll in wlkwll

r gmRct(wllx - fcx, wll - fc, TILEIZE, TILEIZE)

if -TILEIZE < rx < WIDTH n -TILEIZE < r < HEIHT

crnlit(w llhw, (rx - 4, r - 4))

tilix (w llx TILEIZE wll TILE IZE) % 4

crnlit(c ntinrtiltil ix, (rx, r))

r wwlkr(fcx, fc)

fr x, , k, ll, txt in wlkt rint

if -1 < x - fcx < WIDTH 1 n -1 < - fc < HEIHT 1

rwr WALK PRITEDRAWERgt(k)

if rwr

rwr(crn, int(x - fcx), int(- fc))

if wlkctiv hvr n wlkctivhvr ll

l * mthin(gmtimgttick() *)

glw gmrfc((,), gmRCALPHA)

gmr wcircl(glw, (2 , 22, 1, int(* l)), (4, 4),)

crnlit(glw, (int(x - fcx) - 4, int(- fc) - 4))

if wlkftrfirfight

vncrnx wlkvntriggrx - fcx 1

vncrn wlkvntriggr - fc

if -2 < vncr nx < WIDTH 2

rwwlkkr vn(crn, vn crnx, vncr n, gmtim gttick())

if wlklr

wlklrrw(crn, fcx, fc, wll(), ngnTr, imvingwlklrmving)

if wlkctivhvr n wlklr n nt wlkilg ctiv

ll, c wlkctivhvr

x wlklrrctcntrx - fcx

wlklrrctcntr - fc

llrf fnt tnrnr(ll, Tr, CRANE)

gw llrf gtwith() 1

gh llrf gthight()

g gmrfc((gw, gh), gmRCALPHA)

gmrwrct(g, (, , , 17), (, , gw, gh))

crnlit(g, (x - gw 2, -))

crnlit(ll rf, (x - ll rfgtwith() 2, - 4))

fr th in wlkt h

x th"x" - fcx

th"" - fc

if -1 < x < WIDTH 1 n -1 < < HEIHT 1

gmrwr ct(crn, (7, ,), (x - 1, - 12, 2, 24))

gmrwr ct(crn, (4, , 1), (x - 1, - 12, 2, 24), 2)

gmrwlin(crn, (, , 2), (x - 1,), (x 1,), 2)

gmrwcircl(crn, (1, 1,), (x,),)

it mthh t(

wlkl rrctcntrx - th"x",

wlkl rrctcntr - th"",

)

if it < n nt wlkilgctiv

rmt fnttrminlmllrnr(

f"E rch th'l l'", Tr, CRANE

)

crnlit(rmt, (x - rmtgtwith() 2, -))

fr nc in wlknc

nx nc"x" - fcx

n nc"" - fc

if -1 < nx < WIDTH 1 n -1 < n < HEIHT 1

hw gmrfc((, 1), gmRCALPHA)

gmrwlli(hw, (, , ,), (, , , 1))

crnlit(hw, (nx - 19, n))

if ncgt("rit") "lwmn"

── Dr r ──

gmrwlgn(

crn,

(7, 4, 2),

(nx, n -),

(nx - 1, n 1),

(nx 1, n 1),

,

)

pygame.draw.polygon(

screen,

(50, 42, 34),

[

(nx, ny - 8),

(nx - 18, ny + 18),

(nx + 18, ny + 18),

],

1,

)

Subtle dress folds

pygame.draw.line(screen, (60, 50, 40), (nx - 6, ny - 2), (nx - 10, ny + 16), 1)

pygame.draw.line(screen, (60, 50, 40), (nx + 6, ny - 2), (nx + 10, ny + 16), 1)

Apron

pygame.draw.rect(screen, (110, 100, 88), (nx - 7, ny + 2, 14, 12))

pygame.draw.rect(screen, (75, 65, 55), (nx - 7, ny + 2, 14, 12), 1)

── Head ──

pygame.draw.circle(screen, (185, 155, 128), (nx, ny - 14), 8)

── Headscarf ──

pygame.draw.arc(

screen,

(60, 55, 50),

(nx - 10, ny - 24, 20, 18),

0,

math.pi,

3,

)

pygame.draw.line(screen, (60, 55, 50), (nx - 8, ny - 14), (nx - 11, ny - 8), 2)

pygame.draw.line(screen, (60, 55, 50), (nx + 8, ny - 14), (nx + 11, ny - 8), 2)

── Face details ──

pygame.draw.circle(screen, (40, 30, 25), (nx - 2, ny - 14), 1)

pygame.draw.circle(screen, (40, 30, 25), (nx + 2, ny - 14), 1)

Wrinkle / frown line

pygame.draw.line(screen, (130, 105, 85), (nx - 2, ny - 11), (nx + 2, ny - 11), 1)

── Walking cane ──

pygame.draw.line(

screen,

(70, 55, 35),

(nx + 14, ny - 6),

(nx + 18, ny + 18),

2,

)

pygame.draw.circle(screen, (90, 70, 45), (nx + 14, ny - 6), 2)

else:

pygame.draw.circle(screen, npc["color"], (nx, ny), 12)

pygame.draw.circle(screen, C_PLAYER_SKIN, (nx, ny), 7)

dist = math.hypot(

walk_player.rect.centerx - npc["x"], walk_player.rect.centery - npc["y"]

)

if dist < 80 and not walk_dialogue_active:

prompt = font_terminal_small.render(

f"[E] Speak to {npc['name']}", True, C_ORANGE

)

screen.blit(prompt, (nx - prompt.get_width() // 2, ny - 36))

walk_progress = min(

1.0, max(0.0, walk_player.rect.centerx / (len(walk_map[0]) * TILE_SIZE))

)

fog_r = int(18 - walk_progress * 8)

fog_g = int(22 - walk_progress * 14)

fog_b = int(30 - walk_progress * 16)

fog_a = int(55 + walk_progress * 85)

fog = pygame.Surface((WIDTH, HEIGHT), pygame.SRCALPHA)

Page 29

_ _ _ _

p_ p p

p p_

p_ _

_ __ __ __

_

_ _p p_

_

_

_

_ ___

_p_

___p_

_ _ __

__

_ _p

_ _

_ __

__

__ _ _

__

__p

__

___

_ _

_p p _

p _p [] __ __

_

_

__ __ __

_

__ __

_ pp

_ p p

p _

p _ __

_ _

_ _p p_ _

_ _

_ _ _

[] {p_} {_p_ } {__ }

_ _

_ _ _

_ __ _

_ _ p _p

p _ _ _

p _ _ _

p

[

_ _ _ p _

_ p _ _ _

_ _ _ _ p

_ _ p _ _

]

p _

effects.py

p

p

p

p p

p

_ _

_ _ _

p

__ p _ _ p

p __ _ _

__ p p

p _ _

__ _ p

_ _ p

p

_ __

_ _

_ _

_pp[_]

p _p

_

ppp

p _p

p p []

pp

p

p p

p __

[]

p_

p __

_[]

[] p

[]

[]

[]

_

p __

_[]

[]

[]

_

_

_

__

ui_hud.py

p p p

p

p

p p

__ __

p

_ __

OG U G

GG SO SO

o ea oeasa o seae

o b oo odaoue oe see

O OU OUS O G

aud o

o sae o S

ass a:

de se a daa ese6:

se.ese ese

se.a e adaa0

se.a e adaa

se.od se .a * es e

se.od se .a * es e

se.a 60

se.a 60

se.sae se .a se .od

se.sae se .a se .od

se.a 0

se. se.a se.a

se. se.a

se.sasua e se.buds asuaeadaa

de budsasu aese adaa:

su ae.Su aese.a se.a ae.S

su.0 0 0

aoo 60 55 50

doooo 80 0 60

o od o eueaeadaa:

o od e eueae o:

e :

od * se.ese * se.sae

od * se.ese * se.sae

a se. ese * se.sa e

a se. ese * se.sa e

doooo e ese aoo

ae.da.esu

eu su

de da

se

suae

ae

eees

aea

aea

oebooosoe

eosoe

ooosoe

oadeosoe

:

ae s oe:

eu

ae se.sa suae.o

ae.e.ee * se.sae

ae.e.ee * se.sae

ae.da.eae 80 0 00 3

ae ae.a e

de 6

d a.os ae * de

d a.s ae * de

ae.da.e ae 80 0 00 d d

o e eees:

e e.e .ee * se.sae

e e.e .ee * se.sae

ae.da. eae 0 60 60 e e

oebooos:

oebooos0 * se.sae

oebooos * se.sae

ae.da.eae 55 0 00 3 3 6 6

ae.da.eae 55 55 55 3 3 6 6

eos:

e e os0 * se.sae

e e os * se.sae

ae.da. eae 80 0 00 e e

ooos:

ooos0 * se.s ae

ooos * se.s ae

ae.da. eae 55 60 60 3

oadeos:

oadeos0 * se.sae

oadeos * se.sae

ae.da. eae 55 60 60 3

ae.da.e ae 0 5 5 0 0 se. a se.a

ae.da.e

ae 55 5 8 se .a se.a

suae.bae se. se.

de dadade suae e o oo seed0 aa0 e ae0:

ado.adoseed

o eueaee:

:

o.s e 0 .ad 6

oue

su o.e de ue oo.oeaa

su.seaa a0 55 a a .ad 5 5

o ae.aso.oaesu ae .u o

.ade e

.ad e e

suae.bo

.ado 0.65:

os o. ede ue oo.oeaa

os.sea aa0 aa 3

os ae.aso.oae os ae .uo

suae.b os .ad3 3 .ad 3

o.se 0 .ad 3

de dauedsaes a:

oe a ae.Suae G ae.S

oe a.0 0 0 5

see.boea 0 0

ado.ado

ae ae 60 330

ae ae.Suaeae ae ae.S

s

8 8 0 5 58 6 36 8 35 0 0 0 38

33 5 8 30 05 5 86 388 3 36 306

36 3 308 8 3 8 5 30 30 66

0 6

sado ae.Sua eae 0 ae 0 ae.S

ae.da.oos ado 0 0 0 0 0 o s

sadoo ae. aso.oaesado

sadoe sado o.eeee 0 G

see.bsadoo sadoe

ae.da.ooae 60 8 s

ae.da.ooae 3 5 s

o ae00:

.ad0 ae

.ad8 ae 0

.ado 0.5:

o .o e

0 6 58 35 0 55 35 8

0 6 50 8 35 8 0 0

ae.sea o

o ae:

s .ad 5 ae 80

s .ad35 ae 0

s .ad30 0

s .ad 8 0

sa ae.Su aes s ae.S

ae.da.esesa .o e

5 3 0 5 8 5 38 0 0 8 35

sa.ee

ae.bsa s s

aes

0 30 80 5 50

0 0 35 5 50 5

30 38 30 0 365 80

3 5 0 50 5 85

(1, 17), (2, 1), (22, 1) ,

(27, 1), (42, 21), (,) ,

fr i, ft in nmr t(fct)

cl (2, 24, 1, 1) if i % 2 l (2, 12, ,)

gmrwlg n(r, cl, ft)

fl lin

((, 7), (4,),), ((4, 14), (42, 12), 2),

((4, 22), (42, 2), 4), ((112, 2), (122, 1),),

((24, 1), (2, 2),), ((,), (1, 4),),

((, 2), (44, 4), 2), ((, 44), (42, 292),),

fr (, , lh) in fllin

gmrwlin(r, (42, 1, 19, lh), , , 4)

gmrwlin(r, (22, 21, 1, mx(1, lh 2)),

(2, 1 - 2), (2, 1 - 2), 1)

hn fntig gm fntFnt("Cmic n M", , lTr)

hn fntmi gm fntFnt("Cmic n M", 2, lTr)

hn fntmll g mfntFnt("Cmic n M", 1, lTr)

ink (7, 1, 2)

r wirthntxt(r, "nt frg t", 72, 72, hnfntmll, ink,

12, lh, jittr, ngl-)

r wirthntxt(r, "7", 122, 12, hnfntig, ink,

1, lh9, jittr, ngl-1)

r wirthntxt(r, "4", 21, 12, hnfntig, ink,

2, lh2, jittr7, ngl7)

r wirthntxt(r, "2", , 1, hnfntig, ink,

, lh7, jittr, ngl-4)

r wirthntxt(r, "7 2", 12, 12, hnfntmi, ink,

4, lh4, jittr7, ngl)

r wirthntxt(r, "lt thr ", , 244, hnfntmll, ink,

, lh4, jittr, ngl-)

fr in rng(4)

x1 rngrnint(9,)

1 rngrnint(11, 21)

x2 x1 rngrn int(-,)

2 1 rngrn int(-1, 1)

gmrwlin(r, rngchic(

(2, 14, ,), (7, 4, 2,), (12, 9, , 4),

), (x1, 1), (x2, 2), rngrnint(2,))

fl gmrfc((rw, rh), gmRCALPHA)

g mrwlgn(f l, (1, 12, ,),

(1, 1), (292, 92), (27, 2), (14, 24))

g mrwlin(fl, (2, 21, 1, 4), (1, 1), (14, 24), 2)

rlit(fl, (,))

fr in rng(1)

hx rngrnint(, rw - 4)

h rngrnint(, rh -)

if rngrnm() < 4

gmrwlin(r, (, 4, 2, 9),

(hx, h), (hx rngrnint(-2, 2), h rngrn int(-7, 9)),

rngrnint(1,))

fr in rng()

g rngchic("t", "ttm", "lft", "right")

if g "t"

x, rngrnint(2, rw - 2), rngrnint(,)

lif g "ttm"

x, rngrnint(2, rw - 2), rngrnint(rh - , rh -)

lif g "lft"

x, rngrnint(,), rngrnint(2, rh - 2)

l

x, rngrnint(rw - 4, rw -), rngrnint(2, rh - 2)

gmrwcircl(r, (, 24, 1, rngrnint(2,)), (x,), rngrnint(1,))

rrt gmtrnfrmrtt(r, -4)

rrct rrtgtrct(cntr(WIDTH 2, HEIHT 2 - 12))

crnlit(rrt, rrct)

if (gmtimgttick()) % 2

rmt fntrmtrnr(" PACE cl", Tr, (1, 14, 1))

crnlit(rmt, (WIDTH 2 - rmtgtwith() 2, HEIHT 2 21))

ll fnttrminlmllrnr("crml cr", Tr, (9, 2,))

cr nlit(ll, (WIDTH 2 - llgtwith() 2, HEIHT 2 - 21))

f chltxttick(txt, trtl , t2, vlm , mxtick42)

ticki

fr ch in txt

if ch n nt chic()

if tick_i < max_ticks and (tick_i % 2 == 0 or ch in ".!?"):

audio.schedule(start_delay + tick_i * step, "type_tick", volume=volume)

tick_i += 1

def _play_ui_type_tick(volume=0.095):

try :

audio.play("type_tick", volume=volume)

except Exception:

pass

def draw_desk_note():

global _last_note_tick_key

if not STATE.active_read_note:

_last_note_tick_key = None

return

if _last_note_tick_key != STATE.active_read_note:

_last_note_tick_key = STATE.active_read_note

_schedule_text_ticks(str(STATE.active_read_note).replace("__CRUMPLED_SAFE_SCRAP__", "crumpled scrap"), start_delay=0, step=2, volume=0.075, max_ticks=38)

if STATE.active_read_note == "__CRUMPLED_SAFE_SCRAP__":

_draw_crumpled_safe_scrap()

return

overlay = pygame.Surface((WIDTH, HEIGHT), pygame.SRCALPHA)

overlay.fill((0, 0, 0, 200))

screen.blit(overlay, (0, 0))

panel_w, panel_h = 500, 280

panel_x = (WIDTH - panel_w) // 2

panel_y = (HEIGHT - panel_h) // 2

paper = pygame.Surface((panel_w, panel_h))

paper.fill((32, 28, 22))

for row in range(0, panel_h, 3):

shade = random.randint(-3, 3)

c = max(0, min(255, 32 + shade))

pygame.draw.line(paper, (c, c - 2, c - 4), (0, row), (panel_w, row))

screen.blit(paper, (panel_x, panel_y))

pygame.draw.rect(screen, (80, 70, 50), (panel_x, panel_y, panel_w, panel_h), 2)

header = font_speaker.render("FIELD NOTE", True, C_ORANGE)

screen.blit(header, (panel_x + 16, panel_y + 12))

pygame.draw.line(

screen,

(80, 65, 35),

(panel_x + 16, panel_y + 42),

(panel_x + panel_w - 16, panel_y + 42),

1,

)

lines = STATE.active_read_note.split("\n")

y = panel_y + 56

for line in lines:

surf = font_terminal.render(line, True, C_WHITE)

screen.blit(surf, (panel_x + 20, y))

y += 28

if (pygame.time.get_ticks() // 600) % 2 == 0:

prompt = font_prompt.render("[SPACE] close", True, (160, 145, 100))

screen.blit(

prompt,

(panel_x + panel_w // 2 - prompt.get_width() // 2, panel_y + panel_h - 28),

)

_notebook_inspect_timer = 0

def reset_notebook_inspect():

global _notebook_inspect_timer

_notebook_inspect_timer = 0

def draw_notebook_inspection():

global _notebook_inspect_timer

_notebook_inspect_timer += 1

── Dark overlay fades in ──

Page 30

_p __p _

p p

_p

_p __p_

_p

_p

_ _p

_ _ p _

_

_ _

p _ p_

p _ p _

p _ p _

pp p p_ p_

pp

p _

ppp p_

pp p _ p_ _

p p_ p_ _ p _ p_

p

p_ p_ _ p_ p_

p pp

p_p __p_

p_ p p

p_ _p p_p

p_p_

p

p_

p_p

p_ _ p__

p p_

p_ p_ p_ _

p p_ p_ p_

p

p_ p_

p_ p_ p_

_ _ _

_ p_ p_

_ p_ p _

p

_ p_

_ p_ p_

p_

p_

p_ _ _[ ]

p_

p _

p_ [

p

pp

]

p_

_ _ _

_ _ _

_

_ _ _

_ _ _[ ]

_

p _

p _ p_

p _ p_

p p_ p_ p_ p_

p p_ p_ p_ p_

p p_ p_ p_

p p p_ p_

_ _p _p_

_ p p_ p_ p

_

p_

p_

_ _

__p_p_ _

_ _p_p _ p_ p_

p _ _ _

p_ p_ p_ p_

_ [

]

p_

_

_ _

_ _

p_ p_

p_ p_

_

p_

_ _ _[ ]

_

p

p_ p_

[

p

]

_ _

_ _

p p_ p_

q __

q __

q

q

p

p_ p _ p_

p_ p_ p_ p_

_ _

p_ p_ _ p _ p_

p_

pp _p p[ ]

pp

p_ p _ pp _ p_ p_

__p

_p_

p _

p p

oe a.0 0 0 00

see.boea 0 0

ae ae 30 360

ae a e

ae G ae

ae ae.Suaeae ae

ae.0 6

o o ae0 ae :

ae.da.e ae 6 8 0 o ae o

see.bae ae ae

ae.da.esee OG ae ae ae ae

ae.da.e

see 35 0 5 ae 3 ae 3 ae 6 ae 6

S e oe Ses sa da ooes eaa dea

o s s

ae a e

ae ae ae

ae a e ae

ae ae ae ae

:

ae.da.esee 0 5 00 s s 5

ae.da.esee 50 5 55 s s 5

ae.da.esee 0 5 s 3 s s 3 s

saus Gee o oe ead

ed oo 50 55 00 s 00 0 ese 5 80 30

ae.da.es ee edoo ae ae 3 ae 6

abe

ed b oeasa.ede ue 0 5 0

see.bedb ae ae 6 ae 0

sa usb oe asa.ede

SU OSO SS ue 0 5 0

see.bsausb ae 6 ae 8

ae.da.e

see

35 0 5

ae 0 a e

ae ae 0 ae

eade oseae.edeS ue OG

see.b

eade ae ae eade.ed ae 8

ds a ae 30

ds a ae 6

ds a ae 60

ds a

Gee baoud see

ae.da.esee 5 0 dsa dsa dsa ds a

ae.da.e

see 50 80 00 dsa dsa dsa dsa

a saes se a o e e ad see

o s ae dsa 3:

e dsa s

ae.da.esee 0 38 5 dsa e dsa dsa e

us uso ea e

b uso s 350 0 ese

odedsa

S.saeead ode buso eS.sa eeadode 6 ese S.saeeadode

odesu oe a.edeoded sa ue 65 55 60

e dsa dsa odesu.ed

e dsa dsa odesu.ee

see.bodesu e e

b b 6

a 0

sa ae ae 3 * b * a

b sa dsa dsa 6

e adbuose

es 0 8

es6 0 5 6

es3 0 3

esbs0e 0 0

ouseos ae.ouse.eos

os es es6 es3 esbs0e

o o eueaeos:

o abe o o:

b sa o * b a

b bsa * b a

e ae.eb b b b

oe e. odeoouse os

boo 8 5 58 oe ese 6 8 3

oueoo OG oe ese 0 5 80

ae.da.esee boo e bodeadus3

ae.da.esee oueoo e bodeadus3

eoo oe e se 80 0 00

b

oe asa.ede abe ue e oo

eabe

ese o ea.edeabe ue eoo

b b b b.e d

b b b b.ee

see.bb b b

eadbuo se.aede abe

adeead.buos eadbuose

oeasa.edeS ae ue 0 0 0

see.b

ae ae .ed ae ae

de adeeados:

o S.saee adae:

eu

bu os eaadeead buos

o e abe bu os:

e.odeo os:

abe :

au e0.0

S.saeeadaba :

S.saeeadabaS.saee adode S.saeeadae

S.saeeadae ase

ae.ouse.sesbea se

e abe :

eS .saeeadode 0:

S.saeeadode S.saeeadode:

a ue0.0

e eS .saeeadode 6:

S.saeeadode abe

au e0.0

de adeeadeesse:

o S.saee adae:

eu

e ae. U o e ae.:

aue 0.0

S.saee adaba:

S.saee adabaS .saeeadode S.saee adae

S.saeead ae ase

ae.ouse.se sbease

e e ae. S:

eS.sae eadode 0:

S.saee adode S.saeeadode:

aue 0.0

e ae.0 e ae.:

eS.sae eadode 6:

S.saee adode e

aue 0.0

e ae.0 e ae. :

eS.sae eadode 6:

S.saee adode e ae.0 od0

aue 0.0

interactions.py

"""Pl r intrctin with th wrl r , f, NPC, lrm"""

imrt mth

imrt rnm

imrt gm

frm cnfig imrt (

TILEIZE, i, Prticl,

DRINTERACTRANE, DRMANALVERRIDE, DRPENRANE,

frm t t imrt TATE

frm ffct imrt hk

cl D r

f init(lf, x, , iFl)

lfrct gm Rct(x, , TILE IZE, TILEIZE)

lfi i

lfnimrgr

lfnim if i l 1

lftrgtn Fl

lfmnltimr

lfclliinrct gmRct(x, , TILEIZE, TILEIZE)

lfigt Fl

lflck Fl

lfclliini l Fl

r rt

f in(lf)

rtrn lfnim rgr > 1

f tggl(lf)

if lflck

rtrn

lftrgtn nt lftrgt n

lfmnltimr DRMANALVERRIDE

f t(lf, l rrct)

if lfmnltimr >

lfmnltimr - 1

lif nt lfi n nt lfl ck

it mthh t(

lrrctcntrx - lfrctcntrx,

lrrctcntr - lfrctcntr,

)

lftrgt n it < DR PENRANE

if lftrgt n n lfnimrgr < 1

lfnimrgr min(1, lfnimrgr lfnim)

lif nt lftrgtn n lf nimrgr >

lfnimrgr mx(, lfnimrgr - lfnim)

if lfclliin il

lfclliinrct Nn

l

h mx(, int(TILEIZE * (1 - lfnimrgr)))

if h >

lfclliinrct gmRct(

lfrctx, lfrct, TILEIZE, h

)

l

lfclliinrct Nn

f imint()

TATEctivrnt Nn

g mmtviil(Fl)

f intrctr()

if nt TATElr r TATElr

rtrn

cl t, cltit Nn, flt("inf")

fr in TATEr

it mthht(

TATElrrctcntrx - r ctcntrx,

TATElrrctcntr - r ctcntr,

)

if dist <= DOOR_INTERACT_RANGE and dist < closest_dist:

closest, closest_dist = d, dist

if closest:

if closest.locked:

if closest.is_bay:

STATE.floating_texts.append([

closest.rect.centerx,

closest.rect.centery - 20,

"BAY DOOR SEALED",

(220, 140, 80),

70,

])

return

closest.toggle()

audio.play(

"door_open" if closest.is_bay else "door_creak", volume=0.5

)

if closest.is_bay:

for o in STATE.doors:

if o is not closest and o.is_bay:

o.target_open = closest.target_open

o.manual_timer = DOOR_MANUAL_OVERRIDE

def handle_interact():

if not STATE.player or STATE.player_dead:

return

for desk in STATE.desks:

if math.hypot(

STATE.player.rect.centerx - desk["x"],

STATE.player.rect.centery - desk["y"],

) < 80:

STATE.active_read_note = desk["clue"]

desk["read"] = True

audio.play("pickup", volume=0.5)

return

if not STATE.notebook_collected and STATE.NOTEBOOK_POS:

dist = math.hypot(

STATE.player.rect.centerx - STATE.NOTEBOOK_POS[0],

STATE.player.rect.centery - STATE.NOTEBOOK_POS[1],

)

if dist < 96:

if STATE.breach_stage > 0:

STATE.floating_texts.append([

STATE.NOTEBOOK_POS[0], STATE.NOTEBOOK_POS[1] - 20,

"BREACH IN PROGRESS!", (255, 100, 30), 90,

])

return

nearby = [

e for e in STATE.enemies

if math.hypot(

e.rect.centerx - STATE.NOTEBOOK_POS[0],

e.rect.centery - STATE.NOTEBOOK_POS[1],

) < 300

]

if not nearby:

STATE.safe_keypad_active = True

STATE.safe_keypad_code = ""

STATE.safe_keypad_target = "742"

STATE.safe_keypad_callback = _on_safe_opened

pygame.mouse.set_visible(True)

audio.play("menu_click", volume=0.5)

else:

Page 31

_pp [

_[] _[]

]

_

___p

_

_ pp[

p

p

]

ppp

q_ _p

p

_

_ p

__

_

_ _

_p p

_

_ pp[

p

p

]

__

p_

p_

pp p p

_

p

_ _

_ p_

_

p

_ pp[

p

p

p

]

__

_

_

_

_p

q_

_ _

_ _

p

_ p _p

_p_p _p

_p_

_p

_p

p p

_ pp[

p

p

]

__

__

p

__

p

_ p

__

pp

p

ppp

_ _ _ _

ppp

_ _ _ _

p

_

_p

_p

_

_

p

p [

_ _

_ _

]

p

q_

ppp _ _

p

__p _ _

__

p

_

pp

_

p pp

_

p pp

_ pp[ ]

__

enemy_ai.py

p

p

p

p

p pq

__ p p

p p_ _

_ q

_

_

__ _ {}

__ _

_ __

___

[]

___ ___

___[] _ __[ ] ___ []

p_ _

p_ _

[[_ p_] _ p_]

_

_

p_ p_

[][]

_ __

_ __[ ]

_ __[ ] p_

_ __[ ] p_

p_ p_

de as asa oa d:

s s sa0 sa

oa0 oa

os ed

os ed0

o 0 s os ad 0 s o s ad dss :

eu

o 0 os ad 0 o s ad d :

o d ea es aabe oa

bes oe

besds oa

o d ae 3:

o d a e 3:

d d

0 os ad 0 os ad d :

d absd absd

d besds:

besds d

bes

bes s oe:

eu

bes

oe se 0 s s

aeo

s oe s s: 0

a odes os * os 000 a sea sae

odeseaded 0

e oese ad odeseaded a odes:

ea.eaooese

odeseaded

:

a

e aeo:

a.ae d

aeo

a.eese

eu a

o d d

0 0 0 0

:

d d

0 os ad 0 os ad d :

d ! 0 ad d ! 0:

o d o o d:

oue

seos S d ! 0 ad d ! 0 e se .0

eae soe seos

e

ea e soe.e e oa:

ae oe

so ee eae

eae eus

ea.eausoese

eu

ee ed 0

ass e:

de se :

oba eee d

se.ud eeed

eeed

se.e ae.e 3 3

se.seed

se.ae 0

se. 00

se.sae

se.saee 0

se.eoodo 0

se.oss e 0

se.deae ado.uo0 a. *

se.des e ado.ad60 80

se.seae 0

se.aeed a se

se.dosa ase

se.a

se.ae

se.aao e 0

se.aoos

se.aod 0

se.dsao ae oe

se.asseeos oe

se.obaae e 0

se.seeos

Su deeo

se.asos

se.sue 0

se.eeaoodo 0

se.eds e ado.uo 0.65 .5

se.e 0

se.eae 0

se.beae ae oe

se.beae ase

se.beae soue

se.esae

de aassse ae ae as:

s s se.e .ee se.e .ee

d ae s

d ae s

ds a.o d d

ds 0:

eu ue

adus 3

d ds * adus

d ds * adus

o a as:

a. es s a e ae:

eu a se

a. es s ae ae :

eu a se

a. es s ae ae :

eu a se

eu ue

de sooase as:

o se.a:

eu

o ae ese.a 5 0 :

o o se .a

o * S S

o * S S

se.a ass as :

se.a se.a:

bea

de budseeo sse as:

d aos aos budadas

o d:

eu

oses

S * 0 S * 0

0 S * 0 S *

S S S S

S S S S

S * 3 0 S * 3 0

0 S * 3 0 S * 3

ado.sueo ses

seaoses

o d ae3 :

o d a e3 :

seao ses.aedd d

seaoses.so eabda : abs0 abs

os

o d d oses:

d d

o a0 S aos

o a0 S aos

oud ase

o d d seaoses:

o d o d

0 aos ad 0 aos ad d:

o o

fn Tr

rk

if nt fn

cntin

tx cl * TILEIZE TILEIZE 2

t rw * TILEIZE TILEIZE 2

intn((tx, t))

if ln(int) 4

rk

rtrn int

f t(lf, x, , wll, llt, rticl, nmi Nn, firzn Nn)

lftttimr - 1

lffirclwn - 1

if lfntrgrc >

lfntrgr c - 1

if lffirrctclwn >

lffirrctclwn - 1

if lfcmtl rttimr >

lfcmtlrttimr - 1

── Flinch n t t chng t ch ttck ──

if lftt lfrvtt

if lftt in ("CHAE", "ATTACK") n lfr vtt in ("IDLE", "PATRL")

lfflinchtimr

lfrvtt lftt

if lfflinchtimr >

lfflinchtimr - 1

cn lfc n(x, , wll)

if cn

lfltn (x,)

lfltighttimr

lfcmtlrttimr 42

if lflrt n lftt nt in ("CHAE", "ATTACK")

lftt "CHAE"

l

lfltighttimr 1

ight cn tctin

cnhlf mthrin() if lflrt l mthrin(4)

ittlr mthht(x - lfrctcntrx, - lfrctcnt r)

tctrng ENEMYDETECTRANE * (2 if lflrt l 1)

if nt lflrt n ittl r < tctrng

inightcn Fl

if ittl r < 11 n cn

Cl-r ng rihrl w rn t nmi ing lin whn

th l r wlk lmt i thm

inightcn Tr

l

nglt lr mthtn2(

- lfrctcntr, x - lfrctcntrx

)

iff (ngltlr - lfngl)

if iff > mthi

iff 2 * mthi - iff

if iff < cnhlf n cn

inightcn Tr

if inightc n

lflrt Tr

lftt "CHAE"

lfltn (x,)

lfcmtlrttimr 42

ft Rlin — c t rvnt wll-hing

rlx, rl ,

rnlc 44

if nmi

fr thr in nmi

if thr i nt lf n thrtt in ("CHAE", "ATTACK")

x lfrctcntrx - thrrctcntrx

lfrctcntr - thrrctcntr

it mthht(x,)

if < it < rnlc

f rc (rnl c - it) r nlc

r lx (x it) * frc * 1

r l (it) * frc * 1

C rli n mgnit

rmg mthht(rlx, rl)

if rmg > lf *

scale = (self.speed * 0.5) / rep_mag

repulse_x *= scale

repulse_y *= scale

── FIRE ZONE AWARENESS ──

Only care about fire that's actually close.

nearest_fire = None

nearest_fire_dist = float("inf")

if fire_zones:

for fz in fire_zones:

fd = math.hypot(self.rect.centerx - fz.x, self.rect.centery - fz.y)

if fd < fz.radius + 20 and fd < nearest_fire_dist:

nearest_fire = fz

nearest_fire_dist = fd

if nearest_fire:

in_core = nearest_fire_dist < nearest_fire.radius * 0.45

near_edge = nearest_fire_dist < nearest_fire.radius * 0.75

player_visible_and_shootable = (

can_see and dist_to_player <= ENEMY_ATTACK_RANGE * 1.1

)

if in_core:

if self.fire_react_cooldown <= 0:

self.fire_react_cooldown = random.randint(18, 36)

else:

if random.random() < 0.55:

move_x = repulse_x * 0.25

move_y = repulse_y * 0.25

self._apply_move(move_x, move_y, walls)

return

self.alerted = True

self.combat_alert_timer = max(self.combat_alert_timer, 240)

self.path = []

self.distraction_target = None

flee_angle = math.atan2(

self.rect.centery - nearest_fire.y,

self.rect.centerx - nearest_fire.x,

)

flee_angle += random.uniform(-0.85, 0.85)

flee_speed = self.speed * random.uniform(1.15, 1.55) * self.fire_discipline

move_x = math.cos(flee_angle) * flee_speed + repulse_x * 0.5

move_y = math.sin(flee_angle) * flee_speed + repulse_y * 0.5

self.angle = flee_angle

self._apply_move(move_x, move_y, walls)

if can_see:

self.last_seen_pos = (px, py)

self.state = "CHASE"

return

elif near_edge and not player_visible_and_shootable:

avoid_angle = math.atan2(

self.rect.centery - nearest_fire.y,

self.rect.centerx - nearest_fire.x,

)

repulse_x += math.cos(avoid_angle) * 0.7 * self.fire_discipline

repulse_y += math.sin(avoid_angle) * 0.7 * self.fire_discipline

if self.state == "IDLE":

self.idle_switch_timer -= 1

if self.idle_switch_timer <= 0:

self.idle_angle = random.uniform(0, math.pi * 2)

self.idle_switch_timer = random.randint(60, 180)

self._ease_toward_angle(self.idle_angle, 0.04)

elif self.state == "PATROL":

if not self.patrol_points:

self.state = "IDLE"

Page 32

_ _ p _p[p_]

_

_

p

p_ p_ p_p

___

_ p

_ p

_

_

_

_

_ p

_ p

_

_

__ p

_ _

_p_p

__ p_ p_

_

p []

p_p

_ p_ppp

p

__p

_

__p[ ]

__p[ ]

p_ p_

_ p_

_ p p p

__

__

_ p

__

_

_

_

__ p

__

p_p

p_

_

p_p []

p []

p

_

_

p_p []

p []

_ _p

__p

_p _p

__ p

_ __p __

p []

__ _ __

p

_ _ _

p_p __p_p

p_p

_ p_ppp

p []

__ p_ p_

_

_

p []

_ __

__

p

_ p p

_

_ p_

_ _

_ __ _

p_ __

p_ __

__ __p __

__

_ _ _

_p p p

_ __

_ __p p_

_ __p p_

_

_

p p

_ _ p p _

_ _ p p _

_pp_ _ _

_

_p_p p p

__p p p _ p_

_

_ p

p_

_ p

_ _ p p_

_ _ p p_

_pp_ _ _

p pp p

pp _ p_

_pp_ p_ p _

__p

_

p

p

[ ]

[ ]

p

p

p

p_ p

p_ p_

p_ p_

p_

p_

p _

p_

p_ p

p _ p

___ _ p

_ p p p

_

p

p p p

__ p p _p

_p

_p

p p _p[] p _p[]

aae se.ae ed o se.oba aee 0

sae G * 3.0 aae ese .5

ds sae:

eu ase

e seea os aoud e ae sead o o e ea ee.

s ees aoe s o a ado oe ou.

aeos

8 8

8 8

8 8

8 8

o a eos:

boed ase

o a as:

a. eoos :

boed ue

bea

o boed:

eu ue

eu ase

de udaead se as:

se.ae

se.ae 0:

eu

ds a.o se.e.e e se.e.ee

ds G * .5:

se.ae a3 3

ese:

se.ae

d aos aos budadas

aos 0 o aos 0:

se.a

eu

sao se.e.ee S

sao se.e.ee S

oao S

oao S

sao oao ad sa o oao:

se.a

eu

se.a asa sao sa o oao oao d

se.sooa as

de oeoadse as euse0.0 eu se0.0:

se.a:

o o se .a0

ae o * S S

ae o * S S

d ae se.e.ee

d ae se.e.ee

dss d * d d * d

ea O * .5

dss ea * ea:

se.a.o0

se.sooaas

se.a aoe 0

se.a:

o o se.a0

ae o * S S

ae o * S S

ese:

ae ae

ese:

: Su deeo based o aua oso ae

se.e.ee se.e.ee

oed a.o se .asos0 se.asos

oed 0.5:

se. sue

ese:

se. sue 0

se.as os

se.sue 30:

se. sue 0

se .a:

se.a.o0

se. sooaas

se. ae 0 oe ea e ae

se.easeo adae

a.aa ae se. e.ee ae se.e.ee 0.0

oe a.osse.ae * se.seed euse

oe a.sse.ae * se.seed euse

sde sde ae ae

ese:

o a use de see

desedae a.aa se.e.ee se.e.ee

uds 6

obee O

besae desedae

bessoe .0

o aeuds:

aeose a. uds * a.

addae desedae aeose

ae a.osaddae desedae

obe se.e.ee a.osaddae * obee

obe se.e.ee a.saddae * obee

obee ae.eobe 0 obe 0 0 0

boed a.odee obee o as

soobe se.e.ee a.os addae * obee * 0.

soobe se.e.ee a.s addae * obee * 0.

soobee ae.esoobe 8 soobe 8 6 6

sobo ed a.odeesoobe e o a s

soe a e 5.0 boed ese 0.0 3.0 sob oed ese 0.0

soe bessoe:

bessoe soe

besae addae

d besae se.ae a. a . * a.

se.ae d * 0.5

oe a.osse.ae * se.seed eu se

oe a.sse.ae * se.seed eu se

sde sde

se.e. o e

boed ase

o a as:

se.e. odeea:

oe 0:

se. e. a. e

e oe 0:

se. e.e a.

boed ue

se.e. o e

boed ase

o a as:

se.e. odeea:

oe 0:

se. e.boo a.o

e oe 0:

se. e.o a.bo o

boed ue

boed ad o boed:

abssde se.e.e e :

sded se.seed s de se.e.ee ese se .seed

se.e. sded

o a as:

se .e.odee a:

sded 0: se .e.boo a.o

e sded 0: se.e.o a .boo

e boed ad o boed:

abssde se.e.e e :

sded se.seed s de se.e.ee ese se .seed

se.e. sded

o a as:

se .e.odee a:

sded 0: se .e. a .e

e sded 0: se.e.e a.

lif lckx n lck

Bth x lck — frc r th

lfth

lfthtim r

f lmv(lf, mvx, mv, w ll)

lfrctx mvx

fr wll in wll

if lfrctcllirct(wll)

if mvx > lfrctright wlllft

lif mv x < lfrctlft wllright

lfrct mv

fr wll in wll

if lfrctcllirct(wll)

if mv > lfrctttm wllt

lif mv < lfrctt wllttm

f gn(lf)

"""Wrl-c n m mzzl itin

Mtch Enmrw()

rmln 1

gri fft 4

gn lngth 2

"""

rch 1 4 2

rtrn (

lfrctcntrx mthc(lfngl) * rch,

lfrctcntr mthin(lfngl) * rch,

)

f ht(lf, x, , llt, rticl, wll)

gx, g lfgn()

r rnmnifrm(-,)

wn xctl t th mzzl, nt ixl h f it

x gx

g

mg if gt ttr(lf, "im hnm", Fl) l ENEMYDAMAE

lltn(

"x" x, "" ,

"x" mthc (lfngl r) * 1,

"" mthin(lfngl r) * 1,

"lif" ,

"wnr" "nm",

"mg" m g,

)

fr in rng(4)

rticl n(Prticl(x, , (2, 2, 1)))

il(

"gnhtit nt",

(lfrctcntrx, lfrctc ntr),

(x,),

vlm 4,

)

f hrht(lf, x flt, flt, wll lit) -> Nn

it mthht(x - lfrctcntrx, - lfr ctcntr)

if it > ENEMYHEARRADI

rtrn

hl lfc n(x, , wll)

if nt hl

rtrn

ni rnmrnint(-TILEIZE , TILEIZE)

ni (x ni, ni)

if lftt in ("CHAE", "ATTACK")

if it < TILEIZE * 4

lfltn ni

lfcmtlrttimr mx(lfcmtlrttimr,)

rtrn

if lftt "EARCH"

lfcmtlrttimr mx(lfcmtlrttimr,)

lfwint ni

lfitrctintrgt lfwint()

lfrchtimr mx(lfrchtimr, 1)

rtrn

lflrt Tr

lftt "EARCH"

lfrchtimr 21

lfcmtlrt timr

lfitrctintrgt ni

self.sweep_points = []

self.path = []

self.path_timer = 0

def on_hit(self, shooter_x: float, shooter_y: float) -> None:

self.alerted = True

self.combat_alert_timer = 480

noise = random.randint(-TILE_SIZE // 4, TILE_SIZE // 4)

self.last_seen_pos = (shooter_x + noise, shooter_y + noise)

if self.state not in ("ATTACK",):

self.state = "CHASE"

self.sweep_points = []

self.path = []

self.path_timer = 0

if self.fire_cooldown <= 0:

self.fire_cooldown = random.randint(8, 40)

def draw(self, surface, offset_x, offset_y):

draw_x = self.rect.centerx - offset_x

draw_y = self.rect.centery - offset_y

a = self.angle

d_x = math.cos(a)

d_y = math.sin(a)

perp_x = math.cos(a + math.pi / 2)

perp_y = math.sin(a + math.pi / 2)

surface.blit(_enemy_shadow, (int(draw_x - 17), int(draw_y - 5)))

is_cmdr = getattr(self, "is_commander", False)

is_mag = getattr(self, "is_ambush_enemy", False)

if is_cmdr:

uniform_col = (35, 32, 45)

skin_col = (175, 145, 120)

elif is_mag:

uniform_col = C_MAG_UNIFORM

skin_col = C_ENEMY_SKIN

else:

uniform_col = C_IPA_UNIFORM

skin_col = C_ENEMY_SKIN

body_w, body_h = 20, 13

cos_b, sin_b = math.cos(a), math.sin(a)

torso_pts = []

for bx, by in [

(-body_w // 2, -body_h // 2),

(body_w // 2, -body_h // 2),

(body_w // 2, body_h // 2),

(-body_w // 2, body_h // 2),

]:

rx = bx * cos_b - by * sin_b

ry = bx * sin_b + by * cos_b

torso_pts.append((draw_x + rx, draw_y + ry))

pygame.draw.polygon(surface, uniform_col, torso_pts)

pygame.draw.line(

surface,

(uniform_col[0] + 10, uniform_col[1] + 8, uniform_col[2] + 6),

(draw_x - d_x * 4, draw_y - d_y * 4),

(draw_x + d_x * 4, draw_y + d_y * 4),

2,

)

ls_x = draw_x + perp_x * 11

ls_y = draw_y + perp_y * 11

rs_x = draw_x - perp_x * 11

rs_y = draw_y - perp_y * 11

arm_len = 15

hand_x = draw_x + d_x * arm_len

hand_y = draw_y + d_y * arm_len

Page 33

p

_ _ _

_ pp_ _ pp_

p

_ _ _

_ pp_ _ pp_

p_ _ _ _

p_ _ _ _

p _ p_ p_

__ p_ _

__ p_ _

__ p_ _

__ p_ _

p

_ _ __ __ _ _

p _ _ __

_ _ _

_ _ _

_

p _ _ _ _

_ _

_ _ pp_

_ _ pp_

_ _ _

_ _ _

p __

_ _

_ _

_

_ _ _

_ _ _

p _ _ _

p _ _ _ _

pp_ _ pp_ _

pp_ _ pp_ _

pp_ pp_ _

pp_ pp_ _

p pp_ pp_

p pp_ pp_

_ _ pp_

_ _ pp_

_ _ _

_ _ _

p

_ _

_ _

_ _

_ _ _

_

p _ _ _ _ _ _ _

_ _ _ pp_

_ _ _ pp_

_ _ _ pp_

_ _ _ pp_

p __ _ _ _ _ _ _

p __ _ _ _ _ _ _

_ _

_ _ _

p

_ _ _ _ _ _

p

_ _ _

_ _ _

_

_ _

_ _

p

__

_

menu.py

p

p

p _

____

p

_

_p_

_

_ _ _

_ _ _ _

_ _

_ _ _

p _

p

_ _ _

_ _

_

p _ _

___ _

_ _ _

_ p

_p_ _

_ pp

_ _p _

p _

_ p

p p _

p _

[

__ p p

p __

p

p _ _

__ _ p p

p __ _ ___ _

_ _ p

_ _ p

__ p

_ _ p

__

_

_

_

_

__

__

p

_ p p

_

p _ _

p _ _

_

_ _ _

_

_

p

_

_

p

_ _ _

_ _ _ _

p _ _ _

ae.da.esee 60 5 5 35 30 0 30

se ob ass aoo.ede ue 0 00 50

see.bseob 35 305

e sae so sua

so saesse.e so

so d saesse .uesode

so ae ae.Suae350 8 ae.S

so ae.0 0 0 35

ae.da.eso ae 5 0 0 0 soae .ee

ae.da.eso ae U 0 0 0 8 3

see.bsoae 35 60

a e ooeo.ede S SO: sod ue 80 50 0

as so.eas oeedabe o ssos o eed

so.easo eedsso:

as S O : as

e so.eoued:

as so.e asoeedabe aa sa ed

ese:

as SO S G

as su ooeo.edeas:8 ue 5 5 35

see.bae 50 68

see.bassu 50 86

uos

as sae saesse .asasae

assae:

aou

0 330 O U

30 G

50 U

3 50 S GS

50

ese:

o oue bu o u a eas oe sae so ess.

aou

0 O U

350 G

0 U

3 0 S GS

530

o d e aou:

buosd.e e

buosd.

buosd.e.

o b buos:

b. 0:

b.soeed ase

oue

b.eoeesaedouse

b.dasee

oo dde e aboe ooe

ae.da.esee 0 30 5 30 G 50 0 G 50

ooe

oo ee ooe o.ede

0..0 U ue 0 0 5

see.booee 30 G 38

oo e ooe o.ede

O . ue 0 0 5

see.booe 0 ooe .ed G 38

saus d ao

ae.e.e s 600 0:

ae.da.esee 50 0 00 0 G 3

ese:

ae.da.esee 30 30 60 0 G 3

sa use ooe o.edeO ue 60 0 65

see.bsause 50 G 6

S OS

see s

u ueos UGO au a !! 3 6 5

eo aae O O US 50 0

Sebs aae SOUS O 50 30

G es 0 8

us Sue ouse O 8 0

█████████

ases aee ea

bes Sae ouse SS: 0 6

G eue e e 3 88

asa Oa 0 6 350

oobs o s 3 0 56

O G OSO S 6 8

.S GG GS 00 5

o aas basee

US O 6 6 30

See ues so o oe

S US

u ueos UGO au a !!:

GO: au a eaa

: ueo e ooo

US: . ou o eos.

. o aua ueo ao ed.

3. u ueo aas s.

e o aae O O US:

GO: ee o

: e aae

US: ea oe. e ed.

as ad esed eas.

Sebs aae SOUS O:

GO: aaea oedue

: aa e abe

US: . ddess e a oe.

. o buse as 3a.

3. sas o e eess.

G es :

GO: ???

: ???

US: o o dsuss a ou see ee.

Эо ё о а о заь.

u s Sue ouse O:

GO: ea es

: aa Saua

US: . o ss aoed.

. Sa aa o e dos.

3. o e e oss udo.

█████████ :

GO: █████████

: █████████

US: ████ ██ ████████ ██ ████.

████████ ████ ██ █████.

ases aee ea:

GO: Sad oud

: ed e aeouse

US: . o a so.

. Sae e e.

3. a o o 5 ues.

bes Sae ouse SS: :

GO: ooe ae Sea

: Sae ouse eo

US: . ee ou oe do.

. o o u o e s.

3. e ode s e des.

G eue ee:

GO: au e e a

: Su s

US: . ee a sues oded.

. o aaes.

3. U SS OU.

,

"Kr itn #1 fficil"

"AMEMDE Pcking imltr",

"MAP Acri tn-wi",

"RLE 1 Fllw rtcl t ll tim",

" 2 P rwrk mt in trilict",

" D nt k t th il",

,

"n nl l"

"AMEMDE Trining rn",

"MAP Ttril M",

"RLE 1 N trhr",

" 2 B nic t nw lr",

" W wr ll n nc",

,

"247 IL RI EXPL IN IM"

"AMEMDE Dmlitin Dr",

"MAP Kilm n cn Pltfrm",

"RLE 1 Ev rthing mt xl ",

" 2 rviv mint fr VIP",

" N fihing ring gml",

,

"MR BEAT IVIN AWAY CIARETTE"

"AMEMDE cri Bttl Rl",

"MAP Mtr Wrh",

"RLE 1 M t cri t ntr",

" 2 L t win cigrtt",

" Nt ctll MrBt ",

,

" mm' mnt"

"AMEMDE LAN P rt",

"MAP Th B mnt",

"RLE 1 Bring r wn Mnt in Dw",

" 2 Mm i izz t ",

" N lling, h' l ing",

,

"FREE V-BCK REAL NT FAKE"

"AMEMDE TRJANWIN2PICI ",

"MAP NA",

"RLE Jt ntr r cr til",

" 1% lgit W rmi",

,

Rgin rttin fr flvr

ERVERREIN

"ACARITAN-EAT rl",

"KILEMEN-NRTH rl",

"KRAPITAN-CENTRAL rl",

"L M-DITRICT mh",

"NKNWN RIIN",

rvr-cific kick m g — fll ck t gll l

KICKME AEBYERVER

" i' Prlmnt RP ERI NLY"

"Kick lck fficint rcr tic frm",

"Dicnnct r rlimntr immnit h xir ",

"Kick fil t r th chir rrl",

,

"KB Archiv LEAKED"

"Cnnctin vr xtrnl rt",

"Кикнт Н вйт ш впсв",

"Y wr nvr hr",

,

"Ptin' mmr H VIP NLY"

"Kick infficint llt cr",

"Dicnnct mn fll t f winw",

"Kick rf t tk hirt ff",

,

"█████████ REDACTED"

"███████ ███████████ ████",

"████ ████ ███ ███████████ ████",

,

"MR BEAT IVIN AWAY CIARETTE"

"Kick i nt cri",

"Cnnctin fil infficint rvn",

],

"FREE V-BUCKS REAL NOT FAKE": [

"Antivirus prevented connection",

"Connection rejected: you actually have a brain",

],

"yo mama's basement": [

"Kicked: mom said it's bedtime",

"Disconnected: pizza arrived",

],

KICK_MESSAGES = [

"Connection rejected: your chair lacks RGB",

"Kicked: skill issue detected",

"Connection lost: packet of crisps required",

"Server full: try again in 1984",

"Kicked: you were born in the wrong decade",

"Authentication failed: no admin mod installed",

"Disconnected: your aura is misaligned",

── Live chat ticker ──

CHAT_POOL = [

── Recurring regulars ──

("VasileFan2007", "ez clap", (180, 180, 180)),

("VasileFan2007", "lol", (180, 180, 180)),

("VasileFan2007", "vasile carried", (180, 180, 180)),

("VasileFan2007", "report this guy", (180, 180, 180)),

("VasileFan2007", "im not toxic ur just bad", (180, 180, 180)),

("xX_KRAP_Xx", "anyone got the notebook code?", (180, 180, 180)),

("xX_KRAP_Xx", "fine", (180, 180, 180)),

("xX_KRAP_Xx", "ok ok i wont ask again", (180, 180, 180)),

("xX_KRAP_Xx", "is it 742", (180, 180, 180)),

("xX_KRAP_Xx", "guys??", (180, 180, 180)),

("BiribelMain", "skill issue", (180, 180, 180)),

("BiribelMain", "down bad", (180, 180, 180)),

("BiribelMain", "no scope only", (180, 180, 180)),

("BiribelMain", "ur mom", (180, 180, 180)),

("Volkov_Real", "i am literally him", (255, 100, 60)),

("Volkov_Real", "the IPA doesnt control me", (255, 100, 60)),

("Volkov_Real", "stop dming me", (255, 100, 60)),

("Volkov_Real", "im not selling secrets", (255, 100, 60)),

("Volkov_Real", "ok maybe a few secrets", (255, 100, 60)),

── Admin / moderation drama ──

("admin", "do not discuss the notebook code in chat", (255, 120, 0)),

("admin", "KICKED: CommanderActual (impersonating officer)", (255, 120, 0)),

("admin", "server restart in 2 hours", (255, 120, 0)),

("admin", "stop spamming", (255, 120, 0)),

("admin", "MUTED: VasileFan2007 (10min)", (255, 120, 0)),

("admin", "please report bugs in the appropriate channel", (255, 120, 0)),

("admin", "no, we will not add a battle pass", (255, 120, 0)),

("admin", "the duplication glitch is patched", (255, 120, 0)),

("admin", "stop asking about the duplication glitch", (255, 120, 0)),

("admin", "MUTED: BiribelMain (toxicity)", (255, 120, 0)),

("MOD_Krapov", "guys keep it civil", (255, 150, 60)),

("MOD_Krapov", "first warning", (255, 150, 60)),

("MOD_Krapov", "i am NOT a bot", (255, 150, 60)),

("MOD_Krapov", "this is your final warning", (255, 150, 60)),

── Faction roleplayers ──

("CommanderActual", "hello soldiers", (200, 200, 200)),

("CommanderActual_2", "i am the REAL commander", (200, 200, 200)),

("CommanderActual_3", "no I am", (200, 200, 200)),

("CommanderActual_4", "stop impersonating me", (200, 200, 200)),

("MaruWatches", "MARU SEES YOU", (140, 30, 30)),

Page 34

pp

p

_ p p

_

_

_ p pp

_

_

_ pp

_ p

_ q

_

_

_ р

_

_

_

_

_ p

_ p

_

_

p

q

__

__

__

__

__

__

__

p

_ [ ]

_ [ ]

_ [ ]

_ [ ]

p

_

_

_ p

_

__

__

__

_

_

_

_

_

_

_

_

_

p

p

p p p

p p

_

_

_ p

__

__

__

q p

_

_

_

p_

p_

p_

p_

__

_ _ p

[

{

_

p [

p

q

p p

pp pp

]

}

{

_

p [

p

p

]

}

{

_

p [

]

}

{

_

p [

pp

p

q

p

]

}

{

_

p [

OU SSGG .

U S S S.

U S .

U SS OU S.

ae: u ueo

saus: Oe U !

assee: o

oo: 55 80 60

ees:

O !! u o o e au?!?!

bo e e u oes

UGO UGO UGO U00055U00055U00055

o u a ee . d e ou addess

a do d e ou addess. e s a

aua do. s e. obab .

ae: oob3

saus: Oe

assee: o

oo: 80 80 80

ees:

o do a

s s dsod

ee a

ae u e ad

essed a buo

o

ae: aeeoe

saus: Oe

assee: o

oo: 80 80 80

ees:

o a ?

ease

ade a o o a soe

o s o oe aee. a oe

ou us ae eaess

e as soeoe ese

ae: Ga

saus: Oe

assee: aas

oo: 80 80 80

ees:

e o o ou ae.

ou ae bee added o e s .

ou a s aso o e s.

ease o ou de.

u0u03e u03u00u03e u035 u03u0 u00u03e.

e ae sde ou as.

ae: Geu e

saus: Oe

assee: o

oo: 0 30 30

ees:

o us. e sus eed ou.

o .

ee a sues o e ebes.

e eouo be uoaded o ouube.

e ou ea oe o e?

s o oo ae o s sdes.

ae: OO

saus: a

assee: u o

oo: 80 00 00

ees:

soud be ee.

e dead.

aoe sees s u.

o o us e oade.

e a oeboo. d .

o e o s essae.

ae: o

saus: Oe

assee: das ao

oo: 00 80 80

ees:

oe e a e ou o oe

ade ou aoe sou

dd ou ea oda

ou ae sas eo

ease a e

oe ou

ae:

saus: u588 u588u588u588 u588u588u588

assee: u588u588u588u588u588u588u588

oo: 0 0 0

ees:

u588u588 u588u588 u588u588u588u588 u588u588u588 u588u588u588 u588u588u588u588u588u588u588.

u588u588 u588u588u588 u588u588u588 u588u588u588 u588u588u588 u588.

u588u588 u588u588u588u588u588 u588u588u588 u588u588u588u588u588u588u588u588u588.

u588u588 u588u588u588 u588u588u588 u588u588u588u588 u588u588u588u588u588u588u588.

ae: US

saus: ou eeed

assee: ee

oo: 0 0 0

ees:

s use o oe ess

essae ou d o be deeed

ee s oe

ae: aa ao

saus: Gae

assee: o

oo: 80 50 00

ees:

Oeao. e o saus.

eae. Sa o sso.

do ae e o s. Ou .

a ou oe sode.

ae.

Ou.

sae

doe use oe

ds o

du

des osedea 0

dede oe

dsoose 0

ab s ae

mt "ERVER"

Bttn rct

rvr trct gm Rct(, , 1, 2)

cnnctintrct gmRct(, , 1 , 2)

ERVERPANELW

ERVERPANELH 4

ERVERPANELX (WIDTH - ERVERPANELW) 2

ERVERPANELY (HEIHT - ERVERPANELH) 2

rvr lit liv n th LEFT i f th nl

ERVERRWX ERVERPANELX 4

ERVERRWW 4

ERVERRWH

ERVERLITTP ERVERPANELY 14

Cht nl liv n th RIHT i

CHATPANELX ERVERPANELX ERVERPANELW - 27

CHATPANELY ERVERPANELY 14

CHATPANELW 24

CHATPANELH ERVERPANELH - 24

chtm g

chtn xtwn

rvr nimtintimr

rfrhctiv Fl

rfrhrgr

crll fft

rfrh tnrct gm Rct(ERVERPANEL X ERVERPANELW - 1, ERVERPANELY , 2, 24)

kicki mitnrct gmRct(, , 1 ,)

f rvrtt(cr, m x, ing)

if cr > mx

rtrn "FLL", (22, 12, 4)

if ing > 1

rtrn "NTABLE", (22, , 7)

rt rn "PEN", CTERMINAL

f r wrvrg(txt, clr, x, , w 7)

g gmrfc ((w, 22), gm RCALPHA)

gfill((, 12, 1, 21))

g mrwrct(g , clr, ggtrct(), 1)

cr nlit(g, (x,))

l l fnttrminl mllrnr(txt, Tr, clr)

cr nlit(ll, (x w 2 - llgtwith() 2, 4))

f fittxt(txt, fnt, mxwith)

if fntiz(txt) < mxwith

rtrn txt

llii ""

whil txt n fntiz(txt llii) > mxwith

txt txt-1

rt rn txt llii

f trvrrwr nimtin()

"""Cll nc r fr m whil n mlti lr crn"""

gl l rvrnimtintimr, chtn xtwn, chtm g

gl l rfrhctiv , rfrhrgr

rvrnimtintim r 1

Animt ing l r cnt vr ~9 frm (1)

if rvrnimtintimr % 9 n nt rfrhctiv

fr i, (nm, cr, mx, ing) in nmrt(rvrlit)

lt rnmchic(-1, , , , , 1)

nwcr mx(, min(mx, cr lt))

nwing mx(, min(4, ing rnmrnint(-,)))

rvrliti (nm, nwcr, mx, nwing)

R frh rgr

if rfrhctiv

rfrhrgr 2

if rfrhrgr > 1

rfrhctiv Fl

rfrhrgr

fr i, (nm, cr, mx, ing) in nmrt(rvrlit)

nwcr mx(, min(mx, cr rnmrnint(-,)))

nwing mx(, min(4, ing rnmrnint(-2, 2)))

rvrliti (nm, nwcr, mx, nwing)

wn cht mg

ch tnxtwn - 1

if chtnxtwn <

mg rnmchic(CHATPL)

chtmg n(

"r" mg ,

"txt" mg1 ,

"color": msg[2],

"age": 0,

})

_chat_next_spawn = random.randint(60, 130)

if random.random() < 0.18:

msg2 = random.choice(CHAT_POOL)

_chat_messages.append({

"user": msg2[0],

"text": msg2[1],

"color": msg2[2],

"age": 0,

})

if len(_chat_messages) > 50:

_chat_messages.pop(0)

Age messages

for m in _chat_messages:

m["age"] += 1

def switch_mp_tab(tab):

global _mp_tab

_mp_tab = tab

audio.play("menu_click", volume=0.3)

def open_dm(user_idx):

global _dm_open_user, _dm_input

_dm_open_user = user_idx

_dm_input = ""

if user_idx not in _dm_history:

_dm_history[user_idx] = []

audio.play("menu_click", volume=0.3)

def close_dm():

global _dm_open_user, _dm_input

_dm_open_user = None

_dm_input = ""

def send_dm_message():

global _dm_input, _dm_response_delay, _dm_pending_reply

if _dm_open_user is None or not _dm_input.strip():

return

_dm_history[_dm_open_user].append({

"from": "you",

"text": _dm_input.strip(),

"age": 0,

})

_dm_input = ""

_dm_response_delay = random.randint(45, 110)

_dm_pending_reply = _dm_open_user

audio.play("menu_click", volume=0.2)

def update_dm_state():

global _dm_response_delay, _dm_pending_reply

if _dm_open_user is not None and _dm_open_user in _dm_history:

for m in _dm_history[_dm_open_user]:

m["age"] += 1

if _dm_response_delay > 0:

_dm_response_delay -= 1

if _dm_response_delay == 0 and _dm_pending_reply is not None:

reply = random.choice(CONNECTIONS[_dm_pending_reply]["replies"])

_dm_history[_dm_pending_reply].append({

"from": "them",

"text": reply,

"age": 0,

})

_dm_pending_reply = None

audio.play("menu_hover", volume=0.3)

def _status_color(status):

Page 35

__p

_p _ _

_ __

_ __

_

_

_ _ _

_ _ _

_ []

_ _ _

{_} { }

_ _ _ __ _

__ __ __

_ __ _ _

_ _

_

__ _

[]

_ _

_ p _ _ _

_ p_p

_p __p _

_ p _ _ p

_p

_

p _ _ __

p _ _

_

p _ _ _

_

p _ _ _

_ _

_ __ []

p _ _

_ _ _ p [ ]

_ _ [] _

_ _

_ { []} {[_]}

_

_ _[]

_ _ _ _

_ _

_ _ __ _

_ ___

_ _ _ _

_ _

_ _ _

{ _} {_}

_ _ _

_

_ _ _

{ _}

_ _ _

_

_ _ _

{ _}

_ _ _

_

_ _ _

_ _

_ _ _

_

p _ _ _ _

p _ _ _ _

_ _

_ _ _

_ _

_ _ _ _ ___ _

p _ _ _ _ _

_ _ _

_ _

_ __ __ _

_ __

_ p _ _ p

_

p _ __

p _ __

_ _ _

__p_

p_ _

p_

_ _ p_ _

_ _

_ _

_ _ _

_ _

[__p_]

_ __ []

p _ _ _

_ [ ] [ ]

_ _

_ _

[] __ []

_ _

p

_ _

_ _ _

_ _

_ _

_ _

__ _

__ __p_ []

[]

[ ]

_ [ ]

_ []

p

pp []

p

_ _ [] _

pppp

pppp

pp

p

p _ {[ ]}

ppp _ [ ]

_

_ _ _ _

[_]

p _

_ _

p

p

p_ _

p __ p p_

p_pp

p _

__ _

_pp

_ p _

__

_pp

see.b s s

desosedea 0 ad dede d oeuse:

dos . * ae.e.e s 300 3

o easa.e de

o ae s dos ue 00 30 50

see.b s d d 6

ubo d d

ae.da.esee 5 8 d 8 ubo d 6 3

ae.da.esee 50 80 00 d 8 ubo d 6 3

uso ae.e.e s 500 0 ese

udsa du uso

o du:

udsa e a essae...

o 0 00 0

ese:

o

s oeasa.ede udsa ue o

see.bs d 6 ubo 0

sed o easa.ede

sed u00b S ose

ue 0 0 0

see.bsed d d d

de soseesd eo:

deo: so s do so s u.

oba soose

a ose a0 esees

s oose a0 aose soose deo

de sodsde o:

oba dsoose

s boo S S 0

s SS O

o 38

s beeds sboo s o

a ose a0 eOOS sbeeds

d soose a0 aose dsoose deo

de eseeees :

oba eesae eesoess

o eesae:

eesae ue

eesoess 0.0

audo.aeu oue0.

de e essaeoseeseeae :

seeae SSGSS :

eu ado.o eSSGS Sseeae

eu ado.oe SSGS

see sade ae.Su ae G ae.S

see sade.0 0 0 5

see ae ae.Su aeS S ae.S

see ae. 0 3 36

ae.da.esee ae 38 58 0 0 seea e.ee

ae.da.esee ae 55 0 0 0 0 0 S 3

de aseeaeae o ad aes:

a a see ae o u o a es es.

eus a s o edeed ss o eees.

o.seae0 ad:

eu ae

ods ae.s

eods :

bess

o ae eods:

s .oods:

o.se s0 a d:

bess

ese:

bea

e .o ods:bess

e .o odsbess:

o.see 0 ad:

ess ...

e e a d o.see ess0 ad:

e e:

e e ess

eu e e

d eae

e d ad o .seae:d 0 ad:

d

e ae:d

e aed:

o.see0 ad:

ess ...

e e ad o.see e ss0 a d:

e e :

e e e ss

eu e e

de da seeboseseeedd oe eds oeoess0.0:

da eubaoud

see.bsees ade 0 0

see.bseeae S S

a ooa d bed s

o aeS SO 50 S S 80 50:

ae.da.e

see 5 3

SO

SO SO

e

see.bsee eo.edeS OS ue 0 0 0 S 30 S 5

see.bsee eo.edeS OS ue S 8 S

sub e oe asa.ede

eoa obbes e sees se es oe

ue 5 5 5

see.bsube S 3 S

abs SS OOS

ab S 0

se esabe. S 8

se esabe. ab

o eosabe. S 8 seesabe.

o eosabe. ab

o abae abe SS seesabe OOS oeosabe :

sae ab abae

oe abe. odeoes aedouse

sae:

ae.da.esee 8 38 8 abe

ae.da.esee OG abe

ae.da.esee OG abe. abe.boo abe.

ese:

ae.da.esee 0 6 abe

ae.da.esee 50 0 85 oe ese 8 56 abe

abee ab ae

abae OOS:

oe su o O OS Oe saus

abee OOS o e

s oea sa.edeabee ue sae o oe ese 50 60 0

see.bs abe.ee s.ed abe.ee s.ee

ees buo

e esoe eesbe.odeoesaed ouse

e esb 0 50 60 0 eesoe ese 0 30 0 00

b su ae.Su aeeesb e. eesb e. ae.S

b su.ees b

ae.da.ebsu OG eesoe ese 80 00 0 b su.ee

see.bbsu eesbe

eesae:

eesbe. * eesoess

ae.da.esee 55 0 0 00 ees be. eesbe. eesbe.

oea sa.edeS G... ue OG

ese:

oea sa.ede S ue OG ees oe ese 80 80 0

see.b eesbe.ee .ed eesb e.ee .ee

ouseos esaedouse

ab SS:

de ude eade

ae.da.e

see O G

S 8 S 56

S S 8 S 56

ou eade s aboe s

hr ERVER LITTP - 22

ttx ERVER RWX 2

lrx ERVERRWX 42

ingx ERVERR WX 4

hr

("ERVER", ERVERRWX 14),

("TAT", t tx),

("PLAYER", lrx),

("PIN", ing x),

fr ll, hx in hr

crnlit(f nttrminlmll rnr(ll, Tr , (, 1, 1)), (hx, hr))

── rvr lit (lft i) — rw cn 1 r 2 lin tll ──

viilcnt

hvrrvrix -1

litt ERVER LITTP

ERVERRWHINLE

ERVERRWHDBLE 4

RWAP

nmmxwith (ttx - ERVER RWX) - 24

rwlt

cr litt

fr vi in rng(viilcnt)

i vi cr llfft

if i > ln(rvrlit)

rk

nm rvr liti

nmlin wrrvrnm(nm, fnttrminl, nmmxwith)

rwh ERVERRWHDBLE if ln(nmlin) > 1 l ERVERRWHINLE

rwlt n((i, nmlin , rwh, cr))

cr rwh RWAP

litttm cr

fr i, nmlin, rwh, r in rw lt

nm, cr, mx, ing rvr liti

rwrct gmRct(ERVERR WX, r, ERVERR WW, rwh - 4)

hvr rwr ctclliint(m) n nt rfrhctiv n nt cnncting n nt kickmg

if hvr

hvr rvrix i

tt, tt clr rvr tt(cr, mx, ing)

rwrf gmrfc((ERVERRWW, rwh - 4), gmRCALPHA)

if i lctix

rwrffill((2, , 42, 2))

gmr wrct(rwrf, CRANE, rwrf gtrct(), 1)

gmr wrct(rwrf, (2, 12, , 1), (, , 4, rwh - 4))

lif hvr

rwrffill((1, 2, 4, 22))

gmr wrct(rwrf, (, 12, 14), rwrfgtrct(), 1)

l

rwrffill((9, 14, 1, 21))

gmr wrct(rwrf, (2, 44,), rw rfgtrct(), 1)

if rfrhctiv

f gmrfc((ERVERRWW, rwh - 4), gmRCALPHA)

ffill((, , , 14))

rwrf lit(f, (,))

crnlit(r wrf, rwrct)

nmclr CWHITE if (hvr r i lcti x) n nt rfr hctiv l (19 , 2, 21)

fr li, lin in nmrt(nmlin)

linrf fnttrminlrnr(lin, Tr, nmclr)

crnlit(linrf, (ERVERRWX 12, r li * 2))

rgin r ln(nmlin) * 2

rginix (m(r(c) fr c in nm) i) % ln(ERVERREIN)

rgin fnttrminlmllrnr(ERVERREINrginix, Tr, (, 9, 1))

crnlit(rgin, (ERVERRWX 1, rgin 2))

cntr r (rwh - 4) 2 - 11

rwrvr g(tt, ttclr, ttx, cntr)

c fnttrminlrnr(f"cr2mx2", Tr, CRANE if cr > mx l CTERMINAL)

ingc (1, 2, 1) if ing < l ((2, 2, 1) if ing < 1 l (2, 1, 1))

ingt fnttrminlrnr(f"ingm", Tr, ingc)

crnlit(c, (lrx, cntr 1))

crnlit(ingt, (ingx, cntr 1))

rx ingx

r cntr 22

gmrwr ct(crn, (2, 2 ,), (rx, r, 42, 4))

fillw mx(, min(42, int(42 * (1 - min(ing, 24) 24))))

gmrwr ct(crn, ingc, (rx, r, fillw, 4))

if len(server_list) > visible_count:

sb_x = SERVER_ROW_X + SERVER_ROW_W + 8

sb_y = list_top

sb_h = list_bottom - list_top - ROW_GAP

sb_w = 5

pygame.draw.rect(screen, (15, 22, 28), (sb_x, sb_y, sb_w, sb_h))

pygame.draw.rect(screen, (28, 44, 56), (sb_x, sb_y, sb_w, sb_h), 1)

thumb_ratio = visible_count / len(server_list)

thumb_h = max(20, int(sb_h * thumb_ratio))

max_scroll = max(1, len(server_list) - visible_count)

thumb_y = sb_y + int((sb_h - thumb_h) * (_scroll_offset / max_scroll))

pygame.draw.rect(screen, C_ORANGE, (sb_x, thumb_y, sb_w, thumb_h))

── Scroll indicators (bottom of list, right-aligned to avoid BACK button) ──

rendered_count = len(row_layouts)

remaining_below = len(server_list) - (_scroll_offset + rendered_count)

remaining_above = _scroll_offset

if remaining_below > 0 or remaining_above > 0:

if remaining_below > 0 and remaining_above > 0:

hint_text = f"\u25b2 {remaining_above} above \u00b7 \u25bc {remaining_below} below \u00b7 scroll wheel"

elif remaining_below > 0:

hint_text = f"\u25bc {remaining_below} more servers \u00b7 scroll wheel"

else:

hint_text = f"\u25b2 {remaining_above} above \u00b7 scroll wheel"

more_hint = font_terminal_small.render(hint_text, True, (90, 110, 130))

screen.blit(

more_hint,

(

SERVER_ROW_X + SERVER_ROW_W - more_hint.get_width() - 4,

list_bottom + 4,

),

)

── Vertical Chat Panel (right side) ──

chat_bg = pygame.Surface((CHAT_PANEL_W, CHAT_PANEL_H), pygame.SRCALPHA)

chat_bg.fill((4, 8, 12, 215))

pygame.draw.rect(chat_bg, (30, 50, 60), chat_bg.get_rect(), 1)

pygame.draw.rect(chat_bg, (80, 130, 160, 90), (0, 0, CHAT_PANEL_W, 2))

screen.blit(chat_bg, (CHAT_PANEL_X, CHAT_PANEL_Y))

chat_lbl = font_terminal_small.render("// GLOBAL CHAT //", True, (80, 130, 160))

screen.blit(chat_lbl, (CHAT_PANEL_X + 10, CHAT_PANEL_Y + 8))

online_dot_pulse = (pygame.time.get_ticks() // 500) % 2

dot_col = (80, 220, 100) if online_dot_pulse else (40, 140, 70)

pygame.draw.circle(screen, dot_col, (CHAT_PANEL_X + CHAT_PANEL_W - 22, CHAT_PANEL_Y + 14), 3)

online_lbl = font_terminal_small.render("LIVE", True, (80, 130, 100))

screen.blit(online_lbl, (CHAT_PANEL_X + CHAT_PANEL_W - 60, CHAT_PANEL_Y + 8))

pygame.draw.line(

screen, (30, 50, 60),

(CHAT_PANEL_X + 8, CHAT_PANEL_Y + 28),

(CHAT_PANEL_X + CHAT_PANEL_W - 8, CHAT_PANEL_Y + 28), 1,

)

msg_area_x = CHAT_PANEL_X + 10

msg_area_y = CHAT_PANEL_Y + 36

msg_area_w = CHAT_PANEL_W - 20

msg_area_h = CHAT_PANEL_H - 60

rendered_lines = []

for msg in _chat_messages:

alpha = min(255, msg["age"] * 13)

user_text = f"[{msg['user']}]"

body_text = msg["text"]

user_surf = font_terminal_small.render(user_text, True, msg["color"])

user_surf.set_alpha(alpha)

rendered_lines.append([(user_surf, msg_area_x, alpha)])

words = body_text.split(" ")

Page 36

p

_ _ [] _ _

__

_pp

_pp [__ p]

_ _

_p p

_ pp[__ p]

_ pp[]

_

_ _ _ _

_ _[_]

_ _

__ _

_ _

p_ _ _ _ _

p

__ p_

__ __ p_

p_ p _

p_ [

_ _

__ _ _p

p _

_ __ p_

]

p_ p _[p _ p _]

p_ __

{p_ } p{p _}

p _ __ p_

__ __ _

_[_ _][]

_

p_

p_

p_ _p[] p_

p_ _p[] p_

p_ p p_ p_ p

p_

p p_ _ p_ _

p p_ p_

p_ p_ p_

__ _

p_ p_

__

p_ p_

__p

__ __

__ __ __

__

__ _ _

__ _ _

__ __

__ __ _

__

__

__ __ _ __ __

ppp

ppp p p

ppp

ppp_ ppp_

pppp _ p pp_

pppp

ppp ppp_

p _p

p _

_p {} _

p pp_ ppp_

p _ _{p }

p ppp_ p_ ppp_

_ [

p

p

p

]

ppp_

_

p

p

_ _ {p} {}

ppp_

p ppp_ ppp_

_ p

p _ ppp_ ppp_ _

p p

_

_ ppp_ p_ _

p _ ppp_ _

p ppp_ ppp_

_

ppp_ ppp_

ppp p ppp_ ppp_ p

ppp

ppp_ ppp_

pppp ppp_

pppp ppp_

ppp ppp_

_p

p pp_ ppp_

p

ppp_ ppp_

ppp_ ppp_

_ __

_ ppp_ ppp_

_ p

p_ ppp_

[]

p

_ [] p_

pp

pp

_

ppp_ ppp_

___ ppp_ _ __

___ ppp_

_ _ __ p_p

_ _

_ _

p _ ___ _

p _ __ _ _

_ _ _

_ __ _

_ __ _

_ _ []

ppp_ _

_ __

_ [ ]

_ [ ]

__

__

__ _ _

__

_ __

_ _ _

__ _ _

_ _ _ _

OO SGS 355

sesesee ae.eOO OS 3 3

sesese ae.eOO 88 OS 3 3

sesdsaee ae.eO O OS 3 3

sesdsae ae.eOO 88 O S 3 3

O 80

O OO

sesoee ae.eOO OO 3 3

sesoe ae.eO O 0 OO 3 3

sesbab ode uo 50 SGS SGS 60

de daaobe s:

oe e.odeoesaedouse

b 0 88 oe ese 50 5 8

ae.da.esee b e

ae.da.esee OG o e ese 0 0 0 e

ob.edes ue

see.b e. ee .ed e.ee .ee

se soea ae.Suae G ae.S

se soea.0 0 0 80

se sae ae.SuaeSGS SGS ae.S

se sae.0 6 5

ae.da.esesae 60 60 65 0 0 SGS SGS

de da sesdsa ode oue es d:

see.bses oea 0 0

see.bses ae SGS SGS

esu oseae.edeS GS ue

e SGS SGS esu.ed

see.bosea e.edeSGS ue 0 0 0 e SGS

see.besu e S GS 5

ae.da.esee OG

S GS 80 SGS 0

S GS S GS 80 SGS 0

se o SGS 0

see.bob. edeS ue OG seo

ae.da.esee 60 5 5

seo 8

S GS S GS 50 seo 8

see.boe asa.ede esouo ue G

OS 3

daaobse sesee

es s SGSSOUOSesd esd eSGSSOUO S ese

es su oe a.edeess ue

es bo sesesee. seses e.e

see.bessu esbo es su.ed OS

daaobse sese

see.boe asa.ede sa ode ue G

OS 3

daaobse sdsaee

odes SO Sdsaode dsaode eSOS ese

odesu oe a.edeodes ue

odebo se sdsaee . sesdsae .e

see.bodesu odebo odesu.ed OS

daaobse sdsa e

se o SGS 5

see.bob. edeUO ue OG seo

ae.da.esee 60 5 5

seo 8

S GS S GS 50 seo 8

see.boe asa.ede ase oue ue G

OO 3

daaobse soee

ba ba OO 8 6

ae.da.esee 5 5 8 O ba O ba

O * oue 00

o b aeO O :

b O a O

00 * 0

50 * 60

b 50

ae.da.esee b b ba b ba ba

ae.da.esee 80 80 85 O ba O ba

daaobse soe

o oea.edeoue:3 ue

see.bo seso e. OO

se sbab. 50

se sbab. SGS SGS 60

se sbab.d 300

se sbab.e . sesba b.

se sbab.e . sesba b.

se sbab.e .d ses bab.d

se sbab.e oeesaedouse

se sbab.da see

US

ausebuos

odeuo 50 80 SU

odeuo 50 30 S SSO

odeuo 50 00 U O U

deabuos

odeuo 50 330 S SSO

odeuo 50 30 U O U

auseoea ae.Suae G ae.S

auseoea.0 0 0 80

de da auseeu:

see.bauseoea 0 0

oseae.e deUS ue

see.b .e d 80

o b ausebuos:

b.eoeesaedouse

b.dasee

deaaaosa 0

dea aes

dea o ae.o.Ssoa a 0

deasubo ae. o.Ssoosoas bodue

dea aoo a e.o.Ssoosoas 6

see eo a e.o.Sso a 6

de esedeaaao :

oba deaaaosa deaaes

deaaaosa 0

deaaes

de da deasee:

oba deaaaosa deaaes

deaaaos a 0:

deaaaosa ae.e.es

o ae50:

deaa es.aed

: ado.ad0

: ado.ad0 G

: ado.ad

a: ado.ad60 60

: ado.uo0. 0.

ea sed ae.e.es deaaaosa

da aa 80 eased * 0.5

oe a ae.Suae G ae.S

oe a.0 5 5 daaa

see.boea 0 0

bea e eased 00

beae 00:

beaes .0 beae 00.0

ese:

beaes 0.0

aa 00 * beaes 30

ae.Suae G ae.S

o ae0 3:

a a0 a a aa * * .

a 0:

ae.da.e 0 0 0 a * G * 3

see.b 0 0

o deaa es:

ae.da.esee 80 5 5 a

eased 00:

asaa a 0 55 eased * .

as ae.Su ae G ae.S

eased 00:

asoo 55 0 0 asaa

l

flhclr (1, 1, 1, fl hlh)

flhfill(flhclr)

crnlit(flh, (,))

if l >

txtlh min(2, (l -) * 2)

fftx, fft ,

if l < 7

fftx rnmrnint(-,)

fft rnmrnint(-4, 4)

hwrf thfntrnr("MIIN FAILED", Tr , (, ,))

hwrftlh(txtlh)

titl HEIHT 2 - 14

crnlit(hwrf, (WIDTH 2 - hwrfgtwith() 2 4 fftx, titl 4 fft))

txtrf thfntrnr("MI IN FAILED", Tr, (21, ,))

txtrftlh(txtlh)

crnlit(txt rf, (WIDTH 2 - txtrfgtwi th() 2 fftx, titl ff t))

if l > 1

lh min(2 , (l - 1) * 2)

if gtttr(TATE, "ctivmiin", "MIIN1") "MIIN2"

txt "PERATIN QIET N RTE 12 CMPRMIED"

flvrtxt "VAILE LINK LT IPA CLEANP TEAM CLIN N RTE 12"

l

txt "PERATIN BLACK NTEBK CMPRMIED"

flvrtxt "KRAP CMMAND I NAL LT DIPATCHIN CLEANP CREW"

thfntrnr(txt, Tr, (1, 1 , 1))

tlh(lh)

crnlit(, (WIDTH 2 - gtwith() 2, HEIHT 2 -))

flvr thflvrfntrnr(flvrtxt, Tr, (12, 12, 12))

flvrtlh(lh)

crnlit(flvr, (WIDTH 2 - flvrgtwith() 2, HEIHT 2 -))

if l > 11

nllh min(2, int((l - 11) *))

tr

imrt wlkingim

civilinhl m(1 fr n in wlkingimwlknc if ngt("h givn"))

rtin mx(, 2 - int(w lkingimlrrtin))

xct Exctin

civilinhl

rtin

nt TATEmi inntim r gmtimgttick()

trtt TATEmiintrttim r nt

lc mx(, (nt - trt t) 1)

ccrc int((TATEhthit TATEhtfir) * 1) if TATEh tfir > l

if gtttr(TATE, "ctivmiin", "MIIN1") "MIIN2"

vincfn

tr

vincfn m(1 fr itm in gtttr(TATE, "miin2vi nc",) if itm gt("n"))

xct Exctin

vincfn

tt

("KILL", tr(TATEhtil kill)),

("HT FIRED", tr(TATEhtfir)),

("ACCRACY", f"ccrc%"),

("TTAL TIME", f"l c 2l c % 2"),

("EVIDENCE FND", f"vincfn"),

("CMM", "FFLINE" if gtttr(TATE, "miin2cmmct", Fl) l "VAILE"),

l

tt

("KILL", tr(TATEhtilkill)),

("HT FIRED", tr(TATEhtfir)),

("ACCRACY", f"ccrc%"),

("TTAL TIME", f"lc 2lc % 2"),

("CIVILIAN HELPED", tr(civilinhl)),

("RATIN ED", tr(rtin)),

nlw, nlh 2, 14

nlx WIDTH 2 - nlw 2

nl HEIHT 2 1

nl gmrfc((nlw, nlh), gmRCALPHA)

nlfill((, , 12, nllh))

gmrwrct(nl, (12, , , min(1, nl lh)), nlgt rct(), 1)

gmrwrct(nl, (17, , , min(2, nl lh)), (, , 4, nlh))

crnlit(nl, (nlx, nl))

for i, (label, value) in enumerate(stats):

col = i % 3

row = i // 3

sx = panel_x + 24 + col * 165

sy = panel_y + 16 + row * 42

lbl = font_terminal_small.render(label, True, (135, 80, 80))

val = _death_sub_font.render(value, True, (220, 210, 205))

lbl.set_alpha(panel_alpha)

val.set_alpha(panel_alpha)

screen.blit(lbl, (sx, sy))

screen.blit(val, (sx, sy + 15))

if elapsed > 600 and random.random() > 0.92:

glitch_y = random.randint(0, HEIGHT)

glitch_h = random.randint(2, 8)

glitch_surf = pygame.Surface((WIDTH, glitch_h), pygame.SRCALPHA)

glitch_surf.fill((255, 255, 255, 40))

screen.blit(glitch_surf, (random.randint(-10, 10), glitch_y))

if elapsed > 1500:

btn_progress = min(1.0, (elapsed - 1500) / 600.0)

ease = 1 - (1 - btn_progress) ** 3

for i, btn in enumerate(death_buttons):

target_y = HEIGHT // 2 + 150 + i * 60

start_y = target_y + 40

current_y = start_y + (target_y - start_y) * ease

btn.y = int(current_y)

btn.rect.y = btn.y

btn.check_hover(get_scaled_mouse())

btn.draw(screen)

audio.py

import pygame

import math

import random

import struct

import io

import array

import time

SAMPLE_RATE = 22050

MAX_AMP = 32767

def _arr(n):

return array.array("h", [0]) * n

def _wav(samples):

n = len(samples)

data_size = n * 2

buf = io.BytesIO()

buf .write(b"RIFF")

Page 37

p _

p

p

p

p _

p _

p

p

p _

p

_ _

p _

_ p p

p[] p

[] _ _ []

_ q p p

_

p p q _

_p_p _ p

[] _p_p p

p p

_ p

_

_p_p _ p

[] _p_p

_ _

[] [ ]

_ _p

p

[] [ ]

_ _ _

_

_

_

_

_

_ _

_ _ _

_

_

_ _ _

[] [ ]

_ _p

[] _p

[] _ _ []

_ _p _ _ p

_

p

_p_p _ p

q _ _ _

[] _p_p p

p p q _

_ p

p

p p [ ]

[] p

_ _ q p p

_

_p p

_p

_ _q p _p

_

p

_ _ _ _p

p

p

_

_ _

p _ _

q

p_ []

p_ q

_p

_p

_p

[] _ _

[] []

_ _ _p _ _ _

p

p

_

p _

p _

p_ p _ _

p_ p _ _

_p_p _ _p

_ p_ _

__ _ _

p

_ p _

p_ p_

q

_q_ __ p_ _

[] _ p_p p _

p_ p_ _q_

_pp_ _

p p

_p _ _

_p _p

[] _p

p

o ae:

d oabu

deaed so

auae e dea sae

eso d eedba * dea ed

so a eso

deasaes

d ad e sas

ed d * .0 e deaed * e

bu a ed

de so bu de .0:

ub sauao ode o add a e ad ee as da .

o aeebu :

bu * de

ub so e

.5:

.0

e .5:

.0

ese:

**3 3.0

* 0.5

bu a .0 .0 *

de o sebase oe a ose0 a .0:

o aee oea ebase ose:

ose 0:

oue

oea * a

baseose a baseo se

U aded OS6 Soud Geeaos

de e usooeoue.0 oasss e0.0:

aeed uso: sa ase a → esoa ue bas → es u → ea as do → suaed eo abe dea.

du 0.85

S * du

bu a

ae : Uasa a ase s o ose

a S * 0.00

a osea .0 * oue

bu a

ae : ue bas dae ose esoa oass e

bas S * 0.

bas osebas 0.8 * oue

esoaebas 800 0.35 o

e ebas .0 0.00 .0

o sebu bas S * 0.00

ae 3: es sub u Suaes a e essue ae

u S * 0.35 55 0. * oue 0 .8 deaae .0

e eu .0 0.00 6.0

o sebu u S * 0.003

ae : Ued bod ae

d S * 0.5

d osed 0.5 * oue

esoaed 00 0. o

e ed .0 0.00 5.0

o sebu d S * 0.00

ae 5: ea bod esoae a e 00 odua ed b 00

bod S * 0.8

bod bod 00 0.36 * oue 00 0.8 deaa e.0

e ebod .0 0.00 .0

o sebu bod S * 0.00

ae 6: ass se as oo eas e a a

as dea S * 0.

as S * 0.5

as as 500 0.8 * oue 800 3.5 deaae8.0

e eas .0 0.00 .0

o sebu as asdea

eedba eo sua doo aeouse as

a deabu 0 eedba0.35 e0.5

a deabu 5 eedba0. e 0.5

ub sauao ad

so bu .5

e ebu .0 0.00 .

oassse 0:

esoaebu 50 * .0 oassse 0.

eu abu

de e uso:

eu eusooeoue.0 o assse0.0

de e usodsa :

ued dsa e so: eue es sed bass uds eaed.

eu eusooeoue0.5 o assse0.0 5

de e ooseaa u.0 a 0.3 du0.05:

oe se a s es: u oa ad ea o boess.

S * du

bu a

ee se: o eue u eoes ae soud

u 8 * u a * u 0.5 deaa e0.0

e eu .0 0.00 8.0

o eue: b e eed ose

ose a * 0.3

esoae 50 0.

e e .0 0.00 3.0

oeo a ase

S * 0.008

ose a * 0.5

esoae 800 0.5

e e .0 0.00 60.0

bu u

bu

o sebu 0

so bu .

eu abu

de e oose:

eu eoose aau .05 a0.3 du 0.0

de e ooseb:

eae boo se: deee u de ae sae.

S * 0.055

bu a

u 0 0.38 35 0. dea ae5.0

e eu .0 0.00 .0

sa ose 0.3

esoaesa 30 0.5

e esa .0 0.00 6.0

bu u

bu sa

so bu .5

eu abu

de e oose:

"""Light ick nkr t"""

n int(AMPLERATE *)

f rr(n)

thm fm(n, 1, , 2, 4, c rt2)

nvx(thm, 1, 1, 2)

click ni(n,)

r nntfiltr(click, 14,)

nvx(click, 1, 1, 4)

mix(f, thm)

mix(f, click)

ftcli(f, 11)

rt rn wv(f)

f gnfttwlkvrint(itchml1 , m22, r)

n int(AMPLERATE * r)

f rr(n)

thm fm(n, int(7 * itchml), m * , int(* itchml), , crt1)

nvx(thm, 1, 1, 1)

cr ff ni(n, m * 42)

r nntfiltr(crff, , 1)

nvx(crff, 1, 1, 2)

mix(f, thm)

mix(f, crff)

ftcli(f, 1)

rt rn wv(f)

f gnfttwlk()

rt rn gnfttwlkvrint(itch ml1, m22, r)

f gnfttwlk()

n int(AMPLERATE *)

f rr(n)

thm fm(n, 2, 22, 1, , c rt12)

nvx(thm, 1, 1, 1)

cr ff ni(n, 2)

r nntfiltr(crff, 2, 1)

nvx(crff, 1, 1, 1)

mix(f, thm)

mix(f, crff)

rt rn wv(f)

f gnfttwlkc()

n int(AMPLERATE *)

f rr(n)

thm fm(n, , 2, 44, , c rt22)

nvx(thm, 1, 1, 22)

cr ff ni(n, 24)

r nntfiltr(crff, , 2)

nvx(crff, 1, 1, 2)

mix(f, thm)

mix(f, crff)

rtrn wv(f)

f gnmlhit()

"""Flh lnt trm li FM thm wn httr rnnt lw l"""

n int(AMPLERATE * 1)

f rr(n)

Crck trnint

crckn int(AMPLERATE *)

crck ni(crckn,)

mix(f, crck)

L w nch (FM nthi crrir Hz mlt 12Hz)

nch fm(n, , , 12, 1, c rt14)

nvx(nch, 1, 1, 12)

mix(f, nch)

Bone/flesh resonance harmonics

thump = _harmonics(n, 160, [0.6, 0.3, 0.1], 0.42)

_env_exp(thump, 1.0, 0.001, 10.0)

_mix(buf, thump)

Ringing knuckles/skull (metallic ping)

ring_n = int(SAMPLE_RATE * 0.06)

ring = _fm(ring_n, 1200, 0.15, 2400, 2.5, decay_rate=30.0)

_env_exp(ring, 1.0, 0.001, 25.0)

_offset_mix(buf, ring, int(SAMPLE_RATE * 0.005))

_soft_clip(buf, 1.35)

return _wav(buf)

def _gen_bullet_impact():

"""Concrete ricochet: hard punch, debris lowpass hiss, and dual FM metallic whine."""

n = int(SAMPLE_RATE * 0.08)

buf = _arr(n)

Hard transient

tick_n = int(SAMPLE_RATE * 0.0015)

tick = _noise(tick_n, 0.9)

_mix(buf, tick)

Impact body

body = _noise(n, 0.48)

_resonant_filter(body, 650, 0.4, "low")

_env_exp(body, 1.0, 0.001, 35.0)

_mix(buf, body)

Ricochet whine (FM sine sweep: gorgeous laser-ricochet ring!)

whine_n = int(SAMPLE_RATE * 0.035)

whine = _fm(whine_n, 2100, 0.22, 4200, 3.2, decay_rate=25.0)

_env_exp(whine, 1.0, 0.001, 40.0)

_offset_mix(buf, whine, int(SAMPLE_RATE * 0.002))

_soft_clip(buf, 1.25)

return _wav(buf)

def _gen_bullet_impact_enemy():

"""Flesh bullet hit: squishy wet splatter + chest-pounding FM low thump."""

n = int(SAMPLE_RATE * 0.10)

buf = _arr(n)

Squishy wet splatter (noise, heavily lowpassed with high resonance Q)

wet = _noise(n, 0.52)

_resonant_filter(wet, 180, 0.65, "low")

_env_exp(wet, 1.0, 0.001, 16.0)

_mix(buf, wet)

Low chest thump (FM)

thump = _fm(n, 58, 0.6, 116, 1.5, decay_rate=12.0)

_env_exp(thump, 1.0, 0.001, 14.0)

_mix(buf, thump)

Upper bone crack

crack_n = int(SAMPLE_RATE * 0.0025)

crack = _noise(crack_n, 0.55)

_env_exp(crack, 1.0, 0.001, 70.0)

_offset_mix(buf, crack, 0)

Page 38

_ _p

_

_ __

p p

_

_

p q

q _

p_ p

q[] q[] p_

_ _q

p

_

_ _

_ _p

_ q

_

_pp_

_ _p

_

_ __

p p p

_

_

_

_ _

_ _p

_

_ _

_ _p

_

_ p

_ _

_ _

__ p _

__p

__

_ _p

_

_ __p

p p p

_

_

_ _

_ _p

_

p p p

_ _

__ _

_ _p

_ _

_ _p

_

_ _

p p

_

_

p

_ _

_ __ _

_ _p_

_ _ _ _

_ _

__ __ _

__ _ _

_ __ _

_ __ _ _

_ _p__

_ _ _ _ _

_ _

__ _

_ _ _

_ _ _

_ _

_ _

_ _ _

_ _p

_

_ __

p p p p p

_

_

p

_

_

_

_

_

_

p p

_

_ _

p _

[]

_[] _ _

_ _

p

[] [ ]

[ ] [ ]

_ _p

_

_ _

p p p p

_

_

pp

_

_ _

_

p p

_

_p _

_ _

_ _

__

__p

__ _p

[] [ ]

[ ] [ ]

_ _p

_

_ _

p

_

_

_

q p

q

o ae:

S

uo 380.0 60.0 * a.s * 0.8 60.0 * a.os * .6

.0 * a.s a. * uo S

oaose o * bad

bad *

o * bad

bu a o

ee sa sub oa oduaed oue

sub s 0.06

o ae:

S

sub sub * 0.35 0.65 * a.s * 0.5

bu sub

ade * 0.05

o aeade:

ade

bu bu *

bu bu *

so bu .5

eu abu

de e eoso:

ued deasa eoso: esoa oass oa dee sub uds a oee aes oo sae eoes.

du .5

S * du

bu a

. a ube

ose ose 0.8

esoaeose 0 0. o

e adsose 0.0 0.8 0.5 0.5 0.

bu ose

. ue dua es us

u 38 0.8 6 .8 dea ae5.0

e adsu 0.0 0. 0.5 0.05 0.

bu u

3 . e a debs

o ae8:

o ado.ad 0 S * 0.3

S * 0.08

a ose 0.35

esoae a 500 0.3

eea .0 0.00 5.0

osebu a o

G oba dea eo

a deabu 80 eedba0.5 e0.35

a deabu 5 eedba0.5 e 0.

so bu .5

e ebu .0 0.00 .5

eu abu

de e eabea:

ee es use: duau see o ea essu e ae.

du .8

S * du

bu a

bea S * 0.6

o ose S * 0. S * 0.:

uau : ae 5 oduaed b e ea sub bass

bea bea 5 0. . deaae.0

eebea .0 0.00 0.0

osebu bea ose

oo ose 0.0

bu oo

ade * 0.0

o aeade:

ade

bu bu *

bu bu *

eu abu

de e eu:

s eea 6b e : u ua ea a.

S * 0.05

bu a

500 0.8 00 3.5 deaae5.0

e e .0 0.00 55.0

bu

bod s 0 0.

e ebod .0 0.00 35.0

bu bod

so bu .

eu abu

de e euoe:

e sube eue b.

S * 0.008

bu a

800 0.6 00 .5 deaae5.0

e e .0 0.00 80.0

bu

eu abu

de e adosa:

du .5

S * du

bu a

S aeed sa o se buss

o ae30:

bussa ado.ad0 S * 0.05

buse S * 0.0 ado.ado * 0.03

bus osebu se 0.5 a do.ado * 0.

esoaebus 00 0.

eebus .0 0.00 30.0

osebu bus bussa

a e ose 0.08

esoaea e 300 0.

bu ae

ade * 0.0

o aeade:

ade

bu bu *

bu bu *

eu abu

de e adoae:

Gabed oa assso: oduao se badass o ose ass a ado seae ee.

du .0

S * du

bu a

ose ose 0.

Gabe oduao ued b a 00 oe

o ae:

od 0.35 0.65 * 0.5 0.5 * a .s * a. * 380 * S

bu ose * od

adass oe e o soae asa sea eue es

esoaebu 50 0.6 bad

e adsbu 0.08 0.8 0.5 0. 0.5

ee sue buss

o ae8:

rttrt rn mrnint(, n - int(AMPLERATE * 2))

rt ni(int(AMPLERATE * 1), 2)

rnntfiltr(rt, , , "high")

nvx(rt, 1 , 1, 4)

fftmix(f, rt, rttrt)

ftcli(f, 1)

rt rn wv(f)

f gnwtrri()

"""Driing cvrn wt in l l rnnt n lh l ch"""

n int(AMPLERATE * 22)

f rr(n)

F t itch li (r crt wtr rfc tnin l n)

tn inw(n, , 11, 4)

nvx(tn, 1, 1, 14)

mix(f, tn)

D ri lh

l h ni(n, 14)

r nntfiltr(l h, 22, 4)

nvx(lh, 1, 1, 2)

mix(f, lh)

ll(f, , fck, wt 2)

ftcli(f, 11)

rt rn wv(f)

f gnmiincmlt()

"""1-it rggit victr chr t ck mjr tri with FM nthiz r r nvl """

r 14

n int(AMPLERATE * r)

f rr(n)

tck mjr tri chr nt (C, E, , C4)

fr 21, 29, 92, 2

nt r int(AMPLE RATE *)

fr ix, f in nmrt(fr)

Cc trting l (rggi tl)

l int(AMPLERATE * 12 * ix)

FM r rt r (fr mlt 1x rti)

tn fm(nt r, f, 2, f * 1 , 12, crt 22)

nvr(tn, , 1, , , 7)

fftmix(f, tn, l)

ll(f, 1, fck2, w t22)

ftcli(f, 12)

rt rn wv(f)

f gnrch()

"""Wll rching xlin hv ltrwn r lintring crh, m iv lw rml, n ci-fi """

r

n int(AMPLERATE * r)

f rr(n)

1 Min lintringcrhing ni

ni ni(n,)

r nntfiltr(ni, 4, 4, "lw")

nvr(ni, 1, 22, 4, 2,)

mix(f, ni)

2 Miv lw-frnc trctrl thm (FM th)

thm fm(n, 7, 72, , 1, crt12)

nvr(thm, , 1, , 2, 7)

mix(f, thm)

Flling ltr n wn ri crml (ni wt frm high-mi t lw)

rin int(AMPLE RATE * 4)

ri ni(ri n, 2)

lw

n

fr i in rng(ri n)

t = i / debris_n

cutoff = 1800.0 - 1500.0 * (t ** 0.5) # sweep down from 1800Hz to 300Hz

f = 2.0 * math.sin(math.pi * cutoff / SAMPLE_RATE)

high = float(debris[i]) - low - q * band

band += f * high

low += f * band

debris[i] = int(max(-MAX_AMP, min(MAX_AMP, band)))

_env_exp(debris, 1.0, 0.001, 8.0)

_offset_mix(buf, debris, int(SAMPLE_RATE * 0.01))

_apply_delay(buf, 90, feedback=0.4, wet=0.28)

_soft_clip(buf, 1.45)

return _wav(buf)

def _gen_molotov_throw():

"""Whoosh of a burning rag bottle being thrown: soft attack, sweeping wind-like noise."""

dur = 0.35

n = int(SAMPLE_RATE * dur)

buf = _arr(n)

Whoosh noise swept from low-mid

noise = _noise(n, 0.45)

low = 0.0

band = 0.0

q = 0.25

for i in range(n):

t = i / n

cutoff = 180.0 + 320.0 * math.sin(t * math.pi)

f = 2.0 * math.sin(math.pi * cutoff / SAMPLE_RATE)

high = float(noise[i]) - low - q * band

band += f * high

low += f * band

buf[i] = int(max(-MAX_AMP, min(MAX_AMP, low)))

_env_adsr(buf, 0.12, 0.18, 0.6, 0.1, 0.7)

_soft_clip(buf, 1.25)

return _wav(buf)

def _gen_molotov_explode():

"""Molotov ignition burst: sharp bottle smash + roaring liquid fire burst."""

dur = 1.3

n = int(SAMPLE_RATE * dur)

buf = _arr(n)

1 . Glass bottle smash (scattered high-pitch FM ringing)

for _ in range(6):

shard_start = random.randint(0, int(SAMPLE_RATE * 0.04))

shard_len = int(SAMPLE_RATE * 0.05 + random.random() * 0.05)

freq = 3400 + random.random() * 2500

shard = _fm(shard_len, freq, 0.35, freq * 1.4, 3.5, decay_rate=22.0)

_env_exp(shard, 1.0, 0.001, 35.0)

_offset_mix(buf, shard, shard_start)

2 . Liquid fire burst whoosh (noise swept via resonant bandpass filter)

whoosh_n = int(SAMPLE_RATE * 0.8)

whoosh = _noise(whoosh_n, 0.65)

low = 0.0

band = 0.0

q = 0.45 # high resonance

for i in range(whoosh_n):

t = i / whoosh_n

cutoff = 220.0 + 440.0 * math.sin(t * math.pi)

Page 39

p _

[] q

[] _ _

_ _

_ _ _

q p

_

_ _

_ _

__

__p

__

_pp_

_ _p

_ _p

_

_ _pp

p

_

_

p p

__p

_ _p

_

p

__p

_ _p

_

_ _p

_

_ _

p

_

_

p p

_

q p

[] _ p q _

_ _

_pp_

_ _p

_

_ _p_

p q p p

_

_

_ _

_ _p

_

_

_ __

p p p q

_

_

_

_ _

_ _

q

p p

__ q q _

__p

_p _ _

__ _p

__p_p

p

_ _p

__ _

_ _p

_

p

_ __

p p p p

_

_

_

_ _

_ _p

_

p

_

_ _

p

_ _

__p

__

_

_ _p

_

_ _

_ _p

_ _

_

_ __

p

_

_

_ _

__

_ _

_ _p

_

p

_

_ _

[] []

_ _

_

p

_ _

_ _p

_

_pp_

_ _p

_

_ __

pp p p

_

_

_

_ _

p

[] [ ]

_

_ _

_ __

_ __

_ _

_ _

so bu .5

eu abu

de e aa :

sa suua oase a: a eed u .

du 0.55

S * du

bu a

a S * 0.05

a osea 0.

esoaea 380 0. o

e ea .0 0.00 8.0

bu a

sa oseS * 0.0 0.5

esoaesa 80 0.3

e esa .0 0.00 8.0

o sebu sa S * 0.0

sub S * 0.36 5 0. 6 0.5 dea ae5.5

e esub .0 0.00 5.5

o sebu sub S * 0.006

a deabu 0 eedba0. e 0.3

so bu .8

eu abu

de e oboo:

e a da essue ae: ea sub ube uoeao oed .

du .65

S * du

bu a

O ea o sub aes

o os e a ae 0 36 0.6 .0 0 8 0.8 . 60 68 0.8 3. :

S * os 000

oe a e a e 0.5 deaaeae

osebu oe S * os 000

ube ose 0.36

esoaeub e 80 0.5 o

o ae:

ube ube * 0.8 0. * a.s * 0.00

e eube .0 0.00 .5

bu ube

a deabu 00 eedba0.35 e0.5

so bu .35

eu abu

de e seodae oso:

ued ue a euos: o uds ad dee ubes.

ado.ado5

du .35

S * du

bu a

o sas a 0 0.8 0 30 0.3 00 30 0. 80 :

S * .uo0. 0.

bas ose a

esoaebas 0. o

eebas .0 0.00 .u o6.0 .0

osebu bas S * sas 000

sub 58 0. 0.5 deaae3.

e esub .0 0.00 3.

bu sub

a deabu 0 eedba0.3 e 0.

so bu .

eu abu

de e eaoase:

oas ea beas: d oodea oas ea uds.

ado.ado

du .8

S * du

bu a

o os sa ed a 0 30 0. 60 6 5 0.8 60 55 8 0. :

S * os 000

oa seseea sa ed a

osee oa a * 0.

esoae 0 0.6

oa

eadsoa 0.08 0. 0.8 0. 0.55

osebu oa S * os 000

S ee ae sa s

o ae5:

o .ad S * 0.8 S * 0.

.ad S * 0.0 S * 0.0

ose .uo0. 0.3

esoae .ad80 0 0.

ee .0 0.00 .uo 0

osebu o

a deabu 50 eedba0.35 e0.5

so bu .5

eu abu

de e aesas :

asse oea sas: o ass sue sea sa ose.

du .

S * du

bu a

sa oseS * 0.0 0.58

esoaesa 80 0.3

e esa .0 0.00 0.5

bu sa

su e ose 0.

esoaesue 0 0. o

e esue .0 0.00 .

bu sue

sea ose 0.

esoaesea 00 0.

e adssea 0.0 0.6 0. 0.6 0.5

o sebu sea S * 0.

ae s 3 0.

e eae .0 0.00 .

bu ae

a deabu 0 eedba0.3 e 0.

so bu .5

eu abu

de e ebus:

eba oos: da o oo bu oa aes.

du .35

S * du

bu a

oo oseS * 0.6 0.38

esoaeoo 0 0. o

e eoo .0 0.00 .

bu oo

bu ose 0.3

esoaebu 380 0.

o ae:

bu bu * 0.5 0.5 * a.s * 0.00

e adsbu 0. 0. 0. 0.8 0.5

bu bu

sub 5 0. 0.3 deaa e.6

nvx(, 1, 1, 2)

mix(f,)

ll(f, 1, fck2, w t1)

ftcli(f, 12)

rt rn wv(f)

f gnttickvrint(fr1, m 1, r42)

"""

im lt highl tifing mchnicl twritr k trik (tctil mchnicl click hllw ltn imct ring ring)

"""

n int(AMPLERATE * r)

f rr(n)

1 High-frnc t ctil witch trn int (mtl k triking rlt n)

n n int(AMPLERATE *)

n ni(nn, m *)

r nntfiltr(n, 4, 4, "high")

nvx(n, 1, 1, 4)

mix(f, n)

2 Hllw mchnicl th (k m chnim hitting ltn rllr ~2Hz)

fm(n, fr * 2, m * 4, fr * 1, 1, crt1)

r nntfiltr(, , , "lw")

nvx(, 1, 1, 2)

mix(f,)

Tin ringing t l ring ring (giv it thntic t writr lvr r nnc)

ring fm(n, fr * , m * 2, fr * 4, 2, crt)

nvx(ring, 1, 1,)

mix(f, ring)

A l tight k-rflctin lck ch

ll(f, 1, fck1, wt1)

ftcli(f, 12)

rt rn wv(f)

f gnttick()

rt rn gnttick vrint(12, 7 , 4)

f gnttick()

rt rn gnttick vrint(1, 7 ,)

f gnttickc()

rt rn gnttick vrint(11, 72, 44)

── A i Mngr ──

chnnl

f ch(chi)

if chi nt in chnnl

ix min(ln(ch nnl), 1)

chnnlchi gmmixrChnnl(ix)

rt rn chnnlchi

cl AiMngr

f init(lf)

lfn

lfmtrvlm

lfchl

lflchnnl

lflvlm

lfckfrm

lfckfctr 1

lfmincnm "rin", "win", "mintrn"

lfinitmixr()

lfgnrtll()

f ickftt(lf, rfix, cnt)

k f"rfix rnmrnint(1, cnt)"

rtrn lfn gt(k, lf ngt(rfix))

f initmixr(lf)

try:

if not pygame.mixer.get_init():

pygame.mixer.init(frequency=SAMPLE_RATE, size=-16, channels=2)

except Exception:

pass

try:

pygame.mixer.set_num_channels(32)

except Exception:

pass

def _generate_all(self):

gens = [

("gunshot", _gen_gunshot),

("gunshot_distant", _gen_gunshot_distant),

("footstep", _gen_footstep),

("footstep_1", _gen_footstep),

("footstep_2", _gen_footstep_b),

("footstep_3", _gen_footstep_c),

("footstep_walk", _gen_footstep_walk),

("footstep_walk_1", _gen_footstep_walk),

("footstep_walk_2", _gen_footstep_walk_b),

("footstep_walk_3", _gen_footstep_walk_c),

("melee_hit", _gen_melee_hit),

("bullet_impact", _gen_bullet_impact),

("bullet_impact_enemy", _gen_bullet_impact_enemy),

("door_creak", _gen_door_creak),

("door_rattle", _gen_door_rattle),

("door_open", _gen_door_open),

("reload", _gen_reload),

("ambient_drone", _gen_ambient_drone),

("rain", _gen_rain),

("wind", _gen_wind),

("explosion", _gen_explosion),

("terminal_glitch", _gen_terminal_glitch),

("missile_launch", _gen_missile_launch),

("missile_flyby", _gen_missile_flyby),

("rig_impact_crack", _gen_rig_impact_crack),

("rig_low_boom", _gen_rig_low_boom),

("rig_secondary_explosion", _gen_rig_secondary_explosion),

("rig_metal_collapse", _gen_rig_metal_collapse),

("rig_water_splash", _gen_rig_water_splash),

("rig_fire_burst", _gen_rig_fire_burst),

("heartbeat", _gen_heartbeat),

("menu_click", _gen_menu_click),

("menu_hover", _gen_menu_hover),

("type_tick", _gen_type_tick),

("type_tick_1", _gen_type_tick),

("type_tick_2", _gen_type_tick_b),

("type_tick_3", _gen_type_tick_c),

("radio_static", _gen_radio_static),

("radio_chatter", _gen_radio_chatter),

("water_drip", _gen_water_drip),

("mission_complete", _gen_mission_complete),

("breach", _gen_breach),

("molotov_throw", _gen_molotov_throw),

("molotov_explode", _gen_molotov_explode),

("pickup", _gen_pickup),

("alarm", _gen_alarm),

("empty_click", _gen_empty_click),

("glass_shatter", _gen_glass_shatter),

]

for name, gen in gens:

Page 40

[] _

p p

p { } {}

__

__ __ __

_

p p

p p_ p_

{ }_{ }

p_

_ _

_

_

p pp

p pp

p

_p_ []

_p_ _[]

p_ p p

p {p}_{ } pp

_ p

pp{

_

p p

}

p

[]

[]

[ ]

p [] [] [p] [ ]

__

__

__

_ _

_p_

_p__ _p__ _ p__

__ _

p p

p

_

__ __

__ __

p_ _p _p _ _

_p[] _p[]

_p[] _p[]

p

_

_

_ _ _

p _

p p

_ _ p

_ _ p

p

_ _ _

p

_

_[ ]p

[ ]p

_p_ pp

_p_ _pp

p_

_

p

[]p

p p

p

_p_

_p__

__ ___

_ ___

p _ _ _ __

p p

p

p_

p

p p p ____

p p

p

p p

p { }

p p

___

p _ _

p pp

p p

p p { }

p_

p

p p

p p

p

__

__ _

p _ _

p p

p

_

_p

_

_ []_

_

_

_[ ]_

save_system.py

p p p

p

p

p

S os.a.oos.a.absa. saedaa.so

SOOU 3

ue so 0

de e sosode :

eu

so: sode

oued: ase

asoeed sso:

asoeedabe: o ssos oeed

oae: 00:00

udaeda: 0

sas:

as:

de de audaa:

eu eso: sos: eso o aeSOOU

de oaddaa:

o os.a.ess S:

eu deaudaa

:

oeS eod u8 as :

daa so.oad

ee eo:

eu deaudaa

so s daa.eso s

ed deaudaa

o aeSOOU:

esos ad ssaesos d:

eed e so

eed.udae sos

eedso

edsos eed

eu ed

de saedaadaa:

:

oeS eod u8 as :

so.dudaa de

ee eo as e:

Sae aed: e

de seesosode :

oba ueso

u eso a0 SOOU sode

de u esode:

eu ueso

de e sosodeoe:

d ueso sode s o e ese a0 SOOU sode

eu oaddaas osd

de so assaesodeoe:

eu booesosode.eo ued

de sa eaasodeoe:

d ueso sode s o e ese a0 SOOU sode

daa oaddaa

so esod

so .udae

oued: ue

asoeed sso:

asoeedabe: aa s aed sso oess

udaeda: e.e

sas:

as: sso saed: ue

daasosd so

saedaadaa

de saessooee ssod abe oae sasoe asoe sodeoe:

d ueso sode s o e ese a0 SOOU sode

daa oaddaa

so esod

so .udae

oued: ue

asoeed sso: ssod

asoeedabe: abe

oae: oae

udaeda: e.e

sas: sas o

as: as o

daasosd so

saedaadaa

de o aesas:

o s:

eu ee

:

eu e.s ed : e.oae s

ee eo:

eu uo

de as asae:

eu abooso. eoued o so oadda a.esos

smoke_test.py

o os

us be se beoe a eo o.

os.e o.sedeauS O du

os.e o.sedeauS UO du

os.e o.sedeauGSUO O

o ob

o ob.u

o aeba

o ae

o o

o aeoe as

o eu

Se s o ue ae ou s s aeoe. o odues.

a se ss s odues ae eo ed as S sead o .

U SOUS ue

OS S ue

PLITM DLE

"t t",

"l r",

"w n",

"mi in",

"ctcn",

"wlkingim",

"ffct",

"i h",

"intrctin",

cl EmtK

"""Fk gmkgtr() jct

An k lk rtrn Fl

"""

f gtitm(lf, k)

rtrn Fl

f rn chck(nm, fn, r irTr)

tr

fn()

gmvntm()

if gmil gtrfc() i nt Nn

gmil fli()

xc t Exctin

tt "FAIL" if rir l "KIP"

rint(f"nm tt r")

if rir n VERBETRACEBACK

trcckrintxc()

rtrn nt rir

rint(f"nm K")

rt rn Tr

f rn imrtchck(mlnm)

c imrtlitil finc(mlnm)

if c i Nn

if REQIREPLITMDLE

rint(f"imrt mlnm FAIL ml nt fn")

rtrn Fl

rint(f"imrt m lnm KIP ml nt fn")

rtrn Tr

rt rn rnchck(

f"imrt mlnm",

lm imrtliimrtml(mlnm),

rirTr,

)

f clrcrn()

cnfigcrnfill((, ,))

f chckmnrw()

clrcrn()

mn rwmn()

f chckttingrw()

cl rcrn()

mn rwmnckgr n()

mn rwtting(, ,)

def check_server_browser_servers_draw():

clear_screen()

if hasattr(menu, "switch_mp_tab"):

menu.switch_mp_tab("SERVERS")

menu.draw_menu_background()

menu.draw_server_browser(-1, False, "")

def check_server_browser_connections_draw():

clear_screen()

if hasattr(menu, "switch_mp_tab"):

menu.switch_mp_tab("CONNECTIONS")

menu.draw_menu_background()

menu.draw_server_browser(-1, False, "")

Restore default tab.

if hasattr(menu, "switch_mp_tab"):

menu.switch_mp_tab("SERVERS")

def check_notebook_inspection_draw():

clear_screen()

gc.draw_notebook_inspection()

def check_safe_keypad_draw():

clear_screen()

setattr(gc, "safe_keypad_active", True)

setattr(gc, "safe_keypad_code", "")

setattr(gc, "safe_keypad_target", "742")

setattr(gc, "safe_keypad_callback", None)

gc.draw_safe_keypad()

setattr(gc, "safe_keypad_active", False)

def check_desk_note_draw():

clear_screen()

setattr(

gc,

"active_read_note",

"TEST NOTE:\nThis is a smoke-test note.\nPress SPACE to close.",

)

gc.draw_desk_note()

setattr(gc, "active_read_note", None)

def check_cutscene_draw():

clear_screen()

if not hasattr(gc, "cutscene1_shots"):

raise RuntimeError("gc.cutscene1_shots missing")

shot = gc.cutscene1_shots[0]

Page 41

__

__

p

__

_

p

_ p

__p

_pp

__

_

_

_

_

___ _p_

_

__

p__ p

__

_p_

_

_p_

__

_

__

__

__

__p_p

_p__ p p

_

p_

__

_

_pp

___ _

_ _ p

_

_p

_p

_p

_

__ _

__ p _ p

__

_ _

_ _p

_ _

_ __

__

_ _

___ _

_ p

p p pp

_ p

_ p

_p p

_ p

_ p

_p

p p

_ _

_p_ _

p

_ [

_ __

_ __

__ _ ___ _

__ _ __ __

__ p _ _p _

__p __p_

__ ___

_ __

_p_ _p_

__ __

]

_

_

p

_ [

__ _ _ ___

_ __

_p __p

_ __

]

_

_

p

_ [

__ _p_ ___ _p_

]

_

_

p

_ [

_p_p _ _p_p

__ _ ___ _

_ _ _ __

]

_

_

p q

p

p

__ __ ____

build_code_pdf.py

budoded.

udes a . es o a obed a d ddua e e s

a s de a s ode.

oa:

eae.

ode

Usae:

sa d

o budoded.

o a b o a

o d o

OG

OS 0.0

G 0.6

S

G 8

O OO ae.esoe.ae

OU U O OO s

O

aasa.

o .

sae.

a eoe.

ae.

eaos.

sso.

u sees.

a s.

e es.

u ud.

eaos.

eea.

e u.

audo.

soees.

S S

ae . .e e e

bu d ds . esae . ae s

S S

a e.ae

U US a se

UO OOO S

O OO eauSasoo.

O OO asses eauSaso o.

a ussaeosueedeau eauSasoo.

a usoasaeoseauSas oo.

a :dosososoa.

a :dososou.

a baos eo.

de desoo: a:

ou d

o a oo.ob*.:

e a.ea eooo

aa S S o a e.as:

oue

a.ae S S:

oue

oud.aede

de soea: a :

ae a.ae

es sa .eae

ae O:

eu 0 O.de ae es.oe

eu es.oe

eu soedoud esoe

de duodeooo :

o addae UOOOO S:

addae.es s:

eu addae

eu oe

ass ode:

de eadese:

ass

de ooese:

se.se6

se.seooue se

se.seeoo50 50 50

se.e0 3 ae se.aeo a

se.seeoo0 0 0

de saeee: s uodeoaaabe: boo s:

e e.eae ue

uodeoaaabe:

eu e

eu e.eodea eae .deodea

de eeso es a:

es

o ea es:

absa O OO ea

:

ode absa .eadeeod u8

ee eo as e:

S ea: e

oue

es.aed *60

es.aed ea

es.aed *60

es.aed

es.aedode.s

es.aed

a.ee .oes e odu8

e: a

de seuod: :

o a duodeooo

oa:

:

d.addo odeo s oa

d.addo odeo s oa

Us Uode o: o a

eu odeo ue

ee eo as e:

oud o oad Uode o oa: e

Us bu oue o. Usuoed aaes be eaed.

rt rn "Crir", Fl

f n rrmfrhr(f FPDF)

if fgt() > fh - MARIN - 12

fg()

f writclin(

f FPDF, lin tr, linn int, lwith flt, nicfntvil l l,

lin linrlc(" t", " ")

lin ftxt(lin, nicfntvill)

if INCLDELINENMBER

firtrfix f" linn | "

cntrfix " | "

l

firtrfix ""

cntrfix ""

if lin ""

if INCLDELINEN MBER

fcll(, LINEHEIHT, firt rfix, nwx"LMARIN", nw"NEXT")

l

fln(LINEHEIHT)

rtrn

chrw fgttringwith("M") r 1

trt

fir t Tr

whil trt < ln(lin)

rfix firtr fix if firt l cntrfix

rfixw fgttringwith(rfix)

villfrc mx(1, l with - rfixw)

mxchr mx(1, int(villfrc chrw))

chnk lintrt trt mxch r

fcll(, LINEHEIHT, rfix chnk, nwx"LMARIN", nw"NEXT")

trt mxchr

firt Fl

f writfiltf(fil, fth)

f CPDF(rinttin"P", nit"mm", frmt"A4")

f ttgr k(tTr, mrginMARIN)

f tmrgin(MARIN, MARIN, MARIN)

fntfmil, nicfntvill tfnt(f)

f g()

lwith fw - 2 * MARIN

fr filth in fil

th PRJECTRT filth

tr

c thrtxt(ncing"tf-")

xct Exctin

rint(f"kiing filth ")

cntin

nrrmfrh r(f)

ftfnt(fntfmil, tl"B", izHEADERIZE)

fttxtclr(, , 1)

fln(2)

fcll(, , ftxt(tr(filth)rlc("", ""), nicfntvill),

nwx"LMARIN", nw"NEXT")

fttxtclr(, ,)

fln(1)

ftfnt(fnt fmil, izFNT IZE)

fr linn, rwlin in nmrt(clitlin(), trt1)

writclin(f, rwlin, linn, lwi th, nicfnt vill)

fln()

rint(f" A filth")

pdf .output(str(pdf_path))

print(f"\nWritten: {pdf_path}")

def build_pdf():

PDF_OUTPUT_DIR.mkdir(exist_ok=True)

files = find_py_files(PROJECT_ROOT)

if not files:

print("No .py files found.")

return

── Combined ──

combined_pdf = PDF_OUTPUT_DIR / "game_source.pdf"

combined_txt = PDF_OUTPUT_DIR / "game_source.txt"

print("Building combined PDF/TXT...")

write_files_to_pdf(files, combined_pdf)

write_files_to_txt(files, combined_txt)

print(f"Files included: {len(files)}")

── Individual ──

print("\n-- Building individual files --")

for filepath in files:

name = str(filepath).replace("\\", "/").replace("/", "_")

write_files_to_pdf([filepath], PDF_OUTPUT_DIR / f"{name}.pdf")

write_files_to_txt([filepath], PDF_OUTPUT_DIR / f"{name}.txt")

print(f"\nOutput directory: {PDF_OUTPUT_DIR}/")

if __name__ == "__main__":

build_pdf()

Page 42