

Legacy Export Inventory

Every column of legacy_export/ as it was exported: complete value tables where a column has few distinct values, shape tables where it has many. Nothing is mapped or corrected here. Leading and trailing whitespace is drawn as  so it cannot hide. Generated from docs/data-profile.json (npm run profile).

FILES

As read from disk

file	bytes	encoding	line endings	columns	data rows	blank lines	duplicate rows
patients.csv	337,327	UTF-8, no BOM	CRLF	14	2,466	0	0
intakes.csv	275,640	UTF-8, no BOM	CRLF	11	2,917	0	0
consents.jsonl	362,091	UTF-8, no BOM	LF	5	2,643	0	0

REFERENCE DATES DERIVED FROM THE DATA

Earliest date anywhere (dob excluded): 2022-01-04. Latest under any reading: 2062-11-04, which sits in an isolated tail of 14 rows more than a year past everything else. Latest once those tails are set aside: 2028-04-11. "Future" counts below use both.

P-1 · PATIENTS.CSV

legacy_id

2,466	0	2,466	2,466	2,461	0
rows	empty	distinct raw	distinct folded	distinct shapes	edge whitespace rows

SHAPES (2,461 DISTINCT)

shape	rows	examples
aaaAaAaAaAAAAaAa	2 0.1%	recYdFcAnBOBxhPfn recDlZpVuMHDxxBcb
aaaaA9AaAAaAAaAa	2 0.1%	recgW0TaGgMX0suLh rec1v7AwDYaS0feRl
aaaaAaAAa9AaAaAA	2 0.1%	recrVkWNd8ZpIrvVN recxZjTXb9NvZksMD
aaaaaaa9AAaAaAaAa	2 0.1%	recoerw8YItEnBdMt reccnbf6WLdRbRkZx
aaaaaaaAA9AaAaAA	2 0.1%	recqnaaTU1VmWheQC reczeqeCE1ZgDfp0S
aaa999AAaAa9aAaAa	1 0.0%	rec094QDJtu0j7Upz
aaa999AaA9AaA99aA	1 0.0%	rec501RqG50mE49jF
aaa999AaAAAA9aAA	1 0.0%	rec286HtuQVKM310Q
aaa999aAaAaAA9AaA	1 0.0%	rec697iTWhEE4Uqz
aaa99A9aaA9Aaaaa9	1 0.0%	rec97S0cdJ4Fzgid6
aaa99AA9A9AaAAAAaA	1 0.0%	rec19Ew9F6JwJPVpM
aaa99AA9AA9AAAAaAA	1 0.0%	rec16YN4FV5NQcZCT
aaa99AA9AaA9aAAAA9	1 0.0%	rec28CR20uH9vYAR2
aaa99AA9aaaAaAA9A	1 0.0%	rec29UN6xfmGeZC9U
aaa99AAA9AAA9AaAA	1 0.0%	rec42GFZ7VHZ3JdBG
aaa99AAAA9aaAAAA9	1 0.0%	rec52WXZT9hbICWB7
aaa99AAAA9AaAaaaA	1 0.0%	rec5100Id7IjZoweN

shape	rows	examples
aaa99AAAAaAaaaa9A	1 0.0%	rec02MJTjhFxbjp2V
aaa99AAa9AA9AAAAA	1 0.0%	rec68AVa10M9IBVAT
aaa99AAa9AAaaA9aA	1 0.0%	rec19KUa3EKbaF8qY
aaa99AAaAA9A99AAA	1 0.0%	rec19RAyCE4X12QPK
aaa99AaAAAAaaaaAA	1 0.0%	rec23HqIKUJhkiwGH
aaa99AaAAAAaAaaaa	1 0.0%	rec25KwDGHZKkAIUI
aaa99AaAAAAaaaaaA	1 0.0%	rec89Mr0DHxguquiX
aaa99AaAAa9aaAAAA	1 0.0%	rec59YyQHs4fjYYRp
aaa99AaAaA9aAA9aA	1 0.0%	rec02KxEjR5kXJ3gM
aaa99AaAaa9a99A9a	1 0.0%	rec250wXnc8w84D9x
aaa99Aaa9aaAaAA9A	1 0.0%	rec10Fbk6liGfTF3U
aaa99AaaaAAAA9aaa	1 0.0%	rec42UzpxUH0s7zpb
aaa99AaaaAAAAaAaA	1 0.0%	rec23GimpLCDhxSyQ
aaa99a99aaaAa99aa	1 0.0%	rec82u15uzyLz81yt
aaa99a9AAA9a9aaAA	1 0.0%	rec74i3QBE7e9ihFW
aaa99a9AAa9AA9aAa	1 0.0%	rec32h0ATm2TF1nTw
aaa99a9AaAaAAa9AA	1 0.0%	rec21r8JnYwPQw9QK
aaa99a9AaAaa9a9A9	1 0.0%	rec42q5JjLrz2m8H8
aaa99a9AaaAAaAAAA	1 0.0%	rec66v5Vz1PWgAUQJ
aaa99a9aA9Aa9aaAa	1 0.0%	rec32r2bN4Dm9a1Hb
aaa99a9aA9aAaaaaa	1 0.0%	rec95f8wS9cIunrxh
aaa99a9aAAaAAA9AA	1 0.0%	rec07w3lNZsCNK3IS
aaa99a9aaaa9AAAAa	1 0.0%	rec44z9czqm8SKDmx

LENGTH AND CHARACTER CLASS

key	count	examples
17 lower+upper+digit	2,227	recwyXYjpXsigPX8J, recvY0SCmHn72bKUF, rec1lxaxisP4l5btZ
17 lower+upper	238	recMYZgSQBwPqYLhu, recKezPoIEhsomAph, recYMxF0euIpvRPjw
17 lower+digit	1	rech80qisbw8yubit

FACTS

duplicate groups 0
duplicate rows 0

P-2 · PATIENTS.CSV

full_name

2,466 0 1,655 1,614 115 72
rows empty distinct raw distinct folded distinct shapes edge whitespace rows

SHAPES (115 DISTINCT)

shape	rows	examples
Aaaaa Aaaaaa	302 12.2%	Deniz Peters Grace Benali Ruben Petrov
Aaaa Aaaaaa	220 8.9%	Noor Mulder Maud Bakker Roos Peters

shape		rows	examples
Aaaaa Aaaaa		178 7.2%	Julia Rossi Priya Rossi Piotr Smits
Aaaa Aaaaa		156 6.3%	Gijs Jones Olga Ricci Teun Smits
Aaaaa Aaaa		104 4.2%	Sanne Wang Julia Wang Elena Chen
Aaaaa Aaaaaaaa		97 3.9%	Elena Andersen Amira Dijkstra Lucas Hendriks
Aaa Aaaaaa		75 3.0%	Mei Taylor Sem Taylor Wei Taylor
Aaaa Aaaa		72 2.9%	Roos Kaya Olga Wang Kees Wang
Aaaa Aaaaaaaa		66 2.7%	Roos Andersen Roos Kowalski Finn Kowalski
Aaaaa aa Aaaaa		66 2.7%	Piotr de Groot Jesse de Graaf Emily de Groot
Aaaaaa Aaaaa		63 2.6%	Fatima Jones Sophie Jones Oliver Demir
Aaa Aaaaa		59 2.4%	Wei Smits Sem Rossi Eva Costa
Aaaaaa Aaaaaa		56 2.3%	Fatima Bakker Sophie Ivanov Sophie Bakker
Aaaaa Aaa		44 1.8%	Priya Bos Elena Vos Piotr Vos
Aaaa aa Aaaaa		41 1.7%	Lisa de Groot Luuk de Groot Daan de Groot
Aaaaa aa Aaaa		39 1.6%	Lotte de Boer Lotte de Jong Emily de Jong
Aaaaaa Aaaaaa		38 1.5%	Hendrik Horvat Marieke Benali Marieke Meijer
Aaaa aa Aaaa		36 1.5%	Teun de Jong Kees de Jong Teun de Boer
Aaaaa aaa aaa Aaaa		32 1.3%	Ruben van den Berg Femke van der Meer Sofia van den Berg
Aaaa Aaa		31 1.3%	Emma Vos Daan Bos Roos Vos
Aaaa aaa aaa Aaaa		30 1.2%	Olga van der Meer Kees van den Berg Teun van den Berg
Aaaaaaaa Aaaaaa		29 1.2%	Mohammed Horvat Annelies Meijer Annelies Benali
Aaaaaa Aaaa		28 1.1%	Zeynep Chen Fatima Nair Zeynep Wang
Aaaaaa Aaaaa		27 1.1%	Hendrik Costa Youssef Novak Youssef Smith
Aaaaa aa Aaa		26 1.1%	Lotte de Wit Femke de Wit Kasia de Wit
Aaaa Aa Aaaaaa		24 1.0%	Noor El Amrani Gijs El Amrani Emre El Amrani
Aaa Aaaa		23 0.9%	Eva Wang Sem Nair Sem Kaya
Aaaaa Aaaaaaa		23 0.9%	Julia Brouwer Priya Brouwer Emily Brouwer
Aaaaa Aa Aaaaaa		21 0.9%	Femke El Amrani Julia El Amrani Thijs El Amrani
Aaaaa aaa Aaaa		21 0.9%	Amira van Dijk Julia van Dijk Arjun van Dijk
Aaaaaaaa Aaaaa		21 0.9%	Mohammed Nowak Annelies Rossi Mohammed Costa
Aaaaaa Aaaaaaaa		20 0.8%	Sophie Andersen Zeynep Kowalski Oliver Dijkstra
Aaa Aaaaaaaa		18 0.7%	Mei Hendriks Jan Andersen Eva Kowalski
Aaaaa aaa Aaaaaa		17 0.7%	Ruben van Leeuwen Sofia van Leeuwen Lotte van Leeuwen
Aaa aa Aaaa		15 0.6%	Sem de Boer Jan de Jong Den de Jong
Aaa aa Aaaaa		15 0.6%	Eva de Vries Wei de Groot Sem de Vries
Aaaaaa aa Aaaa		15 0.6%	Giulia de Jong Willem de Boer Sophie de Boer
Aaaaaa aaa aaa Aaaa		15 0.6%	Fatima van den Berg Giulia van den Berg Oliver van der Meer
Aaaaaa Aaa		14 0.6%	Zeynep Vos Giulia Vos Sophie Bos
Aaaa aaa Aaaa		13 0.5%	Noor van Dijk Luuk van Dijk Anna van Dijk

TOKENS PER NAME

	tokens	rows
	2	1,911
	3	460

	tokens	rows
	4	95

FACTS

rows with digits	0
rows with diacritics	0
all lowercase rows	0
all caps rows	0
double space rows	0
exact duplicate groups	598
exact duplicate rows	1,409
folded duplicate groups	618
folded duplicate rows	1,470
unusual characters	none

P-3 · PATIENTS.CSV

email

2,466	0	2,447	2,419	417	30
rows	empty	distinct raw	distinct folded	distinct shapes	edge whitespace rows

SHAPES (417 DISTINCT)

shape	rows	examples
aaaaa.aaaaaa@aaaaa.aaa	78 3.2%	ruben.petrov@yahoo.com lotte.deboer@yahoo.com piotr.visser@gmail.com
aaaaa.aaaaaa@aaaaaaaa.aaa	68 2.8%	ruben.benali@outlook.com ahmed.taylor@outlook.com grace.jansen@hotmail.com
aaaaa.aaaaaa@aaaaaaaa.aaa	57 2.3%	teun.deboer@hotmail.com finn.mulder@outlook.com emre.visser@hotmail.com
aaaaa.aaaaaa@aaaaaaaa.aaa	48 1.9%	grace.rossi@outlook.com priya.smits@hotmail.com femke.smith@outlook.com
aaaaa.aaaaaa@aaaaa.aaa	47 1.9%	anna.mulder@gmail.com kees.deboer@yahoo.com anna.meijer@yahoo.com
aaaaa.aaaaaa@aaaaaaaa.aa	42 1.7%	elena.mulder@kpnmail.nl arjun.ivanov@kpnmail.nl emily.dejong@kpnmail.nl
aaaaa.aaaaaa@aaaaa.aaa	39 1.6%	gijs.jones@yahoo.com kees.novak@yahoo.com lisa.rossi@yahoo.com
aaaaa.aaaaaa@aaaaaaaaaaa.aaa	36 1.5%	thijs.wilson@protonmail.com arjun.ivanov@protonmail.com jesse.dejong@protonmail.com
aaaaa.aaaaaa@aaaaa.aaa	35 1.4%	piotr.rossi@gmail.com lucas.rossi@yahoo.com priya.costa@gmail.com
aaaaa.aaaaaa@aaaaa.aa	35 1.4%	deniz.peters@live.nl grace.benali@live.nl lucas.peters@live.nl
aaaaa.aaaaaa@aaaaa.aa	34 1.4%	kasia.mulder@ziggo.nl marco.benali@ziggo.nl kasia.benali@ziggo.nl
aaaaa.aaaaaa@aaaaa.aaa	34 1.4%	grace.peters@icloud.com lotte.dejong@icloud.com julia.yilmaz@icloud.com
aaaaa.aaaaaa@aaaaa.aaa	32 1.3%	noor.rossi@hotmail.com kees.ricci@outlook.com bram.demir@hotmail.com

shape	rows	examples
aaaaa.aaaaaaa@aaaaaa.aaa	31 1.3%	elena.andersen@hotmail.com thijs.dijkstra@outlook.com james.hendriks@hotmail.com
aaaa.aaaaaa@aaaaa.aa	29 1.2%	noor.mulder@ziggo.nl ivan.wilson@ziggo.nl lisa.dejong@ziggo.nl
aaaa.aaaaaa@aaaaaa.aa	29 1.2%	maud.bakker@kpnmail.nl levi.visser@kpnmail.nl emre.taylor@kpnmail.nl
aaaa.aaaaaa@aaaa.aa	28 1.1%	teun.dejong@live.nl lisa.horvat@live.nl olga.sharma@live.nl
aaaa.aaaaaa@aaaaaa.aaa	26 1.1%	kees.dejong@icloud.com roos.peters@icloud.com noor.jansen@icloud.com
aaaaa.aaaa@aaaaaaa.aaa	26 1.1%	james.kaya@hotmail.com thijs.nair@hotmail.com ahmed.kaya@outlook.com
aaaaa.aaaaaaa@aaaaa.aaa	26 1.1%	jesse.degraaf@yahoo.com elena.brouwer@gmail.com ahmed.devries@yahoo.com
aaaa.aaaaaa@aaaaaaaaa.aaa	25 1.0%	bram.jansen@protonmail.com emre.ivanov@protonmail.com noor.peters@protonmail.com
aaaaa.aaaaa@aaaaa.aa	25 1.0%	piotr.smits@ziggo.nl ruben.rossi@ziggo.nl lotte.smits@ziggo.nl
aaaaa.aaaaa@aaaa.aa	24 1.0%	priya.rossi@live.nl ruben.smith@live.nl arjun.ricci@live.nl
aaaaa.aaaaa@aaaaaaa.aa	23 0.9%	lotte.jones@kpnmail.nl fleur.brown@kpnmail.nl ahmed.costa@kpnmail.nl
aaaaa.aaaaaaa@aaaaaaa.aaa	23 0.9%	amira.vandijk@outlook.com deniz.degroot@hotmail.com ahmed.degroot@outlook.com
aaaaa.aaaaaaa@aaaaa.aaa	23 0.9%	lucas.hendriks@gmail.com elena.dijkstra@yahoo.com elena.kowalski@gmail.com
aaaa.aaaaa@aaaaa.aa	21 0.9%	olga.jones@ziggo.nl roos.costa@ziggo.nl anna.smith@ziggo.nl
aaaa.aaaaa@aaaaaaaaa.aaa	21 0.9%	luuk.jones@protonmail.com levi.rossi@protonmail.com maud.rossi@protonmail.com
aaaa.aaaaaaa@aaaaa.aaa	21 0.9%	noor.elamrani@gmail.com roos.andersen@gmail.com noor.elamrani@yahoo.com
aaaaa.aaaaa@aaaaaaaaa.aaa	21 0.9%	julia.rossi@protonmail.com ahmed.jones@protonmail.com amira.nowak@protonmail.com
aaaaa.aaaaa@aaaaaa.aaa	20 0.8%	julia.rossi@icloud.com sofia.dewit@icloud.com lucas.novak@icloud.com
aaa.aaaaaa@aaaaa.aaa	18 0.7%	sem.taylor@yahoo.com sem.deboer@yahoo.com mei.benali@yahoo.com
aaaa.aaaa@aaaaa.aaa	18 0.7%	kees.wang@gmail.com bram.nair@yahoo.com luuk.chen@yahoo.com
aaaa.aaaaa@aaaaaa.aaa	18 0.7%	finn.smith@icloud.com roos.novak@icloud.com emre.smits@icloud.com
aaaa.aaaaa@aaaaaa.aa	18 0.7%	ivan.novak@kpnmail.nl luuk.novak@kpnmail.nl gijs.rossi@kpnmail.nl
aaaaa.aaaaaaa@aaaaaaaaa.aaa	18 0.7%	amira.dijkstra@protonmail.com lotte.kowalski@protonmail.com femke.elamrani@protonmail.com
aaaa.aaaaaaa@aaaaaa.aaa	17 0.7%	roos.kowalski@hotmail.com emre.elamrani@hotmail.com lisa.elamrani@hotmail.com
aaaaa.aaaa@aaaaa.aaa	17 0.7%	jesse.wang@gmail.com sanne.smit@yahoo.com sofia.smit@yahoo.com
aaaa.aaaaaaa@aaaaa.aaa	16 0.6%	olga.brouwer@yahoo.com noor.vandijk@yahoo.com anna.degroot@gmail.com
aaaa.aaaaaaa@aaaaaa.aaa	15 0.6%	maud.devries@outlook.com emre.vandijk@outlook.com luuk.vandijk@hotmail.com

VALUES FAILING THE SYNTAX CHECK

raw	rows
-	1
@gmail.com	1
amira.ivanov @outlook.com	1
eva.ricci @icloud.com	1
eva.smit @outlook.com	1
eva.wang1 @live.nl	1
info@	1
ivan.andersen @live.nl	1
jan.wilson1 @yahoo.com	1
kasia.nowak @hotmail.com	1
kees.bos @outlook.com	1
marieke.dijkstra @protonmail.com	1
n.v.t.	4
none	1
willem.ricci @icloud.com	1
x	3

DOMAINS

domain	rows
protonmail.com	287
icloud.com	283
ziggo.nl	283
hotmail.com	281
live.nl	280
yahoo.com	278
kpnmail.nl	271
gmail.com	254
outlook.com	239
(empty)	1

SAME LOCAL PART ON SEVERAL DOMAINS (FIRST 40)

local part	domains
lotte.dewit	icloud.com, kpnmail.nl, outlook.com, yahoo.com, ziggo.nl
sem.dekker	gmail.com, icloud.com, kpnmail.nl, live.nl, ziggo.nl
sophie.andersen	kpnmail.nl, live.nl, outlook.com, protonmail.com, ziggo.nl
ahmed.petrov	icloud.com, live.nl, outlook.com, yahoo.com
elena.dijkstra	hotmail.com, live.nl, protonmail.com, yahoo.com
eva.hendriks	gmail.com, icloud.com, live.nl, ziggo.nl
fatima.jones	gmail.com, hotmail.com, icloud.com, yahoo.com
finn.vandermeer	gmail.com, hotmail.com, kpnmail.nl, protonmail.com
fleur.petrov	gmail.com, hotmail.com, kpnmail.nl, protonmail.com
james.vandermeer	icloud.com, kpnmail.nl, outlook.com, protonmail.com

local part	domains
julia.rossi	hotmail.com, icloud.com, kpnmail.nl, protonmail.com
marieke.smits	hotmail.com, icloud.com, outlook.com, protonmail.com
roos.costa	icloud.com, live.nl, outlook.com, ziggo.nl
roos.kaya	icloud.com, kpnmail.nl, outlook.com, protonmail.com
sanne.kowalski	hotmail.com, live.nl, outlook.com, ziggo.nl
sofia.chen	icloud.com, kpnmail.nl, outlook.com, protonmail.com
thijs.devries	icloud.com, kpnmail.nl, protonmail.com, ziggo.nl
willem.elamrani	gmail.com, hotmail.com, live.nl, ziggo.nl
ahmed.degroot	gmail.com, outlook.com, yahoo.com
amira.andersen	hotmail.com, kpnmail.nl, outlook.com
amira.rossi	hotmail.com, live.nl, protonmail.com
annelies.kowalski	gmail.com, hotmail.com, kpnmail.nl
annelies.petrov	icloud.com, kpnmail.nl, yahoo.com
annelies.smit	gmail.com, kpnmail.nl, outlook.com
arjun.dijkstra	gmail.com, kpnmail.nl, live.nl
arjun.ivanov	kpnmail.nl, outlook.com, protonmail.com
arjun.peters	gmail.com, kpnmail.nl, outlook.com
bram.demir	hotmail.com, kpnmail.nl, protonmail.com
daan.dijkstra	live.nl, protonmail.com, ziggo.nl
daan.meijer	gmail.com, kpnmail.nl, ziggo.nl
deniz.brouwer	hotmail.com, live.nl, yahoo.com
deniz.degroot	hotmail.com, kpnmail.nl, ziggo.nl
deniz.dewit	gmail.com, hotmail.com, protonmail.com
deniz.horvat	hotmail.com, kpnmail.nl, ziggo.nl
deniz.kowalski	gmail.com, hotmail.com, icloud.com
emily.dekker	gmail.com, kpnmail.nl, outlook.com
emre.jones	gmail.com, outlook.com, yahoo.com
emre.visser	hotmail.com, icloud.com, outlook.com
eva.costa	gmail.com, hotmail.com, outlook.com
eva.devries	gmail.com, hotmail.com, yahoo.com

FACTS

rows with uppercase	28
rows with internal whitespace	10
plus addressing rows	0
exact duplicate groups	16
exact duplicate rows	35
folded duplicate groups	44
folded duplicate rows	91

P-4 · PATIENTS.CSV

dob

2,466 0 2,350 2,350 3 0

SHAPES AND HOW EACH VALUE COULD BE READ

shape		rows	day-first	month-first	ambiguous	invalid	examples
9999-99-99		1,828 74.1%	0	1,118	710	0	1989-05-28 1983-12-22 1963-03-25
99-99-9999		328 13.3%	207	0	121	0	23-08-2000 29-10-1992 07-08-1968
99/99/9999		310 12.6%	0	154	156	0	03/04/1972 02/16/1962 06/01/1981

FACTS

two digit years	0
values with multiple candidate dates	921
non empty values with no candidate date	0
future under some ordering	1
future under every ordering	1
future under some ordering vs bulk reference	5
future under every ordering vs bulk reference	5
age at signup under18	103
age at signup over100	1
dob identical to signup date raw	0
dob candidate equals signup candidate	0
age at signup	n 2,466, min -52.81, p5 18.45, median 41.53, p95 63.88, max 103.26

P-5 · PATIENTS.CSV

sex

2,466	0	11	7	8	0
rows	empty	distinct raw	distinct folded	distinct shapes	edge whitespace rows

EVERY RAW VALUE (11 DISTINCT)

raw value	rows	folded (when different)
male	267 10.8%	
M	256 10.4%	m
Male	237 9.6%	male
m	236 9.6%	
female	223 9.0%	
man	223 9.0%	
vrouw	212 8.6%	
F	209 8.5%	f
f	207 8.4%	
Female	201 8.2%	female
V	195 7.9%	v

SPELLINGS THAT FOLDING WOULD MERGE

folded	raw spellings	rows
male	[object Object], [object Object]	504
m	[object Object], [object Object]	492
female	[object Object], [object Object]	424
f	[object Object], [object Object]	416

P-6 · PATIENTS.CSV

bsn

2,466	1,525	912	912	2	0
rows	empty	distinct raw	distinct folded	distinct shapes	edge whitespace rows

SHAPES (2 DISTINCT)

shape	rows	examples
(empty)	1,525 61.8%	
999999999	941 38.2%	251508596 663119637 522566248

FACTS

non empty	941
non digit values	none
nine digit	941
nine digit elfproof pass	924
nine digit elfproof fail	17
eight digit	0
eight digit elfproof pass when padded	0
leading zero	1
duplicate groups	30
duplicate rows	60

P-7 · PATIENTS.CSV

phone

2,466	143	2,263	2,263	4	0
rows	empty	distinct raw	distinct folded	distinct shapes	edge whitespace rows

SHAPES (4 DISTINCT)

shape	rows	examples
+99999999999	1,064 43.1%	+31608913757 +31664058517 +31635672057
99-99999999	763 30.9%	06-53549409 06-92461015 06-32966540
9999999999	496 20.1%	0669708184 0660542400 0606376713
(empty)	143 5.8%	

DIGIT COUNT

	digits	rows
	10	1,259
	11	1,064
	0	143

PREFIX CLASS

prefix class	rows
06	1,259
+31	1,064
(empty)	143

FACTS

non dutch prefix values	none
duplicate groups	61
duplicate rows	122

P-8 · PATIENTS.CSV

city

2,466	0	20	20	7	0
rows	empty	distinct raw	distinct folded	distinct shapes	edge whitespace rows

EVERY RAW VALUE (20 DISTINCT)

raw value		rows	folded (when different)
Zwolle		156 6.3%	zwolle
Rotterdam		141 5.7%	rotterdam
Zaandam		134 5.4%	zaandam
Utrecht		131 5.3%	utrecht
Almere		130 5.3%	almere
Haarlem		129 5.2%	haarlem
Delft		125 5.1%	delft
Amersfoort		123 5.0%	amersfoort
Den Haag		123 5.0%	den haag
Tilburg		123 5.0%	tilburg
Maastricht		122 4.9%	maastricht
Leiden		121 4.9%	leiden
Apeldoorn		119 4.8%	apeldoorn
Breda		119 4.8%	breda
Amsterdam		118 4.8%	amsterdam
Dordrecht		118 4.8%	dordrecht
Arnhem		113 4.6%	arnhem
Nijmegen		112 4.5%	nijmegen
Eindhoven		105 4.3%	eindhoven

raw value	rows	folded (when different)
Groningen	104 4.2%	groningen

P-9 · PATIENTS.CSV

weight

2,466	105	896	896	4	0
rows	empty	distinct raw	distinct folded	distinct shapes	edge whitespace rows

SHAPES (4 DISTINCT)

shape	rows	examples
999.9	1,367 55.4%	134.0 113.1 119.6
99.9	989 40.1%	94.1 90.2 76.2
(empty)	105 4.3%	
9.9	5 0.2%	7.8 6.5 7.2

WEIGHT DISTRIBUTION PER UNIT VALUE

unit	n	min	p5	median	p95	max
kg	2,288	6.50	71.50	103.10	145.80	166.30
(empty)	18	140.20	140.20	208.10	320.10	320.10
lbs	55	144.60	146.60	225.50	332.20	356.90

NUMERIC BANDS

band	count
< 35	5
35 .. 60	0
60 .. 100	989
100 .. 150	1,223
150 .. 200	97
200 .. 300	38
>= 300	9

EXTREMES

key	rows
lbs > 200	36
(empty unit) > 200	11
kg < 35	5

SEPARATORS SEEN

separator	count
.	2,361
(empty)	105

FACTS

numeric n 2,361, min 6.50, p5 71.70, median 104.10, p95 152.50, max 356.90

non numeric valuesnone

bmi kg outside lb inside45

bmi lb outside kg inside949

P-10 · PATIENTS.CSV

weight_unit

2,466183330

rowsemptydistinct rawdistinct foldeddistinct shapesedge whitespace rows

EVERY RAW VALUE (3 DISTINCT)

raw value	rows	folded (when different)
kg	2,393 97.0%	
lbs	55 2.2%	
(empty)	18 0.7%	

P-11 · PATIENTS.CSV

height_cm

2,4660515120

rowsemptydistinct rawdistinct foldeddistinct shapesedge whitespace rows

EVERY RAW VALUE (51 DISTINCT)

raw value	rows	folded (when different)
163	70 2.8%	
153	68 2.8%	
162	64 2.6%	
191	63 2.6%	
198	63 2.6%	
194	61 2.5%	
157	60 2.4%	
188	60 2.4%	
181	59 2.4%	
166	58 2.4%	
193	57 2.3%	
173	56 2.3%	
176	56 2.3%	
187	56 2.3%	
190	56 2.3%	
161	55 2.2%	
167	55 2.2%	
184	55 2.2%	
186	55 2.2%	
174	53 2.1%	

raw value	rows	folded (when different)
189	53 2.1%	
152	52 2.1%	
155	52 2.1%	
156	52 2.1%	
179	52 2.1%	
164	51 2.1%	
169	51 2.1%	
182	51 2.1%	
154	50 2.0%	
172	50 2.0%	
180	50 2.0%	
175	49 2.0%	
183	49 2.0%	
160	48 1.9%	
177	48 1.9%	
197	48 1.9%	
171	47 1.9%	
192	47 1.9%	
178	46 1.9%	
196	46 1.9%	

SHAPES (2 DISTINCT)

shape	rows	examples
999	2,462 99.8%	194 167 174
99	4 0.2%	15 45 51

NUMERIC BANDS

band	count
< 3	0
3 .. 100	4
100 .. 140	0
140 .. 220	2,461
>= 220	1

SEPARATORS SEEN

separator	count
none (integer)	2,466

FACTS

numeric

n 2,466, min 15, p5 153, median 175, p95 196, max 300

non numeric values

none

status

2,466	0	17	11	13	251
rows	empty	distinct raw	distinct folded	distinct shapes	edge whitespace rows

EVERY RAW VALUE (17 DISTINCT)

raw value		rows	folded (when different)
Active		297 12.0%	active
ACTIEF		275 11.2%	actief
actief		273 11.1%	
active		268 10.9%	
active		251 10.2%	active
cancelled		170 6.9%	
Churned		164 6.7%	churned
churned		158 6.4%	
opgezegd		158 6.4%	
paused		73 3.0%	
on hold		59 2.4%	
Paused		56 2.3%	paused
Prospect		56 2.3%	prospect
gepauzeerd		54 2.2%	
new		53 2.1%	
lead		51 2.1%	
prospect		50 2.0%	

SPELLINGS THAT FOLDING WOULD MERGE

folded	raw spellings	rows
active	[object Object], [object Object], [object Object]	816
actief	[object Object], [object Object]	548
churned	[object Object], [object Object]	322
paused	[object Object], [object Object]	129
prospect	[object Object], [object Object]	106

P-13 · PATIENTS.CSV

signup_date

2,466	0	1,570	1,570	3	0
rows	empty	distinct raw	distinct folded	distinct shapes	edge whitespace rows

SHAPES AND HOW EACH VALUE COULD BE READ

shape		rows	day-first	month-first	ambiguous	invalid	examples
9999-99-99		1,819 73.8%	0	1,102	717	0	2023-03-21 2023-12-13 2025-09-30

shape		rows	day-first	month-first	ambiguous	invalid	examples
99-99-9999		360 14.6%	216	0	144	0	09-08-2023 04-04-2024 10-05-2024
99/99/9999		287 11.6%	0	181	106	0	07/10/2022 09/01/2022 11/02/2023

FACTS

two digit years	0
values with multiple candidate dates	874
non empty values with no candidate date	0
future under some ordering	0
future under every ordering	0
future under some ordering vs bulk reference	3
future under every ordering vs bulk reference	3
earliest	2022-01-04
latest	2062-07-04

P-14 · PATIENTS.CSV

SOURCE

2,466	0	5	5	4	0
rows	empty	distinct raw	distinct folded	distinct shapes	edge whitespace rows

EVERY RAW VALUE (5 DISTINCT)

raw value		rows	folded (when different)
typeform		845 34.3%	
import		417 16.9%	
campaign_expat_2023		415 16.8%	
website		400 16.2%	
referral		389 15.8%	

P-15 · PATIENTS.CSV

whole-row

FIELDS PER ROW

	fields	rows
	14	2,466

FACTS

header fields	14
ragged rows	0
fields with newline	0
duplicate physical lines	0
duplicate physical line rows	0

P-16 · INTAKES.CSV

intake_id

2,917	0	2,917	2,917	1	0
rows	empty	distinct raw	distinct folded	distinct shapes	edge whitespace rows

SHAPES (1 DISTINCT)

shape	rows	examples
AAA-9999	2,917 100.0%	INT-9521 INT-7681 INT-8940

FACTS

duplicate groups	0
duplicate rows	0

P-17 · INTAKES.CSV

legacy_patient_id

2,917	0	2,040	2,040	2,035	0
rows	empty	distinct raw	distinct folded	distinct shapes	edge whitespace rows

SHAPES (2,035 DISTINCT)

shape	rows	examples
aaaaA9AaAAaAAaaAa	4 0.1%	recgW0TaGGmX0suLh rec1V7AwDYaS0feRl
aaa999AaA9AaA99aA	3 0.1%	rec501RqG50mE49jF
aaa99AaAAAAaaaaAA	3 0.1%	rec23HqIKUJhkiwGH
aaa99aaAAaaA9a99a	3 0.1%	rec86zuYIqbK6m56n
aaa99aaAaaaaAAaaA	3 0.1%	rec12mzFgqnnNCbgR
aaa9A9AA9aaaAaa99	3 0.1%	rec8B6FY5xrnJvo47
aaa9A9aAaAaAaaaaA	3 0.1%	rec8Z8hSbVyDwxxaP
aaa9AA9aAa9aAa9a9	3 0.1%	rec6GH7wJn9tZw4c9
aaa9AAAAaaAA9a9a9	3 0.1%	rec2FHQxwqGS6z4w0
aaa9AAaaAAaa9AaAA	3 0.1%	rec7RUfpYLcu4VaYK
aaa9Aa99aaAaaA9aa	3 0.1%	rec0Me66uzApvI6si
aaa9AaAAaaaaa9a9A	3 0.1%	rec9BzSJmrgbc5j6T
aaa9AaAaAAAAaAAaA	3 0.1%	rec4TbMgNHFZwXTbT
aaa9AaaAaAA9AAAAa	3 0.1%	rec8MvqKmYg9CDYnv
aaa9Aaaaaa9AAA9AA	3 0.1%	rec0Rqmcdo2XYS8AJ
aaa9a99aAA9a99aAA	3 0.1%	rec6y77rTX3i98gSZ
aaa9a9AAAAaaAaaaA	3 0.1%	rec8g2QUvhgbGvmlU
aaa9a9aaAaAaa9aAA	3 0.1%	rec8z5ggXtBee2zMM
aaa9aA99aAaaA9Aa9	3 0.1%	rec1nX79qUlKk3Yj3
aaa9aAAAAaAAAAAAA	3 0.1%	rec6rSYyqGjIAXHIM

shape	rows	examples
aaa9aAAaAaaA9aAaA	3 0.1%	rec4sVImRxqT1cGaK
aaa9aAaAaA9AAAAa9	3 0.1%	rec0hEyByX5DMU1T1
aaa9aa99AaaaaA9AA	3 0.1%	rec9sb690cearJ2JL
aaa9aa9AAaAaAaaAA	3 0.1%	rec7ia7TXqIjSqcV0
aaa9aaAAA9aA99AAa	3 0.1%	rec1nqNQR8l067VZs
aaa9aaAAaa9aa9AA	3 0.1%	rec5kvZBqnq4ve6XU
aaa9aaaaaA9AAa9aa	3 0.1%	rec1mccefB8YHx0vg
aaaA99Aaa9aAAAAaa	3 0.1%	recZ15Dit3bGIPkwf
aaaA99aAA9AaA9aaa	3 0.1%	recD93hAR6QhL2jwc
aaaA99aAAAA99aaA9	3 0.1%	rech83vIKES20haR5
aaaA9AA9Aaaa9a9Aa	3 0.1%	recQ2KX7Puzj1r4Xv
aaaA9AA9aaaaAaaAA	3 0.1%	recP1KU6gffhLnnYD
aaaA9AAAAAAa9a99A	3 0.1%	recA3KBJSCMn5l52A
aaaA9a9aA9a9a9AA9	3 0.1%	recC9a3oA8y8v7SV9
aaaA9aA9aAaAAaAA	3 0.1%	recX3yX4hFbLUMqSP
aaaAA9A9AAaAaAaA	3 0.1%	recNN8Z9PYoAiy0qN
aaaAA9AAa9a9A9a9	3 0.1%	recDA7WQl1z5C1gZ0
aaaAA9AaAaAAAAa9a	3 0.1%	recTW4ZkXcDP0nm8n
aaaAA9Aaa99a9AaAa	3 0.1%	recSV8Vhy08x8MmJi
aaaAAAA9A99AAA99a	3 0.1%	recUPTQ4N10JXQ60g

LENGTH AND CHARACTER CLASS

key	count	examples
17 lower+upper+digit	2,638	recZtNxtTROiwcw0C, rec0d74yH8DSGbzb6B, recQ22v1HJULHLL0j
17 lower+upper	276	rechkTaUKnGWDdXZv, recEmaYNknuFILUfT, recNVhxHOCqeLkmHc
17 lower+digit	3	rech80qisbw8yubit

ORPHAN IDS

rec42aB4jPeZeIUAr, rec4z51BCERifjQLj, rec5SHt0bTTDTXnIM, recCkJJx2vtu7o7e1, recHu0w8fdp8qXzo5, recJWcy1M8nl3S4NB, recKCbnHhaeje9jpD, recLW3bcDo3m0Fb12, recM5Vle3f9baxL4f, recNNQctoYvFBXXUn, recNb7worIjflNc9M, recQ5jfg9K1ZHyjgl, recSC5vggYnmLxWw7, recShiSNSJgsrkQj6, recZSNSoo9FI10AhJ, reccXw7xuGLE0LLnN, recgNqCuHSzUqeUuB, recqA7Udkrx0g5ec9, recr89nhAKrVHIXHB, rectEnIGoBL2Hi4yU, recy3HaIlq80CGTxn

FACTS

resolved rows	2,896
orphan rows	21
orphan distinct ids	21
orphan ids in consents	none

P-18 · INTAKES.CSV

submitted_at

2,917 0 1,433 1,433 3 0

rows empty distinct raw distinct folded distinct shapes edge whitespace rows

SHAPES AND HOW EACH VALUE COULD BE READ

shape		rows	day-first	month-first	ambiguous	invalid	examples	
9999-99-99		2,504	85.8%	0	1,563	941	0	2024-06-01 2025-05-11 2022-12-31
99-99-9999		234	8.0%	136	0	98	0	05-06-2023 18-09-2023 18-03-2024
99/99/9999		179	6.1%	0	105	74	0	10/16/2022 04/24/2024 02/23/2023

DAYS BETWEEN SUBMITTED_AT AND SIGNUP_DATE WHERE NEGATIVE UNDER SOME ORDERING

band	rows
< -365	0
-365 .. -180	9
-180 .. -90	36
-90 .. -30	48
-30 .. -7	23
-7 .. 0	6
>= 0	0

FACTS

two digit years	0
values with multiple candidate dates	1,033
non empty values with no candidate date	0
future under some ordering	0
future under every ordering	0
future under some ordering vs bulk reference	3
future under every ordering vs bulk reference	3
before signup under some ordering	297
before signup under every ordering	0
negative gap stats	n 122, min -232, p5 -195, median -66, p95 -8, max -2

P-19 · INTAKES.CSV

questionnaire_version

2,917 410 5 5 3 0
rows empty distinct raw distinct folded distinct shapes edge whitespace rows

EVERY RAW VALUE (5 DISTINCT)

raw value	rows	folded (when different)
v1	862	29.6%
v2	841	28.8%
(empty)	410	14.1%

raw value	rows	folded (when different)
v3	410 14.1%	
2.0	394 13.5%	

P-20 · INTAKES.CSV

weight

2,917	0	896	896	3	0
rows	empty	distinct raw	distinct folded	distinct shapes	edge whitespace rows

SHAPES (3 DISTINCT)

shape	rows	examples
999.9	1,685 57.8%	136.7 119.6 129.8
99.9	1,226 42.0%	83.6 95.9 64.4
9.9	6 0.2%	8.1 9.1 5.8

NUMERIC BANDS

band	count
< 35	6
35 .. 60	2
60 .. 100	1,224
100 .. 150	1,591
150 .. 200	94
200 .. 300	0
>= 300	0

INTAKE VALUE DIVIDED BY PATIENT-ROW VALUE

band	rows
< 0.4	31
0.4 .. 0.5	26
0.5 .. 0.9	33
0.9 .. 1.1	2,684
1.1 .. 2	2
2 .. 2.4	0
>= 2.4	0

SEPARATORS SEEN

separator	count
.	2,917

FACTS

numeric	n 2,917, min 5.70, p5 72, median 103.70, p95 146.20, max 167.10
non numeric values	none
comparable rows	2,776

height

2,917

0

51

51

2

0

rows

empty

distinct raw

distinct folded

distinct shapes

edge whitespace rows

EVERY RAW VALUE (51 DISTINCT)

raw value	rows	folded (when different)
163	88	3.0%
153	85	2.9%
198	78	2.7%
157	75	2.6%
194	74	2.5%
184	72	2.5%
189	72	2.5%
162	71	2.4%
186	71	2.4%
179	70	2.4%
191	70	2.4%
188	69	2.4%
174	68	2.3%
152	66	2.3%
166	66	2.3%
167	65	2.2%
178	65	2.2%
187	65	2.2%
181	64	2.2%
193	64	2.2%
173	63	2.2%
197	63	2.2%
172	62	2.1%
177	62	2.1%
182	62	2.1%
164	61	2.1%
169	61	2.1%
171	61	2.1%
155	59	2.0%
161	59	2.0%
176	59	2.0%
160	58	2.0%
185	58	2.0%
190	55	1.9%
170	54	1.9%
183	54	1.9%

raw value	rows	folded (when different)
196	54 1.9%	
156	53 1.8%	
192	53 1.8%	
159	52 1.8%	

SHAPES (2 DISTINCT)

shape	rows	examples
999	2,912 99.8%	162 191 168
99	5 0.2%	15 45 51

NUMERIC BANDS

band	count
< 3	0
3 .. 100	5
100 .. 140	0
140 .. 220	2,911
>= 220	1

INTAKE VALUE DIVIDED BY PATIENT-ROW VALUE

band	rows
< 0.4	0
0.4 .. 0.5	0
0.5 .. 0.9	0
0.9 .. 1.1	2,896
1.1 .. 2	0
2 .. 2.4	0
>= 2.4	0

SEPARATORS SEEN

separator	count
none (integer)	2,917

FACTS

numeric	n 2,917, min 15, p5 153, median 175, p95 196, max 300
non numeric values	none
comparable rows	2,896

P-22 · INTAKES.CSV

meds_current

2,917	144	30	30	27	0
rows	empty	distinct raw	distinct folded	distinct shapes	edge whitespace rows

EVERY RAW VALUE (30 DISTINCT)

raw value	rows	folded (when different)
multivitamine	178 6.1%	
cetirizine	175 6.0%	
geen	175 6.0%	
levothyroxine 50mcg	174 6.0%	
-	171 5.9%	
omeprazol	170 5.8%	
ibuprofen soms	167 5.7%	
geen medicatie	165 5.7%	
amlodipine 5mg	162 5.6%	
metformine 500mg	160 5.5%	
n.v.t.	160 5.5%	
simvastatine 20 mg	153 5.2%	
paracetamol zo nodig	149 5.1%	
vitamine D	147 5.0%	vitamine d
(empty)	144 4.9%	
de pil	144 4.9%	
none	144 4.9%	
sertraline 50mg	137 4.7%	
semaglutide	7 0.2%	
Ozempic 0,5 mg	5 0.2%	ozempic 0,5 mg
Semaglutide 0.25	4 0.1%	semaglutide 0.25
Wegovy 1,7mg	4 0.1%	wegovy 1,7mg
ozempic (via huisarts)	4 0.1%	
ozempic 1mg wekelijks	4 0.1%	
rybelsus 7 mg	4 0.1%	
tirzepatide	3 0.1%	
Mounjaro 5mg	2 0.1%	mounjaro 5mg
Saxenda dagelijks	2 0.1%	saxenda dagelijks
wegovy	2 0.1%	
liraglutide	1 0.0%	

SEPARATORS SEEN

separator	rows
,	9

VALUES THAT READ AS "NONE"

folded	count
geen	175
-	171
geen medicatie	165
n.v.t.	160
none	144

FOLDED VALUES

folded	count
multivitamine	178
cetirizine	175
geen	175
levothyroxine 50mcg	174
-	171
omeprazol	170
ibuprofen soms	167
geen medicatie	165
amlodipine 5mg	162
metformine 500mg	160
n.v.t.	160
simvastatine 20 mg	153
paracetamol zo nodig	149
vitamine d	147
(empty)	144
de pil	144
none	144
sertraline 50mg	137
semaglutide	7
ozempic 0,5 mg	5
ozempic (via huisarts)	4
ozempic 1mg wekelijks	4
rybelsus 7 mg	4
semaglutide 0.25	4
wegovy 1,7mg	4
tirzepatide	3
mounjaro 5mg	2
saxenda dagelijks	2
wegovy	2
liraglutide	1

TERM PROBES (CASE-INSENSITIVE SUBSTRING)

term	patterns	rows	distinct folded values
semaglutide	semaglutide	11	2
ozempic	ozempic	13	3
wegovy	wegovy	6	2
rybelsus	rybelsus	4	1
liraglutide	liraglutide	1	1
saxenda	saxenda	2	1
victoza	victoza	0	0
tirzepatide	tirzepatide	3	1
mounjaro	mounjaro	2	1

term	patterns	rows	distinct folded values
zepbound	zepbound	0	0
dulaglutide	dulaglutide	0	0
trulicity	trulicity	0	0
exenatide	exenatide	0	0
byetta	byetta	0	0
bydureon	bydureon	0	0
lixisenatide	lixisenatide	0	0
metformin / metformine	metformin	160	1

OTHER TOKENS NEAR THE TERM LIST

token	count	covered by term
`ozempic`	13	yes
`semaglutide`	11	yes
`tirzepatide`	3	yes
`liraglutide`	1	yes

FACTS

empty rows 144

P-23 · INTAKES.CSV

conditions

2,917

rows

187

empty

20

distinct raw

20

distinct folded

18

distinct shapes

0

edge whitespace rows

EVERY RAW VALUE (20 DISTINCT)

raw value	rows	folded (when different)
reflux	195 6.7%	
hoge bloeddruk; slaapapneu	193 6.6%	
hoog cholesterol	190 6.5%	
(empty)	187 6.4%	
hypertensie	185 6.3%	
none	185 6.3%	
hoge bloeddruk	184 6.3%	
PCOS	183 6.3%	pcos
depressie	183 6.3%	
astma	179 6.1%	
diabetes type 2	178 6.1%	
artrose knie	177 6.1%	
slaapapneu	177 6.1%	
prediabetes	173 5.9%	
hypothyreoidie	170 5.8%	
geen	163 5.6%	

raw value	rows	folded (when different)
alvleesklierontsteking	6	0.2%
schildklierkanker (2019)	5	0.2%
medullair schildkliercarcinoom familie	2	0.1%
pancreatitis 2022	2	0.1%

SEPARATORS SEEN

separator	rows
;	193

VALUES THAT READ AS "NONE"

folded	count
none	185
geen	163

FOLDED VALUES

folded	count
reflux	195
hoge bloeddruk; slaapapneu	193
hoog cholesterol	190
<i>(empty)</i>	187
hypertensie	185
none	185
hoge bloeddruk	184
depressie	183
pcos	183
astma	179
diabetes type 2	178
artrose knie	177
slaapapneu	177
prediabetes	173
hypothyreoidie	170
geen	163
alvleesklierontsteking	6
schildklierkanker (2019)	5
medullair schildkliercarcinoom familie	2
pancreatitis 2022	2

TERM PROBES (CASE-INSENSITIVE SUBSTRING)

term	patterns	rows	distinct folded values
thyroid	thyroid	0	0
schildklier	schildklier	7	2
pancrea	pancrea	2	1
alvleesklier	alvleesklier	6	1
diabetes	diabetes	351	2

term	patterns	rows	distinct folded values
suikerziekte	suikerziekte	0	0
hypertens	hypertens	185	1
hoge bloeddruk	hoge bloeddruk	377	2
bloeddruk	bloeddruk	377	2
apnea / apnoe / slaapapneu	apnea, apnoe, slaapapneu	370	2
cholesterol	cholesterol	190	1
pcos	pcos	183	1
lever / nafld	lever, nafld	0	0
reflux	reflux	195	1
artrose / osteoarth	artrose, osteoarth	177	1
depress	depress	183	1

OTHER TOKENS NEAR THE TERM LIST

token	count	covered by term
`bloeddruk`	377	yes
`slaapapneu`	370	yes
`diabetes`	178	yes
`prediabetes`	173	yes
`schildklierkanker`	5	yes
`schildkliercarcinoom`	2	yes

FACTS

empty rows 187

P-24 · INTAKES.CSV

alcohol_units_week

2,917

290

9

9

4

0

rows

empty

distinct raw

distinct folded

distinct shapes

edge whitespace rows

EVERY RAW VALUE (9 DISTINCT)

raw value	rows	folded (when different)
0	870 29.8%	
10	311 10.7%	
2	306 10.5%	
6	303 10.4%	
(empty)	290 9.9%	
1	284 9.7%	
4	276 9.5%	
n.v.t.	272 9.3%	
5	5 0.2%	

NUMERIC BANDS

band	count
< 1	870
1 .. 8	1,174
8 .. 15	311
15 .. 22	0
22 .. 50	0
>= 50	0

SEPARATORS SEEN

separator	count
none (integer)	2,355
(empty)	290
(not numeric)	272

NON-NUMERIC VALUES

raw	count
n.v.t.	272

FACTS

numeric n 2,355, min 0, p5 0, median 2, p95 10, max 10

P-25 · INTAKES.CSV

outcome

2,917	0	13	10	10	385
rows	empty	distinct raw	distinct folded	distinct shapes	edge whitespace rows

EVERY RAW VALUE (13 DISTINCT)

raw value	rows	folded (when different)
OK	441 15.1%	ok
goedgekeurd	420 14.4%	
Approved	411 14.1%	approved
approved	411 14.1%	
approved👉	385 13.2%	approved
rejected	147 5.0%	
afgewezen	131 4.5%	
Rejected	125 4.3%	rejected
declined	114 3.9%	
open	93 3.2%	
wacht op arts	83 2.8%	
pending	82 2.8%	
in review	74 2.5%	

SPELLINGS THAT FOLDING WOULD MERGE

folded	raw spellings	rows
approved	[object Object], [object Object], [object Object]	1,207
rejected	[object Object], [object Object]	272

P-26 · INTAKES.CSV

reviewer_note

2,917	1,249	5	5	5	0
rows	empty	distinct raw	distinct folded	distinct shapes	edge whitespace rows

EVERY RAW VALUE (5 DISTINCT)

raw value	rows	folded (when different)
(empty)	1,249 42.8%	
besproken met arts	435 14.9%	
twijfel, toch akkoord	421 14.4%	
zie dossier	414 14.2%	
ok	398 13.6%	

NOTE BY OUTCOME (ROWS)

note \ outcome	approved	goedgekeurd	ok	rejected	afgewezen	declined	open	wacht op arts
(empty)	518	188	181	112	63	51	43	34
twijfel, toch akkoord	182	58	59	37	20	16	.	.
besproken met arts	178	55	73	51	15	15	.	.
ok	173	64	56	32	18	13	13	.
zie dossier	156	55	72	40	15	19	16	16

FACTS

notes on empty outcome 0

P-27 · INTAKES.CSV

duplicates

INTAKES PER PATIENT

intakes	patient ids
1	1,311
2	581
3	148

FACTS

repeated patient submitted pairs	4
repeated patient submitted rows	8
identical apart from intake id groups	0
identical apart from intake id rows	0

whole-row

FIELDS PER ROW

	fields	rows
	11	2,917

FACTS

header fields	11
ragged rows	0
fields with newline	0
duplicate physical lines	0

structure

KEY SETS

keys	lines
action, at, patient_legacy_id, type, version	2,643

FACTS

physical lines	2,643
blank lines	none
invalid lines	none
events	2,643
duplicate line groups	0
duplicate line rows	0

type-action-version

FACTS

types	data_processing 2,643
actions	granted 2,367 · revoked 276
versions	v2 1,507 · v1 1,136

at

SHAPES (1 DISTINCT)

shape	rows	examples
9999-99-99A99:99:99	2,643 0.0%	2024-05-06T07:37:00 2022-06-15T11:31:00 2024-10-22T16:06:00

FACTS

with timezone suffix	0
----------------------	---

with seconds	2,643
date only	0
earliest	2022-03-03T20:50:00
latest	2062-04-11T09:27:00
events after csv latest date	0
events after bulk reference	3
events before2023	477
patients with no event from2023	432

P-32 · CONSENTS.JSONL

patient_legacy_id

EVENTS PER PATIENT

events	patient ids
1	2,091
2	276

FACTS

resolved events	2,643
unresolved events	0
unresolved ids	none
distinct patient ids	2,367
patients without events	99

P-33 · CONSENTS.JSONL

sequences

EVENT PATTERNS PER PATIENT (TIMESTAMP ORDER)

pattern	patients
single granted	2,091
granted then revoked	269
revoked then granted	7

PATIENTS WHOSE LAST STATE DIFFERS BY ORDERING (FIRST 40)

patient id	by at order	by file order
rec0v9qmTpflDR67A	revoked	granted
rec12wnglBK655XDb	revoked	granted
rec1nX79qUlkK3Yj3	revoked	granted
rec2sdGKWVk87Hdc3	revoked	granted
rec2zT91TtUBYjFke	revoked	granted
rec32h0ATm2TF1nTw	revoked	granted
rec3RMS8whQ3v3MEL	revoked	granted
rec3kACeZeXxLa2R9	revoked	granted
rec4Fqw3woAaID3uv	revoked	granted
rec4gouzs4M2dBA2b	revoked	granted

patient id	by at order	by file order
rec52WXZT9hbICWB7	revoked	granted
rec5AKC6xy9f698nm	revoked	granted
rec5PKd0E9aNqgUjo	revoked	granted
rec5wzTD4bNGIhH0F	revoked	granted
rec66v5Vz1PWgAUQJ	revoked	granted
rec7JMbu3fgRR1Ez	revoked	granted
rec7JMnuba0WJ7Fay	revoked	granted
rec8yRF7t1aI5rexi	revoked	granted
rec9APKzw0UXy5XnL	revoked	granted
rec9dt0WxcHme7mKN	revoked	granted
rec9flf8ZLspYbKzT	revoked	granted
rec9jTTC9tW0NX0Jt	revoked	granted
recAeApEtGG3IDTEk	granted	revoked
recB42VDgEpuz3mF6	revoked	granted
recBFwKnbmYn4Itew	revoked	granted
recCgdbBAIEJcCkQN	revoked	granted
recCsCuQHjrRYUKzb	revoked	granted
recCtyIPTLjBZ5uEA	revoked	granted
recDA7WQl1z5C1gZ0	revoked	granted
recDE1tiy6atcQ075	revoked	granted
recEFz51i05Gq0BVb	revoked	granted
recEmaYNknuFILUfT	revoked	granted
recF7n51IjTwTKNTW	revoked	granted
recGdvd17CaRN5A7q	revoked	granted
recGjFYWkd4JeqZvd	revoked	granted
recHN7yJPGP8Z7Avm	revoked	granted
recHyySZz4IAUqYua	revoked	granted
recIJ0tZDyXfz6zQC	revoked	granted
recILn39nhCK0r10t	revoked	granted
recIVtyquVzQUxwbR	revoked	granted

FACTS

patients with file order different from at order	131
patients with repeated identical action	0
patients starting with revoked	7
patients with more than two events	0
last state by at order	granted 2,098 · revoked 269
last state by file order	granted 2,221 · revoked 146
patients with no events	99

CROSS-FILE

Duplicate-patient candidates

GROUPINGS

id	key	groups	rows involved	largest group	groups span
a	email, case-insensitive	44	91	4	
b	folded full_name + raw dob string	18	36	2	
c	folded full_name + a dob candidate date in common	31	62	2	
d	bsn	30	60	2	
e	phone, digits only	61	122	2	
f	folded full_name only	618	1,470	6	

OVERLAP WITH THE EMAIL GROUPING

grouping	rows in both	rows only in this grouping	rows only in email grouping	rows in neither	groups
c	56	6	35	2,369	
e	80	42	11	2,333	

CROSS-FILE

Date ranges per column

column	earliest	latest	bulk latest	isolated tail rows
patients.csv.signup_date	2022-01-04	2062-07-04	2026-06-20	3
intakes.csv.submitted_at	2022-02-06	2062-04-01	2026-06-30	3
consents.jsonl.at	2022-01-04	2062-11-04	2028-04-11	3
patients.csv.dob (excluded from the reference)	1958-01-02	2077-08-02	2009-03-20	5

CROSS-FILE

Value sets that change with source or year

PATIENTS.CSV.WEIGHT (SHAPE) BY PATIENTS.CSV.SOURCE

group	distinct	top values
campaign_expatriat_2023	4	999.9 x232, 99.9 x168, (empty) x13, 9.9 x2
import	4	999.9 x223, 99.9 x176, (empty) x17, 9.9 x1
referral	4	999.9 x223, 99.9 x148, (empty) x16, 9.9 x2
typeform	3	999.9 x473, 99.9 x338, (empty) x34

group	distinct	top values
website	3	999.9 x216, 99.9 x159, (empty) x25

PATIENTS.CSV.DOB (SHAPE) BY SIGNUP YEAR

group	distinct	top values
2022	3	9999-99-99 x245, 99/99/9999 x129, 99-99-9999 x119
2023	3	9999-99-99 x315, 99-99-9999 x145, 99/99/9999 x130
2024	3	9999-99-99 x438, 99-99-9999 x64, 99/99/9999 x45
2025	2	9999-99-99 x559, 99/99/9999 x4
2026	2	9999-99-99 x268, 99/99/9999 x2
2062	1	9999-99-99 x3

PATIENTS.CSV.SIGNUP_DATE (SHAPE) BY SIGNUP YEAR

group	distinct	top values
2022	3	9999-99-99 x261, 99-99-9999 x138, 99/99/9999 x94
2023	3	9999-99-99 x303, 99-99-9999 x146, 99/99/9999 x141
2024	3	9999-99-99 x419, 99-99-9999 x76, 99/99/9999 x52
2025	1	9999-99-99 x563
2026	1	9999-99-99 x270
2062	1	9999-99-99 x3

PATIENTS.CSV.PHONE (SHAPE) BY SIGNUP YEAR

group	distinct	top values
2022	4	+999999999999 x229, 99-99999999 x141, 9999999999 x96, (empty) x27
2023	4	+999999999999 x236, 99-99999999 x191, 9999999999 x127, (empty) x36
2024	4	+999999999999 x233, 99-99999999 x171, 9999999999 x113, (empty) x30
2025	4	+999999999999 x250, 99-99999999 x170, 9999999999 x105, (empty) x38
2026	4	+999999999999 x116, 99-99999999 x88, 9999999999 x54, (empty) x12
2062	2	99-99999999 x2, 9999999999 x1

PATIENTS.CSV.WEIGHT (SHAPE) BY SIGNUP YEAR

group	distinct	top values
2022	4	999.9 x278, 99.9 x190, (empty) x24, 9.9 x1
2023	4	999.9 x320, 99.9 x241, (empty) x27, 9.9 x2
2024	4	999.9 x300, 99.9 x223, (empty) x23, 9.9 x1
2025	3	999.9 x313, 99.9 x230, (empty) x20
2026	4	999.9 x156, 99.9 x103, (empty) x10, 9.9 x1
2062	2	99.9 x2, (empty) x1

PATIENTS.CSV.SEX (FOLDED VALUE) BY SIGNUP YEAR

group	distinct	top values
2022	7	male x116, m x105, f x89, female x70, vrouw x40, man x37
2023	7	m x118, female x115, male x106, f x92, man x56, v x52
2024	7	male x133, m x103, f x93, female x93, man x48, vrouw x41
2025	7	m x105, male x105, f x101, female x93, vrouw x59, man x54

group	distinct	top values
2026	7	m x60, female x52, male x44, f x40, man x28, v x25
2062	3	f x1, female x1, m x1

PATIENTS.CSV.STATUS (FOLDED VALUE) BY SIGNUP YEAR

group	distinct	top values
2022	11	active x181, actief x102, churned x64, opgezegd x30, paused x28, cancelled x22
2023	11	active x191, actief x134, churned x75, opgezegd x40, cancelled x39, paused x26
2024	11	active x183, actief x122, churned x74, cancelled x36, paused x34, opgezegd x32
2025	11	active x191, actief x115, churned x78, cancelled x49, opgezegd x36, paused x28
2026	11	actief x74, active x70, churned x30, cancelled x24, opgezegd x20, paused x13
2062	3	actief x1, churned x1, gepauzeerd x1

PATIENTS.CSV.CITY (FOLDED VALUE) BY SIGNUP YEAR

group	distinct	top values
2022	20	zwolle x38, rotterdam x33, utrecht x30, leiden x29, den haag x26, haarlem x26
2023	20	maastricht x41, delft x39, haarlem x37, rotterdam x35, utrecht x34, groningen x32
2024	20	zwolle x39, den haag x37, amersfoort x33, amsterdam x33, breda x32, delft x29
2025	20	almere x41, zwolle x37, haarlem x33, zaandam x33, tilburg x32, amersfoort x30
2026	20	almere x19, zaandam x19, arnhem x18, leiden x17, eindhoven x16, dordrecht x14
2062	3	apeldoorn x1, breda x1, maastricht x1

PATIENTS.CSV.WEIGHT_UNIT (FOLDED VALUE) BY SIGNUP YEAR

group	distinct	top values
2022	3	kg x479, lbs x9, (empty) x5
2023	3	kg x573, lbs x13, (empty) x4
2024	3	kg x531, lbs x11, (empty) x5
2025	3	kg x543, lbs x19, (empty) x1
2026	3	kg x264, (empty) x3, lbs x3
2062	1	kg x3

INTAKES.CSV.WEIGHT (SHAPE) BY INTAKES.CSV.QUESTIONNAIRE_VERSION

group	distinct	top values
(empty)	3	999.9 x247, 99.9 x161, 9.9 x2
2.0	2	999.9 x234, 99.9 x160
v1	3	999.9 x468, 99.9 x392, 9.9 x2
v2	3	999.9 x495, 99.9 x345, 9.9 x1
v3	3	999.9 x241, 99.9 x168, 9.9 x1

INTAKES.CSV.HEIGHT (SHAPE) BY INTAKES.CSV.QUESTIONNAIRE_VERSION

group	distinct	top values
(empty)	1	999 x410
2.0	2	999 x393, 99 x1
v1	2	999 x861, 99 x1
v2	2	999 x838, 99 x3

group	distinct	top values
v3	1	999 x410

INTAKES.CSV.ALCOHOL_UNITS_WEEK (FOLDED VALUE) BY INTAKES.CSV.QUESTIONNAIRE_VERSION

group	distinct	top values
(empty)	8	0 x122, 10 x51, 6 x45, 2 x44, (empty) x43, 1 x37
2.0	8	0 x126, 1 x42, 10 x41, 4 x41, 2 x40, 6 x38
v1	9	0 x244, 6 x94, (empty) x93, 2 x93, 4 x87, 10 x86
v2	9	0 x270, 10 x88, 4 x86, 2 x84, 1 x82, n.v.t. x81
v3	8	0 x108, 6 x54, n.v.t. x46, 10 x45, 2 x45, (empty) x42

INTAKES.CSV.MEDS_CURRENT (FOLDED VALUE) BY INTAKES.CSV.QUESTIONNAIRE_VERSION

group	distinct	top values
(empty)	21	cetirizine x30, levothyroxine 50mcg x30, multivitamine x26, metformine 500mg x25, geen x24, geen medicatie x24
2.0	20	levothyroxine 50mcg x28, none x26, geen x24, geen medicatie x24, n.v.t. x24, cetirizine x23
v1	27	omeprazol x59, amlodipine 5mg x58, (empty) x56, metformine 500mg x54, geen x53, geen medicatie x52
v2	26	- x61, multivitamine x57, geen x52, simvastatine 20 mg x50, ibuprofen soms x48, metformine 500mg x48
v3	26	- x34, levothyroxine 50mcg x30, cetirizine x29, ibuprofen soms x28, multivitamine x27, vitamine d x26

INTAKES.CSV.SUBMITTED_AT (SHAPE) BY SUBMITTED YEAR

group	distinct	top values
2022	3	9999-99-99 x97, 99-99-9999 x38, 99/99/9999 x27
2023	3	9999-99-99 x306, 99-99-9999 x133, 99/99/9999 x104
2024	3	9999-99-99 x591, 99-99-9999 x63, 99/99/9999 x48
2025	1	9999-99-99 x780
2026	1	9999-99-99 x727
2062	1	9999-99-99 x3

INTAKES.CSV.WEIGHT (SHAPE) BY SUBMITTED YEAR

group	distinct	top values
2022	2	999.9 x89, 99.9 x73
2023	3	999.9 x323, 99.9 x218, 9.9 x2
2024	3	999.9 x396, 99.9 x304, 9.9 x2
2025	3	999.9 x458, 99.9 x321, 9.9 x1
2026	3	999.9 x419, 99.9 x307, 9.9 x1
2062	1	99.9 x3

INTAKES.CSV.HEIGHT (SHAPE) BY SUBMITTED YEAR

group	distinct	top values
2022	1	999 x162
2023	1	999 x543
2024	2	999 x701, 99 x1

group	distinct	top values
2025	1	999 x780
2026	2	999 x723, 99 x4
2062	1	999 x3

INTAKES.CSV.ALCOHOL_UNITS_WEEK (FOLDED VALUE) BY SUBMITTED YEAR

group	distinct	top values
2022	9	0 x35, 6 x21, n.v.t. x20, (empty) x18, 2 x18, 4 x18
2023	9	0 x156, 10 x70, (empty) x61, 2 x60, 4 x51, 6 x50
2024	9	0 x231, (empty) x74, 1 x71, 2 x70, 4 x70, 6 x65
2025	9	0 x227, 2 x86, 6 x85, 10 x83, 1 x81, (empty) x74
2026	8	0 x220, 6 x82, 10 x80, n.v.t. x78, 2 x71, 1 x70
2062	3	(empty) x1, 0 x1, 2 x1

INTAKES.CSV.OUTCOME (FOLDED VALUE) BY SUBMITTED YEAR

group	distinct	top values
2022	10	approved x70, ok x23, goedgekeurd x21, rejected x16, in review x9, declined x8
2023	10	approved x224, ok x85, goedgekeurd x58, rejected x53, afgewezen x27, declined x25
2024	10	approved x283, ok x114, goedgekeurd x103, rejected x65, afgewezen x31, declined x30
2025	10	approved x330, goedgekeurd x133, ok x107, rejected x69, pending x30, afgewezen x29
2026	10	approved x299, ok x112, goedgekeurd x105, rejected x68, afgewezen x39, declined x28
2062	3	approved x1, in review x1, rejected x1

INTAKES.CSV.REVIEWER_NOTE (FOLDED VALUE) BY SUBMITTED YEAR

group	distinct	top values
2022	5	(empty) x71, zie dossier x28, ok x23, twijfel, toch akkoord x21, besproken met arts x19
2023	5	(empty) x237, besproken met arts x80, twijfel, toch akkoord x79, zie dossier x76, ok x71
2024	5	(empty) x304, twijfel, toch akkoord x108, zie dossier x101, besproken met arts x99, ok x90
2025	5	(empty) x316, besproken met arts x141, twijfel, toch akkoord x113, ok x108, zie dossier x102
2026	5	(empty) x321, zie dossier x107, ok x106, twijfel, toch akkoord x99, besproken met arts x94
2062	2	besproken met arts x2, twijfel, toch akkoord x1

INTAKES.CSV.MEDS_CURRENT (FOLDED VALUE) BY SUBMITTED YEAR

group	distinct	top values
2022	20	levothyroxine 50mcg x15, - x12, sertraline 50mg x12, metformine 500mg x11, none x11, simvastatine 20 mg x11
2023	24	paracetamol zo nodig x40, geen x39, levothyroxine 50mcg x39, metformine 500mg x39, geen medicatie x34, multivitamine x34
2024	21	(empty) x51, ibuprofen soms x44, omeprazol x44, multivitamine x43, cetirizine x42, geen x42
2025	27	omeprazol x55, cetirizine x50, ibuprofen soms x50, multivitamine x50, geen medicatie x48, amlodipine 5mg x47
2026	27	cetirizine x52, - x49, levothyroxine 50mcg x48, none x45, multivitamine x44, geen x43

group	distinct	top values
2062	3	geen medicatie x1, paracetamol zo nodig x1, sertraline 50mg x1

EXPORT-NOTES.MD

Claim by claim

claim	verdict	evidence	what the numbers say
patients.csv: legacy_id is an auto-generated row id, referenced by intakes.csv and consents.jsonl	partly	P-1, P-17, P-32	0 duplicate id values; 21 intake rows and 0 consent events reference an id that is not in patients.csv.
patients.csv: full_name is as typed by the patient or ops	unverifiable	P-2	The export carries no provenance per field. The inventory shows the variation that "as typed" implies.
patients.csv: email is the primary contact and was also used as a login by one automation	partly	P-3	Login use is not visible in the export. 44 case-insensitive duplicate groups and 16 values failing the syntax check mean the column is not a unique identifier as exported.
patients.csv: dob is the date of birth	partly	P-4	921 values read as two different calendar dates depending on the ordering, 0 shapes carry both an unambiguous day-first and an unambiguous month-first value, and the shapes point in opposite directions: `9999-99-99` month-first only (1118 of 1828), `99-99-9999` day-first only (207 of 328), `99/99/9999` month-first only (154 of 310). 5 values read as a date after the second reference date.
patients.csv: sex is whatever the form or the ops person entered at the time	confirmed	P-5	11 raw spellings, 7 after folding, Dutch and English mixed.
patients.csv: bsn is a Dutch citizen service number, never validated	confirmed	P-6	17 of 941 nine-digit values fail the elfproof.
patients.csv: phone format was never enforced	confirmed	P-7	4 distinct shapes.
patients.csv: city is self-reported	unverifiable	P-8	Provenance is not in the export; 0 folded values have more than one raw spelling.
patients.csv: weight / weight_unit is weight at signup, with the unit column added late and backfilled "where obvious"	partly	P-9, P-10	18 rows have no unit and 55 say lbs; 45 rows sit outside a 15..70 BMI window under the kilogram reading but inside it under the pound reading. When the backfill happened is not visible.
patients.csv: height_cm was always intended as centimetres	partly	P-11	0 values below 3, 4 in 3..100, 0 in 100..140 and 1 at 220 or more.
patients.csv: status is roughly active / paused / churned / prospect, spelled many ways	confirmed	P-12	17 raw spellings, 11 after folding, including Dutch words and trailing whitespace.
patients.csv: signup_date is when the row was created	partly	P-13, P-35	0 rows are dated after the latest date seen anywhere else in the export under every plausible ordering, and 3 are after the second reference date.
patients.csv: source is the funnel: typeform, website, campaign tags, import	partly	P-14	Values present but not named in the notes: `referral`.
intakes.csv: intake_id is the form tool submission id	confirmed	P-16	0 id values appear on more than one row.
intakes.csv: legacy_patient_id should reference patients.csv:legacy_id, but the automation occasionally fired before the patient row existed	confirmed	P-17, P-18	21 rows do not resolve; 297 resolvable intakes are dated before their patient's signup_date under at least one ordering and 0 under every ordering.
intakes.csv: submitted_at is the submission date	partly	P-18	The column carries several shapes and 1033 values that read as two different dates.
intakes.csv: questionnaire_version labelling discipline varied	confirmed	P-19	5 distinct raw values including an empty one.

claim	verdict	evidence	what the numbers say
intakes.csv: weight / height are self-reported at submission time and can legitimately differ from patients.csv	partly	P-20, P-21	They do differ, and 26 rows differ by roughly the kilogram/pound factor, which is not a difference "self-reported" explains on its own.
intakes.csv: meds_current is free text, never normalised	confirmed	P-22	30 distinct folded values; 9 rows list several medications separated by a comma and 5 folded values match the empty-like heuristic.
intakes.csv: conditions is free text, Dutch and English mixed	confirmed	P-23	1117 rows match a Dutch term and 923 rows match an English term.
intakes.csv: alcohol_units_week is self-reported units per week	partly	P-24	1 distinct non-empty value is not a number, on 272 rows.
intakes.csv: outcome is approved / rejected / pending, spelled many ways, and is distinct from the patient-level status	confirmed	P-25, P-12	10 distinct folded values plus 0 empty ones; 0 folded values appear in both this column and patients.csv.status.
intakes.csv: reviewer_note is a free-text note by the reviewing doctor, if any	partly	P-26	Only 5 distinct values appear, so the column behaves as a small template set rather than free text, and it carries no reviewer identity.
consents.jsonl: patient_legacy_id references patients.csv:legacy_id	confirmed	P-32	0 events do not resolve; 99 patients have no event.
consents.jsonl: type has only data_processing in this export	confirmed	P-30	Values present: `data_processing`.
consents.jsonl: action is granted or revoked	confirmed	P-30	Values present: `granted`, `revoked`.
consents.jsonl: at is the widget-side event timestamp	partly	P-31	0 of the timestamps carry a timezone suffix, so the offset behind "widget-side" is not recorded.
consents.jsonl: version is the consent-text version the patient saw	unverifiable	P-30	Values present: `v2`, `v1`; the export contains no consent texts to compare against.
Caveat: several automations plus manual ops edits wrote to patients.csv over the years	partly	P-36	No provenance column exists, but format and vocabulary differ measurably by source and by year.
Caveat: consents.jsonl is one JSON object per line, append-only	partly	P-29, P-33	0 lines fail to parse as a JSON object; 131 patients have a file order that differs from their timestamp order, which an append-only log would not produce on its own.
Caveat: consents are believed complete from 2023 onwards; before that nobody is sure	unverifiable	P-31	477 events are dated before 2023-01-01, and 432 patients have no event dated 2023 or later. Completeness cannot be checked from inside the export.
Caveat: the form tool was set to ISO at some point in 2024; before that it depended on the automation, at least one of them US-style	contradicted	P-18, P-13	111 intakes dated 2024 or later still carry a non-ISO shape (and 403 intakes before 2024 are already ISO); for signup_date the figures are 128 and 564. Non-ISO shapes appear in every year.
Caveat: weights are probably kilograms, an early expat campaign briefly offered pounds, and the unit column was backfilled "where obvious"	partly	P-9, P-10, P-20	55 rows carry `lbs` and 18 carry no unit; 45 rows read plausibly only as pounds, and 26 intake/patient weight ratios sit near the 2.20462 factor.
Caveat: status values were typed by different automations and different humans over time	confirmed	P-12, P-36	17 raw spellings, and the vocabulary differs by source and by year.
Caveat: BSNs were collected for a period, then the field was hidden from the form, and were never validated	contradicted	P-6	Non-empty bsn values appear in signup years 2022, 2023, 2024, 2025, 2026, 2062 out of 2022, 2023, 2024, 2025, 2026, 2062, so the collection window is not visible as a clean cut; 17 of 941 nine-digit values fail the elfproof.
Caveat (ops): "some people definitely signed up twice with different emails to retry the intake"	confirmed	P-34	31 name-plus-dob groups exist, 3 of them span more than one folded email.

Not warned about

- 44 email addresses appear on more than one row once case is folded, and 547 local-parts appear on more than one domain. P-3
- 103 rows give an age at signup below 18 and 1 above 100. P-4
- 30 bsn values are shared by more than one row, which is an identity collision rather than a formatting problem. P-6, P-34
- 61 phone numbers are shared by more than one row when compared on digits only. P-7, P-34
- 72 full_name values carry leading or trailing whitespace, which splits 20 name groups that folding would join; 0 names contain a digit and 0 are ALL CAPS. P-2
- The reviewer_note "twijfel, toch akkoord" (doubt, agreed anyway) appears on 421 intakes, of which 73 have a rejecting outcome and 49 an outcome that is neither an approval nor a rejection. P-26
- 4 (legacy_patient_id, submitted_at) pairs repeat and 0 row groups are identical in every field except intake_id. P-27
- 7 patients have a revoke with no prior grant in the log. P-33
- 131 patients get a different derived consent state depending on whether the log is read in timestamp order or in file order, and 131 patients have events written out of timestamp order. P-33
- 99 patients have no consent event at all, which is not the same as a revoked consent. P-32
- alcohol_units_week mixes numbers with 1 non-numeric spelling on 272 rows, next to 290 empty values, so "no alcohol" and "not answered" are not distinguishable by type alone. P-24
- 21 intake rows reference a patient id that patients.csv does not contain (21 distinct ids, of which 0 also appear in consents.jsonl), and the notes mention only that the automation could fire early, not that the rows would stay unresolved in the export. P-17
- 14 rows carry a date that sits after a gap of more than a year from every other date in its column, so the single latest date in the export is an outlier rather than a boundary. P-35
- 5 dob values read as a date after the second reference date under some ordering, 5 under every ordering. P-4, P-35
- Whether an intake predates its patient row is itself undecided: 297 intakes are earlier than signup_date under at least one date ordering, while 0 are earlier under every ordering. P-18
- 26 intake weights are between 0.4 and 0.5 times the patient-row weight and 31 are below 0.4 times it, so the disagreement between the two columns is not only the self-reporting the notes describe. P-20, P-9
- The 18 rows with no weight_unit all carry a weight, and their median sits far from the median of the kg rows, so "backfilled where obvious" left a group that reads as neither. P-9, P-10
- 5 patient weights are below 35 and 9 are 300 or more, neither of which the kg-or-lbs story explains. P-9
- 30 email values carry leading or trailing whitespace, 10 carry whitespace inside the address and 28 contain uppercase, so the column the notes call a login is not comparable as exported. P-3
- 410 intakes carry no questionnaire_version, so the ruleset that evaluated them is not recorded. P-19
- 251 status values and 385 outcome values carry trailing whitespace, so a plain string comparison splits states that read identically. P-12, P-25