LED Panel Controller

01. Table of Contents	_
02. +12V Input	Sh Fil
03. +12V Telemetry	Sh Fil
04. +3.3V Power Supply	Sh Fil
05. +3.3V Telemetry	Sh Fil
06. +5V Power Supply	Sh
07. +5V Telemetry	Sh
08. PIC32MZ Programming	FTI Sh
09. PIC32MZ Bypass	FTI Sh
10. PIC32MZ Clocking	FTI Sh
11. PIC32MZ	FTI Sh
12. Config Hardstraps	FTI Sh
13. I2C Boost	FTI Sh
14. Time of Flight	Fil Sh
15. USB UART Bridge	FTI Sh
•	FII Sh
16. SD Card Slot	FTI Sh
17. WiFi Module	Fil Sh
18. PGOOD LEDs	Fil

19. Status LEDs

20. Backup RTC

Sheet: +12V Input File: POS12_Input.sch	21. Pus
Sheet: +12V Telemetry	22. Mo
File: POS12_telemetry.sch	
Sheet: +3.3V Power Supply File: P0S3P3_Power_Supply.sch	23. SPI
Sheet: +3.3V Telemetry	
File: POS3P3_Telemetry.sch	24. SPI
Sheet: +5V Power Supply	
File: POS5_Power_Supply.sch	25. SPI
Sheet: +5V Telemetry	26 CDI
File: POS5_Telemetry.sch	26. SPI
Sheet: PIC32MZ Programming	07 CD
File: PIC32MZ_Programming.sch	27. SPI
Sheet: PIC32MZ Bypass	
File: PIC32MZ_Bypass.sch	28. SPI
Sheet: PIC32MZ Clocking	
File: PIC32MZ_Clocking.sch	29. SPI
Sheet: PIC32MZ	
File: PIC32MZ.sch	30. SPI
Sheet: Config Hardstraps	
File: config_hardstraps.sch	31. Pai
Sheet: I2C Boost	
File: 12C_Boost.sch	32. Pai
Sheet: Time of Flight	
	33. Me
File: Time_of_Flight.sch <u>Sheet: USB_U</u> ART_Bridge	
File: USB_UART_Bridge.sch	
Sheet: SD Card Slot	
File: SD_Card_Slot.sch	
Sheet: WiFi Module	
File: WiFi_Module.sch	
Sheet: PGOOD LEDs	
File: PGOOD_LEDs.sch	
Sheet: Status LEDs	
File: Status_LEDs.sch	
Sheet: Backup RTC	

File: Backup_RTC.sch

iet contro	lle i
21. Pushbuttons	Sheet: Pushbuttons
22. 1 3.1154(10115	File: Pushbuttons.sch
22. Mode LEDs	Sheet: Mode LEDs File: Mode_LEDs.sch
	Sheet: SPI Flash 0
23. SPI Flash 0	File: SPI_Flash_0.sch
24. SPI Flash 1	Sheet: SPI Flash 1
24. SFI Flash I	File: SPI_Flash_1.sch
25. SPI Flash 2	Sheet: SPI Flash 2
ZJ. SFI Flasii Z	File: SPI_Flash_2.sch
26. SPI Flash 3	Sheet: SPI Flash 3
Zu. SFI Flasii S	File: SPI_Flash_3.sch
27. SPI Flash 4	Sheet: SPI Flash 4
27. 3FT T(d5) 4	File: SPI_Flash_4.sch
28. SPI Flash 5	Sheet: SPI Flash 5
	File: SPI_Flash_5.sch
29. SPI Flash 6	Sheet: SPI Flash 6
	File: SPI_Flash_6.sch
30. SPI Flash 7	Sheet: SPI Flash 7
	File: SPI_Flash_7.sch
31. Panel Level Shifters	Sheet: Panel Level Shifters
	File: Panel_Level_Shifters.sch Sheet: Panel Connectors
32. Panel Connectors	File: Panel Connectors.sch
	Sheet: Mechanical
33. Mechanical	File: Mechanical.sch

e: SPI_Flash_0.sch		
eet: SPI Flash 1		
e: SPI_Flash_1.sch		
eet: SPI Flash 2		
e: SPI_Flash_2.sch		
eet: SPI Flash 3		
e: SPI_Flash_3.sch		
eet: SPI Flash 4		В
e: SPI_Flash_4.sch		
eet: SPI Flash 5		
<u> </u>		
e: SPI_Flash_5.sch		
eet: SPI Flash 6		
e: SPI_Flash_6.sch		
eet: SPI Flash 7		\vdash
e: SPI_Flash_7.sch		
eet: Panel Level Shifters		
e: Panel_Level_Shifters.sch		
eet: Panel Connectors	TODO:	
e: Panel_Connectors.sch	* Determine actual +12V current draw, reevalua * Determine image size, external flash size	te input prot
eet: Mechanical	* Determine Hage Size, external itasii size * Determine +5V current draw, decide on conver * Determine +3.3V Current Draw, decide on conver	
e: Mechanical.sch	* Remove high frequency PIC32MZ bypass caps	reitei
e. Mediamedasen	* Add PIC32MZ SOSC oscillator * Add +5V_USB capacitance/ESD?	
	* Figure out panel connetors	
	* Figure out panel level shifting * Figure out SPI flash circuit	
	* Figure out screen modes/mode LEDs	
	* Draw SD card sheet * Draw WiFi module sheet	
	* Draw I2C boost sheet with LTC1694	
	 Determine what will be configurable, add hard What will pushbuttons do? 	straps
	* What PIC32MZ SKU will we use? Should be hig	
	* Change PGOOD LEDs sheet to use +3.3V_PGL	gløbal power































































