


	1	2	3	4	5						
A	12V Power Input File: POS12_power_input.kicad_sch 12V Telemetry File: POS12_telemetry.kicad_sch 3.3V Power Supply File: POS3P3_power_supply.kicad_sch 3.3V Telemetry File: POS3P3_telemetry.kicad_sch dsPIC33 Programming File: dspic33_programming.kicad_sch dsPIC33 Power File: dspic33_power.kicad_sch dsPIC33 GPIO File: dspic33_gpio.kicad_sch USB UART Bridge File: usb_uart_bridge.kicad_sch		Platform ETC File: platform_etc.kicad_sch PGOOD LEDs File: pgood_leds.kicad_sch Status LEDs File: status_leds.kicad_sch RCA Signal Conditioning File: rca_signal_conditioning.kicad_sch Speaker Signal Conditioning File: speaker_signal_conditoning.kicad_sch Source Selection, PGAs File: source_selection_pgas.kicad_sch Anti-alias Filtering File: anti_alias_filtering.kicad_sch Audio Voltage References File: audio_voltage_references.kicad_sch LED Panel Buffers File: led_panel_buffers.kicad_sch Pushbuttons File: pushbuttons.kicad_sch Mechanical File: mechanical.kicad_sch LED Panel Connectors File: led_panel_connectors.kicad_sch								
B											
C											
D					Sheet: / File: Audio_Visualiser_DSP.kicad_sch Title: <table><tr><td>Size: A</td><td>Date: 2026-10-08</td><td>Rev: A</td></tr><tr><td>KiCad E.D.A. 10.0.3</td><td></td><td>Id: 1/21</td></tr></table>	Size: A	Date: 2026-10-08	Rev: A	KiCad E.D.A. 10.0.3		Id: 1/21
Size: A	Date: 2026-10-08	Rev: A									
KiCad E.D.A. 10.0.3		Id: 1/21									
	1	2	3	4	5						




Rev: A
Id: 3/21



Load	Draw	Quantity	Total
dsPIC	50mA	1	50mA
8MHz dsPIC Clock	7mA	1	7mA
MCP6N11	1.1mA	6	6.6mA
MCP6024	5.4mA	3	16.2mA
Analog_Switch	0.05mA	1	0.05mA
Digipot	0.6mA	1	0.6mA
1.6V_Reference	0.2mA	1	0.2mA
PCA9536 GPIO Expander	0.29mA	1	0.29mA
I2C Buffers	8.3mA	3	24.9mA
Octal Buffers	1mA	2	2mA
LVC1G19s	0.01mA	21	0.21mA
Rotary Encoder Module	50mA	1	50mA
LEDs	1.3mA	11	14.3mA
INA231	0.42mA	2	0.84mA
MCP9804	0.4mA	3	1.2mA
ETC	0.36mA	1	0.36mA
Cap_Touch_Sensor	0.729mA	1	0.729mA
Total		0.579W	175.48mA

POS12_PG00D 0 POS3P3_RUN
R403





Sheet: /3.3V Power Supply/
File: POS3P3_power_supply.kicad_sch

Title:

Size: A Date: 2026-10-08
KiCad E.D.A. 10.0.3

Rev: A
Id: 4/21





Sheet: /3.3V Telemetry/
 File: POS3P3_telemetry.kicad_sch



Title:

Size: A Date: 2026-10-08
 KiCad E.D.A. 10.0.3

Rev: A
 Id: 5/21









Ambient, place away from power components

Test Points




Sheet: /Platform ETC/
File: platform_etc.kicad_sch


Title:

Size: A Date: 2026-10-08
KiCad E.D.A. 10.0.3

Rev: A
Id: 10/21



Sheet: /PGOOD LEDs/ File: pgood_leds.kicad_sch		
Title:		
Size: A	Date: 2026-10-08	Rev: A
KiCad E.D.A. 10.0.3		Id: 11/21




Sheet: /Status LEDs/
File: status_leds.kicad_sch

Title:

Size: A Date: 2026-10-08
KiCad E.D.A. 10.0.3

Rev: A
Id: 12/21



Sheet: /RCA Signal Conditioning/
 File: rca_signal_conditioning.kicad_sch


Title:

Size: A Date: 2026-10-08

KiCad E.D.A. 10.0.3

Rev: A

Id: 13/21





Sheet: /Speaker Signal Conditioning/
File: speaker_signal_conditioning.kicad_sch

Title:

Size: A Date: 2026-10-08
KiCad E.D.A. 10.0.3

Rev: A
Id: 14/21






Sheet: /Anti-alias Filtering/
 File: anti_alias_filtering.kicad_sch

Title:


Size: A Date: 2026-10-08
 KiCad E.D.A. 10.0.3

Rev: A
 Id: 16/21





I2C 7-Bit Address:
0x36




Sheet: /Pushbuttons/
File: pushbuttons.kicad_sch

Title:

Size: A Date: 2026-10-08
KiCad E.D.A. 10.0.3

Rev: A
Id: 19/21



Sheet: /Mechanical/ File: mechanical.kicad_sch		
Title:		
Size: A	Date: 2026-10-08	Rev: A
KiCad E.D.A. 10.0.3		Id: 20/21

