

1	2	3	4	5	
A	12V Power Input File: POS12_power_input.kicad_sch	Platform ETC File: platform_etc.kicad_sch			A
	12V Telemetry File: POS12_telemetry.kicad_sch	PGOOD LEDs File: pgood_leds.kicad_sch			
	3.3V Power Supply File: POS3P3_power_supply.kicad_sch	Status LEDs File: status_leds.kicad_sch			
	3.3V Telemetry File: POS3P3_telemetry.kicad_sch	RCA Signal Conditioning File: rca_signal_conditioning.kicad_sch			
B	dsPIC33 Programming File: dspic33_programming.kicad_sch	Speaker Signal Conditioning File: speaker_signal_conditoning.kicad_sch			B
	dsPIC33 Power File: dspic33_power.kicad_sch	Source Selection, PGAs File: source_selection_pgas.kicad_sch			
	dsPIC33 GPIO File: dspic33_gpio.kicad_sch	Anti-alias Filtering File: anti_alias_filtering.kicad_sch			
	USB UART Bridge File: usb_uart_bridge.kicad_sch	Audio Voltage References File: audio_voltage_references.kicad_sch			
		LED Panel Buffers File: led_panel_buffers.kicad_sch			
C		Pushbuttons File: pushbuttons.kicad_sch			C
		Mechanical File: mechanical.kicad_sch			
		LED Panel Connectors File: led_panel_connectors.kicad_sch			
D					D
1	2	3	4	5	

TRY TO TALLY LOAD CURRENTS

TPS26600RHFT Pin Configuration:

- IN (8):** Connected to +12Vin through R201 (55.1k).
- IN (9):** Connected to +12Vin through R204 (10k).
- SHDN (14):** Connected to +12Vin through R204 (10k).
- UVLO (10):** Connected to +12Vin through R202 (1.15k).
- OVP (12):** Connected to +12Vin through R203 (5.11k).
- dVdT MODE (20):** Connected to +12Vin through R203 (5.11k).
- FLT (22):** Connected to +12Vin through R209 (3.65k).
- RTN (15):** Connected to GND through R206 (10k).
- RTN_PAD (25):** Connected to GND through R206 (10k).
- IMON (18):** Connected to +12Vin through R211 (10k).
- ILIM (19):** Connected to +12Vin through R211 (10k).

Other Components:

- J201:** +12V IN connector.
- N201:** +12V 1A Power Supply.
- D201:** 24V DNP diode.
- C201:** 10nF capacitor.
- C202:** 0.1uF capacitor.
- C203:** 100uF capacitor.
- R201:** 55.1k, 1%, 1/16W.
- R202:** 1.15k, 1%, 1/16W.
- R203:** 5.11k, 1%, 1/16W.
- R204:** 10k, 1%, 1/16W.
- R205:** 10k, 1%, 1/16W.
- R206:** 10k, 1%, 1/16W.
- R207:** 0.02, 1%, 1/16W.
- R208:** 10k, 1%, 1/16W.
- R209:** 3.65k, 1%, 1/16W.
- R210:** 10k, 1%, 1/16W.
- R211:** 10k, 1%, 1/16W.

Notes:

- UVLO threshold set to 10.8V
- OVLO threshold set to 13.2V
- MODE set to Circuit Breaker with Auto-Retry
- Output Current Limit set to 1.2A

**Sheet: /12V Power Input/
File: POS12_power_input.kicad_sch**

Title:		Rev:
Size: A	Date: 2023-12-25	Id: 2/21
KiCad E.D.A. 10.0.3		



Title:		
Size: A	Date: 2023-12-25	Rev:
KICad E.D.A. 10.0.3		Id: 2/21

Size: A	Date: 2023-12-25	Rev:
KiCad E.D.A. 10.0.3		Id: 2/21

KiCad E.D.A. 10.0.3	Id: 2/21
---------------------	----------

	4	5	
--	---	---	--

[illegible]




Sheet: /12V Telemetry/
 File: POS12_telemetry.kicad_sch

Title:

Size: A Date: 2023-12-25
 KiCad E.D.A. 10.0.3

Rev:
 Id: 3/21

TRY TO TALLY LOAD CURRENTS




Sheet: /3.3V Power Supply/
File: POS3P3_power_supply.kicad_sch


Title:

Size: A Date: 2023-12-25

KiCad E.D.A. 10.0.3

Rev:
Id: 4/21







Sheet: /dsPIC33 Programming/
File: dspic33_programming.kicad_sch



Title:

Size: A Date: 2023-12-25
KiCad E.D.A. 10.0.3

Rev:
Id: 6/21










Sheet: /Platform ETC/
File: platform_etc.kicad_sch

Title:

Size: A Date: 2023-12-25
KiCad E.D.A. 10.0.3

Rev:
Id: 10/21




Sheet: /PGOOD LEDs/
File: pgood_leds.kicad_sch

Title:

Size: A Date: 2023-12-25
KiCad E.D.A. 10.0.3

Rev:
Id: 11/21




Sheet: /Status LEDs/
File: status_leds.kicad_sch

Title:

Size: A Date: 2023-12-25
KiCad E.D.A. 10.0.3

Rev:
Id: 12/21




Sheet: /RCA Signal Conditioning/
 File: rca_signal_conditioning.kicad_sch

Title:

Size: A Date: 2023-12-25
 KiCad E.D.A. 10.0.3

Rev:
 Id: 13/21






Sheet: /Speaker Signal Conditioning/
File: speaker_signal_conditioning.kicad_sch

Title:

Size: A Date: 2023-12-25
KiCad E.D.A. 10.0.3

Rev:
Id: 14/21





Sheet: /Audio Voltage References/
File: audio_voltage_references.kicad_sch


Title:

Size: A Date: 2023-12-25

KiCad E.D.A. 10.0.3

Rev:

Id: 17/21



Sheet: /LED Panel Buffers/
File: led_panel_buffers.kicad_sch

Title:

Size: A Date:

KiCad E.D.A. 10.0.3

Rev:

Id: 18/21

J1901
Power Button

SW1901

J1902
Power

SW1903
Power

SW1902
RotaryEncoder_Switch

Sheet: /Pushbuttons/
File: pushbuttons.kicad_sch

Title:

Size: A Date:
KiCad E.D.A. 10.0.3

Rev:
Id: 19/21

