

12V Power Input

File: POS12_power_input.kicad_sch

12V Telemetry

File: POS12_telemetry.kicad_sch

3.3V Power Supply

File: POS3P3_power_supply.kicad_sch

3.3V Telemetry

File: POS3P3_telemetry.kicad_sch

dsPIC33 Programming

File: dspic33_programming.kicad_sch

dsPIC33 Power

File: dspic33_power.kicad_sch

dsPIC33 GPIO

File: dspic33_gpio.kicad_sch

USB UART Bridge

File: usb_uart_bridge.kicad_sch

Platform ETC

File: platform_etc.kicad_sch

PGOOD LEDs

File: pgood_leds.kicad_sch

Status LEDs

File: status_leds.kicad_sch

RCA Signal Conditioning

File: rca_signal_conditioning.kicad_sch

Speaker Signal Conditioning

File: speaker_signal_conditoning.kicad_sch

Source Selection, PGAs

File: source_selection_pgas.kicad_sch

Anti-alias Filtering

File: anti_alias_filtering.kicad_sch

Audio Voltage References

File: audio_voltage_references.kicad_sch

LED Panel Buffers

File: led_panel_buffers.kicad_sch

Pushbuttons

File: pushbuttons.kicad_sch

Mechanical

File: mechanical.kicad_sch


Sheet: /
File: Audio_Visualiser_DSP.kicad_sch

Title:

Size: ADate: 2023-12-25Rev:

KiCad E.D.A. 10.0.3Id: 1/20

TRY TO TALLY LOAD CURRENTS





Sheet: /12V Power Input/
File: POS12_power_input.kicad_sch

Title:

Size: A Date: 2023-12-25
KiCad E.D.A. 10.0.3

Rev:
Id: 2/20




Sheet: /12V Telemetry/
 File: POS12_telemetry.kicad_sch

Title:

Size: A Date: 2023-12-25
 KiCad E.D.A. 10.0.3

Rev:
 Id: 3/20

TRY TO TALLY LOAD CURRENTS



Sheet: /3.3V Power Supply/
File: POS3P3_power_supply.kicad_sch


Title:


Size: A Date: 2023-12-25

KiCad E.D.A. 10.0.3

Rev:

Id: 4/20








Sheet: /dsPIC33 Programming/
File: dspic33_programming.kicad_sch

Title:

Size: A Date: 2023-12-25
KiCad E.D.A. 10.0.3

Rev:
Id: 6/20






Sheet: /Platform ETC/
File: platform_etc.kicad_sch


Title:

Size: A Date: 2023-12-25
KiCad E.D.A. 10.0.3

Rev:
Id: 10/20



Sheet: /PGOOD LEDs/ File: pgood_leds.kicad_sch		
Title:		
Size: A	Date: 2023-12-25	Rev:
KiCad E.D.A. 10.0.3		Id: 11/20




Sheet: /Status LEDs/
File: status_leds.kicad_sch

Title:

Size: A Date: 2023-12-25
KiCad E.D.A. 10.0.3

Rev:
Id: 12/20




Sheet: /RCA Signal Conditioning/
 File: rca_signal_conditioning.kicad_sch

Title:

Size: A Date: 2023-12-25
 KiCad E.D.A. 10.0.3

Rev:
 Id: 13/20

Alternate is a 20:1 resistive attenuation (for 18V peaks) and a diff amp



Sheet: /Speaker Signal Conditioning/
File: speaker_signal_conditoning.kicad_sch


Title:


Size: A Date: 2023-12-25

KiCad E.D.A. 10.0.3

Rev:

Id: 14/20







Sheet: /Anti-alias Filtering/
File: anti_alias_filtering.kicad_sch

Title:

Size: A Date: 2023-12-25
KiCad E.D.A. 10.0.3

Rev:
Id: 16/20




Sheet: /Audio Voltage References/
File: audio_voltage_references.kicad_sch

Title:

Size: A Date: 2023-12-25
KiCad E.D.A. 10.0.3

Rev:
Id: 17/20



Sheet: /LED Panel Buffers/
File: led_panel_buffers.kicad_sch

Title:

Size: A Date:

KiCad E.D.A. 10.0.3

Rev:

Id: 18/20

