




1	2	3	4	5	
A	12V Power Input File: POS12_power_input.kicad_sch	Platform ETC File: platform_etc.kicad_sch			A
	12V Telemetry File: POS12_telemetry.kicad_sch	PGOOD LEDs File: pgood_leds.kicad_sch			
	3.3V Power Supply File: POS3P3_power_supply.kicad_sch	Status LEDs File: status_leds.kicad_sch			
	3.3V Telemetry File: POS3P3_telemetry.kicad_sch	RCA Signal Conditioning File: rca_signal_conditioning.kicad_sch			
B	dsPIC33 Programming File: dspic33_programming.kicad_sch	Speaker Signal Conditioning File: speaker_signal_conditoning.kicad_sch			B
	dsPIC33 Power File: dspic33_power.kicad_sch	Source Selection, PGAs File: source_selection_pgas.kicad_sch			
	dsPIC33 GPIO File: dspic33_gpio.kicad_sch	Anti-alias Filtering File: anti_alias_filtering.kicad_sch			
	USB UART Bridge File: usb_uart_bridge.kicad_sch	Audio Voltage References File: audio_voltage_references.kicad_sch			
		LED Panel Buffers File: led_panel_buffers.kicad_sch			
C		Pushbuttons File: pushbuttons.kicad_sch			C
		Mechanical File: mechanical.kicad_sch			
		LED Panel Connectors File: led_panel_connectors.kicad_sch			
D					D
1	2	3	4	5	



Max Current = 8.192A
RSHUNT = 0.01 Ohm
CLSB = 2.5E-04 A
CAL Register = 0x0800




Sheet: /12V Telemetry/
File: POS12_telemetry.kicad_sch


Title:

Size: A Date: 2026-10-08
KiCad E.D.A. 10.0.3

Rev: A
Id: 3/21



Rev: A
Id: 5/21




Sheet: /dsPIC33 Programming/
File: dspic33_programming.kicad_sch

Title:

Size: A Date: 2026-10-08
KiCad E.D.A. 10.0.3

Rev: A
Id: 6/21





Sheet: /dsPIC33 Power/
File: dspic33_power.kicad_sch

Title:



Size: A Date: 2026-10-08
KiCad E.D.A. 10.0.3

Rev: A
Id: 7/21



Ambient, place away from power components

Test Points




Sheet: /Platform ETC/
File: platform_etc.kicad_sch


Title:

Size: A Date: 2026-10-08
KiCad E.D.A. 10.0.3

Rev: A
Id: 10/21



Sheet: /PGOOD LEDs/ File: pgood_leds.kicad_sch		
Title:		
Size: A	Date: 2026-10-08	Rev: A
KiCad E.D.A. 10.0.3		Id: 11/21




Sheet: /Status LEDs/
File: status_leds.kicad_sch

Title:

Size: A Date: 2026-10-08
KiCad E.D.A. 10.0.3

Rev: A
Id: 12/21



Sheet: /RCA Signal Conditioning/
File: rca_signal_conditioning.kicad_sch


Title:

Size: A Date: 2026-10-08

KiCad E.D.A. 10.0.3

Rev: A

Id: 13/21





Sheet: /Speaker Signal Conditioning/
File: speaker_signal_conditioning.kicad_sch

Title:

Size: A Date: 2026-10-08
KiCad E.D.A. 10.0.3

Rev: A
Id: 14/21







Sheet: /Anti-alias Filtering/
 File: anti_alias_filtering.kicad_sch

Title:

Size: A Date: 2026-10-08
 KiCad E.D.A. 10.0.3

Rev: A
 Id: 16/21




Sheet: /Audio Voltage References/
File: audio_voltage_references.kicad_sch

Title:


Size: A Date: 2026-10-08
KiCad E.D.A. 10.0.3

Rev: A
Id: 17/21



N1901
Adafruit Rotary Encoder Module

I2C 7-Bit Address:
0x36





Sheet: /Pushbuttons/
File: pushbuttons.kicad_sch

Title:

Size: A Date: 2026-10-08
KiCad E.D.A. 10.0.3

Rev: A
Id: 19/21





Sheet: /LED Panel Connectors/
File: led_panel_connectors.kicad_sch

Title:

Size: A Date: 2026-10-08
KiCad E.D.A. 10.0.3

Rev: A
Id: 21/21