

RWorksheet_Pineda#4c.Rmd

2023-11-27

#1.a

```
library(readr)
```

```
mpg <- read_csv("mpg.csv")
```

```
## New names:
```

```
## Rows: 234 Columns: 12
```

```
## -- Column specification
```

```
## ----- Delimiter: "," chr
```

```
## (6): manufacturer, model, trans, drv, fl, class dbl (6): ...1, displ, year,
```

```
## cyl, cty, hwy
```

```
## i Use `spec()` to retrieve the full column specification for this data. i
```

```
## Specify the column types or set `show_col_types = FALSE` to quiet this message.
```

```
## * `` -> `...1`
```

```
mpg
```

```
## # A tibble: 234 x 12
```

```
##   ...1 manufacturer model      displ  year  cyl trans drv      cty  hwy fl  
##   <dbl> <chr>      <chr>    <dbl> <dbl> <dbl> <chr> <chr> <dbl> <dbl> <chr>  
## 1     1 audi      a4        1.8  1999    4 auto~ f      18  29 p  
## 2     2 audi      a4        1.8  1999    4 manu~ f      21  29 p  
## 3     3 audi      a4         2   2008    4 manu~ f      20  31 p  
## 4     4 audi      a4         2   2008    4 auto~ f      21  30 p  
## 5     5 audi      a4        2.8  1999    6 auto~ f      16  26 p  
## 6     6 audi      a4        2.8  1999    6 manu~ f      18  26 p  
## 7     7 audi      a4        3.1  2008    6 auto~ f      18  27 p  
## 8     8 audi      a4 quattro  1.8  1999    4 manu~ 4      18  26 p  
## 9     9 audi      a4 quattro  1.8  1999    4 auto~ 4      16  25 p  
## 10    10 audi      a4 quattro  2     2008    4 manu~ 4      20  28 p
```

```
## # i 224 more rows
```

```
## # i 1 more variable: class <chr>
```

#1.b

```
str(mpg)
```

```
## spc_tbl_ [234 x 12] (S3: spec_tbl_df/tbl_df/tbl/data.frame)
```

```
## $ ...1      : num [1:234] 1 2 3 4 5 6 7 8 9 10 ...
```

```
## $ manufacturer: chr [1:234] "audi" "audi" "audi" "audi" ...
```

```
## $ model       : chr [1:234] "a4" "a4" "a4" "a4" ...
```

```
## $ displ      : num [1:234] 1.8 1.8 2 2 2.8 2.8 3.1 1.8 1.8 2 ...
```

```
## $ year       : num [1:234] 1999 1999 2008 2008 1999 ...
```

```
## $ cyl        : num [1:234] 4 4 4 4 6 6 6 4 4 4 ...
```

```
## $ trans      : chr [1:234] "auto(15)" "manual(m5)" "manual(m6)" "auto(av)" ...
```

```
## $ drv        : chr [1:234] "f" "f" "f" "f" ...
```

```
## $ cty        : num [1:234] 18 21 20 21 16 18 18 18 16 20 ...
```

```
## $ hwy      : num [1:234] 29 29 31 30 26 26 27 26 25 28 ...
## $ fl       : chr [1:234] "p" "p" "p" "p" ...
## $ class    : chr [1:234] "compact" "compact" "compact" "compact" ...
## - attr(*, "spec")=
## .. cols(
## ..   ...1 = col_double(),
## ..   manufacturer = col_character(),
## ..   model = col_character(),
## ..   displ = col_double(),
## ..   year = col_double(),
## ..   cyl = col_double(),
## ..   trans = col_character(),
## ..   drv = col_character(),
## ..   cty = col_double(),
## ..   hwy = col_double(),
## ..   fl = col_character(),
## ..   class = col_character()
## .. )
## - attr(*, "problems")=<externalptr>
```

#The variables manufacturer, model, trans, drv, fl, and class are categorical.

#1.c

`str(mpg)`

```
## spc_tbl_ [234 x 12] (S3: spec_tbl_df/tbl_df/tbl/data.frame)
## $ ...1      : num [1:234] 1 2 3 4 5 6 7 8 9 10 ...
## $ manufacturer: chr [1:234] "audi" "audi" "audi" "audi" ...
## $ model      : chr [1:234] "a4" "a4" "a4" "a4" ...
## $ displ      : num [1:234] 1.8 1.8 2 2 2.8 2.8 3.1 1.8 1.8 2 ...
## $ year       : num [1:234] 1999 1999 2008 2008 1999 ...
## $ cyl        : num [1:234] 4 4 4 4 6 6 6 4 4 4 ...
## $ trans      : chr [1:234] "auto(l5)" "manual(m5)" "manual(m6)" "auto(av)" ...
## $ drv        : chr [1:234] "f" "f" "f" "f" ...
## $ cty        : num [1:234] 18 21 20 21 16 18 18 18 16 20 ...
## $ hwy        : num [1:234] 29 29 31 30 26 26 27 26 25 28 ...
## $ fl         : chr [1:234] "p" "p" "p" "p" ...
## $ class      : chr [1:234] "compact" "compact" "compact" "compact" ...
## - attr(*, "spec")=
## .. cols(
## ..   ...1 = col_double(),
## ..   manufacturer = col_character(),
## ..   model = col_character(),
## ..   displ = col_double(),
## ..   year = col_double(),
## ..   cyl = col_double(),
## ..   trans = col_character(),
## ..   drv = col_character(),
## ..   cty = col_double(),
## ..   hwy = col_double(),
## ..   fl = col_character(),
## ..   class = col_character()
## .. )
## - attr(*, "problems")=<externalptr>
```

```
#The continuous variables are displ, year, cyl, cty, and hwy.
```

```
#2
```

```
Manufacturer_asTable <- table(mpg$manufacturer)
MostModels_Manufacturer <- names(Manufacturer_asTable)[which.max(Manufacturer_asTable)]
```

```
MostModels_Manufacturer
```

```
## [1] "dodge"
```

```
#Dodge Manufacturer has the most models.
```

```
Model_asTable <- table(mpg$model)
MostModelsvars <- names(Model_asTable)[which.max(Model_asTable)]
```

```
MostModelsvars
```

```
## [1] "caravan 2wd"
```

```
#Caravan 2wd has the most variants.
```

```
#2.a
```

```
library(dplyr)
```

```
##
```

```
## Attaching package: 'dplyr'
```

```
## The following objects are masked from 'package:stats':
```

```
##
```

```
## filter, lag
```

```
## The following objects are masked from 'package:base':
```

```
##
```

```
## intersect, setdiff, setequal, union
```

```
ManufacturerModels <- data.frame(Manufacturer = mpg$manufacturer, Model = mpg$model)
ManufacturerModels
```

```
##      Manufacturer      Model
## 1         audi         a4
## 2         audi         a4
## 3         audi         a4
## 4         audi         a4
## 5         audi         a4
## 6         audi         a4
## 7         audi         a4
## 8         audi    a4 quattro
## 9         audi    a4 quattro
## 10        audi    a4 quattro
## 11        audi    a4 quattro
## 12        audi    a4 quattro
## 13        audi    a4 quattro
## 14        audi    a4 quattro
## 15        audi    a4 quattro
## 16        audi    a6 quattro
## 17        audi    a6 quattro
## 18        audi    a6 quattro
```

## 19	chevrolet	c1500 suburban 2wd
## 20	chevrolet	c1500 suburban 2wd
## 21	chevrolet	c1500 suburban 2wd
## 22	chevrolet	c1500 suburban 2wd
## 23	chevrolet	c1500 suburban 2wd
## 24	chevrolet	corvette
## 25	chevrolet	corvette
## 26	chevrolet	corvette
## 27	chevrolet	corvette
## 28	chevrolet	corvette
## 29	chevrolet	k1500 tahoe 4wd
## 30	chevrolet	k1500 tahoe 4wd
## 31	chevrolet	k1500 tahoe 4wd
## 32	chevrolet	k1500 tahoe 4wd
## 33	chevrolet	malibu
## 34	chevrolet	malibu
## 35	chevrolet	malibu
## 36	chevrolet	malibu
## 37	chevrolet	malibu
## 38	dodge	caravan 2wd
## 39	dodge	caravan 2wd
## 40	dodge	caravan 2wd
## 41	dodge	caravan 2wd
## 42	dodge	caravan 2wd
## 43	dodge	caravan 2wd
## 44	dodge	caravan 2wd
## 45	dodge	caravan 2wd
## 46	dodge	caravan 2wd
## 47	dodge	caravan 2wd
## 48	dodge	caravan 2wd
## 49	dodge	dakota pickup 4wd
## 50	dodge	dakota pickup 4wd
## 51	dodge	dakota pickup 4wd
## 52	dodge	dakota pickup 4wd
## 53	dodge	dakota pickup 4wd
## 54	dodge	dakota pickup 4wd
## 55	dodge	dakota pickup 4wd
## 56	dodge	dakota pickup 4wd
## 57	dodge	dakota pickup 4wd
## 58	dodge	durango 4wd
## 59	dodge	durango 4wd
## 60	dodge	durango 4wd
## 61	dodge	durango 4wd
## 62	dodge	durango 4wd
## 63	dodge	durango 4wd
## 64	dodge	durango 4wd
## 65	dodge	ram 1500 pickup 4wd
## 66	dodge	ram 1500 pickup 4wd
## 67	dodge	ram 1500 pickup 4wd
## 68	dodge	ram 1500 pickup 4wd
## 69	dodge	ram 1500 pickup 4wd
## 70	dodge	ram 1500 pickup 4wd
## 71	dodge	ram 1500 pickup 4wd
## 72	dodge	ram 1500 pickup 4wd

## 73	dodge	ram 1500 pickup 4wd
## 74	dodge	ram 1500 pickup 4wd
## 75	ford	expedition 2wd
## 76	ford	expedition 2wd
## 77	ford	expedition 2wd
## 78	ford	explorer 4wd
## 79	ford	explorer 4wd
## 80	ford	explorer 4wd
## 81	ford	explorer 4wd
## 82	ford	explorer 4wd
## 83	ford	explorer 4wd
## 84	ford	f150 pickup 4wd
## 85	ford	f150 pickup 4wd
## 86	ford	f150 pickup 4wd
## 87	ford	f150 pickup 4wd
## 88	ford	f150 pickup 4wd
## 89	ford	f150 pickup 4wd
## 90	ford	f150 pickup 4wd
## 91	ford	mustang
## 92	ford	mustang
## 93	ford	mustang
## 94	ford	mustang
## 95	ford	mustang
## 96	ford	mustang
## 97	ford	mustang
## 98	ford	mustang
## 99	ford	mustang
## 100	honda	civic
## 101	honda	civic
## 102	honda	civic
## 103	honda	civic
## 104	honda	civic
## 105	honda	civic
## 106	honda	civic
## 107	honda	civic
## 108	honda	civic
## 109	hyundai	sonata
## 110	hyundai	sonata
## 111	hyundai	sonata
## 112	hyundai	sonata
## 113	hyundai	sonata
## 114	hyundai	sonata
## 115	hyundai	sonata
## 116	hyundai	tiburon
## 117	hyundai	tiburon
## 118	hyundai	tiburon
## 119	hyundai	tiburon
## 120	hyundai	tiburon
## 121	hyundai	tiburon
## 122	hyundai	tiburon
## 123	jeep	grand cherokee 4wd
## 124	jeep	grand cherokee 4wd
## 125	jeep	grand cherokee 4wd
## 126	jeep	grand cherokee 4wd

## 127	jeep	grand cherokee 4wd
## 128	jeep	grand cherokee 4wd
## 129	jeep	grand cherokee 4wd
## 130	jeep	grand cherokee 4wd
## 131	land rover	range rover
## 132	land rover	range rover
## 133	land rover	range rover
## 134	land rover	range rover
## 135	lincoln	navigator 2wd
## 136	lincoln	navigator 2wd
## 137	lincoln	navigator 2wd
## 138	mercury	mountaineer 4wd
## 139	mercury	mountaineer 4wd
## 140	mercury	mountaineer 4wd
## 141	mercury	mountaineer 4wd
## 142	nissan	altima
## 143	nissan	altima
## 144	nissan	altima
## 145	nissan	altima
## 146	nissan	altima
## 147	nissan	altima
## 148	nissan	maxima
## 149	nissan	maxima
## 150	nissan	maxima
## 151	nissan	pathfinder 4wd
## 152	nissan	pathfinder 4wd
## 153	nissan	pathfinder 4wd
## 154	nissan	pathfinder 4wd
## 155	pontiac	grand prix
## 156	pontiac	grand prix
## 157	pontiac	grand prix
## 158	pontiac	grand prix
## 159	pontiac	grand prix
## 160	subaru	forester awd
## 161	subaru	forester awd
## 162	subaru	forester awd
## 163	subaru	forester awd
## 164	subaru	forester awd
## 165	subaru	forester awd
## 166	subaru	impreza awd
## 167	subaru	impreza awd
## 168	subaru	impreza awd
## 169	subaru	impreza awd
## 170	subaru	impreza awd
## 171	subaru	impreza awd
## 172	subaru	impreza awd
## 173	subaru	impreza awd
## 174	toyota	4runner 4wd
## 175	toyota	4runner 4wd
## 176	toyota	4runner 4wd
## 177	toyota	4runner 4wd
## 178	toyota	4runner 4wd
## 179	toyota	4runner 4wd
## 180	toyota	camry

## 181	toyota	camry
## 182	toyota	camry
## 183	toyota	camry
## 184	toyota	camry
## 185	toyota	camry
## 186	toyota	camry
## 187	toyota	camry solara
## 188	toyota	camry solara
## 189	toyota	camry solara
## 190	toyota	camry solara
## 191	toyota	camry solara
## 192	toyota	camry solara
## 193	toyota	camry solara
## 194	toyota	corolla
## 195	toyota	corolla
## 196	toyota	corolla
## 197	toyota	corolla
## 198	toyota	corolla
## 199	toyota land cruiser wagon 4wd	
## 200	toyota land cruiser wagon 4wd	
## 201	toyota	toyota tacoma 4wd
## 202	toyota	toyota tacoma 4wd
## 203	toyota	toyota tacoma 4wd
## 204	toyota	toyota tacoma 4wd
## 205	toyota	toyota tacoma 4wd
## 206	toyota	toyota tacoma 4wd
## 207	toyota	toyota tacoma 4wd
## 208	volkswagen	gti
## 209	volkswagen	gti
## 210	volkswagen	gti
## 211	volkswagen	gti
## 212	volkswagen	gti
## 213	volkswagen	jetta
## 214	volkswagen	jetta
## 215	volkswagen	jetta
## 216	volkswagen	jetta
## 217	volkswagen	jetta
## 218	volkswagen	jetta
## 219	volkswagen	jetta
## 220	volkswagen	jetta
## 221	volkswagen	jetta
## 222	volkswagen	new beetle
## 223	volkswagen	new beetle
## 224	volkswagen	new beetle
## 225	volkswagen	new beetle
## 226	volkswagen	new beetle
## 227	volkswagen	new beetle
## 228	volkswagen	passat
## 229	volkswagen	passat
## 230	volkswagen	passat
## 231	volkswagen	passat
## 232	volkswagen	passat
## 233	volkswagen	passat
## 234	volkswagen	passat

```
Unique_Models <- unique(ManufacturerModels)
Unique_Models
```

```
##      Manufacturer      Model
## 1         audi          a4
## 8         audi      a4 quattro
## 16        audi      a6 quattro
## 19   chevrolet  c1500 suburban 2wd
## 24   chevrolet      corvette
## 29   chevrolet  k1500 tahoe 4wd
## 33   chevrolet      malibu
## 38        dodge      caravan 2wd
## 49        dodge  dakota pickup 4wd
## 58        dodge      durango 4wd
## 65        dodge  ram 1500 pickup 4wd
## 75         ford      expedition 2wd
## 78         ford      explorer 4wd
## 84         ford      f150 pickup 4wd
## 91         ford      mustang
## 100        honda      civic
## 109       hyundai      sonata
## 116       hyundai      tiburon
## 123        jeep  grand cherokee 4wd
## 131  land rover      range rover
## 135       lincoln      navigator 2wd
## 138       mercury      mountaineer 4wd
## 142        nissan      altima
## 148        nissan      maxima
## 151        nissan      pathfinder 4wd
## 155       pontiac      grand prix
## 160       subaru      forester awd
## 166       subaru      impreza awd
## 174       toyota      4runner 4wd
## 180       toyota      camry
## 187       toyota      camry solara
## 194       toyota      corolla
## 199       toyota  land cruiser wagon 4wd
## 201       toyota      toyota tacoma 4wd
## 208  volkswagen      gti
## 213  volkswagen      jetta
## 222  volkswagen      new beetle
## 228  volkswagen      passat
```

```
Factor_UniqueModels <- Factored_Manufacturer <- as.factor(Unique_Models$Manufacturer)
```

```
#2.b
```


```
library(ggplot2)
```

```
##
## Attaching package: 'ggplot2'
## The following object is masked _by_ '.GlobalEnv':
##
##      mpg
```



```
library(dplyr)
```


```
UniquePlot <- plot(as.factor(Factored_Manufacturer),
  main = "Unique Models of Manufacturer",
  xlab = "Manufacturer",
  ylab = "Number of Unique Models",
  cex.names = 0.8, las = 2)
```



```
UniqueCount <- Unique_Models %>%
  count(Unique_Models$Manufacturer)
UniqueCount
```


```
## Unique_Models$Manufacturer n
## 1 audi 3
## 2 chevrolet 4
## 3 dodge 4
## 4 ford 4
## 5 honda 1
## 6 hyundai 2
## 7 jeep 1
## 8 land rover 1
## 9 lincoln 1
## 10 mercury 1
## 11 nissan 3
## 12 pontiac 1
## 13 subaru 2
## 14 toyota 6
## 15 volkswagen 4
```

```
ggplot(UniqueCount, aes(x = `Unique_Models$Manufacturer`, y = n)) + geom_bar(stat = "identity", fill =  
  labs(x = "Manufacturer", y = "Number of Unique Models")
```



#2a

```
ggplot(mpg, aes(manufacturer, model)) + geom_point()
```



*#It generates a scatterplot of the mpg dataset, with model on the x-axis and manufacturer on the y-axis
 #In this plot, each point represents a specific model and its related manufacturer.*


#2b

*#This information is useful for determining the number of models produced by each manufacturer.
 #To make it more interesting, I could add color-coded points that reflect the class variable and labels*

#3

```
Top20 <- head(mpg,20)

Top20Plot <- ggplot(Top20, aes(x = model, y = year)) + geom_point() + labs(x = "Models", y = "Year")
Top20Plot
```



#4

```
library(dplyr)
```

```
Model_CarCount <- mpg %>%
  group_by(model) %>%
  summarize(number_cars = n())
Model_CarCount
```


```
## # A tibble: 38 x 2
##   model          number_cars
##   <chr>          <int>
## 1 4runner 4wd             6
## 2 a4                   7
## 3 a4 quattro            8
## 4 a6 quattro            3
## 5 altima                6
## 6 c1500 suburban 2wd     5
## 7 camry                 7
## 8 camry solara           7
## 9 caravan 2wd           11
## 10 civic                 9
## # i 28 more rows
```

#4.a

```
Observation20 <- head(Model_CarCount, 20)
```


```
Top20 <- ggplot(Observation20, aes(x = model, y = number_cars, fill = model)) + geom_bar(stat = "identifi
```

Top20




#4.b

```
Flipped_Top20 <- ggplot(Observation20, aes(x = model, y = number_cars, fill = model)) + geom_bar(stat = "count")
Flipped_Top20
```



#5

```
CylDispl_Plot <- ggplot(mpg, aes(x = cyl, y = displ, color = displ)) + geom_point() + labs(title = "Rel")
CylDispl_Plot
```




#5.a

*#It will generate a scatterplot illustrating the link between cylinder count and engine displacement. E
#As the number of cylinders increases, so does the displacement of the engine. This shows that larger e*

#6

```
DisplHwy_Plot <- ggplot(mpg, aes(x = displ, y= hwy, color = cty)) + geom_point() + labs(title = "Relati
DisplHwy_Plot
```

Relationship between Engine Displacement and Highway MPG



This is a scatterplot with the x-axis representing engine displacement and the y-axis representing highway mileage. We can comprehend the relationship between the displ, highway, and county by using this plot. We can use this plot to understand the fuel efficiency of vehicles with various engine sizes.

#6.a

```
library(readr)
Traffic <- read.csv("traffic.csv")
```

```
Obs_Num <- nrow(Traffic)
Obs_Num
```

```
## [1] 48120
```

```
Vars_Num <- ncol(Traffic)
Vars_Num
```

```
## [1] 4
```

```
Vars <- colnames(Traffic)
Vars
```

```
## [1] "DateTime" "Junction" "Vehicles" "ID"
```

#6.b

```
Subset_Junction1 <- subset(Traffic, Junction == 1)
Subset_Junction2 <- subset(Traffic, Junction == 2)
Subset_Junction3 <- subset(Traffic, Junction == 3)
Subset_Junction4 <- subset(Traffic, Junction == 4)
```




```
#6.c
```


```
Junction1_Plot <- ggplot(Subset_Junction1, aes(x = as.Date(Subset_Junction1$DateTime), y = Vehicles)) +  
Junction1_Plot
```

```
## Warning: Use of `Subset_Junction1$DateTime` is discouraged.
```

```
## i Use `DateTime` instead.
```




```
Junction2_Plot <- ggplot(Subset_Junction2, aes(x = as.Date(Subset_Junction2$DateTime), y = Vehicles)) +  
Junction2_Plot
```




```
Junction3_Plot <- ggplot(Subset_Junction3, aes(x = as.Date(Subset_Junction3$DateTime), y = Vehicles)) +  
Junction3_Plot
```

Junction 3



```
Junction4_Plot <- ggplot(Subset_Junction4, aes(x = as.Date(Subset_Junction4$DateTime), y = Vehicles)) +  
Junction4_Plot
```

Junction 4



#7.a

```
library(readxl)
```

```
Data_Alexa <- read_excel("/cloud/project/RWorksheet_Pineda#4/Worksheet4C/alexa_file.xlsx")
```

```
Obs_Num <- nrow(Data_Alexa)
```

```
Obs_Num
```

```
## [1] 3150
```

```
Cols_Num <- ncol(Data_Alexa)
```

```
Cols_Num
```

```
## [1] 5
```

#7.b

```
Vars_Count <- Data_Alexa %>%  
  count(variation)
```

```
Vars_Count
```


```
## # A tibble: 16 x 2
```

variation	n
<chr>	<int>
1 Black	261
2 Black Dot	516
3 Black Plus	270
4 Black Show	265
5 Black Spot	241

```
## 6 Charcoal Fabric 430
## 7 Configuration: Fire TV Stick 350
## 8 Heather Gray Fabric 157
## 9 Oak Finish 14
## 10 Sandstone Fabric 90
## 11 Walnut Finish 9
## 12 White 91
## 13 White Dot 184
## 14 White Plus 78
## 15 White Show 85
## 16 White Spot 109
```

#7.c

```
Alexa_Plot <- ggplot(Data_Alexa, aes(x = variation)) + geom_bar(fill = "orchid") + labs(title = "Variations")
Alexa_Plot
```



#The graph illustrates the distribution of variants and their counts. Each bar represents a different v

#7.d

```
library(dplyr)

Data_Alexa$date <- as.Date(Data_Alexa$date)
Data_Alexa$month <- format(Data_Alexa$date, "%m")


CountMonth <- Data_Alexa %>%
  count(month)
CountMonth
```

```
## # A tibble: 3 x 2
##   month     n
##   <chr> <int>
## 1 05      82
## 2 06     155
## 3 07    2913
```

```
Monthly_ReviewsCount <- table(CountMonth)
Monthly_ReviewsCount
```

```
##           n
## month 82 155 2913
##   05  1   0   0
##   06  0   1   0
##   07  0   0   1
```

```
Alexa_Line <- ggplot(CountMonth, aes(x = month, y = n, group = 1)) + geom_line(color = "maroon") + labs
Alexa_Line
```



#7.e

```
Variation_Ratings <- Data_Alexa %>%
  group_by(variation) %>%
  summarise(average_rating = mean(rating))
Variation_Ratings
```

```
## # A tibble: 16 x 2
##   variation          average_rating
##   <chr>              <dbl>
```

```
## 1 Black 4.23
## 2 Black Dot 4.45
## 3 Black Plus 4.37
## 4 Black Show 4.49
## 5 Black Spot 4.31
## 6 Charcoal Fabric 4.73
## 7 Configuration: Fire TV Stick 4.59
## 8 Heather Gray Fabric 4.69
## 9 Oak Finish 4.86
## 10 Sandstone Fabric 4.36
## 11 Walnut Finish 4.89
## 12 White 4.14
## 13 White Dot 4.42
## 14 White Plus 4.36
## 15 White Show 4.28
## 16 White Spot 4.31
```

```
HighestRatings <- Variation_Ratings %>%
  filter(average_rating == max(average_rating))
HighestRatings
```

```
## # A tibble: 1 x 2
##   variation    average_rating
##   <chr>         <dbl>
## 1 Walnut Finish      4.89
```

```
#The walnut finish receives the highest rating.
```

```
ggplot(Variation_Ratings, aes(x = variation, y = average_rating)) + geom_bar(stat = "identity", fill =
```

