

MdSymbol: A Math Symbol Font

Sebastian Schubert
schubert.seb@googlemail.com

v0.2a – 2012/01/03

Contents

1	Introduction	1
2	Interferences with other packages	2
3	Options	2
3.1	Font selection	2
3.2	Math Symbols only in sans serif math	3
3.3	Miscellaneous	3
4	Version history	4
5	Symbols	4
5.1	Ordinary symbols	4
5.2	Binary operators	5
5.3	Relations	7
5.4	Punctuation symbols	17
5.5	Large operators	17
5.6	Delimiters and accents	18
5.7	Faked symbols	20
5.8	Missing symbols	20
6	Implementation	20

1 Introduction

MdSymbol is a font of mathematical symbols designed as a companion to Adobe Myriad Pro, but it might also fit well to other contemporary typefaces. To use this font in a \LaTeX

document, add the command

```
\usepackage[{options}]{MdSymbol}
```

to the preamble of your document. With default settings, it redefines most of the standard mathematical symbols and makes available many new ones (see Section 5). With the `onlysansmath` option, the symbols are only defined for two new math versions, `sans` and `sansbold`. This allows to easily use two distinct math fonts in one document. For details and the other available options see section 3.1.

Acknowledgements

The MdSymbol font is heavily based on FdSymbol¹, another math symbol font, designed by Michael Ummels. All supporting scripts (to e.g. convert the MetaFont sources to Type 1 fonts) were written by him. I got a lot of help in `comp.text.tex` so basically the main code implementing the `onlysansmath` functionality is written by Bruno Le Floch, Enrico Gregorio, Lars Madsen and Heiko Oberdiek; the ugly parts and bugs by me.

2 Interferences with other packages

The MdSymbol package is incompatible with the `amssymb` and `amsfonts` packages. It automatically loads the `amsmath` and `textcomp` packages. If you want to pass options to these packages, you can either load these packages before MdSymbol or you can include the options in the `\documentclass` command.

3 Options

3.1 Font selection

MdSymbol comes in four weights, which are (in increasing order) Light, Regular, Semibold and Bold. Of these, Light and Regular are suitable for normal math typesetting, while Semibold and Bold can be used for bold math typesetting. Using the options **normalweight** and **boldweight**, you can select which weights are used. For example, to use the Light weight as the normal weight in math, add `normalweight=Light` to the package options. Analogously, to use the Bold weight with `\boldmath` or `\boldsymbol`, add `boldweight=Bold` to the package options. By default, Regular and Semibold are used. Additionally, it is possible to use a suitable weight automatically depending on the font size. By selecting `autolight` or `autoregular` for `normalweight`, Light or Regular weight, respectively, is used for font sizes larger than

¹<http://www.ctan.org/pkg/fdsymbol/>

6pt and Regular or Semibold, respectively, for smaller sizes. Similarly, `autosemibold` for `boldweight` selects Semibold for bold symbols larger than 6pt and Bold below 6pt.

3.2 Math Symbols only in sans serif math

With the **`onlysansmath`** option, MdSymbol does not change already defined math symbols but declares two new math versions, `sans` and `sansbold`, and defines its symbols to be only used within these math versions. Use the command `\mathversion{sans}` or `\mathversion{sansbold}` to switch to this math version. Also single input character symbols (e.g. `+`, `-`, `(`, `)`) adapt to the math version except when used with a delimiter size increasing command like `\big`.² As a workaround, use the corresponding full command instead (`\big\lparen`).

3.3 Miscellaneous

MdSymbol uses and combines some symbols of the text font (section 5.7). The option **`retainmissing`** prevents this.

In order to use MdSymbol with different text fonts, it is possible to scale the fonts by an arbitrary factor. This can be achieved with the option **`scale`**. For example, to use the fonts at 90 % of their original size, you can add `scale=0.9` to the package options. Finally, it is possible to increase the height of delimiters slightly (by 20 % in text size and by 25 % in `\big` size). This can be achieved by activating the option **`largedelims`**. Use this option if you want to combine MdSymbol with a text font that has rather tall delimiters.

The following table summarises all options (keys) that can be used with the MdSymbol package. Values that correspond to the default behaviour of the package are marked by an asterisk.

Key	Values
<code>normalweight</code>	Light, Regular*, <code>autolight</code> , <code>autoregular</code>
<code>boldweight</code>	Semibold*, Bold, <code>autosemibold</code>
<code>onlysansmath</code>	true, false*
<code>retainmissing</code>	true, false*
<code>scale</code>	$\langle factor \rangle$
<code>largedelims</code>	true, false*

²Any help to solve this problem is highly welcome!

4 Version history

Version 0.1: First version

Version 0.1a: Always declare `sansmathtabular` and `sansmathboldtabular` if `onlysansmath` option is given

Version 0.2: Internal bugfixes

Version 0.2a:

- Bugfixes of bugfixes
- Issue error when using a symbol in non-sans math versions which has not been declared before loading `MdSymbol` with `onlysansmath` option

5 Symbols

The `MdSymbol` package provides the following symbols.

5.1 Ordinary symbols

...	<code>\hdots</code>	◊	<code>\smalllozenge,</code> <code>\smwhtlozenge</code>
:	<code>\vdots</code>	◆	<code>\smallblacklozenge,</code> <code>\smbkllozenge</code>
⋯	<code>\udots, \adots</code>	◊	<code>\medlozenge, \lozenge,</code> <code>\mdlgwhtlozenge,</code> <code>\mdwhtlozenge</code>
⋮	<code>\ddots</code>	◆	<code>\medblacklozenge,</code> <code>\blacklozenge,</code> <code>\mdlgbkllozenge,</code> <code>\mdblklozenge</code>
∴	<code>\righttherefore</code>	◊	<code>\lozengeminus</code>
∵	<code>\uptherefore, \therefore</code>	☆	<code>\largewhitestar</code>
∴	<code>\lefttherefore</code>	★	<code>\largeblackstar, \bigstar</code>
∵	<code>\downtherefore, \because</code>	∞	<code>\infty</code>
∴	<code>\squaredots</code>	∠	<code>\angle</code>
¬	<code>\neg, \lnot</code>	⊃	<code>\revangle</code>
¬	<code>\backneg, \invnot, \invneg</code>	⌢	<code>\measuredangle</code>
¬	<code>\turnedneg, \turnednot</code>	⌢	<code>\revmeasuredangle,</code> <code>\measuredangleleft</code>
¬	<code>\turnedbackneg</code>	⌢	<code>\sphericalangle</code>
△	<code>\largetriangleup</code>	∇	<code>\sphericalangleup</code>
▽	<code>\largetriangleup</code>	⋈	<code>\sphericalangleleft,</code> <code>\revsphericalangle,</code>
∅	<code>\emptyset, \diameter,</code> <code>\varnothing</code>		
∅	<code>\revemptyset</code>		
○	<code>\largecircle, \lgwhtcircle</code>		
●	<code>\largeblackcircle</code>		
□	<code>\largesquare, \lgwhtsquare</code>		
■	<code>\largeblacksquare,</code> <code>\lgblksquare</code>		

\gtrless	<code>\gtlpar</code>	\forall	<code>\forallforall</code>
\sphericalangle	<code>\sphericalangledown</code>	\exists	<code>\existsexists</code>
\llcorner	<code>\rightangle</code>	\nexists	<code>\nexists</code>
\measuredangle	<code>\measuredrightangle</code>	\Finv	<code>\Finv</code>
\sphericalangle	<code>\rightanglesquare,</code> <code>\rightanglesqr</code>	\complement	<code>\complement</code>
\measuredangle	<code>\measuredrightangledot,</code> <code>\rightangledot</code>	\flat	<code>\flat</code>
\prime	<code>\prime</code>	\natural	<code>\natural</code>
\backprime	<code>\backprime</code>	\sharp	<code>\sharp</code>
\checkmark	<code>\checkmark</code>	\aleph	<code>\aleph</code>
\lightning	<code>\lightning,</code> <code>\downzigzagarrow</code>	\beth	<code>\beth</code>
\diamondsuit	<code>\diamondsuit</code>	\gimel	<code>\gimel</code>
\blacklozenge	<code>\vardiamondsuit</code>	\daleth	<code>\daleth</code>
\heartsuit	<code>\heartsuit</code>	\wp	<code>\wp</code>
\blackheart	<code>\varheartsuit</code>	∇	<code>\nabla</code>
\spadesuit	<code>\spadesuit</code>	\top	<code>\top</code>
\clubsuit	<code>\clubsuit</code>	\bot	<code>\bot</code>
\maltese	<code>\maltese</code>	$\mathord{/}$	<code>\mathord{/}</code> , <code>\mathslash</code>
\star	<code>\starofdavid</code>	\backslash	<code>\backslash</code>
\searrow	<code>\sector</code>	$ $	<code> </code> , <code>\vert</code>
		\Vdash	<code>\Vdash</code>

5.2 Binary operators

\cdot	<code>\cdot</code>	\div	<code>\divdots</code>
\cdot	<code>\centerdot</code>	\pm	<code>\pm</code>
\cdots	<code>\hdotdot</code>	\mp	<code>\mp</code>
\vdots	<code>\vdots</code>	$\dot{+}$	<code>\dotplus</code>
\cdot	<code>\udotdot</code>	$\dot{+}$	<code>\plusdot</code>
\ddots	<code>\ddotdotdot</code>	\times	<code>\dottimes</code>
$-$	<code>-, \minus</code>	\times	<code>\timesbar</code>
$/$	<code>\medslash, \smalldivslash</code>	\times	<code>\divideontimes</code>
\backslash	<code>\medbackslash,</code> <code>\smallsetminus</code>	\int	<code>\intprod</code>
$+$	<code>+, \plus</code>	\int	<code>\intprodr</code>
\times	<code>\times</code>	\times	<code>\leftthreetimes</code>
$\dot{-}$	<code>\dotminus</code>	\times	<code>\rightthreetimes</code>
$\dot{-}$	<code>\minusdot</code>	\times	<code>\dotimes, \btimes</code>
\div	<code>\div</code>	\times	<code>\rtimes</code>
\div	<code>\minusfdots</code>	\times	<code>\utimes, \ttimes</code>
		\times	<code>\ltimes</code>

\rtimes	<code>\lrtimes</code>	\blacktriangleup	<code>\smallblacktriangleup</code>
\bowtie	<code>\upbowtie, \hourglass</code>	\blacktriangleleft	<code>\smallblacktriangleleft</code>
\succ	<code>\rightY</code>	\blacktriangledown	<code>\smallblacktriangledown</code>
\succsim	<code>\upY</code>	\triangleright	<code>\medtriangleright, \triangleright</code>
\prec	<code>\leftY</code>	\triangle	<code>\medtriangleup, \triangle, \vartriangle</code>
\succsim	<code>\downY</code>	\triangleleft	<code>\medtriangleleft, \triangleleft</code>
\wedge	<code>\wedge, \land</code>	\triangledown	<code>\medtriangledown, \triangledown</code>
\vee	<code>\vee, \lor</code>	\blacktriangleright	<code>\medblacktriangleright, \blacktriangleright</code>
\wedge	<code>\wedgedot</code>	\blacktriangleup	<code>\medblacktriangleup, \blacktriangleup</code>
\vee	<code>\veedot</code>	\blacktriangleleft	<code>\medblacktriangleleft, \blacktriangleleft</code>
\wedge	<code>\doublewedge, \wedgeonwedge</code>	\blacktriangledown	<code>\medblacktriangledown, \blacktriangledown</code>
\vee	<code>\doublevee, \veeonwee</code>	\bigtriangleup	<code>\bigtriangleup</code>
\curlywedge	<code>\curlywedge</code>	\bigtriangledown	<code>\bigtriangledown</code>
\curlyvee	<code>\curlyvee</code>	\circ	<code>\smallcircle, \circ, \smwhtcircle</code>
$\bar{\wedge}$	<code>\barwedge</code>	\bullet	<code>\smallblackcircle, \bullet, \smbkcircle</code>
$\bar{\vee}$	<code>\veebar</code>	\bigcirc	<code>\medcircle, \mdlgwhtcircle, \mdwhtcircle</code>
$\bar{\wedge}$	<code>\doublebarwedge</code>	\bullet	<code>\medblackcircle, \mdlgblkcircle, \mdblkcircle</code>
$\bar{\vee}$	<code>\veedoublebar</code>	\ominus	<code>\ominus</code>
\cup	<code>\cup</code>	\oslash	<code>\oslash</code>
\cap	<code>\cap</code>	\oslash	<code>\obackslash, \obslash</code>
\cup	<code>\doublecup, \Cup</code>	\oplus	<code>\oplus</code>
\cap	<code>\doublecap, \Cap</code>	\otimes	<code>\otimes</code>
\cup	<code>\cupdot</code>	\odot	<code>\odot</code>
\cap	<code>\capdot</code>	\odot	<code>\ocirc, \circledcirc</code>
\cup	<code>\cupplus, \uplus</code>	\otimes	<code>\oast, \circledast</code>
\cap	<code>\capplus</code>	\odot	<code>\odash, \circleddash</code>
\sqcup	<code>\sqcup</code>	\odot	<code>\oequal, \circledequal</code>
\sqcap	<code>\sqcap</code>		
\sqcup	<code>\doublesqcup, \Sqcup</code>		
\sqcap	<code>\doublesqcap, \Sqcap</code>		
\sqcup	<code>\sqcupdot</code>		
\sqcap	<code>\sqcapdot</code>		
\sqcup	<code>\sqcupplus</code>		
\sqcap	<code>\sqcapplus</code>		
\lrcorner	<code>\pullback</code>		
\rceil	<code>\pushout</code>		
\triangleright	<code>\smalltriangleright</code>		
\triangleup	<code>\smalltriangleup</code>		
\triangleleft	<code>\smalltriangleleft</code>		
\triangledown	<code>\smalltriangledown</code>		
\blacktriangleright	<code>\smallblacktriangleright</code>		

○	<code>\bigcirc</code>	◆	<code>\medblackdiamond,</code> <code>\mdlgblkdiamond,</code> <code>\mdblkdiamond</code>
◻	<code>\smallsquare, \smwhtsquare</code>	◇	<code>\diamondminus</code>
■	<code>\smallblacksquare,</code> <code>\smbblksquare</code>	◇	<code>\diamondvert</code>
□	<code>\medsquare, \square, \Box,</code> <code>\mdlgwhtsquare,</code> <code>\mdwhtsquare</code>	◇	<code>\diamondslash</code>
■	<code>\medblacksquare,</code> <code>\mdlgblksquare,</code> <code>\mdblksquare</code>	◇	<code>\diamondbackslash,</code> <code>\diamondbslash</code>
⊖	<code>\boxminus</code>	◇	<code>\diamondplus</code>
⊞	<code>\boxvert, \boxbar</code>	◇	<code>\diamondtimes</code>
⊗	<code>\boxslash, \boxdiag</code>	◇	<code>\diamondddot, \diamondcdot</code>
⊠	<code>\boxbackslash, \boxbslash</code>	◇	<code>\diamondddiamond</code>
⊕	<code>\boxplus</code>	★	<code>\smallwhitestar,</code> <code>\smwhitestar</code>
⊗	<code>\boxtimes</code>	★	<code>\smallblackstar, \star</code>
⊙	<code>\boxdot</code>	★	<code>\medwhitestar</code>
⊠	<code>\boxbox</code>	★	<code>\medblackstar, \medstar</code>
◇	<code>\smalldiamond, \diamond,</code> <code>\smwhtdiamond</code>	*	<code>*, \ast</code>
◆	<code>\smallblackdiamond,</code> <code>\blackdiamond,</code> <code>\smbldiamond</code>	⌈	<code>\intercal</code>
◇	<code>\meddiamond, \Diamond,</code> <code>\mdlgwhtdiamond,</code> <code>\mdwhtdiamond</code>	⌋	<code>\wreath, \wr</code>
		⌌	<code>\amalg</code>
		◁	<code>\lhd</code>
		▷	<code>\rhd</code>
		⊆	<code>\unlhd</code>
		⊇	<code>\unrhd</code>
		/	<code>\divslash</code>
		\	<code>\setminus</code>

5.3 Relations

=	<code>=, \equal, \Relbar</code>	≡	<code>\dotcong</code>
≡	<code>\equiv</code>	≈	<code>\approxeq</code>
~	<code>\sim</code>	≐	<code>\bumpeq</code>
↖	<code>\backsimeq</code>	≐	<code>\bumpeq</code>
≈	<code>\approx</code>	⋈	<code>\Bumpeq</code>
≈	<code>\triplesim, \approxident</code>	⋈	<code>\doteq</code>
≈	<code>\simeq</code>	⋈	<code>\eqdot</code>
≈	<code>\backsimeq</code>	⋈	<code>\Doteq</code>
≈	<code>\eqsim</code>	⋈	<code>\fallingdotseq</code>
≡	<code>\cong</code>	⋈	<code>\risingdotseq</code>
≡	<code>\backcong</code>	⋈	<code>\coloneq, \coloneqq</code>

\equiv	<code>\eqcolon, \eqqcolon</code>	\triangleright	<code>\gtrclosed,</code>
\smile	<code>\smile, \smallsmile</code>		<code>\vartriangleright</code>
\frown	<code>\frown, \smallfrown</code>	\trianglelefteq	<code>\leqclosed, \trianglelefteq</code>
\asymp	<code>\smilefrown, \asymp</code>	\trianglerighteq	<code>\geqclosed,</code>
\circ	<code>\frownsmile, \closure</code>		<code>\trianglerighteq</code>
\smileeq	<code>\smileeq</code>	\lesscc	<code>\ltcc</code>
\frowneq	<code>\frowneq, \arceq</code>	\gtrcc	<code>\gtcc</code>
\eqcirc	<code>\eqcirc</code>	\leqslcc	<code>\lescc</code>
\circeq	<code>\circeq</code>	\geqslcc	<code>\gescc</code>
\wedgedeq	<code>\wedgedeq, \hatedeq</code>	\sqsubset	
\veeeq	<code>\veeeq</code>	\sqsupset	
\stareq	<code>\stareq</code>	\sqsubseteq	
\triangleleeq	<code>\triangleleeq, \triangleleq</code>	\sqsupseteq	
\in	<code>\in</code>	\sqsubsetteqq	
\owns	<code>\owns, \ni</code>	\sqsupsetteqq	
$<$	<code><, \less</code>	\Ssubset	
$>$	<code>>, \gtr</code>	\Ssupset	
\leq	<code>\leq, \le</code>	\subset	
\geq	<code>\geq, \ge</code>	\supset	
\leqslant	<code>\leqslant</code>	\subseteq	
\geqslant	<code>\geqslant</code>	\supseteq	
\leqq	<code>\leqq</code>	\subseteqq	
\geqq	<code>\geqq</code>	\supseteqq	
\lesssim	<code>\lesssim</code>	\Subset	
\gtrsim	<code>\gtrsim</code>	\Supset	
\lessapprox	<code>\lessapprox</code>	\prec	<code>\prec</code>
\gtrapprox	<code>\gtrapprox</code>	\succ	<code>\succ</code>
\lessgtr	<code>\lessgtr</code>	\preceq	
\gtrless	<code>\gtrless</code>	\succeq	
\lesseqgtr	<code>\lesseqgtr</code>	\preccurlyeq	
\gtreqless	<code>\gtreqless</code>	\succcurlyeq	
\lesseqqgtr	<code>\lesseqqgtr</code>	\preceqq	
\gtreqqless	<code>\gtreqqless</code>	\succeqq	
\lesseqslantgtr	<code>\lesseqslantgtr, \lesq</code>	\precsim	
\gtreqslantless	<code>\gtreqslantless, \gesl</code>	\succsim	
\ll	<code>\ll</code>	\precapprox	
\gg	<code>\gg</code>	\succapprox	
\lll	<code>\lll, \llless</code>	\lessdot	
\ggg	<code>\ggg, \gggtr</code>	\gtrdot	
\lessclosed	<code>\lessclosed,</code>	\leqdot	
	<code>\vartriangleleft</code>	\geqdot	

\leqslant	<code>\leqslantdot, \lesdot</code>	\Uparrow	<code>\uparrowtail</code>
\geqslant	<code>\geqslantdot, \gesdot</code>	\Leftarrow	<code>\leftarrowtail</code>
\lessdot	<code>\eqslantless</code>	\Downarrow	<code>\downarrowtail</code>
\gtrdot	<code>\eqslantgtr</code>	\nearrow	<code>\nearrowtail</code>
\curlyeqprec	<code>\curlyeqprec</code>	\nwarrow	<code>\nwarrowtail</code>
\curlyeqsucc	<code>\curlyeqsucc</code>	\swarrow	<code>\swarrowtail</code>
\thicksim	<code>\thicksim</code>	\searrow	<code>\searrowtail</code>
\thickapprox	<code>\thickapprox</code>	\mapsto	<code>\rightmapsto, \mapsto</code>
\rightarrow	<code>\rightarrow, \to</code>	\Uparrow	<code>\upmapsto, \mapsto</code>
\uparrow	<code>\uparrow</code>	\Leftarrow	<code>\leftmapsto, \mapsto</code>
\leftarrow	<code>\leftarrow, \gets</code>	\Downarrow	<code>\downmapsto, \mapsto</code>
\downarrow	<code>\downarrow</code>	\Rightarrow	<code>\Rightmapsto, \Mapsto</code>
\nearrow	<code>\nearrow</code>	\Uparrow	<code>\Upmapsto, \Mapsto</code>
\nwarrow	<code>\nwarrow</code>	\Leftarrow	<code>\Leftmapsto, \Mapsto</code>
\swarrow	<code>\swarrow</code>	\Downarrow	<code>\Downmapsto, \Mapsto</code>
\searrow	<code>\searrow</code>	\hookrightarrow	<code>\hookrightarrow</code>
\Rightarrow	<code>\Rightarrow</code>	\hookrightarrow	<code>\hookrightarrow</code>
\Uparrow	<code>\Uparrow</code>	\Leftarrow	<code>\varhookleftarrow</code>
\Leftarrow	<code>\Leftarrow</code>	\Downarrow	<code>\varhookdownarrow</code>
\Downarrow	<code>\Downarrow</code>	\nearrow	<code>\varhooknearrow</code>
\nearrow	<code>\nearrow</code>	\nwarrow	<code>\hooknwarrow, \hknwarrow</code>
\nwarrow	<code>\nwarrow</code>	\swarrow	<code>\varhookswarrow</code>
\swarrow	<code>\swarrow</code>	\searrow	<code>\hooksearrow, \hksearrow</code>
\searrow	<code>\searrow</code>	\rightarrow	<code>\varhookrightarrow</code>
\leftrightarrow	<code>\leftrightarrow</code>	\uparrow	<code>\varhookuparrow</code>
\updownarrow	<code>\updownarrow</code>	\Leftarrow	<code>\hookleftarrow</code>
\nearrow	<code>\nearrow</code>	\downarrow	<code>\hookdownarrow</code>
\nwarrow	<code>\nwarrow</code>	\nearrow	<code>\hooknearrow, \hknearrow</code>
\swarrow	<code>\swarrow</code>	\nwarrow	<code>\varhooknwarrow</code>
\searrow	<code>\searrow</code>	\swarrow	<code>\hookswarrow, \hkswarrow</code>
\leftrightarrow	<code>\leftrightarrow</code>	\searrow	<code>\varhooksearrow</code>
\updownarrow	<code>\updownarrow</code>	\rightarrow	<code>\rightharpoonup</code>
\nearrow	<code>\nearrow</code>	\leftarrow	<code>\upharpoonleft</code>
\nwarrow	<code>\nwarrow</code>	\downarrow	<code>\leftharpoondown</code>
\swarrow	<code>\swarrow</code>	\searrow	<code>\downharpoonright</code>
\searrow	<code>\searrow</code>	\nearrow	<code>\neharpoonnw</code>
\leftrightarrow	<code>\leftrightarrow</code>	\nwarrow	<code>\nwharpoonsw</code>
\updownarrow	<code>\updownarrow</code>	\swarrow	<code>\swharpoonse</code>
\nearrow	<code>\nearrow</code>	\searrow	<code>\seharpoonse</code>
\nwarrow	<code>\nwarrow</code>	\rightarrow	<code>\rightharpoondown</code>

\upharpoonright	<code>\upharpoonright,</code> <code>\restriction</code>	\rightarrow	<code>\rightarrowblackspoon</code>
\leftarrow	<code>\leftarrowharpoonup</code>	\up	<code>\upblackspoon</code>
\downarrow	<code>\downarrowharpoonleft</code>	\leftarrow	<code>\leftblackspoon</code>
\nearrow	<code>\nearrowharpoonse</code>	\downarrow	<code>\downblackspoon</code>
\nwarrow	<code>\nwarrowharpoonne</code>	\leftrightarrow	<code>\leftrightarrowspoon,\dualmap</code>
\swarrow	<code>\swarrowharpoonnw</code>	\leftrightarrow	<code>\leftrightarrowblackspoon</code>
\searrow	<code>\searrowharpoonsw</code>	\leftrightarrow	<code>\blackwhitespoon,\imageof</code>
\leftrightarrow	<code>\leftrightarrowharpoonupdown</code>	\leftrightarrow	<code>\whiteblackspoon,\origof</code>
\updownarrow	<code>\updownarrowharpoonleftright</code>	\rightleftharpoons	<code>\rightpitchfork</code>
\nearrow	<code>\nearrowharpoonnwse</code>	\pitchfork	<code>\uppitchfork,\pitchfork</code>
\nwarrow	<code>\nwarrowharpoonnesw</code>	\leftharpoons	<code>\leftpitchfork</code>
\leftrightarrow	<code>\leftrightarrowharpoonupdown</code>	\pitchfork	<code>\downpitchfork</code>
\downarrow	<code>\downarrowharpoonrightleft</code>	\Rightarrow	<code>\Rightarrowrightarrows</code>
\nearrow	<code>\nearrowharpoonsenw</code>	\Uparrow	<code>\Uparrowarrows</code>
\nwarrow	<code>\nwarrowharpoonswne</code>	\Leftarrow	<code>\Leftarrowarrows</code>
\Rightarrow	<code>\Rightarrowrightarpoons</code>	\Downarrow	<code>\Downarrowarrows</code>
\updownarrow	<code>\updownarrowharpoons,</code> <code>\updownarrowharpoonsleftright</code>	\nearrow	<code>\nearrowarrows</code>
\nearrow	<code>\nearrowharpoons</code>	\nwarrow	<code>\nwarrowarrows</code>
\nwarrow	<code>\nwarrowharpoons</code>	\swarrow	<code>\swarrowarrows</code>
\Rightarrow	<code>\Rightarrowleftarpoons</code>	\searrow	<code>\searrowarrows</code>
\updownarrow	<code>\updownarrowharpoons,</code> <code>\updownarrowharpoonsleftright</code>	\Rightarrow	<code>\Rightarrowrightarrows</code>
\nwarrow	<code>\nwarrowharpoons</code>	\Uparrow	<code>\Uparrowarrows</code>
\searrow	<code>\searrowharpoons</code>	\nearrow	<code>\nearrowarrows</code>
\rightarrow	<code>\rightarrowbkarrow,</code> <code>\dashrightarrow,</code> <code>\dasharrow</code>	\searrow	<code>\searrowarrows</code>
\up	<code>\upbkarrow</code>	\rightarrow	<code>\rightarrowwavedarrow,\leadsto,</code> <code>\rightsquigarrow,</code> <code>\rightarrowcurvedarrow</code>
\leftarrow	<code>\leftbkarrow,</code> <code>\dashleftarrow</code>	\up	<code>\upwavedarrow</code>
\downarrow	<code>\downbkarrow</code>	\leftarrow	<code>\leftwavedarrow</code>
\nearrow	<code>\nearrowbkarrow</code>	\downarrow	<code>\downwavedarrow</code>
\nwarrow	<code>\nwarrowbkarrow</code>	\rightarrow	<code>\rightarrowrightwavedarrow</code>
\swarrow	<code>\swarrowbkarrow</code>	\up	<code>\upwavedarrow</code>
\searrow	<code>\searrowbkarrow</code>	\leftarrow	<code>\leftwavedarrow,</code> <code>\leftsquigarrow,</code> <code>\leftcurvedarrow</code>
\leftrightarrow	<code>\leftrightarrowspoon,\multimap</code>	\downarrow	<code>\downwavedarrow</code>
\up	<code>\upspoon,\circmid</code>		
\leftrightarrow	<code>\leftrightarrowspoon,\multimapinv</code>		
\downarrow	<code>\downspoon,\midcir</code>		

\Leftrightarrow	<code>\leftrighthwarrow</code>	\circlearrowleft	<code>\acwcirculararrowup</code>
\leftrightsquigarrow	<code>\leftrightsquigarrow</code>	\circlearrowleft	<code>\acwcirculararrowleft,</code>
\Updownarrow	<code>\updownwavyarrow</code>		<code>\circlearrowleft,</code>
\varLeftrightarrow	<code>\varleftrighthwavyarrow</code>		<code>\acwopencirculararrow</code>
\Updownarrow	<code>\varupdownwavyarrow</code>	\circlearrowdown	<code>\acwcirculararrowdown,</code>
\curvearrowright	<code>\cwoverarcarrow,</code>		<code>\acwgapcirculararrow</code>
	<code>\curvearrowright</code>	\circlearrowright	<code>\acwcirculararrowright</code>
\curvearrowleft	<code>\cwleftarcarrow</code>	\circlearrowdown	<code>\cwcirculararrowdown,</code>
\curvearrowright	<code>\cwunderarcarrow</code>		<code>\cwgapcirculararrow</code>
\curvearrowright	<code>\cwrightarcarrow</code>	\circlearrowright	<code>\cwcirculararrowright,</code>
\curvearrowright	<code>\cwnwarcarrow,</code>		<code>\circlearrowright,</code>
	<code>\rightupcurvedarrow</code>		<code>\cwopencirculararrow</code>
\curvearrowright	<code>\cswarcarrow,</code>	\circlearrowup	<code>\cwcirculararrowup</code>
	<code>\upleftcurvedarrow</code>	\circlearrowleft	<code>\cwcirculararrowleft</code>
\curvearrowright	<code>\cwsearcarrow,</code>	\Rightarrow	<code>\Rightarrow</code>
	<code>\leftdowncurvedarrow</code>	\Uparrow	<code>\Uparrow</code>
\curvearrowright	<code>\cwnearcarrow,</code>	\Leftarrow	<code>\Lleftarrow</code>
	<code>\downrightcurvedarrow</code>	\Downarrow	<code>\Ddownarrow</code>
\curvearrowright	<code>\acwunderarcarrow</code>	\rightarrow	<code>\longrightarrow</code>
\curvearrowright	<code>\acwrightarcarrow</code>	\leftarrow	<code>\longleftarrow</code>
\curvearrowright	<code>\acwoverarcarrow,</code>	\Rightarrow	<code>\Longrightarrow</code>
	<code>\curvearrowleft</code>	\Leftarrow	<code>\Longleftarrow</code>
\curvearrowright	<code>\acwleftarcarrow</code>	\leftrightarrow	<code>\longleftrighthwarrow</code>
\curvearrowright	<code>\acwsearcarrow,</code>	\Leftrightarrow	<code>\Longleftrighthwarrow</code>
	<code>\uprightcurvedarrow</code>	\mapsto	<code>\longmapsto</code>
\curvearrowright	<code>\acwnearcarrow,</code>	\leftarrow	<code>\longmapsfrom</code>
	<code>\leftupcurvedarrow</code>	\Rightarrow	<code>\Longmapsto</code>
\curvearrowright	<code>\acwnwarcarrow,</code>	\Leftarrow	<code>\Longmapsfrom</code>
	<code>\downleftcurvedarrow</code>	\rightsquigarrow	<code>\longrightwavyarrow,</code>
\curvearrowright	<code>\acswarcarrow,</code>		<code>\longleadsto,</code>
	<code>\rightdowncurvedarrow</code>		<code>\longrightsquigarrow</code>
\curvearrowright	<code>\bdoverarcarrow</code>	\rightsquigarrow	<code>\longleftwavyarrow,</code>
\curvearrowright	<code>\bdleftarcarrow</code>		<code>\longleftsquigarrow</code>
\curvearrowright	<code>\bdunderarcarrow</code>	\longleftarrow	<code>\longleftfootline,</code>
\curvearrowright	<code>\bdrigharcarrow</code>		<code>\vlongdash</code>
\curvearrowright	<code>\bdnwarcarrow</code>	\longrightarrow	<code>\longrightfootline,</code>
\curvearrowright	<code>\bdswarcarrow</code>		<code>\longdashv</code>
\curvearrowright	<code>\bdsearcarrow</code>	\Leftarrow	<code>\Lsh</code>
\curvearrowright	<code>\bdnearcarrow</code>	\rightarrow	<code>\Rsh</code>
\longleftarrow	<code>\leftfootline</code>	\Leftarrow	<code>\Ldsh</code>
\longrightarrow	<code>\rightfootline</code>	\rightarrow	<code>\Rdsh</code>

\looparrowright	<code>\looparrowright</code>	\nsimeq	<code>\nsimeq</code>
\looparrowleft	<code>\looparrowleft</code>	\nbacksimeq	<code>\nbacksimeq</code>
\vdash	<code>\rightvdash, \vdash</code>	\neqsim	<code>\neqsim</code>
\perp	<code>\upvdash, \perp</code>	\ncong	<code>\ncong</code>
\dashv	<code>\leftvdash, \dashv</code>	\nbackcong	<code>\nbackcong</code>
\dashv	<code>\downvdash</code>	\napproxeq	<code>\napproxeq</code>
\vdash	<code>\rightassert, \assert,</code> <code>\shortrightttack</code>	\nbumpeq	<code>\nbumpeq</code>
\vdash	<code>\upassert, \shortuptack</code>	\nbumpeqq	<code>\nbumpeqq</code>
\vdash	<code>\leftassert, \shortleftttack</code>	\nBumpeq	<code>\nBumpeq</code>
\dashv	<code>\downassert, \shortdowntack</code>	\ndoteq	<code>\ndoteq</code>
\models	<code>\rightvDash, \vDash</code>	\neqdot	<code>\neqdot</code>
\models	<code>\upvDash, \Vbar</code>	\nDoteq	<code>\nDoteq</code>
\models	<code>\leftvDash, \Dashv</code>	\nfallingdotseq	<code>\nfallingdotseq</code>
\models	<code>\downvDash, \bar{V}</code>	\nrisingdotseq	<code>\nrisingdotseq</code>
\models	<code>\rightmodels, \models</code>	\nsmile	<code>\nsmile</code>
\models	<code>\upmodels</code>	\nfrown	<code>\nfrown</code>
\models	<code>\leftmodels</code>	\nsmilefrown, \nasymp	<code>\nsmilefrown, \nasymp</code>
\models	<code>\downmodels</code>	\nfrownsmile, \nclosure	<code>\nfrownsmile, \nclosure</code>
\models	<code>\rightVdash, \Vdash</code>	\nsmileeq	<code>\nsmileeq</code>
\models	<code>\upVdash</code>	\nfrowneq, \narceq	<code>\nfrowneq, \narceq</code>
\models	<code>\leftVdash, \dashV</code>	\neqcirc	<code>\neqcirc</code>
\models	<code>\downVdash</code>	\ncirceq	<code>\ncirceq</code>
\models	<code>\rightAssert, \Assert</code>	\nwedgeq, \nhateq	<code>\nwedgeq, \nhateq</code>
\models	<code>\upAssert, \vBar</code>	\nveeeq	<code>\nveeeq</code>
\models	<code>\leftAssert</code>	\nstareq	<code>\nstareq</code>
\models	<code>\downAssert, \Barv</code>	\ntriangleeq	<code>\ntriangleeq</code>
\models	<code>\rightVDash, \VDash</code>	\nin, \notin	<code>\nin, \notin</code>
\models	<code>\upVDash</code>	\nowns, \nni	<code>\nowns, \nni</code>
\models	<code>\leftVDash, \DashV</code>	\nless	<code>\nless</code>
\models	<code>\downVDash</code>	\ngtr	<code>\ngtr</code>
\models	<code>\Vvdash</code>	\nleq	<code>\nleq</code>
\models	<code>\dashVv</code>	\ngeq	<code>\ngeq</code>
\models	<code>\vDdash</code>	\nleqslant	<code>\nleqslant</code>
\models	<code>\Ddashv</code>	\ngeqslant	<code>\ngeqslant</code>
\neq	<code>\nequal, \neq, \ne</code>	\nleqq	<code>\nleqq</code>
\neq	<code>\nequiv</code>	\ngeqq	<code>\ngeqq</code>
\sim	<code>\nsim</code>	\nlesssim	<code>\nlesssim</code>
\sim	<code>\nbacksim</code>	\ngtrsim	<code>\ngtrsim</code>
\approx	<code>\napprox</code>	\nlessapprox	<code>\nlessapprox</code>
\approx	<code>\ntriplesim, \napproxident</code>	\ngtrapprox	<code>\ngtrapprox</code>
		\nlessgtr	<code>\nlessgtr</code>

\nlessgtr	\nprec
\nlesseqgtr	\nsucceq
\ngtreqlless	$\nprec\curlyeqeq$
\nlesseqqgtr	$\nsucc\curlyeqeq$
\ngtreqqless	\npreceqq
\nlesseqslantgtr, \nlesg	\nsucceqq
\ngtreqslantless, \ngesl	$\nprec\sim$
\nll	$\nsucc\sim$
\ngg	$\nprec\approx$
\nlll	$\nsucc\approx$
\nggg	\nlessdot
$\nlessclosed,$ \ntriangleleft	\ngtrdot
$\ngtrclosed,$ \ntriangleright	\nleqdot
$\nleqclosed,$ \ntrianglelefteq	\ngeqdot
$\ngeqclosed,$ \ntrianglerighteq	\nleqslantdot, \nlesdot
\nlesscc, \nltcc	\ngeqslantdot, \ngesdot
\ngtrcc, \ngtcc	\neqslantless
\nleqslcc, \nlescc	\neqslantgtr
\ngeqslcc, \ngescc	\ncurlyeqprec
\nsubset	\ncurlyeqsucc
\nsupset	\simneqq
\nsubseteq	\backsimneqq
\nsupseteq	\lneq
\nsubseteqeq	\gneq
\nsupseteq	\lneqq, \lvertneqq
\nsubseteqeqq	\gneqq, \gvertneqq
\nsupseteqq	\lnsim
\nSubset	\gnsim
\nSupset	\lnapprox
\nprec	\gnapprox
\nsucc	\sqsubsetneq
	\sqsupsetneq
	\sqsubsetneqq
	\sqsupsetneqq
	$\subsetneq, \varsubsetneq$
	$\supsetneq, \varsupsetneq$
	$\subsetneqq, \varsubsetneqq$
	$\supsetneqq, \varsupsetneqq$
	\precneq
	\succneq
	\precneqq

\Rightarrow	<code>\succneqq</code>	\nearrow	<code>\nnearrowtail</code>
\prec	<code>\precnsim</code>	\nwarrow	<code>\nnwarrowtail</code>
\succ	<code>\succnsim</code>	\searrow	<code>\nswarrowtail</code>
\preccurlyeq	<code>\precnapprox</code>	\searrow	<code>\nsearrowtail</code>
\succcurlyeq	<code>\succnapprox</code>	\mapsto	<code>\nrightmapsto, \nmapsto</code>
\rightarrow	<code>\nrightarrow, \nto</code>	\Uparrow	<code>\nupmapsto, \nmapsup</code>
\uparrow	<code>\nuparrow</code>	\Leftarrow	<code>\nleftmapsto, \nmapsfrom</code>
\leftarrow	<code>\nleftarrow, \ngets</code>	\Downarrow	<code>\ndownmapsto, \nmapsdown</code>
\downarrow	<code>\ndownarrow</code>	\Rrightarrow	<code>\nRightmapsto, \nMapsto</code>
\nearrow	<code>\nnearrow</code>	\Upmapsto	<code>\nUpmapsto, \nMapsup</code>
\nwarrow	<code>\nnwarrow</code>	\Leftarrow	<code>\nLeftmapsto, \nMapsfrom</code>
\searrow	<code>\nswarrow</code>	\Downarrow	<code>\nDownmapsto, \nMapsdown</code>
\searrow	<code>\nsearrow</code>	\hookrightarrow	<code>\nhookrightarrow</code>
\Rrightarrow	<code>\nRightarrow</code>	\hookrightarrow	<code>\nhookuparrow</code>
\Uparrow	<code>\nUparrow</code>	\Leftarrow	<code>\nvarhookleftarrow</code>
\Leftarrow	<code>\nLeftarrow</code>	\downarrow	<code>\nvarhookdownarrow</code>
\Downarrow	<code>\nDownarrow</code>	\nearrow	<code>\nvarhooknearrow</code>
\nearrow	<code>\nNearrow</code>	\nwarrow	<code>\nhooknwarrow, \nhknwarrow</code>
\nwarrow	<code>\nNwarrow</code>	\searrow	<code>\nvarhookswarrow</code>
\searrow	<code>\nSwarrow</code>	\searrow	<code>\nhooksearrow, \nhksearrow</code>
\searrow	<code>\nSearrow</code>	\hookrightarrow	<code>\nvarhookrightarrow</code>
\leftrightarrow	<code>\nleftrightharrow</code>	\hookrightarrow	<code>\nvarhookuparrow</code>
\Downarrow	<code>\nupdownarrow</code>	\Leftarrow	<code>\nhookleftarrow</code>
\nearrow	<code>\nneswarrow</code>	\downarrow	<code>\nhookdownarrow</code>
\nwarrow	<code>\nnwsearrow</code>	\nearrow	<code>\nhooknearrow, \nhknearrow</code>
\leftrightarrow	<code>\nLeftrightharrow</code>	\nwarrow	<code>\nvarhooknwarrow</code>
\Updownarrow	<code>\nUpdownarrow</code>	\searrow	<code>\nhookswarrow, \nhkswarrow</code>
\nearrow	<code>\nNeswarrow</code>	\searrow	<code>\nvarhooksearrow</code>
\nwarrow	<code>\nNwsearrow</code>	\nearrow	<code>\nrightharpoonup</code>
\Rightarrow	<code>\ntwoheadrightarrow</code>	\leftarrow	<code>\nupharpoonleft</code>
\Uparrow	<code>\ntwoheaduparrow</code>	\nearrow	<code>\nleftharpoondown</code>
\Leftarrow	<code>\ntwoheadleftarrow</code>	\downarrow	<code>\ndownharpoonright</code>
\Downarrow	<code>\ntwoheaddownarrow</code>	\nearrow	<code>\nneharpoonnw</code>
\nearrow	<code>\ntwoheadnearrow</code>	\nwarrow	<code>\nnwharpoonsw</code>
\nwarrow	<code>\ntwoheadnwarrow</code>	\searrow	<code>\nswharpoonse</code>
\searrow	<code>\ntwoheadswarrow</code>	\searrow	<code>\nseharpoonse</code>
\searrow	<code>\ntwoheadsearrow</code>	\nearrow	<code>\nrightharpoondown</code>
\Rightarrow	<code>\nrightarrowtail</code>	\rightarrow	<code>\nupharpoonright,</code> <code>\nrestriction</code>
\Uparrow	<code>\nuparrowtail</code>	\Leftarrow	<code>\nleftharpoonup</code>
\Leftarrow	<code>\nleftarrowtail</code>	\downarrow	<code>\ndownharpoonleft</code>
\downarrow	<code>\ndownarrowtail</code>		

\nearrow	<code>\nneharpoonse</code>	\leftrightspoon	<code>\leftrightspoon, \ndualmap</code>
\nwarrow	<code>\nnwharpoonne</code>	\blackspoon	<code>\leftrightblackspoon</code>
\nearrow	<code>\nswharpoonnw</code>	\blackspoon	<code>\nblackwhitespoon,</code>
\searrow	<code>\nseharpoonsw</code>		<code>\nimageof</code>
\updownarrow	<code>\nleftrightharpoonupdown</code>	\whiteblackspoon	<code>\nwhiteblackspoon, \norigof</code>
\leftrightspoon	<code>\nupdownharpoonleftright</code>	\pitchfork	<code>\nrightpitchfork</code>
\nwarrow	<code>\nneswharpoonnwse</code>	\pitchfork	<code>\nuppitchfork, \npitchfork</code>
\nwarrow	<code>\nnwseharpoonsesw</code>	\pitchfork	<code>\nleftpitchfork</code>
\updownarrow	<code>\nleftrightharpoondownup</code>	\pitchfork	<code>\ndownpitchfork</code>
\leftrightspoon	<code>\nupdownharpoonrightleft</code>	\rightarrow	<code>\nrightrightarrows</code>
\nwarrow	<code>\nneswharpoonsenw</code>	\rightarrow	<code>\nupuparrows</code>
\nwarrow	<code>\nnwseharpoonswne</code>	\rightarrow	<code>\nleftleftarrows</code>
\rightarrow	<code>\nrightrightarrows</code>	\rightarrow	<code>\ndowndownarrows</code>
\rightarrow	<code>\nupdownharpoons, \nupdown-</code>	\rightarrow	<code>\nnenearrows</code>
	<code>harpoonsleftright</code>	\rightarrow	<code>\nnwnwarrows</code>
\rightarrow	<code>\nneswharpoons</code>	\rightarrow	<code>\nswswarrows</code>
\rightarrow	<code>\nsenwharpoons</code>	\rightarrow	<code>\nsesearrows</code>
\rightarrow	<code>\nleftrightharpoons</code>	\rightarrow	<code>\nrightrightarrows</code>
\rightarrow	<code>\ndownupharpoons,</code>	\rightarrow	<code>\nupdownarrows</code>
	<code>\ndownupharpoonsleft-</code>	\rightarrow	<code>\nneswarrows</code>
	<code>right</code>	\rightarrow	<code>\nnwsearrows</code>
\rightarrow	<code>\nswneharpoons</code>	\rightarrow	<code>\nleftrightrightarrows</code>
\rightarrow	<code>\nnwseharpoons</code>	\rightarrow	<code>\ndownuparrows</code>
\rightarrow	<code>\nrightrightarrow, \ndasharrow,</code>	\rightarrow	<code>\nswnearrows</code>
	<code>\ndashrightarrow</code>	\rightarrow	<code>\nsenwarrows</code>
\rightarrow	<code>\nupbkarrow</code>	\rightarrow	<code>\nrightrightarrow, \nleadsto,</code>
\rightarrow	<code>\nleftbkarrow,</code>		<code>\nrightrightarrow,</code>
	<code>\ndashleftarrow</code>		<code>\nrightrightarrow</code>
\rightarrow	<code>\ndownbkarrow</code>	\rightarrow	<code>\nvarupwavedarrow</code>
\rightarrow	<code>\nnebkarrow</code>	\rightarrow	<code>\nvarleftwavedarrow</code>
\rightarrow	<code>\nnwbkarrow</code>	\rightarrow	<code>\ndownwavedarrow</code>
\rightarrow	<code>\nswbkarrow</code>	\rightarrow	<code>\nvarrightwavedarrow</code>
\rightarrow	<code>\nsebkarrow</code>	\rightarrow	<code>\nupwavedarrow</code>
\rightarrow	<code>\nrightrightarrow, \nmultimap</code>	\rightarrow	<code>\nleftwavedarrow,</code>
\rightarrow	<code>\nupspoon, \ncirmid</code>		<code>\nleftsquigarrow,</code>
\rightarrow	<code>\nleftspoon, \nmultimapinv</code>		<code>\nleftcurvedarrow</code>
\rightarrow	<code>\ndownspoon, \nmidcir</code>	\rightarrow	<code>\nvardownwavedarrow</code>
\rightarrow	<code>\nrightrightarrow</code>	\rightarrow	<code>\nleftrightrightarrow,</code>
\rightarrow	<code>\nupblackspoon</code>		<code>\nleftrightrightarrow</code>
\rightarrow	<code>\nleftblackspoon</code>	\rightarrow	<code>\nupdownwavedarrow</code>
\rightarrow	<code>\ndownblackspoon</code>	\rightarrow	<code>\nvarleftrightrightarrow</code>

\S	<code>\nvarupdownwavearrow</code>	\Downarrow	<code>\nacwcirculararrowdown,</code> <code>\nacwgapcirculararrow</code>
\curvearrowright	<code>\ncwoverarcarrow,</code> <code>\ncurvearrowright</code>	\circlearrowright	<code>\nacwcirculararrowright</code>
\curvearrowleft	<code>\ncwleftarcarrow</code>	\circlearrowdown	<code>\ncwcirculararrowdown,</code> <code>\ncwgapcirculararrow</code>
\curvearrowright	<code>\ncwunderarcarrow</code>	\circlearrowright	<code>\ncwcirculararrowright,</code> <code>\ncirculararrowright,</code> <code>\ncwopencirculararrow</code>
\curvearrowright	<code>\ncwrightarcarrow</code>		
\curvearrowright	<code>\ncwnwarcarrow,</code> <code>\nrightupcurvedarrow</code>		
\curvearrowright	<code>\ncwswarcarrow,</code> <code>\nupleftcurvedarrow</code>	\circlearrowup	<code>\ncwcirculararrowup</code>
\curvearrowright	<code>\ncwsearcarrow,</code> <code>\nleftdowncurvedarrow</code>	\circlearrowleft	<code>\ncwcirculararrowleft</code>
\curvearrowright	<code>\ncwnearcarrow,</code> <code>\ndownrightcurvedarrow</code>	\Rightarrow	<code>\nRrightarrow</code>
\curvearrowright	<code>\nacwunderarcarrow</code>	\Uparrow	<code>\nUparrow</code>
\curvearrowright	<code>\nacwrightarcarrow</code>	\Lleftarrow	<code>\nLleftarrow</code>
\curvearrowright	<code>\nacwoverarcarrow,</code> <code>\ncurvearrowleft</code>	\Downdownarrows	<code>\nDdownarrow</code>
\curvearrowright	<code>\nacwleftarcarrow</code>	\rightarrow	<code>\nlongrightarrow</code>
\curvearrowright	<code>\nacwsearcarrow,</code> <code>\nuprightcurvearrow</code>	\leftarrow	<code>\nlongleftarrow</code>
\curvearrowright	<code>\nacwnearcarrow,</code> <code>\nleftupcurvedarrow</code>	\Rightarrow	<code>\nLongrightarrow</code>
\curvearrowright	<code>\nacwnwarcarrow,</code> <code>\ndownleftcurvedarrow</code>	\Leftarrow	<code>\nLongleftarrow</code>
\curvearrowright	<code>\nacwswarcarrow,</code> <code>\nrightdowncurvedarrow</code>	\leftrightarrow	<code>\nlongleftrightrightarrow</code>
\curvearrowright	<code>\nbdoverarcarrow</code>	\mapsto	<code>\nlongmapsto</code>
\curvearrowright	<code>\nbdleftarcarrow</code>	\mapsfrom	<code>\nlongmapsfrom</code>
\curvearrowright	<code>\nbdunderarcarrow</code>	\mapsto	<code>\nLongmapsto</code>
\curvearrowright	<code>\nbdrightarcarrow</code>	\Leftarrow	<code>\nLongmapsfrom</code>
\curvearrowright	<code>\nbdnwarcarrow</code>	\rightsquigarrow	<code>\nlongrightwvearrow,</code> <code>\nlongleadsto,</code> <code>\nlongrightsquigarrow</code>
\curvearrowright	<code>\nbdswarcarrow</code>	\rightsquigarrow	<code>\nlongleftwvearrow,</code> <code>\nlongleftsquigarrow</code>
\curvearrowright	<code>\nbdsearcarrow</code>	\dashrightarrow	<code>\nlongleftfootline,</code> <code>\nvlongdash</code>
\curvearrowright	<code>\nbdnearcarrow</code>	\dashrightarrow	<code>\nlongrightfootline,</code> <code>\nlongdashv</code>
\dashrightarrow	<code>\nleftfootline</code>	\dashrightarrow	<code>\nrightvdash,\nvdash</code>
\dashrightarrow	<code>\nrightfootline</code>	\perp	<code>\nupvdash,\nperp</code>
\circlearrowup	<code>\nacwcirculararrowup</code>	\dashrightarrow	<code>\nleftvdash,\ndashv</code>
\circlearrowleft	<code>\nacwcirculararrowleft,</code> <code>\ncirculararrowleft,</code> <code>\nacwopencirculararrow</code>	\dashrightarrow	<code>\ndownvdash</code>
		$\#$	<code>\nrightassert,\nassert,</code> <code>\nshortrighttack</code>
		\perp	<code>\nupassert,\nshortuptack</code>

#	\nleftassert,	#	\nVvdash
	\nshortleftttack	#	\ndashVv
⌞	\ndownassert,	≡	\nvDdash
	\nshortdowntack	≡	\nDdashv
≡	\nrightvDash,\nvDash	:	:\,\mathratio
⊥	\nupvDash,\nVbar	::	\Colon
#	\nleftvDash,\nDashv	—	\relbar
⌞	\ndownvDash,\nbarV	⋮	\dotsminusdots
≡	\nrightmodels,\nmodels	⋈	\rJoin
⊥	\nupmodels	⋈	\lJoin
#	\nleftmodels	⋈	\bowtie,\Join
⌞	\ndownmodels	∝	\propto,\varpropto
#	\nrightVdash,\nVdash	∞	\backpropto,\propfrom
⊥	\nupVdash	×	\crossing
#	\nleftVdash,\ndashV	∅	\between
⌞	\ndownVdash		\shortmid
#	\nrightAssert,\nAssert		\mid,\divides
⊥	\nupAssert,\nvBar	⋈	\nshortmid
#	\nleftAssert	⋈	\nmid,\ndivides
⌞	\ndownAssert,\nBarv		\shortparallel
#	\nrightVDash,\nVDash		\parallel
⊥	\nupVDash	⋈	\nshortparallel
#	\nleftVDash,\nDashV	⋈	\nparallel
⌞	\ndownVDash		

5.4 Punctuation symbols

·	\cdotp	:	\colon,\mathcolon
---	--------	---	-------------------





































5.5 Large operators





+	+	\bigplus			\disjquant
×	×	\bigtimes	⋈	⋈	\bigcurlywedge
∧	∧	\bigwedge	Υ	Υ	\bigcurlyvee
∨	∨	\bigvee	⊃	⊃	\bigcap
⋈	⋈	\bigwedgedot	⊃	⊃	\bigcup
∨	∨	\bigveedot	⊃	⊃	\bigcapdot
⋈	⋈	\bigdoublewedge,	⊃	⊃	\bigcupdot
		\conjquant	⊃	⊃	\bigcapplus
⋈	⋈	\bigdoublevee,			

\bigcup^+	\bigcup^+	<code>\bigcupplus, \biguplus</code>			<code>\intclockwise</code>
\bigsqcap	\bigsqcap	<code>\bigsqcap</code>	\int	\int	<code>\landdownint, \awint,</code>
\bigsqcup	\bigsqcup	<code>\bigsqcup</code>			<code>\intctrckwise</code>
\bigsqcapdot	\bigsqcapdot	<code>\bigsqcapdot</code>	f	f	<code>\intbar</code>
\bigsqcupdot	\bigsqcupdot	<code>\bigsqcupdot</code>	\neq	\neq	<code>\intBar</code>
\bigsqcapplus	\bigsqcapplus	<code>\bigsqcapplus</code>	f	f	<code>\fint</code>
\bigsqcupplus	\bigsqcupplus	<code>\bigsqcupplus</code>	ϕ	ϕ	<code>\oint</code>
\bigoplus	\bigoplus	<code>\bigoplus</code>	$\$$	$\$$	<code>\oiint</code>
\bigotimes	\bigotimes	<code>\bigotimes</code>	$\$$	$\$$	<code>\oiint</code>
\bigodot	\bigodot	<code>\bigodot</code>	$\$$	$\$$	<code>\oiint</code>
\bigcircast	\bigcircast	<code>\bigcircast</code>	$\$$	$\$$	<code>\rcircclerightint,</code>
\prod	\prod	<code>\prod</code>			<code>\ointctrckwise</code>
\coprod	\coprod	<code>\coprod</code>	ϕ	ϕ	<code>\lcircclerightint,</code>
\sum	\sum	<code>\sum</code>			<code>\varointclockwise</code>
\osum	\osum	<code>\osum, \modtwosum</code>	ϕ	ϕ	<code>\rcircleleftint,</code>
\int	\int	<code>\int</code>			<code>\varointctrckwise</code>
\iint	\iint	<code>\iint</code>	ϕ	ϕ	<code>\lcircleleftint,</code>
\iiint	\iiint	<code>\iiint</code>			<code>\ointclockwise</code>
\iiiint	\iiiint	<code>\iiiint</code>	\neq	\neq	<code>\sumint</code>
$\int\cdots\int$	$\int\cdots\int$	<code>\idotsint, \dotsint</code>	π	π	<code>\smallprod</code>
\int	\int	<code>\int</code>	μ	μ	<code>\smallcoprod</code>
\int	\int	<code>\int</code>	\int	\int	<code>\smallint</code>
\int	\int	<code>\int</code>	$\sqrt{}$	$\sqrt{}$	<code>\surd</code>

5.6 Delimiters and accents

$((((($	<code>(, \lparen</code>	$\lfloor\lfloor\lfloor\lfloor$	<code>\lfloor</code>
$))))$	<code>), \rparen</code>	$\rfloor\rfloor\rfloor\rfloor$	<code>\rfloor</code>
$[[[[[$	<code>[, \lbrack</code>	$\lceil\lceil\lceil\lceil$	<code>\lceil</code>
$]]]]]$	<code>], \rbrack</code>	$\rceil\rceil\rceil\rceil$	<code>\rceil</code>

	<code>\ulcorner</code>		<code> , \vert</code>
	<code>\urcorner</code>		<code>\lvert</code>
	<code>\llcorner</code>		<code>\rvert</code>
	<code>\lrcorner</code>		<code>\Vert, \lvert</code>
	<code>\ullcorner</code>		<code>\lVert</code>
	<code>\ulrcorner</code>		<code>\rVert</code>
	<code>\lsem, \lBrack</code>		<code>\Vvert</code>
	<code>\rsem, \rBrack</code>		<code>\lVvert</code>
	<code>\lbrace, \{</code>		<code>\rVvert</code>
	<code>\rbrace, \}</code>		<code>\arrowvert</code>
	<code>\langle</code>		<code>\Arrowvert</code>
	<code>\rangle</code>		<code>\lgroup</code>
	<code>\lAngle</code>		<code>\rgroup</code>
	<code>\rAngle</code>		<code>\lmoustache</code>
	<code>\langedot</code>		<code>\rmoustache</code>
	<code>\rangedot</code>		<code>\bracevert</code>
	<code>/, \mathslash</code>		<code>\uparrow</code>
	<code>\backslash</code>		<code>\downarrow</code>

	<code>\updownarrow</code>		<code>\Downarrow</code>
	<code>\Uparrow</code>		<code>\Updownarrow</code>
\overbrace{xxx}	<code>\overbrace</code>	\overline{xxx}	<code>\overline{segment}</code>
\underbrace{xxx}	<code>\underbrace</code>	\overleftarrow{xxx}	<code>\overleftarrow{poon}</code>
\overgroup{xxx}	<code>\overgroup</code>	\overrightarrow{xxx}	<code>\overrightarrow{poon}</code>
\undergroup{xxx}	<code>\undergroup</code>	\underline{xxx}	<code>\underline{segment}</code>
\sqrt{b}	<code>\sqrt{b}</code>	\vec{b}	<code>\vec{b}</code>
\widehat{xxx}	<code>\widehat{xxx}</code>	\bar{b}	<code>\middlebar{b}</code>
\widetilde{xxx}	<code>\widetilde{xxx}</code>	$\text{\textbackslash}b$	<code>\middleslash{b}</code>
\wideparen{xxx}	<code>\wideparen{xxx}</code>	$\text{\textbackslash}b$	<code>\strokethrough{b}</code>

5.7 Faked symbols

The following symbols are taken from the text font.

\dagger	<code>\dagger</code>	\hbar	<code>\hbar</code>
\ddagger	<code>\ddagger</code>	$\hspace{1pt}$	<code>\hspace{1pt}</code>
\P	<code>\mathparagraph</code>	$\text{\textcircled{R}}$	<code>\text{\textcircled{R}}</code>
\S	<code>\mathsection</code>	$\text{\textcircled{S}}$	<code>\text{\textcircled{S}}</code>
$\$$	<code>\mathdollar</code>	λ	<code>\lambdabar</code>
\pounds	<code>\mathsterling</code>	λ	<code>\lambdaslash</code>
\yen	<code>\yen</code>		

5.8 Missing symbols

The following symbols from Computer Modern or the AMS fonts are missing in MdSymbol. If available, they should be taken from the text font.

<code>\mho</code>	<code>\backepsilon</code>	<code>\diagup</code>
<code>\eth</code>	<code>\mapstochar</code>	<code>\diagdown</code>
<code>\digamma</code>	<code>\lhook</code>	<code>\Bbbk</code>
<code>\varkappa</code>	<code>\rhook</code>	

6 Implementation

```

1 \style
2 \RequirePackage{xkeyval}

```

```

3 \newcommand*\mdsy@choickey[3]{%
4   \define@choickey*{MdSymbol.sty}{#1}{\@tempa\@tempb}{#2}{#3}%
5 }

```

We use xkeyval's key mechanism to declare all options. The first options determines the size of delimiters.

```

6 \define@boolkey{MdSymbol.sty}[mdsy@]{largedelims}[true]{}

```

The following option determines whether faked symbols should be defined.

```

7 \define@boolkey{MdSymbol.sty}[mdsy@]{retainmissing}[true]{}

```

The next option allows to scale the fonts by an arbitrary factor.

```

8 \newcommand{\mdsy@scale}{1.0}
9 \define@key{MdSymbol.sty}{scale}{\renewcommand\mdsy@scale{#1}}

```

The next option controls whether only the sans and sansbold mathversions are modified.

```

10 \define@boolkey{MdSymbol.sty}[mdsy@]{onlysansmath}[true]{}

```

The following two options control which weights are used for which math version and font size.

```

11 \newcommand\mdsy@mweight@normal{Regular}
12 \newcommand\mdsy@mweight@small{Regular}
13 \newcommand\mdsy@bweight@normal{Semibold}
14 \newcommand\mdsy@bweight@small{Semibold}
15 \mdsy@choickey{normalweight}{light,regular,autolight,autoregular}{%
16   \ifcase\@tempb\relax
17     \renewcommand\mdsy@mweight@normal{Light}%
18     \renewcommand\mdsy@mweight@small{Light}%
19   \or
20     \renewcommand\mdsy@mweight@normal{Regular}%
21     \renewcommand\mdsy@mweight@small{Regular}%
22   \or
23     \renewcommand\mdsy@mweight@normal{Light}%
24     \renewcommand\mdsy@mweight@small{Regular}%
25   \or
26     \renewcommand\mdsy@mweight@normal{Regular}%
27     \renewcommand\mdsy@mweight@small{Semibold}%
28   \fi
29 }
30 \mdsy@choickey{boldweight}{semibold,bold,autosemibold}{%
31   \ifcase\@tempb\relax
32     \renewcommand\mdsy@bweight@normal{Semibold}%
33     \renewcommand\mdsy@bweight@small{Semibold}%
34   \or
35     \renewcommand\mdsy@bweight@normal{Bold}%
36     \renewcommand\mdsy@bweight@small{Bold}%
37   \or
38     \renewcommand\mdsy@bweight@normal{Semibold}%

```

```

39   \renewcommand\mdsy@bweight@small{Bold}%
40   \fi
41 }
42 \ExecuteOptionsX{largedelims=false,onlysansmath=false,retainmissing=false}
43 \ProcessOptionsX

```

Load external packages, but only if they are not already loaded in order to avoid warning messages about loading a package twice with different options.

```

44 \@ifpackageloaded{amsmath}{-}{\RequirePackage{amsmath}}
45 \@ifpackageloaded{textcomp}{-}{\RequirePackage{textcomp}}

```

Command to check whether tabular math version is available

```

46 \newcommand*\mdsy@if@tabular@math[1]{%
47   \ifundefined{mv@tabular}{-}{#1}%
48 }

```

Add an additional switch into the mathversion command to indicate sans or sansbold math. Putting this into the \ifmathversionsans command does not work with the delimiter definition below.

```

49 \ifmdsy@onlysansmath
50   \DeclareMathVersion{sans}
51   \DeclareMathVersion{sansbold}
52   \DeclareMathVersion{sanstabular}
53   \DeclareMathVersion{sansboldtabular}
54
55   \newif\if@mdsy@sans@
56
57   \let\mathversion@old\mathversion
58   \def\sans@version{sans}
59   \def\sans@version@bold{sansbold}
60   \def\sans@version@tab{sanstabular}
61   \def\sans@version@bold@tab{sansboldtabular}
62   \renewcommand{\mathversion}[1]{%
63     \mathversion@old{#1}%
64     \@mdsy@sans@false%
65     \ifx\math@version\sans@version%
66       \@mdsy@sans@true%
67     \fi%
68     \ifx\math@version\sans@version@bold%
69       \@mdsy@sans@true%
70     \fi%
71     \ifx\math@version\sans@version@tab%
72       \@mdsy@sans@true%
73     \fi%
74     \ifx\math@version\sans@version@bold@tab%
75       \@mdsy@sans@true%
76     \fi%

```

```

77 }
78 \fi
79 \def\ifmathversionsans{%
80   \if@mdsy@sans@
81     \expandafter\@firstoftwo
82   \else
83     \expandafter\@secondoftwo
84   \fi
85 }

```

The following shorthands simplify the definition of commands which have different output depending on the mathversion in the case of `onlysansmath`. Without that option, they just normally define the commands.

```

86 \RequirePackage{etoolbox}
87
88 \newcommand\mdsy@setslot[1]{\@tempcnta #1\relax}
89 \newcommand\mdsy@nextslot{\advance\@tempcnta 1\relax}
90 \newcommand\mdsy@prevslot{\advance\@tempcnta-1\relax}
91
92 \newcommand\mdsy@@DeclareSymbol[4]{\expandafter\DeclareMathSymbol\expandafter{\csname
93
94 \ifmdsy@onlysansmath
95   \newcommand\mdsy@OrigSymbol@not@def{%
96     \PackageError{MdSymbol}{Symbol is only available in sans-like math-
97     versions}{%
98       Define symbol before loading MdSymbol with the onlysansmath op-
99       tion}
100   }
101   \newcommand\mdsy@DeclareSymbol[3]{%
102     \ifcsdef{#1}{%
103       \csletcs{#1@old}{#1}%
104     }\cslet{#1@old}{\mdsy@OrigSymbol@not@def}}
105     \expandafter\mdsy@@DeclareSymbol\expandafter{\the\@tempcnta}{#1@sans}{#3}{#2}%
106     \csundef{#1}%
107     \csdef{#1}{\ifmathversionsans{\csname #1@sans\endcsname}{\csname#1@old\endcsname}}
108     \mdsy@nextslot
109   }
110 \newcommand\mdsy@DeclareDelimiter[4]{%
111   \ifcsdef{#1}{%
112     \csletcs{#1@old}{#1}%
113   }\cslet{#1@old}{\mdsy@OrigSymbol@not@def}}%
114   \expandafter\DeclareMathDelimiter\expandafter{\csname #1@sans\endcsname}{#2}{#3}{
115   \csundef{#1}%
116   \csdef{#1}{\ifmathversionsans{\csname #1@sans\endcsname}{\csname#1@old\endcsname}}
117   }
118 \newcommand\mdsy@DeclareOperator[3]{%

```

```

117 \ifcsdef{#1}{%
118   \csletcs{#1@old}{#1}%
119 }{\cslet{#1@old}{\mdsy@OrigSymbol@not@def}}%
120 \csdef{#1@sans}{\DOTSB#3\slimits@}
121 \csundef{#1}%
122 \csdef{#1}{\ifmathversionsans{\csname #1@sans\endcsname}{\csname#1@old\endcsname}}
123 }
124 \newcommand\mdsy@DeclareIntegral[3]{%
125   \ifcsdef{#1}{%
126     \csletcs{#1@old}{#1}%
127   }{\cslet{#1@old}{\mdsy@OrigSymbol@not@def}}%
128   \csdef{#1@sans}{\DOTSI#3\ilimits@}%
129   \csundef{#1}%
130   \csdef{#1}{\ifmathversionsans{\csname #1@sans\endcsname}{\csname#1@old\endcsname}}
131 }
132 \newcommand\mdsy@DeclareMathSymbol[4]{%
133   \ifcsdef{#1}{%
134     \csletcs{#1@old}{#1}%
135   }{\cslet{#1@old}{\mdsy@OrigSymbol@not@def}}%
136   \expandafter\DeclareMathSymbol\expandafter{\csname #1@sans\endcsname}{#2}{#3}{#4}%
137   \csundef{#1}%
138   \csdef{#1}{\ifmathversionsans{\csname #1@sans\endcsname}{\csname#1@old\endcsname}}
139 }
140 \newcommand\mdsy@DeclareMathDelimiter[6]{%
141   \ifcsdef{#1}{%
142     \csletcs{#1@old}{#1}%
143   }{\cslet{#1@old}{\mdsy@OrigSymbol@not@def}}%
144   \expandafter\DeclareMathDelimiter\expandafter{\csname #1@sans\endcsname}{#2}{#3}{#4}%
145   \csundef{#1}%
146   \csdef{#1}{\ifmathversionsans{\csname #1@sans\endcsname}{\csname#1@old\endcsname}}
147 }
148 \newcommand\mdsy@DeclareMathAccent[4]{%
149   \ifcsdef{#1}{%
150     \csletcs{#1@old}{#1}%
151   }{\cslet{#1@old}{\mdsy@OrigSymbol@not@def}}%
152   \expandafter\DeclareMathAccent\expandafter{\csname #1@sans\endcsname}{#2}{#3}{#4}%
153   \csundef{#1}%
154   \csdef{#1}{\ifmathversionsans{\csname #1@sans\endcsname}{\csname#1@old\endcsname}}
155 }
156 \newcommand\mdsy@DeclareMathRadical[5]{%
157   \ifcsdef{#1}{%
158     \csletcs{#1@old}{#1}%
159   }{\cslet{#1@old}{\mdsy@OrigSymbol@not@def}}%
160   \expandafter\DeclareMathRadical\expandafter{\csname #1@sans\endcsname}{#2}{#3}{#4}%
161   \csundef{#1}%

```



```

162   \csdef{#1}{\ifmathversionsans{\csname #1@sans\endcsname}{\csname#1@old\endcsname}}
163 }
164 \newcommand{\mdsy@DeclareActiveMathSymbol}[4]{%
165   \ifnum\mathcode'#1="8000 %
166     \errmessage{'#1' is already active}%
167   \fi
168   \expandafter\mathchardef\csname#1@old\endcsname=\mathcode'#1 %
169   \expandafter\DeclareMathSymbol\csname#1@new\endcsname{#2}{#3}{#4}
170   \begingroup
171   \lccode'\~='#1 %
172   \lowercase{\endgroup
173     \def~%
174   }{\ifmathversionsans{\csname#1@new\endcsname}{\csname#1@old\endcsname}}%
175   \mathcode'#1="8000 %
176 }
177 \newcommand{\mdsy@DeclareActiveMathDelimiter}[4]{%
178   % don't know how to implement an active math delimiter; so de-
179   clare
180   % it as an active math symbol instead
181   \mdsy@DeclareActiveMathSymbol{#1}{#2}{#3}{#4}
182 }
183 \newcommand{\mdsy@renewcommand}[2]{%
184   \ifcsdef{#1}{%
185     \csletcs{#1@old}{#1}%
186   }{\cslet{#1@old}{\mdsy@OrigSymbol@not@def}}%
187   \expandafter\newcommand\csname #1@sans\endcsname{#2}%
188   \csundef{#1}%
189   \csdef{#1}{\ifmathversionsans{\csname #1@sans\endcsname}{\csname#1@old\endcsname}}
190 }
191 \newcommand{\mdsy@DeclareRobustCommandArg}[3]{%
192   \ifcsdef{#1}{%
193     \csletcs{#1@old}{#1}%
194   }{\cslet{#1@old}{\mdsy@OrigSymbol@not@def}}%
195   \expandafter\DeclareRobustCommand\csname #1@sans\endcsname[#2]{#3}%
196   \csundef{#1}%
197   \csdef{#1}{\ifmathversionsans{\csname #1@sans\endcsname}{\csname#1@old\endcsname}}
198 }
199 \newcommand{\mdsy@DeclareRobustCommand}[2]{%
200   \ifcsdef{#1}{%
201     \csletcs{#1@old}{#1}%
202   }{\cslet{#1@old}{\mdsy@OrigSymbol@not@def}}%
203   \expandafter\DeclareRobustCommand\csname #1@sans\endcsname{#2}%
204   \csundef{#1}%
205   \csdef{#1}{\ifmathversionsans{\csname #1@sans\endcsname}{\csname#1@old\endcsname}}
206 }

```

```

206 \else
207   \let\ifmathversionsans\undefined
208   \newcommand\mdsy@DeclareSymbol[3]{%
209     \csundef{#1}%
210     \expandafter\mdsy@@DeclareSymbol\expandafter{\the\@tempcnta}{#1}{#3}{#2}%
211     \mdsy@nextslot
212   }
213   \newcommand\mdsy@DeclareDelimiter[4]{%
214     \csundef{#1}%
215     \expandafter\DeclareMathDelimiter\expandafter{\csname#1\endcsname}{#2}{#3}{#4}{#3}
216   }
217   \newcommand\mdsy@DeclareOperator[3]{%
218     \csdef{#1}{\DOTSB#3\slimits@}%
219   }
220   \newcommand\mdsy@DeclareIntegral[3]{%
221     \csdef{#1}{\DOTSI#3\ilimits@}%
222   }
223   \newcommand\mdsy@DeclareMathSymbol[4]{%
224     \expandafter\DeclareMathSymbol\expandafter{\csname#1\endcsname}{#2}{#3}{#4}%
225   }
226   \newcommand\mdsy@DeclareMathDelimiter[6]{%
227     \expandafter\DeclareMathDelimiter\expandafter{\csname#1\endcsname}{#2}{#3}{#4}{#5}
228   }
229   \newcommand\mdsy@DeclareMathAccent[4]{%
230     \expandafter\DeclareMathAccent\expandafter{\csname#1\endcsname}{#2}{#3}{#4}%
231   }
232   \newcommand\mdsy@DeclareMathRadical[5]{%
233     \expandafter\DeclareMathRadical\expandafter{\csname#1\endcsname}{#2}{#3}{#4}{#5}%
234   }
235   \newcommand\mdsy@DeclareActiveMathSymbol[4]{%
236     \DeclareMathSymbol{#1}{#2}{#3}{#4}%
237   }
238   \newcommand\mdsy@DeclareActiveMathDelimiter[4]{%
239     \DeclareMathDelimiter{#1}{#2}{#3}{#4}{#3}{#4}%
240   }
241   \newcommand{\mdsy@renewcommand}[2]{%
242     \expandafter\providecommand\csname #1\endcsname{#2}%
243   }
244   \newcommand{\mdsy@DeclareRobustCommand}[2]{%
245     \expandafter\DeclareRobustCommand\csname#1\endcsname{#2}%
246   }
247   \newcommand{\mdsy@DeclareRobustCommandArg}[3]{%
248     \expandafter\DeclareRobustCommand\csname#1\endcsname[#2]{#3}%
249   }
250 \fi

```

```

251
252 \newcommand\mdsy@DeclareAlias[3]{\mdsy@prevslot\mdsy@DeclareSymbol{#1}{#2}{#3}}
253
254 \newcommand\mdsy@DeclareOpen[3]{\mdsy@DeclareDelimiter{#1}{\mathopen}{#2}{#3}}
255 \newcommand\mdsy@DeclareClose[3]{\mdsy@DeclareDelimiter{#1}{\mathclose}{#2}{#3}}

```

If the option `largedelims` has been selected, we readjust the scaling factors of big delimiters, so that `\Big`, `\bigg` and `\Bigg` do not change their size.

```

256 \ifmdsy@largedelims
257   \mdsy@renewcommand\Big{\bBigg@{1.25}}
258   \mdsy@renewcommand\bigg{\bBigg@{1.66}}
259   \mdsy@renewcommand\Bigg{\bBigg@{2.08}}
260 \fi

```

Some symbols missing from `MdSymbol` can be obtained from other fonts or by combining several other symbols.

```

261 \ifmdsy@retainmissing
262 \else
263   \mdsy@DeclareRobustCommand\dagger{\mdsy@text{\textdagger}}
264   \mdsy@DeclareRobustCommand\ddagger{\mdsy@text{\textdaggerdbl}}
265   \mdsy@DeclareRobustCommand\mathparagraph{\mdsy@text{\textparagraph}}
266   \mdsy@DeclareRobustCommand\mathsection{\mdsy@text{\textsection}}
267   \mdsy@DeclareRobustCommand\mathdollar{\mdsy@text{\textdollar}}
268   \mdsy@DeclareRobustCommand\mathsterling{\mdsy@text{\textsterling}}
269   \mdsy@DeclareRobustCommand\yen{\mdsy@text{\textyen}}
270   \mdsy@DeclareRobustCommand\circledR{\mdsy@text{\textcircled{%
271     \check@mathfonts\fontsize\sf@size\z@ \math@fontsfalse\selectfont R}}}
272   \mdsy@DeclareRobustCommand\circledS{\mdsy@text{\textcircled{%
273     \check@mathfonts\fontsize\sf@size\z@ \math@fontsfalse\selectfont S}}}
274   \mdsy@DeclareRobustCommand\Re{\mathfrak{R}}
275   \mdsy@DeclareRobustCommand\Im{\mathfrak{I}}
276   \mdsy@DeclareRobustCommand\dotcong{\mathrel{\dot{\cong}}}
277   \mdsy@DeclareRobustCommand\thicksim{\mathrel{\text{\boldmath$\m@th\sim$}}}
278   \mdsy@DeclareRobustCommand\thickapprox{\mathrel{\text{\boldmath$\m@th\approx$}}}
279   \mdsy@DeclareRobustCommand\hslash{\middleslash h}
280   \mdsy@DeclareRobustCommand\centerdot{\mathbin{\rule{0.15em}{0.15em}}}
281   \mdsy@DeclareRobustCommand\lambdabar{\middlebar\lambda}
282   \mdsy@DeclareRobustCommand\lambdaslash{\middleslash\lambda}
283   \ifpackageloaded{MyriadPro}{\%
284     \mdsy@DeclareRobustCommand\hbar{\middlebar h}\%
285   }
286 \fi

```

Unneeded partial symbols.

```

287 \ifmdsy@onlysansmath
288 \else
289   \let\mapstochar\undefined

```

```

290 \let\lhook\undefined
291 \let\rhook\undefined
292 \fi

Font definitions.
293 \DeclareFontFamily{U}{MdSymbolA}{}
294 \DeclareFontFamily{U}{MdSymbolB}{}
295 \DeclareFontFamily{U}{MdSymbolC}{}
296 \DeclareFontFamily{U}{MdSymbolD}{}
297 \DeclareFontFamily{U}{MdSymbolE}{}
298 \DeclareFontFamily{U}{MdSymbolF}{}
299
300 \RequirePackage{fltpoint}
301 \fpDecimalSign{.}
302 \newcommand*{\mdsy@calc@bsize}[2]{\fpDiv{#1}{#2}{\mdsy@scale}}
303
304 \mdsy@calc@bsize{\mdsy@s@medium}{6}
305 \mdsy@calc@bsize{\mdsy@s@bold}{6}
306
307 \DeclareFontShape{U}{MdSymbolA}{m}{n}{
308     < -\mdsy@s@medium> s * [\mdsy@scale] MdSymbolA-\mdsy@mweight@small
309     <\mdsy@s@medium- > s * [\mdsy@scale] MdSymbolA-\mdsy@mweight@normal
310 }{}
311 \DeclareFontShape{U}{MdSymbolA}{b}{n}{
312     < - \mdsy@s@bold> s * [\mdsy@scale] MdSymbolA-\mdsy@bweight@small
313     <\mdsy@s@bold - > s * [\mdsy@scale] MdSymbolA-\mdsy@bweight@normal
314 }{}
315 \DeclareFontShape{U}{MdSymbolB}{m}{n}{
316     < -\mdsy@s@medium> s * [\mdsy@scale] MdSymbolB-\mdsy@mweight@small
317     <\mdsy@s@medium- > s * [\mdsy@scale] MdSymbolB-\mdsy@mweight@normal
318 }{}
319 \DeclareFontShape{U}{MdSymbolB}{b}{n}{
320     < - \mdsy@s@bold> s * [\mdsy@scale] MdSymbolB-\mdsy@bweight@small
321     <\mdsy@s@bold - > s * [\mdsy@scale] MdSymbolB-\mdsy@bweight@normal
322 }{}
323 \DeclareFontShape{U}{MdSymbolC}{m}{n}{
324     < -\mdsy@s@medium> s * [\mdsy@scale] MdSymbolC-\mdsy@mweight@small
325     <\mdsy@s@medium- > s * [\mdsy@scale] MdSymbolC-\mdsy@mweight@normal
326 }{}
327 \DeclareFontShape{U}{MdSymbolC}{b}{n}{
328     < - \mdsy@s@bold> s * [\mdsy@scale] MdSymbolC-\mdsy@bweight@small
329     <\mdsy@s@bold - > s * [\mdsy@scale] MdSymbolC-\mdsy@bweight@normal
330 }{}
331 \DeclareFontShape{U}{MdSymbolD}{m}{n}{
332     < -\mdsy@s@medium> s * [\mdsy@scale] MdSymbolD-\mdsy@mweight@small
333     <\mdsy@s@medium- > s * [\mdsy@scale] MdSymbolD-\mdsy@mweight@normal

```

```

334 }{}
335 \DeclareFontShape{U}{MdSymbolD}{b}{n}{
336     < - \mdsy@s@bold> s * [\mdsy@scale] MdSymbolD-\mdsy@bweight@small
337     <\mdsy@s@bold - > s * [\mdsy@scale] MdSymbolD-\mdsy@bweight@normal
338 }{}
339 \DeclareFontShape{U}{MdSymbolE}{m}{n}{
340     < -\mdsy@s@medium> s * [\mdsy@scale] MdSymbolE-\mdsy@mweight@small
341     <\mdsy@s@medium- > s * [\mdsy@scale] MdSymbolE-\mdsy@mweight@normal
342 }{}
343 \DeclareFontShape{U}{MdSymbolE}{b}{n}{
344     < - \mdsy@s@bold> s * [\mdsy@scale] MdSymbolE-\mdsy@bweight@small
345     <\mdsy@s@bold - > s * [\mdsy@scale] MdSymbolE-\mdsy@bweight@normal
346 }{}
347 \DeclareFontShape{U}{MdSymbolF}{m}{n}{
348     < -\mdsy@s@medium> s * [\mdsy@scale] MdSymbolF-\mdsy@mweight@small
349     <\mdsy@s@medium- > s * [\mdsy@scale] MdSymbolF-\mdsy@mweight@normal
350 }{}
351 \DeclareFontShape{U}{MdSymbolF}{b}{n}{
352     < - \mdsy@s@bold> s * [\mdsy@scale] MdSymbolF-\mdsy@bweight@small
353     <\mdsy@s@bold - > s * [\mdsy@scale] MdSymbolF-\mdsy@bweight@normal
354 }{}
355
356 \newcommand\IfUndefSymbolFont[3]{\@ifundefined{sym#1}{#2}{#3}}
357 \newcommand{\mdsy@DeclareSymbolFont}[3]{%
358     \IfUndefSymbolFont{#1}{%
359         \DeclareSymbolFont{#1}{#2}{#3}{m}{n}
360     }{%
361         \ifmdsy@onlysansmath%
362             \SetSymbolFont{#1}{sans}{#2}{#3}{m}{n}%
363             \SetSymbolFont{#1}{sanstabular}{#2}{#3}{m}{n}%
364         \else%
365             \SetSymbolFont{#1}{normal}{#2}{#3}{m}{n}%
366             \mdsy@if@tabular@math{\SetSymbolFont{#1}{tabular}{#2}{#3}{m}{n}}%
367             \fi%
368         }
369         \ifmdsy@onlysansmath%
370             \SetSymbolFont{#1}{sansbold}{#2}{#3}{b}{n}%
371             \SetSymbolFont{#1}{sansboldtabular}{#2}{#3}{b}{n}%
372         \else%
373             \SetSymbolFont{#1}{bold}{#2}{#3}{b}{n}%
374             \mdsy@if@tabular@math{\SetSymbolFont{#1}{boldtabular}{#2}{#3}{b}{n}}%
375             \fi%
376     }
377
378 \mdsy@DeclareSymbolFont{symbols}{U}{MdSymbolA}

```

```

379 \mdsy@DeclareSymbolFont{relations}{U}{MdSymbolB}
380 \mdsy@DeclareSymbolFont{arrows}{U}{MdSymbolC}
381 \mdsy@DeclareSymbolFont{narrows}{U}{MdSymbolD}
382 \mdsy@DeclareSymbolFont{largesymbols}{U}{MdSymbolE}
383 \mdsy@DeclareSymbolFont{delimiters}{U}{MdSymbolF}
384

```

A command for taking math symbols from the text font.

```

385 \def\mdsy@bold{bold}
386 \newcommand*\mdsy@text[1]{%
387   \ifx\mdsy@bold\math@version
388     \text{\sffamily\bfseries#1}%
389   \else
390     \text{\sffamily\mdseries#1}%
391   \fi
392 }

```

MdSymbolA: binary operators and ordinary symbols

```

393 \mdsy@setslot{0}
394 \mdsy@DeclareSymbol{cdot}{symbols}{\mathbin}
395 \mdsy@DeclareAlias{cdotp}{symbols}{\mathpunct}
396 \mdsy@DeclareSymbol{hdotdot}{symbols}{\mathbin}
397 \mdsy@DeclareSymbol{vdotdot}{symbols}{\mathbin}
398 \mdsy@DeclareAlias{colon}{symbols}{\mathpunct}
399 \mdsy@DeclareAlias{mathcolon}{symbols}{\mathpunct}
400 \mdsy@DeclareAlias{mathratio}{symbols}{\mathrel}
401 \mdsy@DeclareSymbol{udotdot}{symbols}{\mathbin}
402 \mdsy@DeclareSymbol{ddotdot}{symbols}{\mathbin}
403 \mdsy@DeclareSymbol{hdots}{symbols}{\mathord}
404 \mdsy@DeclareAlias{@cdots}{symbols}{\mathinner}
405 \mdsy@DeclareAlias{cdots}{symbols}{\mathinner}
406 \mdsy@DeclareSymbol{@vdots}{symbols}{\mathord}
407 \mdsy@DeclareRobustCommand{vdots}{\ifmmode\vdots\else\hbox{$\vdots$}\fi}
408 \mdsy@DeclareSymbol{udots}{symbols}{\mathord}
409 \mdsy@DeclareAlias{adots}{symbols}{\mathord}
410 \mdsy@DeclareSymbol{ddots}{symbols}{\mathord}
411 \mdsy@DeclareSymbol{righttherefore}{symbols}{\mathord}
412 \mdsy@DeclareSymbol{uptherefore}{symbols}{\mathord}
413 \mdsy@DeclareAlias{therefore}{symbols}{\mathord}
414 \mdsy@DeclareSymbol{lefttherefore}{symbols}{\mathord}
415 \mdsy@DeclareSymbol{downtherefore}{symbols}{\mathord}
416 \mdsy@DeclareAlias{because}{symbols}{\mathord}
417 \mdsy@DeclareSymbol{squaredots}{symbols}{\mathord}
418 \mdsy@DeclareAlias{Colon}{symbols}{\mathrel}
419 \mdsy@DeclareSymbol{minus}{symbols}{\mathbin}
420 \mdsy@DeclareSymbol{medslash}{symbols}{\mathbin}
421 \mdsy@DeclareAlias{smalldivslash}{symbols}{\mathbin}

```

```

422 \mdsy@DeclareSymbol{medbackslash}{symbols}{\mathbin}
423 \mdsy@DeclareAlias{smallsetminus}{symbols}{\mathbin}
424 \mdsy@DeclareSymbol{plus}{symbols}{\mathbin}
425 \mdsy@DeclareSymbol{times}{symbols}{\mathbin}
426 \mdsy@DeclareSymbol{dotminus}{symbols}{\mathbin}
427 \mdsy@DeclareSymbol{minusdot}{symbols}{\mathbin}
428 \mdsy@DeclareSymbol{div}{symbols}{\mathbin}
429 \mdsy@DeclareSymbol{minusfdots}{symbols}{\mathbin}
430 \mdsy@DeclareSymbol{minusrdots}{symbols}{\mathbin}
431 \mdsy@DeclareSymbol{dotsminusdots}{symbols}{\mathrel}
432 \mdsy@DeclareSymbol{pm}{symbols}{\mathbin}
433 \mdsy@DeclareSymbol{mp}{symbols}{\mathbin}
434 \mdsy@DeclareSymbol{dotplus}{symbols}{\mathbin}
435 \mdsy@DeclareSymbol{plusdot}{symbols}{\mathbin}
436 \mdsy@DeclareSymbol{dottimes}{symbols}{\mathbin}
437 \mdsy@DeclareSymbol{timesbar}{symbols}{\mathbin}
438 \mdsy@DeclareSymbol{divideontimes}{symbols}{\mathbin}
439 \mdsy@DeclareSymbol{neg}{symbols}{\mathord}
440 \mdsy@DeclareAlias{lnot}{symbols}{\mathord}
441 \mdsy@DeclareAlias{minushookdown}{symbols}{\mathbin}
442 \mdsy@DeclareSymbol{backneg}{symbols}{\mathord}
443 \mdsy@DeclareAlias{hookdownminus}{symbols}{\mathbin}
444 \mdsy@DeclareAlias{invneg}{symbols}{\mathord}
445 \mdsy@DeclareAlias{invnot}{symbols}{\mathord}
446 \mdsy@DeclareSymbol{intprod}{symbols}{\mathbin}
447 \mdsy@DeclareAlias{minushookup}{symbols}{\mathbin}
448 \mdsy@DeclareAlias{turnedneg}{symbols}{\mathord}
449 \mdsy@DeclareAlias{turnednot}{symbols}{\mathord}
450 \mdsy@DeclareSymbol{intprodr}{symbols}{\mathbin}
451 \mdsy@DeclareAlias{hookupminus}{symbols}{\mathbin}
452 \mdsy@DeclareAlias{turnedbackneg}{symbols}{\mathord}
453 \mdsy@DeclareSymbol{leftthreetimes}{symbols}{\mathbin}
454 \mdsy@DeclareSymbol{rightthreetimes}{symbols}{\mathbin}
455 \mdsy@DeclareSymbol{dtimes}{symbols}{\mathbin}
456 \mdsy@DeclareAlias{btimes}{symbols}{\mathbin}
457 \mdsy@DeclareSymbol{rtimes}{symbols}{\mathbin}
458 \mdsy@DeclareAlias{rJoin}{symbols}{\mathrel}
459 \mdsy@DeclareSymbol{utimes}{symbols}{\mathbin}
460 \mdsy@DeclareAlias{ttimes}{symbols}{\mathbin}
461 \mdsy@DeclareSymbol{ltimes}{symbols}{\mathbin}
462 \mdsy@DeclareAlias{lJoin}{symbols}{\mathrel}
463 \mdsy@DeclareSymbol{bowtie}{symbols}{\mathrel}
464 \mdsy@DeclareAlias{Join}{symbols}{\mathrel}
465 \mdsy@DeclareAlias{lrtimes}{symbols}{\mathbin}
466 \mdsy@DeclareSymbol{upbowtie}{symbols}{\mathbin}

```

```

467 \mdsy@DeclareAlias{hourglass}{symbols}{\mathbin}
468 \mdsy@DeclareSymbol{rightY}{symbols}{\mathbin}
469 \mdsy@DeclareSymbol{upY}{symbols}{\mathbin}
470 \mdsy@DeclareSymbol{leftY}{symbols}{\mathbin}
471 \mdsy@DeclareSymbol{downY}{symbols}{\mathbin}
472 \mdsy@DeclareSymbol{wedge}{symbols}{\mathbin}
473 \mdsy@DeclareAlias{land}{symbols}{\mathbin}
474 \mdsy@DeclareSymbol{vee}{symbols}{\mathbin}
475 \mdsy@DeclareAlias{lor}{symbols}{\mathbin}
476 \mdsy@DeclareSymbol{wedgedot}{symbols}{\mathbin}
477 \mdsy@DeclareSymbol{veedot}{symbols}{\mathbin}
478 \mdsy@DeclareSymbol{doublewedge}{symbols}{\mathbin}
479 \mdsy@DeclareAlias{wedgeonwedge}{symbols}{\mathbin}
480 \mdsy@DeclareSymbol{doublevee}{symbols}{\mathbin}
481 \mdsy@DeclareAlias{veeonvee}{symbols}{\mathbin}
482 \mdsy@DeclareSymbol{curlywedge}{symbols}{\mathbin}
483 \mdsy@DeclareSymbol{curlyvee}{symbols}{\mathbin}
484 \mdsy@DeclareSymbol{barwedge}{symbols}{\mathbin}
485 \mdsy@DeclareSymbol{veebar}{symbols}{\mathbin}
486 \mdsy@DeclareSymbol{doublebarwedge}{symbols}{\mathbin}
487 \mdsy@DeclareSymbol{veedoublebar}{symbols}{\mathbin}
488 \mdsy@DeclareSymbol{cup}{symbols}{\mathbin}
489 \mdsy@DeclareSymbol{cap}{symbols}{\mathbin}
490 \mdsy@DeclareSymbol{doublecup}{symbols}{\mathbin}
491 \mdsy@DeclareAlias{Cup}{symbols}{\mathbin}
492 \mdsy@DeclareSymbol{doublecap}{symbols}{\mathbin}
493 \mdsy@DeclareAlias{Cap}{symbols}{\mathbin}
494 \mdsy@DeclareSymbol{cupdot}{symbols}{\mathbin}
495 \mdsy@DeclareSymbol{capdot}{symbols}{\mathbin}
496 \mdsy@DeclareSymbol{cupplus}{symbols}{\mathbin}
497 \mdsy@DeclareAlias{uplus}{symbols}{\mathbin}
498 \mdsy@DeclareSymbol{capplus}{symbols}{\mathbin}
499 \mdsy@DeclareSymbol{sqcup}{symbols}{\mathbin}
500 \mdsy@DeclareSymbol{sqcap}{symbols}{\mathbin}
501 \mdsy@DeclareSymbol{doublesqcup}{symbols}{\mathbin}
502 \mdsy@DeclareAlias{Sqcup}{symbols}{\mathbin}
503 \mdsy@DeclareSymbol{doublesqcap}{symbols}{\mathbin}
504 \mdsy@DeclareAlias{Sqcap}{symbols}{\mathbin}
505 \mdsy@DeclareSymbol{sqcupdot}{symbols}{\mathbin}
506 \mdsy@DeclareSymbol{sqcapdot}{symbols}{\mathbin}
507 \mdsy@DeclareSymbol{sqcupplus}{symbols}{\mathbin}
508 \mdsy@DeclareSymbol{sqcapplus}{symbols}{\mathbin}
509 \mdsy@DeclareSymbol{pullback}{symbols}{\mathbin}
510 \mdsy@DeclareSymbol{pushout}{symbols}{\mathbin}
511 \mdsy@DeclareSymbol{smalltrangleright}{symbols}{\mathbin}

```



```

512 \mdsy@DeclareSymbol{smalltriangleup}{symbols}{\mathbin}
513 \mdsy@DeclareSymbol{smalltriangleleft}{symbols}{\mathbin}
514 \mdsy@DeclareSymbol{smalltriangledown}{symbols}{\mathbin}
515 \mdsy@DeclareSymbol{smallblacktriangleright}{symbols}{\mathbin}
516 \mdsy@DeclareSymbol{smallblacktriangleup}{symbols}{\mathbin}
517 \mdsy@DeclareSymbol{smallblacktriangleleft}{symbols}{\mathbin}
518 \mdsy@DeclareSymbol{smallblacktriangledown}{symbols}{\mathbin}
519 \mdsy@DeclareSymbol{medtriangleright}{symbols}{\mathbin}
520 \mdsy@DeclareAlias{triangleright}{symbols}{\mathbin}
521 \mdsy@DeclareSymbol{medtriangleup}{symbols}{\mathbin}
522 \mdsy@DeclareAlias{triangle}{symbols}{\mathbin}
523 \mdsy@DeclareAlias{vartriangle}{symbols}{\mathbin}
524 \mdsy@DeclareSymbol{medtriangleleft}{symbols}{\mathbin}
525 \mdsy@DeclareAlias{triangleleft}{symbols}{\mathbin}
526 \mdsy@DeclareSymbol{medtriangledown}{symbols}{\mathbin}
527 \mdsy@DeclareAlias{triangledown}{symbols}{\mathbin}
528 \mdsy@DeclareSymbol{medblacktriangleright}{symbols}{\mathbin}
529 \mdsy@DeclareAlias{blacktriangleright}{symbols}{\mathbin}
530 \mdsy@DeclareSymbol{medblacktriangleup}{symbols}{\mathbin}
531 \mdsy@DeclareAlias{blacktriangle}{symbols}{\mathbin}
532 \mdsy@DeclareSymbol{medblacktriangleleft}{symbols}{\mathbin}
533 \mdsy@DeclareAlias{blacktriangleleft}{symbols}{\mathbin}
534 \mdsy@DeclareSymbol{medblacktriangledown}{symbols}{\mathbin}
535 \mdsy@DeclareAlias{blacktriangledown}{symbols}{\mathbin}
536 \mdsy@DeclareSymbol{largetriangleup}{symbols}{\mathord}
537 \mdsy@DeclareAlias{bigtriangleup}{symbols}{\mathbin}
538 \mdsy@DeclareSymbol{largetriangledown}{symbols}{\mathord}
539 \mdsy@DeclareAlias{bigtriangledown}{symbols}{\mathbin}
540 \mdsy@DeclareSymbol{smallcircle}{symbols}{\mathbin}
541 \mdsy@DeclareAlias{circ}{symbols}{\mathbin}
542 \mdsy@DeclareAlias{smwhtcircle}{symbols}{\mathbin}
543 \mdsy@DeclareSymbol{smallblackcircle}{symbols}{\mathbin}
544 \mdsy@DeclareAlias{bullet}{symbols}{\mathbin}
545 \mdsy@DeclareAlias{smbllkcircle}{symbols}{\mathbin}
546 \mdsy@DeclareSymbol{medcircle}{symbols}{\mathbin}
547 \mdsy@DeclareAlias{mdlgwhtcircle}{symbols}{\mathbin}
548 \mdsy@DeclareSymbol{medblackcircle}{symbols}{\mathbin}
549 \mdsy@DeclareAlias{mdlgblkcircle}{symbols}{\mathbin}
550 \mdsy@DeclareSymbol{ominus}{symbols}{\mathbin}
551 \mdsy@DeclareSymbol{overt}{symbols}{\mathbin}
552 \mdsy@DeclareAlias{circledvert}{symbols}{\mathbin}
553 \mdsy@DeclareSymbol{oslash}{symbols}{\mathbin}
554 \mdsy@DeclareSymbol{obackslash}{symbols}{\mathbin}
555 \mdsy@DeclareAlias{obslash}{symbols}{\mathbin}
556 \mdsy@DeclareSymbol{oplus}{symbols}{\mathbin}

```

```

557 \mdsy@DeclareSymbol{otimes}{symbols}{\mathbin}
558 \mdsy@DeclareSymbol{odot}{symbols}{\mathbin}
559 \mdsy@DeclareSymbol{ocirc}{symbols}{\mathbin}
560 \mdsy@DeclareAlias{circledcirc}{symbols}{\mathbin}
561 \mdsy@DeclareSymbol{oast}{symbols}{\mathbin}
562 \mdsy@DeclareAlias{circledast}{symbols}{\mathbin}
563 \mdsy@DeclareSymbol{odash}{symbols}{\mathbin}
564 \mdsy@DeclareAlias{circleddash}{symbols}{\mathbin}
565 \mdsy@DeclareSymbol{oequal}{symbols}{\mathbin}
566 \mdsy@DeclareAlias{circledequal}{symbols}{\mathbin}
567 \mdsy@DeclareSymbol{emptyset}{symbols}{\mathord}
568 \mdsy@DeclareAlias{diameter}{symbols}{\mathord}
569 \mdsy@DeclareAlias{varnothing}{symbols}{\mathord}
570 \mdsy@DeclareSymbol{revemptyset}{symbols}{\mathord}
571 \mdsy@DeclareSymbol{largecircle}{symbols}{\mathord}
572 \mdsy@DeclareAlias{bigcirc}{symbols}{\mathord}
573 \mdsy@DeclareAlias{lgwhtcircle}{symbols}{\mathord}
574 \mdsy@DeclareSymbol{largeblackcircle}{symbols}{\mathord}
575 \mdsy@DeclareAlias{lgbkcircle}{symbols}{\mathord}
576 \mdsy@DeclareSymbol{smallsquare}{symbols}{\mathbin}
577 \mdsy@DeclareAlias{smwhtsquare}{symbols}{\mathbin}
578 \mdsy@DeclareSymbol{smallblacksquare}{symbols}{\mathbin}
579 \mdsy@DeclareAlias{smbklsquare}{symbols}{\mathbin}
580 \mdsy@DeclareSymbol{medsquare}{symbols}{\mathbin}
581 \mdsy@DeclareAlias{square}{symbols}{\mathbin}
582 \mdsy@DeclareAlias{Box}{symbols}{\mathbin}
583 \mdsy@DeclareAlias{mdlwhtsquare}{symbols}{\mathbin}
584 \mdsy@DeclareAlias{mdwhtsquare}{symbols}{\mathbin}
585 \mdsy@DeclareSymbol{medblacksquare}{symbols}{\mathbin}
586 \mdsy@DeclareAlias{mdlgbklsquare}{symbols}{\mathbin}
587 \mdsy@DeclareAlias{mdblksquare}{symbols}{\mathbin}
588 \mdsy@DeclareSymbol{boxminus}{symbols}{\mathbin}
589 \mdsy@DeclareSymbol{boxvert}{symbols}{\mathbin}
590 \mdsy@DeclareAlias{boxbar}{symbols}{\mathbin}
591 \mdsy@DeclareSymbol{boxslash}{symbols}{\mathbin}
592 \mdsy@DeclareAlias{boxdiag}{symbols}{\mathbin}
593 \mdsy@DeclareSymbol{boxbackslash}{symbols}{\mathbin}
594 \mdsy@DeclareAlias{boxbslash}{symbols}{\mathbin}
595 \mdsy@DeclareSymbol{boxplus}{symbols}{\mathbin}
596 \mdsy@DeclareSymbol{boxtimes}{symbols}{\mathbin}
597 \mdsy@DeclareSymbol{boxdot}{symbols}{\mathbin}
598 \mdsy@DeclareSymbol{boxbox}{symbols}{\mathbin}
599 \mdsy@DeclareSymbol{largesquare}{symbols}{\mathord}
600 \mdsy@DeclareAlias{lgwhtsquare}{symbols}{\mathord}
601 \mdsy@DeclareSymbol{largeblacksquare}{symbols}{\mathord}

```

```

602 \mdsy@DeclareAlias{lglblksquare}{symbols}{\mathord}
603 \mdsy@DeclareSymbol{smalldiamond}{symbols}{\mathbin}
604 \mdsy@DeclareAlias{diamond}{symbols}{\mathbin}
605 \mdsy@DeclareAlias{smwhtdiamond}{symbols}{\mathbin}
606 \mdsy@DeclareSymbol{smallblackdiamond}{symbols}{\mathbin}
607 \mdsy@DeclareAlias{blackdiamond}{symbols}{\mathbin}
608 \mdsy@DeclareAlias{smbldiamond}{symbols}{\mathbin}
609 \mdsy@DeclareSymbol{meddiamond}{symbols}{\mathbin}
610 \mdsy@DeclareAlias{Diamond}{symbols}{\mathbin}
611 \mdsy@DeclareAlias{mdlgwhtdiamond}{symbols}{\mathbin}
612 \mdsy@DeclareAlias{mdwhtdiamond}{symbols}{\mathbin}
613 \mdsy@DeclareSymbol{medblackdiamond}{symbols}{\mathbin}
614 \mdsy@DeclareAlias{mdlgblkdiamond}{symbols}{\mathbin}
615 \mdsy@DeclareAlias{mdblkdiamond}{symbols}{\mathbin}
616 \mdsy@DeclareSymbol{diamondminus}{symbols}{\mathbin}
617 \mdsy@DeclareSymbol{diamondvert}{symbols}{\mathbin}
618 \mdsy@DeclareSymbol{diamondslash}{symbols}{\mathbin}
619 \mdsy@DeclareSymbol{diamondbackslash}{symbols}{\mathbin}
620 \mdsy@DeclareAlias{diamondbslash}{symbols}{\mathbin}
621 \mdsy@DeclareSymbol{diamondplus}{symbols}{\mathbin}
622 \mdsy@DeclareSymbol{diamondtimes}{symbols}{\mathbin}
623 \mdsy@DeclareSymbol{diamonddot}{symbols}{\mathbin}
624 \mdsy@DeclareAlias{diamondcdot}{symbols}{\mathbin}
625 \mdsy@DeclareSymbol{diamondddiamond}{symbols}{\mathbin}
626 \mdsy@DeclareSymbol{smalllozenge}{symbols}{\mathord}
627 \mdsy@DeclareAlias{smwhtlozenge}{symbols}{\mathord}
628 \mdsy@DeclareSymbol{smallblacklozenge}{symbols}{\mathord}
629 \mdsy@DeclareAlias{smbldlozenge}{symbols}{\mathord}
630 \mdsy@DeclareSymbol{medlozenge}{symbols}{\mathord}
631 \mdsy@DeclareAlias{lozenge}{symbols}{\mathord}
632 \mdsy@DeclareAlias{mdlgwhtlozenge}{symbols}{\mathord}
633 \mdsy@DeclareAlias{mdwhtlozenge}{symbols}{\mathord}
634 \mdsy@DeclareSymbol{medblacklozenge}{symbols}{\mathord}
635 \mdsy@DeclareAlias{blacklozenge}{symbols}{\mathord}
636 \mdsy@DeclareAlias{mdlgblklozenge}{symbols}{\mathord}
637 \mdsy@DeclareAlias{mdblkllozenge}{symbols}{\mathord}
638 \mdsy@DeclareSymbol{lozengeminus}{symbols}{\mathord}
639 \mdsy@DeclareSymbol{smallwhitestar}{symbols}{\mathbin}
640 \mdsy@DeclareAlias{smwhitestar}{symbols}{\mathbin}
641 \mdsy@DeclareSymbol{smallblackstar}{symbols}{\mathbin}
642 \mdsy@DeclareAlias{star}{symbols}{\mathbin}
643 \mdsy@DeclareSymbol{medwhitestar}{symbols}{\mathbin}
644 \mdsy@DeclareSymbol{medblackstar}{symbols}{\mathbin}
645 \mdsy@DeclareAlias{medstar}{symbols}{\mathbin}
646 \mdsy@DeclareSymbol{largewhitestar}{symbols}{\mathord}

```

```

647 \mdsy@DeclareSymbol{largeblackstar}{symbols}{\mathord}
648 \mdsy@DeclareAlias{bigstar}{symbols}{\mathord}
649 \mdsy@DeclareSymbol{ast}{symbols}{\mathbin}
650 \mdsy@DeclareSymbol{infty}{symbols}{\mathord}
651 \mdsy@DeclareSymbol{propto}{symbols}{\mathrel}
652 \mdsy@DeclareAlias{varpropto}{symbols}{\mathrel}
653 \mdsy@DeclareSymbol{backpropto}{symbols}{\mathrel}
654 \mdsy@DeclareAlias{propfrom}{symbols}{\mathrel}
655 \mdsy@DeclareSymbol{crossing}{symbols}{\mathrel}
656 \mdsy@DeclareSymbol{between}{symbols}{\mathrel}
657 \mdsy@DeclareSymbol{intercal}{symbols}{\mathbin}
658 \mdsy@DeclareSymbol{wreath}{symbols}{\mathbin}
659 \mdsy@DeclareAlias{wr}{symbols}{\mathbin}
660 \mdsy@DeclareSymbol{angle}{symbols}{\mathord}
661 \mdsy@DeclareSymbol{revangle}{symbols}{\mathord}
662 \mdsy@DeclareSymbol{measuredangle}{symbols}{\mathord}
663 \mdsy@DeclareSymbol{revmeasuredangle}{symbols}{\mathord}
664 \mdsy@DeclareAlias{measuredangleleft}{symbols}{\mathord}
665 \mdsy@DeclareSymbol{sphericalangle}{symbols}{\mathord}
666 \mdsy@DeclareSymbol{sphericalangleup}{symbols}{\mathord}
667 \mdsy@DeclareSymbol{sphericalangleleft}{symbols}{\mathord}
668 \mdsy@DeclareAlias{revsphericalangle}{symbols}{\mathord}
669 \mdsy@DeclareAlias{gtlpar}{symbols}{\mathord}
670 \mdsy@DeclareSymbol{sphericalangledown}{symbols}{\mathord}
671 \mdsy@DeclareSymbol{rightangle}{symbols}{\mathord}
672 \mdsy@DeclareSymbol{measuredrightangle}{symbols}{\mathord}
673 \mdsy@DeclareSymbol{rightanglesquare}{symbols}{\mathord}
674 \mdsy@DeclareAlias{rightanglesqr}{symbols}{\mathord}
675 \mdsy@DeclareSymbol{measuredrightangledot}{symbols}{\mathord}
676 \mdsy@DeclareAlias{rightanglemdot}{symbols}{\mathord}
677 \mdsy@DeclareSymbol{prime}{symbols}{\mathord}
678 \mdsy@DeclareSymbol{backprime}{symbols}{\mathord}
679 \mdsy@DeclareSymbol{smallprod}{symbols}{\mathop}
680 \mdsy@DeclareSymbol{smallcoprod}{symbols}{\mathop}
681 \mdsy@DeclareAlias{amalg}{symbols}{\mathbin}
682 \mdsy@DeclareSymbol{smallint}{symbols}{\mathop}
683 \mdsy@DeclareSymbol{checkmark}{symbols}{\mathord}
684 \mdsy@DeclareSymbol{lightning}{symbols}{\mathord}
685 \mdsy@DeclareAlias{downzigzagarrow}{symbols}{\mathord}
686 \mdsy@DeclareSymbol{diamondsuit}{symbols}{\mathord}
687 \mdsy@DeclareSymbol{vardiamondsuit}{symbols}{\mathord}
688 \mdsy@DeclareSymbol{heartsuit}{symbols}{\mathord}
689 \mdsy@DeclareSymbol{varheartsuit}{symbols}{\mathord}
690 \mdsy@DeclareSymbol{spadesuit}{symbols}{\mathord}
691 \mdsy@DeclareSymbol{clubsuit}{symbols}{\mathord}

```

```

692 \mdsy@DeclareSymbol{maltese}{symbols}{\mathord}
693 \mdsy@DeclareSymbol{starofdavid}{symbols}{\mathord}
694 \mdsy@DeclareSymbol{sector}{symbols}{\mathord}
695 \mdsy@DeclareSymbol{forall}{symbols}{\mathord}
696 \mdsy@DeclareSymbol{exists}{symbols}{\mathord}
697 \mdsy@DeclareSymbol{nexists}{symbols}{\mathord}
698 \mdsy@DeclareSymbol{Finv}{symbols}{\mathord}
699 \mdsy@DeclareSymbol{Game}{symbols}{\mathord}
700 \mdsy@DeclareSymbol{complement}{symbols}{\mathord}
701 \mdsy@DeclareSymbol{flat}{symbols}{\mathord}
702 \mdsy@DeclareSymbol{natural}{symbols}{\mathord}
703 \mdsy@DeclareSymbol{sharp}{symbols}{\mathord}
704 \mdsy@DeclareSymbol{aleph}{symbols}{\mathord}
705 \mdsy@DeclareSymbol{beth}{symbols}{\mathord}
706 \mdsy@DeclareSymbol{gimel}{symbols}{\mathord}
707 \mdsy@DeclareSymbol{daleth}{symbols}{\mathord}
708 \mdsy@DeclareSymbol{wp}{symbols}{\mathord}
709 \mdsy@DeclareSymbol{nabla}{symbols}{\mathord}

```

MdSymbolB: relations

```

710 \mdsy@setslot{0}
711 \mdsy@DeclareSymbol{equal}{relations}{\mathrel}
712 \mdsy@DeclareSymbol{equiv}{relations}{\mathrel}
713 \mdsy@DeclareSymbol{sim}{relations}{\mathrel}
714 \mdsy@DeclareSymbol{backsim}{relations}{\mathrel}
715 \mdsy@DeclareSymbol{approx}{relations}{\mathrel}
716 \mdsy@DeclareSymbol{triplesim}{relations}{\mathrel}
717 \mdsy@DeclareAlias{approxident}{relations}{\mathrel}
718 \mdsy@DeclareSymbol{simeq}{relations}{\mathrel}
719 \mdsy@DeclareSymbol{backsimeq}{relations}{\mathrel}
720 \mdsy@DeclareSymbol{eqsim}{relations}{\mathrel}
721 \mdsy@DeclareSymbol{cong}{relations}{\mathrel}
722 \mdsy@DeclareSymbol{backcong}{relations}{\mathrel}
723 \mdsy@DeclareSymbol{approxeq}{relations}{\mathrel}
724 \mdsy@DeclareSymbol{bumpeq}{relations}{\mathrel}
725 \mdsy@DeclareSymbol{bumpeqqu}{relations}{\mathrel}
726 \mdsy@DeclareSymbol{Bumpeq}{relations}{\mathrel}
727 \mdsy@DeclareSymbol{doteq}{relations}{\mathrel}
728 \mdsy@DeclareSymbol{eqdot}{relations}{\mathrel}
729 \mdsy@DeclareSymbol{Doteq}{relations}{\mathrel}
730 \mdsy@DeclareAlias{doteqdot}{relations}{\mathrel}
731 \mdsy@DeclareSymbol{fallingdotseq}{relations}{\mathrel}
732 \mdsy@DeclareSymbol{risingdotseq}{relations}{\mathrel}
733 \mdsy@DeclareSymbol{coloneq}{relations}{\mathrel}
734 \mdsy@DeclareAlias{coloneqq}{relations}{\mathrel}
735 \mdsy@DeclareSymbol{eqcolon}{relations}{\mathrel}

```

```

736 \mdsy@DeclareAlias{eqqcolon}{relations}{\mathrel}
737 \mdsy@DeclareSymbol{smile}{relations}{\mathrel}
738 \mdsy@DeclareAlias{smallsmile}{relations}{\mathrel}
739 \mdsy@DeclareSymbol{frown}{relations}{\mathrel}
740 \mdsy@DeclareAlias{smallfrown}{relations}{\mathrel}
741 \mdsy@DeclareSymbol{smilefrown}{relations}{\mathrel}
742 \mdsy@DeclareAlias{asymp}{relations}{\mathrel}
743 \mdsy@DeclareSymbol{frownsmile}{relations}{\mathrel}
744 \mdsy@DeclareAlias{closure}{relations}{\mathrel}
745 \mdsy@DeclareSymbol{smileeq}{relations}{\mathrel}
746 \mdsy@DeclareSymbol{frowneq}{relations}{\mathrel}
747 \mdsy@DeclareAlias{arceq}{relations}{\mathrel}
748 \mdsy@DeclareSymbol{eqcirc}{relations}{\mathrel}
749 \mdsy@DeclareSymbol{circeq}{relations}{\mathrel}
750 \mdsy@DeclareSymbol{wedpeq}{relations}{\mathrel}
751 \mdsy@DeclareAlias{hateq}{relations}{\mathrel}
752 \mdsy@DeclareSymbol{veeeq}{relations}{\mathrel}
753 \mdsy@DeclareSymbol{stareq}{relations}{\mathrel}
754 \mdsy@DeclareSymbol{triangleeq}{relations}{\mathrel}
755 \mdsy@DeclareAlias{triangleq}{relations}{\mathrel}
756 \mdsy@DeclareSymbol{in}{relations}{\mathrel}
757 \mdsy@DeclareSymbol{owns}{relations}{\mathrel}
758 \mdsy@DeclareAlias{ni}{relations}{\mathrel}
759 \mdsy@DeclareSymbol{less}{relations}{\mathrel}
760 \mdsy@DeclareSymbol{gtr}{relations}{\mathrel}
761 \mdsy@DeclareSymbol{leq}{relations}{\mathrel}
762 \mdsy@DeclareAlias{le}{relations}{\mathrel}
763 \mdsy@DeclareSymbol{geq}{relations}{\mathrel}
764 \mdsy@DeclareAlias{ge}{relations}{\mathrel}
765 \mdsy@DeclareSymbol{leqslant}{relations}{\mathrel}
766 \mdsy@DeclareSymbol{geqslant}{relations}{\mathrel}
767 \mdsy@DeclareSymbol{leqq}{relations}{\mathrel}
768 \mdsy@DeclareSymbol{geqq}{relations}{\mathrel}
769 \mdsy@DeclareSymbol{lesssim}{relations}{\mathrel}
770 \mdsy@DeclareSymbol{gtrsim}{relations}{\mathrel}
771 \mdsy@DeclareSymbol{lessapprox}{relations}{\mathrel}
772 \mdsy@DeclareSymbol{gtrapprox}{relations}{\mathrel}
773 \mdsy@DeclareSymbol{lessgtr}{relations}{\mathrel}
774 \mdsy@DeclareSymbol{gtrless}{relations}{\mathrel}
775 \mdsy@DeclareSymbol{lesseqgtr}{relations}{\mathrel}
776 \mdsy@DeclareSymbol{gtreqless}{relations}{\mathrel}
777 \mdsy@DeclareSymbol{lesseqqgtr}{relations}{\mathrel}
778 \mdsy@DeclareSymbol{gtreqqless}{relations}{\mathrel}
779 \mdsy@DeclareSymbol{lesseqslantgtr}{relations}{\mathrel}
780 \mdsy@DeclareAlias{lesg}{relations}{\mathrel}

```

```

781 \mdsy@DeclareAlias{lesseqgtrslant}{relations}{\mathrel}
782 \mdsy@DeclareSymbol{gtreqslantless}{relations}{\mathrel}
783 \mdsy@DeclareAlias{gesl}{relations}{\mathrel}
784 \mdsy@DeclareAlias{gtreqlessslant}{relations}{\mathrel}
785 \mdsy@DeclareSymbol{ll}{relations}{\mathrel}
786 \mdsy@DeclareSymbol{gg}{relations}{\mathrel}
787 \mdsy@DeclareSymbol{lll}{relations}{\mathrel}
788 \mdsy@DeclareAlias{llless}{relations}{\mathrel}
789 \mdsy@DeclareSymbol{ggg}{relations}{\mathrel}
790 \mdsy@DeclareAlias{gggtr}{relations}{\mathrel}
791 \mdsy@DeclareSymbol{lessclosed}{relations}{\mathrel}
792 \mdsy@DeclareAlias{lhs}{relations}{\mathbin}
793 \mdsy@DeclareAlias{vartriangleleft}{relations}{\mathrel}
794 \mdsy@DeclareSymbol{gtrclosed}{relations}{\mathrel}
795 \mdsy@DeclareAlias{rhd}{relations}{\mathbin}
796 \mdsy@DeclareAlias{vartriangleright}{relations}{\mathrel}
797 \mdsy@DeclareSymbol{leqclosed}{relations}{\mathrel}
798 \mdsy@DeclareAlias{unlhs}{relations}{\mathbin}
799 \mdsy@DeclareAlias{trianglelefteq}{relations}{\mathrel}
800 \mdsy@DeclareSymbol{geqclosed}{relations}{\mathrel}
801 \mdsy@DeclareAlias{unrhd}{relations}{\mathbin}
802 \mdsy@DeclareAlias{trianglerighteq}{relations}{\mathrel}
803 \mdsy@DeclareSymbol{lesscc}{relations}{\mathrel}
804 \mdsy@DeclareAlias{ltcc}{relations}{\mathrel}
805 \mdsy@DeclareSymbol{gtrcc}{relations}{\mathrel}
806 \mdsy@DeclareAlias{gtcc}{relations}{\mathrel}
807 \mdsy@DeclareSymbol{leqslcc}{relations}{\mathrel}
808 \mdsy@DeclareAlias{lescc}{relations}{\mathrel}
809 \mdsy@DeclareSymbol{geqslcc}{relations}{\mathrel}
810 \mdsy@DeclareAlias{gescc}{relations}{\mathrel}
811 \mdsy@DeclareSymbol{sqsubset}{relations}{\mathrel}
812 \mdsy@DeclareSymbol{sqsupset}{relations}{\mathrel}
813 \mdsy@DeclareSymbol{sqsubsepeq}{relations}{\mathrel}
814 \mdsy@DeclareSymbol{sqsupseteq}{relations}{\mathrel}
815 \mdsy@DeclareSymbol{sqsubseteqq}{relations}{\mathrel}
816 \mdsy@DeclareSymbol{sqsupseteqq}{relations}{\mathrel}
817 \mdsy@DeclareSymbol{Sqsubset}{relations}{\mathrel}
818 \mdsy@DeclareSymbol{Sqsupset}{relations}{\mathrel}
819 \mdsy@DeclareSymbol{subset}{relations}{\mathrel}
820 \mdsy@DeclareSymbol{supset}{relations}{\mathrel}
821 \mdsy@DeclareSymbol{subsepeq}{relations}{\mathrel}
822 \mdsy@DeclareSymbol{supseteq}{relations}{\mathrel}
823 \mdsy@DeclareSymbol{subseteqq}{relations}{\mathrel}
824 \mdsy@DeclareSymbol{supseteqq}{relations}{\mathrel}
825 \mdsy@DeclareSymbol{Subset}{relations}{\mathrel}

```

```

826 \mdsy@DeclareSymbol{Supset}{relations}{\mathrel}
827 \mdsy@DeclareSymbol{prec}{relations}{\mathrel}
828 \mdsy@DeclareSymbol{succ}{relations}{\mathrel}
829 \mdsy@DeclareSymbol{preceq}{relations}{\mathrel}
830 \mdsy@DeclareSymbol{succeq}{relations}{\mathrel}
831 \mdsy@DeclareSymbol{preccurlyeq}{relations}{\mathrel}
832 \mdsy@DeclareSymbol{succcurlyeq}{relations}{\mathrel}
833 \mdsy@DeclareSymbol{preceqq}{relations}{\mathrel}
834 \mdsy@DeclareSymbol{succeqq}{relations}{\mathrel}
835 \mdsy@DeclareSymbol{precsim}{relations}{\mathrel}
836 \mdsy@DeclareSymbol{succsim}{relations}{\mathrel}
837 \mdsy@DeclareSymbol{precapprox}{relations}{\mathrel}
838 \mdsy@DeclareSymbol{succapprox}{relations}{\mathrel}
839 \mdsy@DeclareSymbol{lessdot}{relations}{\mathrel}
840 \mdsy@DeclareSymbol{gtrdot}{relations}{\mathrel}
841 \mdsy@DeclareSymbol{leqdot}{relations}{\mathrel}
842 \mdsy@DeclareSymbol{geqdot}{relations}{\mathrel}
843 \mdsy@DeclareSymbol{leqslantdot}{relations}{\mathrel}
844 \mdsy@DeclareAlias{lesdot}{relations}{\mathrel}
845 \mdsy@DeclareSymbol{geqslantdot}{relations}{\mathrel}
846 \mdsy@DeclareAlias{gesdot}{relations}{\mathrel}
847 \mdsy@DeclareSymbol{eqslantless}{relations}{\mathrel}
848 \mdsy@DeclareSymbol{eqslantgtr}{relations}{\mathrel}
849 \mdsy@DeclareSymbol{curlyeqprec}{relations}{\mathrel}
850 \mdsy@DeclareSymbol{curlyeqsucc}{relations}{\mathrel}
851 \mdsy@DeclareSymbol{nequal}{relations}{\mathrel}
852 \mdsy@DeclareAlias{neq}{relations}{\mathrel}
853 \mdsy@DeclareAlias{ne}{relations}{\mathrel}
854 \mdsy@DeclareSymbol{nequiv}{relations}{\mathrel}
855 \mdsy@DeclareSymbol{nsim}{relations}{\mathrel}
856 \mdsy@DeclareSymbol{nbacksim}{relations}{\mathrel}
857 \mdsy@DeclareSymbol{napprox}{relations}{\mathrel}
858 \mdsy@DeclareSymbol{ntriplesim}{relations}{\mathrel}
859 \mdsy@DeclareAlias{napproxident}{relations}{\mathrel}
860 \mdsy@DeclareSymbol{nsimeq}{relations}{\mathrel}
861 \mdsy@DeclareAlias{nsime}{relations}{\mathrel}
862 \mdsy@DeclareSymbol{nbacksimeq}{relations}{\mathrel}
863 \mdsy@DeclareSymbol{neqsim}{relations}{\mathrel}
864 \mdsy@DeclareSymbol{ncong}{relations}{\mathrel}
865 \mdsy@DeclareSymbol{nbackcong}{relations}{\mathrel}
866 \mdsy@DeclareSymbol{napproxeq}{relations}{\mathrel}
867 \mdsy@DeclareSymbol{nbumpeq}{relations}{\mathrel}
868 \mdsy@DeclareSymbol{nbumpeq}{relations}{\mathrel}
869 \mdsy@DeclareSymbol{nBumpeq}{relations}{\mathrel}
870 \mdsy@DeclareSymbol{ndoteq}{relations}{\mathrel}

```



```

871 \mdsy@DeclareSymbol{neqdot}{relations}{\mathrel}
872 \mdsy@DeclareSymbol{nDoteq}{relations}{\mathrel}
873 \mdsy@DeclareSymbol{nfalingdotseq}{relations}{\mathrel}
874 \mdsy@DeclareSymbol{nrisingdotseq}{relations}{\mathrel}
875 \mdsy@DeclareSymbol{nsmile}{relations}{\mathrel}
876 \mdsy@DeclareSymbol{nfrown}{relations}{\mathrel}
877 \mdsy@DeclareSymbol{nsmilefrown}{relations}{\mathrel}
878 \mdsy@DeclareAlias{nasymp}{relations}{\mathrel}
879 \mdsy@DeclareSymbol{nfrownsmile}{relations}{\mathrel}
880 \mdsy@DeclareAlias{nclosure}{relations}{\mathrel}
881 \mdsy@DeclareSymbol{nsmileeq}{relations}{\mathrel}
882 \mdsy@DeclareSymbol{nfrowneq}{relations}{\mathrel}
883 \mdsy@DeclareAlias{narceq}{relations}{\mathrel}
884 \mdsy@DeclareSymbol{neqcirc}{relations}{\mathrel}
885 \mdsy@DeclareSymbol{ncircseq}{relations}{\mathrel}
886 \mdsy@DeclareSymbol{nwedgeq}{relations}{\mathrel}
887 \mdsy@DeclareAlias{nhateq}{relations}{\mathrel}
888 \mdsy@DeclareSymbol{nveeeq}{relations}{\mathrel}
889 \mdsy@DeclareSymbol{nstareq}{relations}{\mathrel}
890 \mdsy@DeclareSymbol{ntriangleeq}{relations}{\mathrel}
891 \mdsy@DeclareSymbol{nin}{relations}{\mathrel}
892 \mdsy@DeclareAlias{notin}{relations}{\mathrel}
893 \mdsy@DeclareSymbol{owns}{relations}{\mathrel}
894 \mdsy@DeclareAlias{nni}{relations}{\mathrel}
895 \mdsy@DeclareSymbol{nless}{relations}{\mathrel}
896 \mdsy@DeclareSymbol{ngtr}{relations}{\mathrel}
897 \mdsy@DeclareSymbol{nleq}{relations}{\mathrel}
898 \mdsy@DeclareSymbol{ngeq}{relations}{\mathrel}
899 \mdsy@DeclareSymbol{nleqslant}{relations}{\mathrel}
900 \mdsy@DeclareSymbol{ngeqslant}{relations}{\mathrel}
901 \mdsy@DeclareSymbol{nleqq}{relations}{\mathrel}
902 \mdsy@DeclareSymbol{ngeqq}{relations}{\mathrel}
903 \mdsy@DeclareSymbol{nlesssim}{relations}{\mathrel}
904 \mdsy@DeclareSymbol{ngtrsim}{relations}{\mathrel}
905 \mdsy@DeclareSymbol{nlessapprox}{relations}{\mathrel}
906 \mdsy@DeclareSymbol{ngtrapprox}{relations}{\mathrel}
907 \mdsy@DeclareSymbol{nlessgtr}{relations}{\mathrel}
908 \mdsy@DeclareSymbol{ngtrless}{relations}{\mathrel}
909 \mdsy@DeclareSymbol{nlesseqgtr}{relations}{\mathrel}
910 \mdsy@DeclareSymbol{ngtreqlless}{relations}{\mathrel}
911 \mdsy@DeclareSymbol{nlesseqqgtr}{relations}{\mathrel}
912 \mdsy@DeclareSymbol{ngtreqqless}{relations}{\mathrel}
913 \mdsy@DeclareSymbol{nlesseqslantgtr}{relations}{\mathrel}
914 \mdsy@DeclareAlias{nlesg}{relations}{\mathrel}
915 \mdsy@DeclareAlias{nlesseqgtrslant}{relations}{\mathrel}

```

```

916 \mdsy@DeclareSymbol{ngtreqlslantless}{relations}{\mathrel}
917 \mdsy@DeclareAlias{ngesl}{relations}{\mathrel}
918 \mdsy@DeclareAlias{ngtreqllessslant}{relations}{\mathrel}
919 \mdsy@DeclareSymbol{nll}{relations}{\mathrel}
920 \mdsy@DeclareSymbol{ngg}{relations}{\mathrel}
921 \mdsy@DeclareSymbol{nlll}{relations}{\mathrel}
922 \mdsy@DeclareSymbol{nggg}{relations}{\mathrel}
923 \mdsy@DeclareSymbol{nlessclosed}{relations}{\mathrel}
924 \mdsy@DeclareAlias{ntriangleleft}{relations}{\mathrel}
925 \mdsy@DeclareSymbol{ngtrclosed}{relations}{\mathrel}
926 \mdsy@DeclareAlias{ntriangleright}{relations}{\mathrel}
927 \mdsy@DeclareSymbol{nleqclosed}{relations}{\mathrel}
928 \mdsy@DeclareAlias{ntrianglelefteq}{relations}{\mathrel}
929 \mdsy@DeclareSymbol{ngeqclosed}{relations}{\mathrel}
930 \mdsy@DeclareAlias{ntrianglerighteq}{relations}{\mathrel}
931 \mdsy@DeclareSymbol{nlesscc}{relations}{\mathrel}
932 \mdsy@DeclareAlias{nltcc}{relations}{\mathrel}
933 \mdsy@DeclareSymbol{ngtrcc}{relations}{\mathrel}
934 \mdsy@DeclareAlias{ngtcc}{relations}{\mathrel}
935 \mdsy@DeclareSymbol{nleqslcc}{relations}{\mathrel}
936 \mdsy@DeclareAlias{nlescc}{relations}{\mathrel}
937 \mdsy@DeclareSymbol{ngeqslcc}{relations}{\mathrel}
938 \mdsy@DeclareAlias{ngescc}{relations}{\mathrel}
939 \mdsy@DeclareSymbol{nsqsubset}{relations}{\mathrel}
940 \mdsy@DeclareSymbol{nsqsupset}{relations}{\mathrel}
941 \mdsy@DeclareSymbol{nsqsubseteq}{relations}{\mathrel}
942 \mdsy@DeclareSymbol{nsqsupseteq}{relations}{\mathrel}
943 \mdsy@DeclareSymbol{nsqsubseteqq}{relations}{\mathrel}
944 \mdsy@DeclareSymbol{nsqsupseteqq}{relations}{\mathrel}
945 \mdsy@DeclareSymbol{nSqsubset}{relations}{\mathrel}
946 \mdsy@DeclareSymbol{nSqsupset}{relations}{\mathrel}
947 \mdsy@DeclareSymbol{nsubset}{relations}{\mathrel}
948 \mdsy@DeclareSymbol{nsupset}{relations}{\mathrel}
949 \mdsy@DeclareSymbol{nsubseteq}{relations}{\mathrel}
950 \mdsy@DeclareSymbol{nsupseteq}{relations}{\mathrel}
951 \mdsy@DeclareSymbol{nsubseteqq}{relations}{\mathrel}
952 \mdsy@DeclareSymbol{nsubseteqq}{relations}{\mathrel}
953 \mdsy@DeclareSymbol{nSubset}{relations}{\mathrel}
954 \mdsy@DeclareSymbol{nSupset}{relations}{\mathrel}
955 \mdsy@DeclareSymbol{nprec}{relations}{\mathrel}
956 \mdsy@DeclareSymbol{nsucc}{relations}{\mathrel}
957 \mdsy@DeclareSymbol{npreceq}{relations}{\mathrel}
958 \mdsy@DeclareSymbol{nsucceq}{relations}{\mathrel}
959 \mdsy@DeclareSymbol{npreccurlyeq}{relations}{\mathrel}
960 \mdsy@DeclareSymbol{nsucccurlyeq}{relations}{\mathrel}

```

```

961 \mdsy@DeclareSymbol{npreceqq}{relations}{\mathrel}
962 \mdsy@DeclareSymbol{nsucceqq}{relations}{\mathrel}
963 \mdsy@DeclareSymbol{nprecsim}{relations}{\mathrel}
964 \mdsy@DeclareSymbol{nsuccsim}{relations}{\mathrel}
965 \mdsy@DeclareSymbol{nprecapprox}{relations}{\mathrel}
966 \mdsy@DeclareSymbol{nsuccapprox}{relations}{\mathrel}
967 \mdsy@DeclareSymbol{nlessdot}{relations}{\mathrel}
968 \mdsy@DeclareSymbol{ngtrdot}{relations}{\mathrel}
969 \mdsy@DeclareSymbol{nleqdot}{relations}{\mathrel}
970 \mdsy@DeclareSymbol{ngeqdot}{relations}{\mathrel}
971 \mdsy@DeclareSymbol{nleqslantdot}{relations}{\mathrel}
972 \mdsy@DeclareAlias{nlesdot}{relations}{\mathrel}
973 \mdsy@DeclareSymbol{ngeqslantdot}{relations}{\mathrel}
974 \mdsy@DeclareAlias{ngesdot}{relations}{\mathrel}
975 \mdsy@DeclareSymbol{neqslantless}{relations}{\mathrel}
976 \mdsy@DeclareSymbol{neqslantgtr}{relations}{\mathrel}
977 \mdsy@DeclareSymbol{ncurlyeqprec}{relations}{\mathrel}
978 \mdsy@DeclareSymbol{ncurlyeqsucc}{relations}{\mathrel}
979 \mdsy@DeclareSymbol{simneqq}{relations}{\mathrel}
980 \mdsy@DeclareSymbol{backsimneqq}{relations}{\mathrel}
981 \mdsy@DeclareSymbol{lneq}{relations}{\mathrel}
982 \mdsy@DeclareSymbol{gneq}{relations}{\mathrel}
983 \mdsy@DeclareSymbol{lneqq}{relations}{\mathrel}
984 \mdsy@DeclareAlias{lvertneqq}{relations}{\mathrel}
985 \mdsy@DeclareSymbol{gneqq}{relations}{\mathrel}
986 \mdsy@DeclareAlias{gvertneqq}{relations}{\mathrel}
987 \mdsy@DeclareSymbol{lnsim}{relations}{\mathrel}
988 \mdsy@DeclareSymbol{gnsim}{relations}{\mathrel}
989 \mdsy@DeclareSymbol{lnapprox}{relations}{\mathrel}
990 \mdsy@DeclareSymbol{gnapprox}{relations}{\mathrel}
991 \mdsy@DeclareSymbol{sqsubsetneq}{relations}{\mathrel}
992 \mdsy@DeclareSymbol{sqsupsetneq}{relations}{\mathrel}
993 \mdsy@DeclareSymbol{sqsubsetneqq}{relations}{\mathrel}
994 \mdsy@DeclareSymbol{sqsupsetneqq}{relations}{\mathrel}
995 \mdsy@DeclareSymbol{subsetneq}{relations}{\mathrel}
996 \mdsy@DeclareAlias{varsubsetneq}{relations}{\mathrel}
997 \mdsy@DeclareSymbol{supsetneq}{relations}{\mathrel}
998 \mdsy@DeclareAlias{varsupsetneq}{relations}{\mathrel}
999 \mdsy@DeclareSymbol{subsetneqq}{relations}{\mathrel}
1000 \mdsy@DeclareAlias{varsubsetneqq}{relations}{\mathrel}
1001 \mdsy@DeclareSymbol{supsetneqq}{relations}{\mathrel}
1002 \mdsy@DeclareAlias{varsupsetneqq}{relations}{\mathrel}
1003 \mdsy@DeclareSymbol{precneq}{relations}{\mathrel}
1004 \mdsy@DeclareSymbol{succneq}{relations}{\mathrel}
1005 \mdsy@DeclareSymbol{precneqq}{relations}{\mathrel}

```

```

1006 \mdsy@DeclareSymbol{succneqq}{relations}{\mathrel}
1007 \mdsy@DeclareSymbol{precnsim}{relations}{\mathrel}
1008 \mdsy@DeclareSymbol{succnsim}{relations}{\mathrel}
1009 \mdsy@DeclareSymbol{precnapprox}{relations}{\mathrel}
1010 \mdsy@DeclareSymbol{succnapprox}{relations}{\mathrel}

MdSymbolC: arrows and turnstile symbols
1011 \mdsy@setslot{0}
1012 \mdsy@DeclareSymbol{rightarrow}{arrows}{\mathrel}
1013 \mdsy@DeclareAlias{to}{arrows}{\mathrel}
1014 % \mdsy@DeclareSymbol{uparrow}{arrows}{\mathrel}
1015 \mdsy@nextslot %uparrow defined below
1016 \mdsy@DeclareSymbol{leftarrow}{arrows}{\mathrel}
1017 \mdsy@DeclareAlias{gets}{arrows}{\mathrel}
1018 % \mdsy@DeclareSymbol{downarrow}{arrows}{\mathrel}
1019 \mdsy@nextslot %downarrow defined below
1020 \mdsy@DeclareSymbol{nearrow}{arrows}{\mathrel}
1021 \mdsy@DeclareSymbol{nwarrow}{arrows}{\mathrel}
1022 \mdsy@DeclareSymbol{swarrow}{arrows}{\mathrel}
1023 \mdsy@DeclareSymbol{searrow}{arrows}{\mathrel}
1024 \mdsy@DeclareSymbol{Rightarrow}{arrows}{\mathrel}
1025 % \mdsy@DeclareSymbol{Uparrow}{arrows}{\mathrel}
1026 \mdsy@nextslot %Uparrow defined below
1027 \mdsy@DeclareSymbol{Leftarrow}{arrows}{\mathrel}
1028 % \mdsy@DeclareSymbol{Downarrow}{arrows}{\mathrel}
1029 \mdsy@nextslot %Downarrow defined below
1030 \mdsy@DeclareSymbol{Nearrow}{arrows}{\mathrel}
1031 \mdsy@DeclareSymbol{Nwarrow}{arrows}{\mathrel}
1032 \mdsy@DeclareSymbol{Swarrow}{arrows}{\mathrel}
1033 \mdsy@DeclareSymbol{Searrow}{arrows}{\mathrel}
1034 \mdsy@DeclareSymbol{leftrightharrow}{arrows}{\mathrel}
1035 % \mdsy@DeclareSymbol{updownarrow}{arrows}{\mathrel}
1036 \mdsy@nextslot %updownarrow defined below
1037 \mdsy@DeclareSymbol{neswarrow}{arrows}{\mathrel}
1038 \mdsy@DeclareSymbol{nwsearrow}{arrows}{\mathrel}
1039 \mdsy@DeclareSymbol{Leftrightarrow}{arrows}{\mathrel}
1040 % \mdsy@DeclareSymbol{Updownarrow}{arrows}{\mathrel}
1041 \mdsy@nextslot %Updownarrow defined below
1042 \mdsy@DeclareSymbol{Neswarrow}{arrows}{\mathrel}
1043 \mdsy@DeclareSymbol{Nwsearrow}{arrows}{\mathrel}
1044 \mdsy@DeclareSymbol{twoheadrightarrow}{arrows}{\mathrel}
1045 \mdsy@DeclareSymbol{twoheaduparrow}{arrows}{\mathrel}
1046 \mdsy@DeclareSymbol{twoheadleftarrow}{arrows}{\mathrel}
1047 \mdsy@DeclareSymbol{twoheaddownarrow}{arrows}{\mathrel}
1048 \mdsy@DeclareSymbol{twoheadnearrow}{arrows}{\mathrel}
1049 \mdsy@DeclareSymbol{twoheadnwarrow}{arrows}{\mathrel}

```

```

1050 \mdsy@DeclareSymbol{twoheadswarrow}{arrows}{\mathrel}
1051 \mdsy@DeclareSymbol{twoheadsearrow}{arrows}{\mathrel}
1052 \mdsy@DeclareSymbol{rightarrowtail}{arrows}{\mathrel}
1053 \mdsy@DeclareSymbol{uparrowtail}{arrows}{\mathrel}
1054 \mdsy@DeclareSymbol{leftarrowtail}{arrows}{\mathrel}
1055 \mdsy@DeclareSymbol{downarrowtail}{arrows}{\mathrel}
1056 \mdsy@DeclareSymbol{nearrowtail}{arrows}{\mathrel}
1057 \mdsy@DeclareSymbol{nwarrowtail}{arrows}{\mathrel}
1058 \mdsy@DeclareSymbol{swarrowtail}{arrows}{\mathrel}
1059 \mdsy@DeclareSymbol{searrowtail}{arrows}{\mathrel}
1060 \mdsy@DeclareSymbol{rightmapsto}{arrows}{\mathrel}
1061 \mdsy@DeclareAlias{mapsto}{arrows}{\mathrel}
1062 \mdsy@DeclareSymbol{upmapsto}{arrows}{\mathrel}
1063 \mdsy@DeclareAlias{mapsup}{arrows}{\mathrel}
1064 \mdsy@DeclareSymbol{leftmapsto}{arrows}{\mathrel}
1065 \mdsy@DeclareAlias{mapsfrom}{arrows}{\mathrel}
1066 \mdsy@DeclareSymbol{downmapsto}{arrows}{\mathrel}
1067 \mdsy@DeclareAlias{mapsdown}{arrows}{\mathrel}
1068 \mdsy@DeclareSymbol{Rightmapsto}{arrows}{\mathrel}
1069 \mdsy@DeclareAlias{Mapsto}{arrows}{\mathrel}
1070 \mdsy@DeclareSymbol{Upmapsto}{arrows}{\mathrel}
1071 \mdsy@DeclareAlias{Mapsup}{arrows}{\mathrel}
1072 \mdsy@DeclareSymbol{Leftmapsto}{arrows}{\mathrel}
1073 \mdsy@DeclareAlias{Mapsfrom}{arrows}{\mathrel}
1074 \mdsy@DeclareSymbol{Downmapsto}{arrows}{\mathrel}
1075 \mdsy@DeclareAlias{Mapsdown}{arrows}{\mathrel}
1076 \mdsy@DeclareSymbol{hookrightarrow}{arrows}{\mathrel}
1077 \mdsy@DeclareAlias{lhookrightarrow}{arrows}{\mathrel}
1078 \mdsy@DeclareSymbol{hookuparrow}{arrows}{\mathrel}
1079 \mdsy@DeclareAlias{lhookuparrow}{arrows}{\mathrel}
1080 \mdsy@DeclareSymbol{varhookleftarrow}{arrows}{\mathrel}
1081 \mdsy@DeclareAlias{lhookleftarrow}{arrows}{\mathrel}
1082 \mdsy@DeclareSymbol{varhookdownarrow}{arrows}{\mathrel}
1083 \mdsy@DeclareAlias{lhookdownarrow}{arrows}{\mathrel}
1084 \mdsy@DeclareSymbol{varhooknearrow}{arrows}{\mathrel}
1085 \mdsy@DeclareAlias{lhooknearrow}{arrows}{\mathrel}
1086 \mdsy@DeclareSymbol{hooknwarrow}{arrows}{\mathrel}
1087 \mdsy@DeclareAlias{hknwarrow}{arrows}{\mathrel}
1088 \mdsy@DeclareAlias{lhooknwarrow}{arrows}{\mathrel}
1089 \mdsy@DeclareSymbol{varhookswarrow}{arrows}{\mathrel}
1090 \mdsy@DeclareAlias{lhookswarrow}{arrows}{\mathrel}
1091 \mdsy@DeclareSymbol{hooksearrow}{arrows}{\mathrel}
1092 \mdsy@DeclareAlias{hksearrow}{arrows}{\mathrel}
1093 \mdsy@DeclareAlias{lhooksearrow}{arrows}{\mathrel}
1094 \mdsy@DeclareSymbol{varhookrightarrow}{arrows}{\mathrel}

```

```

1095 \mdsy@DeclareAlias{rhookrightarrow}{arrows}{\mathrel}
1096 \mdsy@DeclareSymbol{varhookuparrow}{arrows}{\mathrel}
1097 \mdsy@DeclareAlias{rhookuparrow}{arrows}{\mathrel}
1098 \mdsy@DeclareSymbol{hookleftarrow}{arrows}{\mathrel}
1099 \mdsy@DeclareAlias{rhookleftarrow}{arrows}{\mathrel}
1100 \mdsy@DeclareSymbol{hookdownarrow}{arrows}{\mathrel}
1101 \mdsy@DeclareAlias{rhookdownarrow}{arrows}{\mathrel}
1102 \mdsy@DeclareSymbol{hooknearrow}{arrows}{\mathrel}
1103 \mdsy@DeclareAlias{hknearrow}{arrows}{\mathrel}
1104 \mdsy@DeclareAlias{rhooknearrow}{arrows}{\mathrel}
1105 \mdsy@DeclareSymbol{varhooknwarrow}{arrows}{\mathrel}
1106 \mdsy@DeclareAlias{rhooknwarrow}{arrows}{\mathrel}
1107 \mdsy@DeclareSymbol{hookswarrow}{arrows}{\mathrel}
1108 \mdsy@DeclareAlias{hkswarrow}{arrows}{\mathrel}
1109 \mdsy@DeclareAlias{rhookswarrow}{arrows}{\mathrel}
1110 \mdsy@DeclareSymbol{varhooksearrow}{arrows}{\mathrel}
1111 \mdsy@DeclareAlias{rhooksearrow}{arrows}{\mathrel}
1112 \mdsy@DeclareSymbol{rightharpoonup}{arrows}{\mathrel}
1113 \mdsy@DeclareSymbol{upharpoonleft}{arrows}{\mathrel}
1114 \mdsy@DeclareSymbol{leftharpoondown}{arrows}{\mathrel}
1115 \mdsy@DeclareSymbol{downharpoonright}{arrows}{\mathrel}
1116 \mdsy@DeclareSymbol{neharpoonnw}{arrows}{\mathrel}
1117 \mdsy@DeclareSymbol{nwharpoonsw}{arrows}{\mathrel}
1118 \mdsy@DeclareSymbol{swharpoonse}{arrows}{\mathrel}
1119 \mdsy@DeclareSymbol{seharpoonne}{arrows}{\mathrel}
1120 \mdsy@DeclareSymbol{rightharpoondown}{arrows}{\mathrel}
1121 \mdsy@DeclareSymbol{upharpoonright}{arrows}{\mathrel}
1122 \mdsy@DeclareAlias{restriction}{arrows}{\mathrel}
1123 \mdsy@DeclareSymbol{leftharpoonup}{arrows}{\mathrel}
1124 \mdsy@DeclareSymbol{downharpoonleft}{arrows}{\mathrel}
1125 \mdsy@DeclareSymbol{neharpoonse}{arrows}{\mathrel}
1126 \mdsy@DeclareSymbol{nwharpoonne}{arrows}{\mathrel}
1127 \mdsy@DeclareSymbol{swharpoonnw}{arrows}{\mathrel}
1128 \mdsy@DeclareSymbol{seharpoonsw}{arrows}{\mathrel}
1129 \mdsy@DeclareSymbol{leftrightharpoonupdown}{arrows}{\mathrel}
1130 \mdsy@DeclareSymbol{updownharpoonleftright}{arrows}{\mathrel}
1131 \mdsy@DeclareSymbol{neswharpoonnwse}{arrows}{\mathrel}
1132 \mdsy@DeclareSymbol{nwseharpoonnesw}{arrows}{\mathrel}
1133 \mdsy@DeclareSymbol{leftrightharpoondownup}{arrows}{\mathrel}
1134 \mdsy@DeclareSymbol{updownharpoonrightleft}{arrows}{\mathrel}
1135 \mdsy@DeclareSymbol{neswharpoonsenw}{arrows}{\mathrel}
1136 \mdsy@DeclareSymbol{nwseharpoonswne}{arrows}{\mathrel}
1137 \mdsy@DeclareSymbol{rightleftharpoons}{arrows}{\mathrel}
1138 \mdsy@DeclareSymbol{updownharpoons}{arrows}{\mathrel}
1139 \mdsy@DeclareAlias{updownharpoonsleftright}{arrows}{\mathrel}

```

```

1140 \mdsy@DeclareSymbol{neswharpoons}{arrows}{\mathrel}
1141 \mdsy@DeclareSymbol{senwharpoons}{arrows}{\mathrel}
1142 \mdsy@DeclareSymbol{leftrightharpoons}{arrows}{\mathrel}
1143 \mdsy@DeclareSymbol{downupharpoons}{arrows}{\mathrel}
1144 \mdsy@DeclareAlias{downupharpoonsleftright}{arrows}{\mathrel}
1145 \mdsy@DeclareSymbol{swneharpoons}{arrows}{\mathrel}
1146 \mdsy@DeclareSymbol{nwseharpoons}{arrows}{\mathrel}
1147 \mdsy@DeclareSymbol{rightbkarrow}{arrows}{\mathrel}
1148 \mdsy@DeclareAlias{dashedarrow}{arrows}{\mathrel}
1149 \mdsy@DeclareAlias{dashedrightarrow}{arrows}{\mathrel}
1150 \mdsy@DeclareSymbol{upbkarrow}{arrows}{\mathrel}
1151 \mdsy@DeclareSymbol{leftbkarrow}{arrows}{\mathrel}
1152 \mdsy@DeclareAlias{dashleftarrow}{arrows}{\mathrel}
1153 \mdsy@DeclareSymbol{downbkarrow}{arrows}{\mathrel}
1154 \mdsy@DeclareSymbol{nebkarrow}{arrows}{\mathrel}
1155 \mdsy@DeclareSymbol{nwbkarrow}{arrows}{\mathrel}
1156 \mdsy@DeclareSymbol{swbkarrow}{arrows}{\mathrel}
1157 \mdsy@DeclareSymbol{sebkarrow}{arrows}{\mathrel}
1158 \mdsy@DeclareSymbol{rightspoon}{arrows}{\mathrel}
1159 \mdsy@DeclareAlias{multimap}{arrows}{\mathrel}
1160 \mdsy@DeclareSymbol{upspoon}{arrows}{\mathrel}
1161 \mdsy@DeclareAlias{cirmid}{arrows}{\mathrel}
1162 \mdsy@DeclareSymbol{leftspoon}{arrows}{\mathrel}
1163 \mdsy@DeclareAlias{multimapinv}{arrows}{\mathrel}
1164 \mdsy@DeclareSymbol{downspoon}{arrows}{\mathrel}
1165 \mdsy@DeclareAlias{midcir}{arrows}{\mathrel}
1166 \mdsy@DeclareSymbol{rightblackspoon}{arrows}{\mathrel}
1167 \mdsy@DeclareSymbol{upblackspoon}{arrows}{\mathrel}
1168 \mdsy@DeclareSymbol{leftblackspoon}{arrows}{\mathrel}
1169 \mdsy@DeclareSymbol{downblackspoon}{arrows}{\mathrel}
1170 \mdsy@DeclareSymbol{leftrightspoon}{arrows}{\mathrel}
1171 \mdsy@DeclareAlias{dualmap}{arrows}{\mathrel}
1172 \mdsy@DeclareSymbol{leftrightblackspoon}{arrows}{\mathrel}
1173 \mdsy@DeclareSymbol{blackwhitespoon}{arrows}{\mathrel}
1174 \mdsy@DeclareAlias{imageof}{arrows}{\mathrel}
1175 \mdsy@DeclareSymbol{whiteblackspoon}{arrows}{\mathrel}
1176 \mdsy@DeclareAlias{origof}{arrows}{\mathrel}
1177 \mdsy@DeclareSymbol{rightpitchfork}{arrows}{\mathrel}
1178 \mdsy@DeclareSymbol{uppitchfork}{arrows}{\mathrel}
1179 \mdsy@DeclareAlias{pitchfork}{arrows}{\mathrel}
1180 \mdsy@DeclareSymbol{leftpitchfork}{arrows}{\mathrel}
1181 \mdsy@DeclareSymbol{downpitchfork}{arrows}{\mathrel}
1182 \mdsy@DeclareSymbol{rightrightarrow}{arrows}{\mathrel}
1183 \mdsy@DeclareSymbol{upuparrows}{arrows}{\mathrel}
1184 \mdsy@DeclareSymbol{leftleftarrows}{arrows}{\mathrel}

```

```

1185 \mdsy@DeclareSymbol{downdownarrows}{arrows}{\mathrel}
1186 \mdsy@DeclareSymbol{nene arrows}{arrows}{\mathrel}
1187 \mdsy@DeclareSymbol{nnwnarrows}{arrows}{\mathrel}
1188 \mdsy@DeclareSymbol{swswarrows}{arrows}{\mathrel}
1189 \mdsy@DeclareSymbol{sese arrows}{arrows}{\mathrel}
1190 \mdsy@DeclareSymbol{rightleftarrows}{arrows}{\mathrel}
1191 \mdsy@DeclareSymbol{updownarrows}{arrows}{\mathrel}
1192 \mdsy@DeclareSymbol{neswarrows}{arrows}{\mathrel}
1193 \mdsy@DeclareSymbol{nwse arrows}{arrows}{\mathrel}
1194 \mdsy@DeclareSymbol{leftrightharrows}{arrows}{\mathrel}
1195 \mdsy@DeclareSymbol{downuparrows}{arrows}{\mathrel}
1196 \mdsy@DeclareSymbol{swnearrows}{arrows}{\mathrel}
1197 \mdsy@DeclareSymbol{senwarrows}{arrows}{\mathrel}
1198 \mdsy@DeclareSymbol{rightwve arrow}{arrows}{\mathrel}
1199 \mdsy@DeclareAlias{leadsto}{arrows}{\mathrel}
1200 \mdsy@DeclareAlias{rightsquigarrow}{arrows}{\mathrel}
1201 \mdsy@DeclareAlias{rightcurvedarrow}{arrows}{\mathrel}
1202 \mdsy@DeclareAlias{rightlsquigarrow}{arrows}{\mathrel}
1203 \mdsy@DeclareSymbol{varupwve arrow}{arrows}{\mathrel}
1204 \mdsy@DeclareAlias{uplsquigarrow}{arrows}{\mathrel}
1205 \mdsy@DeclareSymbol{varleftwve arrow}{arrows}{\mathrel}
1206 \mdsy@DeclareAlias{leftlsquigarrow}{arrows}{\mathrel}
1207 \mdsy@DeclareSymbol{downwve arrow}{arrows}{\mathrel}
1208 \mdsy@DeclareAlias{downlsquigarrow}{arrows}{\mathrel}
1209 \mdsy@DeclareSymbol{varrightwve arrow}{arrows}{\mathrel}
1210 \mdsy@DeclareAlias{rightrsquigarrow}{arrows}{\mathrel}
1211 \mdsy@DeclareSymbol{upwve arrow}{arrows}{\mathrel}
1212 \mdsy@DeclareAlias{uprsquigarrow}{arrows}{\mathrel}
1213 \mdsy@DeclareSymbol{leftwve arrow}{arrows}{\mathrel}
1214 \mdsy@DeclareAlias{leftsquigarrow}{arrows}{\mathrel}
1215 \mdsy@DeclareAlias{leftcurvedarrow}{arrows}{\mathrel}
1216 \mdsy@DeclareAlias{leftrsquigarrow}{arrows}{\mathrel}
1217 \mdsy@DeclareSymbol{vardownwve arrow}{arrows}{\mathrel}
1218 \mdsy@DeclareAlias{downrsquigarrow}{arrows}{\mathrel}
1219 \mdsy@DeclareSymbol{leftrightwve arrow}{arrows}{\mathrel}
1220 \mdsy@DeclareAlias{leftrightsquigarrow}{arrows}{\mathrel}
1221 \mdsy@DeclareSymbol{updownwve arrow}{arrows}{\mathrel}
1222 \mdsy@DeclareAlias{updownsquigarrow}{arrows}{\mathrel}
1223 \mdsy@DeclareSymbol{varleftrightwve arrow}{arrows}{\mathrel}
1224 \mdsy@DeclareAlias{rightleftsquigarrow}{arrows}{\mathrel}
1225 \mdsy@DeclareSymbol{varupdownwve arrow}{arrows}{\mathrel}
1226 \mdsy@DeclareAlias{downupsquigarrow}{arrows}{\mathrel}
1227 \mdsy@DeclareSymbol{cwoverarc arrow}{arrows}{\mathrel}
1228 \mdsy@DeclareAlias{curvearrowright}{arrows}{\mathrel}
1229 \mdsy@DeclareAlias{rightlcurve arrow}{arrows}{\mathrel}

```



```

1230 \mdsy@DeclareSymbol{cwleftarccarrow}{arrows}{\mathrel}
1231 \mdsy@DeclareAlias{uplcurvearrow}{arrows}{\mathrel}
1232 \mdsy@DeclareSymbol{cwunderarccarrow}{arrows}{\mathrel}
1233 \mdsy@DeclareAlias{leftlcurvearrow}{arrows}{\mathrel}
1234 \mdsy@DeclareSymbol{cwrightarccarrow}{arrows}{\mathrel}
1235 \mdsy@DeclareAlias{downlcurvearrow}{arrows}{\mathrel}
1236 \mdsy@DeclareSymbol{cwnwarccarrow}{arrows}{\mathrel}
1237 \mdsy@DeclareAlias{rightupcurvedarrow}{arrows}{\mathrel}
1238 \mdsy@DeclareAlias{nelcurvearrow}{arrows}{\mathrel}
1239 \mdsy@DeclareSymbol{cswwarccarrow}{arrows}{\mathrel}
1240 \mdsy@DeclareAlias{upleftcurvedarrow}{arrows}{\mathrel}
1241 \mdsy@DeclareAlias{nwlccurvearrow}{arrows}{\mathrel}
1242 \mdsy@DeclareSymbol{cwsearccarrow}{arrows}{\mathrel}
1243 \mdsy@DeclareAlias{leftdowncurvedarrow}{arrows}{\mathrel}
1244 \mdsy@DeclareAlias{swlccurvearrow}{arrows}{\mathrel}
1245 \mdsy@DeclareSymbol{cwnearccarrow}{arrows}{\mathrel}
1246 \mdsy@DeclareAlias{downrightcurvedarrow}{arrows}{\mathrel}
1247 \mdsy@DeclareAlias{selcurvearrow}{arrows}{\mathrel}
1248 \mdsy@DeclareSymbol{acwunderarccarrow}{arrows}{\mathrel}
1249 \mdsy@DeclareAlias{rightrcurvearrow}{arrows}{\mathrel}
1250 \mdsy@DeclareSymbol{acwrightarccarrow}{arrows}{\mathrel}
1251 \mdsy@DeclareAlias{uprccurvearrow}{arrows}{\mathrel}
1252 \mdsy@DeclareSymbol{acwoverarccarrow}{arrows}{\mathrel}
1253 \mdsy@DeclareAlias{curvearrowleft}{arrows}{\mathrel}
1254 \mdsy@DeclareAlias{leftrcurvearrow}{arrows}{\mathrel}
1255 \mdsy@DeclareSymbol{acwleftarccarrow}{arrows}{\mathrel}
1256 \mdsy@DeclareAlias{downrcurvearrow}{arrows}{\mathrel}
1257 \mdsy@DeclareSymbol{acwsearccarrow}{arrows}{\mathrel}
1258 \mdsy@DeclareAlias{uprightcurvearrow}{arrows}{\mathrel}
1259 \mdsy@DeclareAlias{nercurvearrow}{arrows}{\mathrel}
1260 \mdsy@DeclareSymbol{acwnearccarrow}{arrows}{\mathrel}
1261 \mdsy@DeclareAlias{leftupcurvedarrow}{arrows}{\mathrel}
1262 \mdsy@DeclareAlias{nwrccurvearrow}{arrows}{\mathrel}
1263 \mdsy@DeclareSymbol{acwnwarccarrow}{arrows}{\mathrel}
1264 \mdsy@DeclareAlias{downleftcurvedarrow}{arrows}{\mathrel}
1265 \mdsy@DeclareAlias{swrccurvearrow}{arrows}{\mathrel}
1266 \mdsy@DeclareSymbol{acswwarccarrow}{arrows}{\mathrel}
1267 \mdsy@DeclareAlias{rightdowncurvedarrow}{arrows}{\mathrel}
1268 \mdsy@DeclareAlias{sercurvearrow}{arrows}{\mathrel}
1269 \mdsy@DeclareSymbol{bdoverarccarrow}{arrows}{\mathrel}
1270 \mdsy@DeclareAlias{leftrightcurvearrow}{arrows}{\mathrel}
1271 \mdsy@DeclareSymbol{bdleftarccarrow}{arrows}{\mathrel}
1272 \mdsy@DeclareAlias{updowncurvearrow}{arrows}{\mathrel}
1273 \mdsy@DeclareSymbol{bdunderarccarrow}{arrows}{\mathrel}
1274 \mdsy@DeclareAlias{rightleftcurvearrow}{arrows}{\mathrel}

```

```

1275 \mdsy@DeclareSymbol{bdrigharcarrow}{arrows}{\mathrel}
1276 \mdsy@DeclareAlias{downupcurvearrow}{arrows}{\mathrel}
1277 \mdsy@DeclareSymbol{bdnwarcarrow}{arrows}{\mathrel}
1278 \mdsy@DeclareAlias{neswcurvearrow}{arrows}{\mathrel}
1279 \mdsy@DeclareSymbol{bdswarcarrow}{arrows}{\mathrel}
1280 \mdsy@DeclareAlias{nwsecurvearrow}{arrows}{\mathrel}
1281 \mdsy@DeclareSymbol{bdsearcarrow}{arrows}{\mathrel}
1282 \mdsy@DeclareAlias{swnecurvearrow}{arrows}{\mathrel}
1283 \mdsy@DeclareSymbol{bdnearcarrow}{arrows}{\mathrel}
1284 \mdsy@DeclareAlias{senwcurvearrow}{arrows}{\mathrel}
1285 \mdsy@DeclareSymbol{leftfootline}{arrows}{\mathrel}
1286 \mdsy@DeclareSymbol{rightfootline}{arrows}{\mathrel}
1287 \mdsy@DeclareSymbol{acwcirclearrowup}{arrows}{\mathrel}
1288 \mdsy@DeclareSymbol{acwcirclearrowleft}{arrows}{\mathrel}
1289 \mdsy@DeclareAlias{circlearrowleft}{arrows}{\mathrel}
1290 \mdsy@DeclareAlias{acwopencirclearrow}{arrows}{\mathrel}
1291 \mdsy@DeclareSymbol{acwcirclearrowdown}{arrows}{\mathrel}
1292 \mdsy@DeclareAlias{acwgapcirclearrow}{arrows}{\mathrel}
1293 \mdsy@DeclareSymbol{acwcirclearrowright}{arrows}{\mathrel}
1294 \mdsy@DeclareSymbol{cwcirclearrowdown}{arrows}{\mathrel}
1295 \mdsy@DeclareAlias{cwgapcirclearrow}{arrows}{\mathrel}
1296 \mdsy@DeclareSymbol{cwcirclearrowright}{arrows}{\mathrel}
1297 \mdsy@DeclareAlias{circlearrowright}{arrows}{\mathrel}
1298 \mdsy@DeclareAlias{cwopencirclearrow}{arrows}{\mathrel}
1299 \mdsy@DeclareSymbol{cwcirclearrowup}{arrows}{\mathrel}
1300 \mdsy@DeclareSymbol{cwcirclearrowleft}{arrows}{\mathrel}
1301 \mdsy@DeclareSymbol{Rrightarrow}{arrows}{\mathrel}
1302 \mdsy@DeclareSymbol{Uparrow}{arrows}{\mathrel}
1303 \mdsy@DeclareSymbol{Lleftarrow}{arrows}{\mathrel}
1304 \mdsy@DeclareSymbol{Ddownarrow}{arrows}{\mathrel}
1305 \mdsy@DeclareSymbol{longrightarrow}{arrows}{\mathrel}
1306 \mdsy@DeclareSymbol{longleftarrow}{arrows}{\mathrel}
1307 \mdsy@DeclareSymbol{Longrightarrow}{arrows}{\mathrel}
1308 \mdsy@DeclareSymbol{Longleftarrow}{arrows}{\mathrel}
1309 \mdsy@DeclareSymbol{longleftrightarrow}{arrows}{\mathrel}
1310 \mdsy@DeclareSymbol{Longleftrightarrow}{arrows}{\mathrel}
1311 \mdsy@DeclareSymbol{longmapsto}{arrows}{\mathrel}
1312 \mdsy@DeclareSymbol{longmapsfrom}{arrows}{\mathrel}
1313 \mdsy@DeclareSymbol{Longmapsto}{arrows}{\mathrel}
1314 \mdsy@DeclareSymbol{Longmapsfrom}{arrows}{\mathrel}
1315 \mdsy@DeclareSymbol{longrightwvearrow}{arrows}{\mathrel}
1316 \mdsy@DeclareAlias{longleadsto}{arrows}{\mathrel}
1317 \mdsy@DeclareAlias{longrightsquigarrow}{arrows}{\mathrel}
1318 \mdsy@DeclareSymbol{longleftwvearrow}{arrows}{\mathrel}
1319 \mdsy@DeclareAlias{longleftsquigarrow}{arrows}{\mathrel}

```

```

1320 \mdsy@DeclareSymbol{longleftfootline}{arrows}{\mathrel}
1321 \mdsy@DeclareAlias{vlongdash}{arrows}{\mathrel}
1322 \mdsy@DeclareSymbol{longrightfootline}{arrows}{\mathrel}
1323 \mdsy@DeclareAlias{longdashv}{arrows}{\mathrel}
1324 \mdsy@DeclareSymbol{Lsh}{arrows}{\mathrel}
1325 \mdsy@DeclareSymbol{Rsh}{arrows}{\mathrel}
1326 \mdsy@DeclareSymbol{Ldsh}{arrows}{\mathrel}
1327 \mdsy@DeclareSymbol{Rdsh}{arrows}{\mathrel}
1328 \mdsy@DeclareSymbol{looparrowright}{arrows}{\mathrel}
1329 \mdsy@DeclareSymbol{looparrowleft}{arrows}{\mathrel}
1330 \mdsy@setslot{224}
1331 \mdsy@DeclareSymbol{rightvdash}{arrows}{\mathrel}
1332 \mdsy@DeclareAlias{vdash}{arrows}{\mathrel}
1333 \mdsy@DeclareSymbol{upvdash}{arrows}{\mathrel}
1334 \mdsy@DeclareAlias{perp}{arrows}{\mathrel}
1335 \mdsy@DeclareAlias{bot}{arrows}{\mathord}
1336 \mdsy@DeclareSymbol{leftvdash}{arrows}{\mathrel}
1337 \mdsy@DeclareAlias{dashv}{arrows}{\mathrel}
1338 \mdsy@DeclareSymbol{downvdash}{arrows}{\mathrel}
1339 \mdsy@DeclareAlias{top}{arrows}{\mathord}
1340 \mdsy@DeclareSymbol{rightassert}{arrows}{\mathrel}
1341 \mdsy@DeclareAlias{assert}{arrows}{\mathrel}
1342 \mdsy@DeclareAlias{shorttrighttack}{arrows}{\mathrel}
1343 \mdsy@DeclareSymbol{upassert}{arrows}{\mathrel}
1344 \mdsy@DeclareAlias{shortuptack}{arrows}{\mathrel}
1345 \mdsy@DeclareSymbol{leftassert}{arrows}{\mathrel}
1346 \mdsy@DeclareAlias{shortlefttack}{arrows}{\mathrel}
1347 \mdsy@DeclareSymbol{downassert}{arrows}{\mathrel}
1348 \mdsy@DeclareAlias{shortdowntack}{arrows}{\mathrel}
1349 \mdsy@DeclareSymbol{rightvDash}{arrows}{\mathrel}
1350 \mdsy@DeclareAlias{vDash}{arrows}{\mathrel}
1351 \mdsy@DeclareSymbol{upvDash}{arrows}{\mathrel}
1352 \mdsy@DeclareAlias{Vbar}{arrows}{\mathrel}
1353 \mdsy@DeclareSymbol{leftvDash}{arrows}{\mathrel}
1354 \mdsy@DeclareAlias{Dashv}{arrows}{\mathrel}
1355 \mdsy@DeclareSymbol{downvDash}{arrows}{\mathrel}
1356 \mdsy@DeclareAlias{barV}{arrows}{\mathrel}
1357 \mdsy@DeclareSymbol{rightmodels}{arrows}{\mathrel}
1358 \mdsy@DeclareAlias{models}{arrows}{\mathrel}
1359 \mdsy@DeclareSymbol{upmodels}{arrows}{\mathrel}
1360 \mdsy@DeclareSymbol{leftmodels}{arrows}{\mathrel}
1361 \mdsy@DeclareSymbol{downmodels}{arrows}{\mathrel}
1362 \mdsy@DeclareSymbol{rightVdash}{arrows}{\mathrel}
1363 \mdsy@DeclareAlias{Vdash}{arrows}{\mathrel}
1364 \mdsy@DeclareSymbol{upVdash}{arrows}{\mathrel}

```

```

1365 \mdsy@DeclareSymbol{leftVdash}{arrows}{\mathrel}
1366 \mdsy@DeclareAlias{dashV}{arrows}{\mathrel}
1367 \mdsy@DeclareSymbol{downVdash}{arrows}{\mathrel}
1368 \mdsy@DeclareSymbol{rightAssert}{arrows}{\mathrel}
1369 \mdsy@DeclareAlias{Assert}{arrows}{\mathrel}
1370 \mdsy@DeclareSymbol{upAssert}{arrows}{\mathrel}
1371 \mdsy@DeclareAlias{vBar}{arrows}{\mathrel}
1372 \mdsy@DeclareSymbol{leftAssert}{arrows}{\mathrel}
1373 \mdsy@DeclareSymbol{downAssert}{arrows}{\mathrel}
1374 \mdsy@DeclareAlias{Barv}{arrows}{\mathrel}
1375 \mdsy@DeclareSymbol{rightVDash}{arrows}{\mathrel}
1376 \mdsy@DeclareAlias{VDash}{arrows}{\mathrel}
1377 \mdsy@DeclareSymbol{upVDash}{arrows}{\mathrel}
1378 \mdsy@DeclareSymbol{leftVDash}{arrows}{\mathrel}
1379 \mdsy@DeclareAlias{DashV}{arrows}{\mathrel}
1380 \mdsy@DeclareSymbol{downVDash}{arrows}{\mathrel}
1381 \mdsy@DeclareSymbol{Vvdash}{arrows}{\mathrel}
1382 \mdsy@DeclareSymbol{dashVv}{arrows}{\mathrel}
1383 \mdsy@DeclareSymbol{vDdash}{arrows}{\mathrel}
1384 \mdsy@DeclareSymbol{Ddashv}{arrows}{\mathrel}
1385
1386 \mdsy@DeclareRobustCommand{relbar}{\mathrel{\smash-}}
1387 \mdsy@DeclareRobustCommand{Relbar}{\mathrel=}
1388 \mdsy@DeclareRobustCommand{joinrel}{\mathrel{\mkern-4mu}}

```

MdSymbolD: stroked arrows

```

1389 \mdsy@setslot{0}
1390 \mdsy@DeclareSymbol{nrightarrow}{narrows}{\mathrel}
1391 \mdsy@DeclareAlias{nto}{narrows}{\mathrel}
1392 \mdsy@DeclareSymbol{nuparrow}{narrows}{\mathrel}
1393 \mdsy@DeclareSymbol{nleftarrow}{narrows}{\mathrel}
1394 \mdsy@DeclareAlias{ngets}{narrows}{\mathrel}
1395 \mdsy@DeclareSymbol{ndownarrow}{narrows}{\mathrel}
1396 \mdsy@DeclareSymbol{nnearrow}{narrows}{\mathrel}
1397 \mdsy@DeclareSymbol{nnwarrow}{narrows}{\mathrel}
1398 \mdsy@DeclareSymbol{nswarrow}{narrows}{\mathrel}
1399 \mdsy@DeclareSymbol{nsearrow}{narrows}{\mathrel}
1400 \mdsy@DeclareSymbol{nRightarrow}{narrows}{\mathrel}
1401 \mdsy@DeclareSymbol{nUparrow}{narrows}{\mathrel}
1402 \mdsy@DeclareSymbol{nLeftarrow}{narrows}{\mathrel}
1403 \mdsy@DeclareSymbol{nDownarrow}{narrows}{\mathrel}
1404 \mdsy@DeclareSymbol{nNearrow}{narrows}{\mathrel}
1405 \mdsy@DeclareSymbol{nNwarrow}{narrows}{\mathrel}
1406 \mdsy@DeclareSymbol{nSvarrow}{narrows}{\mathrel}
1407 \mdsy@DeclareSymbol{nSearrow}{narrows}{\mathrel}
1408 \mdsy@DeclareSymbol{nleftrightharpoonup}{narrows}{\mathrel}

```

```

1409 \mdsy@DeclareSymbol{nupdownarrow}{narrows}{\mathrel}
1410 \mdsy@DeclareSymbol{nneswarrow}{narrows}{\mathrel}
1411 \mdsy@DeclareSymbol{nnwsearrow}{narrows}{\mathrel}
1412 \mdsy@DeclareSymbol{nLeftrightarrow}{narrows}{\mathrel}
1413 \mdsy@DeclareSymbol{nUpdownarrow}{narrows}{\mathrel}
1414 \mdsy@DeclareSymbol{nNeswarrow}{narrows}{\mathrel}
1415 \mdsy@DeclareSymbol{nNwsearrow}{narrows}{\mathrel}
1416 \mdsy@DeclareSymbol{ntwoheadrightarrow}{narrows}{\mathrel}
1417 \mdsy@DeclareSymbol{ntwoheaduparrow}{narrows}{\mathrel}
1418 \mdsy@DeclareSymbol{ntwoheadleftarrow}{narrows}{\mathrel}
1419 \mdsy@DeclareSymbol{ntwoheaddownarrow}{narrows}{\mathrel}
1420 \mdsy@DeclareSymbol{ntwoheadnearrow}{narrows}{\mathrel}
1421 \mdsy@DeclareSymbol{ntwoheadnwarrow}{narrows}{\mathrel}
1422 \mdsy@DeclareSymbol{ntwoheadswarrow}{narrows}{\mathrel}
1423 \mdsy@DeclareSymbol{ntwoheadsearrow}{narrows}{\mathrel}
1424 \mdsy@DeclareSymbol{nrightarrowtail}{narrows}{\mathrel}
1425 \mdsy@DeclareSymbol{nuparrowtail}{narrows}{\mathrel}
1426 \mdsy@DeclareSymbol{nleftarrowtail}{narrows}{\mathrel}
1427 \mdsy@DeclareSymbol{ndownarrowtail}{narrows}{\mathrel}
1428 \mdsy@DeclareSymbol{nnearrowtail}{narrows}{\mathrel}
1429 \mdsy@DeclareSymbol{nnwarrowtail}{narrows}{\mathrel}
1430 \mdsy@DeclareSymbol{nswarrowtail}{narrows}{\mathrel}
1431 \mdsy@DeclareSymbol{nsearrowtail}{narrows}{\mathrel}
1432 \mdsy@DeclareSymbol{nrightmapsto}{narrows}{\mathrel}
1433 \mdsy@DeclareAlias{nmapsto}{narrows}{\mathrel}
1434 \mdsy@DeclareSymbol{nupmapsto}{narrows}{\mathrel}
1435 \mdsy@DeclareAlias{nmapsup}{narrows}{\mathrel}
1436 \mdsy@DeclareSymbol{nleftmapsto}{narrows}{\mathrel}
1437 \mdsy@DeclareAlias{nmapsfrom}{narrows}{\mathrel}
1438 \mdsy@DeclareSymbol{ndownmapsto}{narrows}{\mathrel}
1439 \mdsy@DeclareAlias{nmapsdwn}{narrows}{\mathrel}
1440 \mdsy@DeclareSymbol{nRightmapsto}{narrows}{\mathrel}
1441 \mdsy@DeclareAlias{nMapsto}{narrows}{\mathrel}
1442 \mdsy@DeclareSymbol{nUpmapsto}{narrows}{\mathrel}
1443 \mdsy@DeclareAlias{nMapsup}{narrows}{\mathrel}
1444 \mdsy@DeclareSymbol{nLeftmapsto}{narrows}{\mathrel}
1445 \mdsy@DeclareAlias{nMapsfrom}{narrows}{\mathrel}
1446 \mdsy@DeclareSymbol{nDownmapsto}{narrows}{\mathrel}
1447 \mdsy@DeclareAlias{nMapsdwn}{narrows}{\mathrel}
1448 \mdsy@DeclareSymbol{nhookrightarrow}{narrows}{\mathrel}
1449 \mdsy@DeclareSymbol{nhookuparrow}{narrows}{\mathrel}
1450 \mdsy@DeclareSymbol{nvarhookleftarrow}{narrows}{\mathrel}
1451 \mdsy@DeclareSymbol{nvarhookdownarrow}{narrows}{\mathrel}
1452 \mdsy@DeclareSymbol{nvarhooknearrow}{narrows}{\mathrel}
1453 \mdsy@DeclareSymbol{nhooknwarrow}{narrows}{\mathrel}

```

```

1454 \mdsy@DeclareAlias{nhknwarrow}{narrows}{\mathrel}
1455 \mdsy@DeclareSymbol{nvarhookswarrow}{narrows}{\mathrel}
1456 \mdsy@DeclareSymbol{nhooksearrow}{narrows}{\mathrel}
1457 \mdsy@DeclareAlias{nhksearrow}{narrows}{\mathrel}
1458 \mdsy@DeclareSymbol{nvarhookrightarrow}{narrows}{\mathrel}
1459 \mdsy@DeclareSymbol{nvarhookuparrow}{narrows}{\mathrel}
1460 \mdsy@DeclareSymbol{nhookleftarrow}{narrows}{\mathrel}
1461 \mdsy@DeclareSymbol{nhookdownarrow}{narrows}{\mathrel}
1462 \mdsy@DeclareSymbol{nhooknearrow}{narrows}{\mathrel}
1463 \mdsy@DeclareAlias{nhknearrow}{narrows}{\mathrel}
1464 \mdsy@DeclareSymbol{nvarhooknwarrow}{narrows}{\mathrel}
1465 \mdsy@DeclareSymbol{nhookswarrow}{narrows}{\mathrel}
1466 \mdsy@DeclareAlias{nhkswarrow}{narrows}{\mathrel}
1467 \mdsy@DeclareSymbol{nvarhooksearrow}{narrows}{\mathrel}
1468 \mdsy@DeclareSymbol{nrightharpoonup}{narrows}{\mathrel}
1469 \mdsy@DeclareSymbol{nupharpoonleft}{narrows}{\mathrel}
1470 \mdsy@DeclareSymbol{nleftharpoondown}{narrows}{\mathrel}
1471 \mdsy@DeclareSymbol{ndownharpoonright}{narrows}{\mathrel}
1472 \mdsy@DeclareSymbol{nneharpoonnw}{narrows}{\mathrel}
1473 \mdsy@DeclareSymbol{nnwharpoonsw}{narrows}{\mathrel}
1474 \mdsy@DeclareSymbol{nswharpoonse}{narrows}{\mathrel}
1475 \mdsy@DeclareSymbol{nseharpoonne}{narrows}{\mathrel}
1476 \mdsy@DeclareSymbol{nrightharpoondown}{narrows}{\mathrel}
1477 \mdsy@DeclareSymbol{nupharpoonright}{narrows}{\mathrel}
1478 \mdsy@DeclareAlias{nrestriction}{narrows}{\mathrel}
1479 \mdsy@DeclareSymbol{nleftharpoonup}{narrows}{\mathrel}
1480 \mdsy@DeclareSymbol{ndownharpoonleft}{narrows}{\mathrel}
1481 \mdsy@DeclareSymbol{nneharpoonse}{narrows}{\mathrel}
1482 \mdsy@DeclareSymbol{nnwharpoonne}{narrows}{\mathrel}
1483 \mdsy@DeclareSymbol{nswharpoonnw}{narrows}{\mathrel}
1484 \mdsy@DeclareSymbol{nseharpoonsw}{narrows}{\mathrel}
1485 \mdsy@DeclareSymbol{nleftrightharpoonupdown}{narrows}{\mathrel}
1486 \mdsy@DeclareSymbol{nupdownharpoonleftright}{narrows}{\mathrel}
1487 \mdsy@DeclareSymbol{nneswharpoonnwse}{narrows}{\mathrel}
1488 \mdsy@DeclareSymbol{nnwseharpoonesw}{narrows}{\mathrel}
1489 \mdsy@DeclareSymbol{nleftrightharpoondownup}{narrows}{\mathrel}
1490 \mdsy@DeclareSymbol{nupdownharpoonrightleft}{narrows}{\mathrel}
1491 \mdsy@DeclareSymbol{nneswharpoonsenw}{narrows}{\mathrel}
1492 \mdsy@DeclareSymbol{nnwseharpoonswne}{narrows}{\mathrel}
1493 \mdsy@DeclareSymbol{nrightleftharpoons}{narrows}{\mathrel}
1494 \mdsy@DeclareSymbol{nupdownharpoons}{narrows}{\mathrel}
1495 \mdsy@DeclareAlias{nupdownharpoonsleftright}{narrows}{\mathrel}
1496 \mdsy@DeclareSymbol{nneswharpoons}{narrows}{\mathrel}
1497 \mdsy@DeclareSymbol{nsenwharpoons}{narrows}{\mathrel}
1498 \mdsy@DeclareSymbol{nleftrightharpoons}{narrows}{\mathrel}

```

```

1499 \mdsy@DeclareSymbol{ndownupharpoons}{narrows}{\mathrel}
1500 \mdsy@DeclareAlias{ndownupharpoonsleftright}{narrows}{\mathrel}
1501 \mdsy@DeclareSymbol{nsweharpoons}{narrows}{\mathrel}
1502 \mdsy@DeclareSymbol{nnwseharpoons}{narrows}{\mathrel}
1503 \mdsy@DeclareSymbol{nrightbkarrow}{narrows}{\mathrel}
1504 \mdsy@DeclareAlias{ndasharrow}{narrows}{\mathrel}
1505 \mdsy@DeclareAlias{ndashrightarrow}{narrows}{\mathrel}
1506 \mdsy@DeclareSymbol{nupbkarrow}{narrows}{\mathrel}
1507 \mdsy@DeclareSymbol{nleftbkarrow}{narrows}{\mathrel}
1508 \mdsy@DeclareAlias{ndashleftarrow}{narrows}{\mathrel}
1509 \mdsy@DeclareSymbol{ndownbkarrow}{narrows}{\mathrel}
1510 \mdsy@DeclareSymbol{nnbkarrow}{narrows}{\mathrel}
1511 \mdsy@DeclareSymbol{nnwbkarrow}{narrows}{\mathrel}
1512 \mdsy@DeclareSymbol{nswbkarrow}{narrows}{\mathrel}
1513 \mdsy@DeclareSymbol{nsebkarrow}{narrows}{\mathrel}
1514 \mdsy@DeclareSymbol{nrightspoon}{narrows}{\mathrel}
1515 \mdsy@DeclareAlias{nmultimap}{narrows}{\mathrel}
1516 \mdsy@DeclareSymbol{nupspoon}{narrows}{\mathrel}
1517 \mdsy@DeclareAlias{ncirmid}{narrows}{\mathrel}
1518 \mdsy@DeclareSymbol{nleftspoon}{narrows}{\mathrel}
1519 \mdsy@DeclareAlias{nmultimapinv}{narrows}{\mathrel}
1520 \mdsy@DeclareSymbol{ndownspoon}{narrows}{\mathrel}
1521 \mdsy@DeclareAlias{nmidcir}{narrows}{\mathrel}
1522 \mdsy@DeclareSymbol{nrightblackspoon}{narrows}{\mathrel}
1523 \mdsy@DeclareSymbol{nupblackspoon}{narrows}{\mathrel}
1524 \mdsy@DeclareSymbol{nleftblackspoon}{narrows}{\mathrel}
1525 \mdsy@DeclareSymbol{ndownblackspoon}{narrows}{\mathrel}
1526 \mdsy@DeclareSymbol{nleftrightspoon}{narrows}{\mathrel}
1527 \mdsy@DeclareAlias{ndualmap}{narrows}{\mathrel}
1528 \mdsy@DeclareSymbol{nleftrightblackspoon}{narrows}{\mathrel}
1529 \mdsy@DeclareSymbol{nblackwhitespoon}{narrows}{\mathrel}
1530 \mdsy@DeclareAlias{nimageof}{narrows}{\mathrel}
1531 \mdsy@DeclareSymbol{nwhiteblackspoon}{narrows}{\mathrel}
1532 \mdsy@DeclareAlias{norigof}{narrows}{\mathrel}
1533 \mdsy@DeclareSymbol{nrightpitchfork}{narrows}{\mathrel}
1534 \mdsy@DeclareSymbol{nuppitchfork}{narrows}{\mathrel}
1535 \mdsy@DeclareAlias{npitchfork}{narrows}{\mathrel}
1536 \mdsy@DeclareSymbol{nleftpitchfork}{narrows}{\mathrel}
1537 \mdsy@DeclareSymbol{ndownpitchfork}{narrows}{\mathrel}
1538 \mdsy@DeclareSymbol{nrightarrows}{narrows}{\mathrel}
1539 \mdsy@DeclareSymbol{nupparrows}{narrows}{\mathrel}
1540 \mdsy@DeclareSymbol{nleftleftarrows}{narrows}{\mathrel}
1541 \mdsy@DeclareSymbol{ndowndownarrows}{narrows}{\mathrel}
1542 \mdsy@DeclareSymbol{nnenearrows}{narrows}{\mathrel}
1543 \mdsy@DeclareSymbol{nnwnwarrows}{narrows}{\mathrel}

```

```

1544 \mdsy@DeclareSymbol{nswswarrows}{narrows}{\mathrel}
1545 \mdsy@DeclareSymbol{nsesearrows}{narrows}{\mathrel}
1546 \mdsy@DeclareSymbol{nrightleftarrows}{narrows}{\mathrel}
1547 \mdsy@DeclareSymbol{nupdownarrows}{narrows}{\mathrel}
1548 \mdsy@DeclareSymbol{nneswarrows}{narrows}{\mathrel}
1549 \mdsy@DeclareSymbol{nnwsearrows}{narrows}{\mathrel}
1550 \mdsy@DeclareSymbol{nleftrightharrows}{narrows}{\mathrel}
1551 \mdsy@DeclareSymbol{ndownuparrows}{narrows}{\mathrel}
1552 \mdsy@DeclareSymbol{nswnearrows}{narrows}{\mathrel}
1553 \mdsy@DeclareSymbol{nsenwarrows}{narrows}{\mathrel}
1554 \mdsy@DeclareSymbol{nrightwavearrow}{narrows}{\mathrel}
1555 \mdsy@DeclareAlias{nleadsto}{narrows}{\mathrel}
1556 \mdsy@DeclareAlias{nrightsquigarrow}{narrows}{\mathrel}
1557 \mdsy@DeclareAlias{nrightcurvedarrow}{arrows}{\mathrel}
1558 \mdsy@DeclareAlias{nrightlsquigarrow}{narrows}{\mathrel}
1559 \mdsy@DeclareSymbol{nvarupwavearrow}{narrows}{\mathrel}
1560 \mdsy@DeclareAlias{nuplsquigarrow}{narrows}{\mathrel}
1561 \mdsy@DeclareSymbol{nvarleftwavearrow}{narrows}{\mathrel}
1562 \mdsy@DeclareAlias{nleftlsquigarrow}{narrows}{\mathrel}
1563 \mdsy@DeclareSymbol{ndownwavearrow}{narrows}{\mathrel}
1564 \mdsy@DeclareAlias{ndownlsquigarrow}{narrows}{\mathrel}
1565 \mdsy@DeclareSymbol{nvarrightwavearrow}{narrows}{\mathrel}
1566 \mdsy@DeclareAlias{nrightrsquigarrow}{narrows}{\mathrel}
1567 \mdsy@DeclareSymbol{nupwavearrow}{narrows}{\mathrel}
1568 \mdsy@DeclareAlias{nuprsquigarrow}{narrows}{\mathrel}
1569 \mdsy@DeclareSymbol{nleftwavearrow}{narrows}{\mathrel}
1570 \mdsy@DeclareAlias{nleftsquigarrow}{narrows}{\mathrel}
1571 \mdsy@DeclareAlias{nleftcurvedarrow}{arrows}{\mathrel}
1572 \mdsy@DeclareAlias{nleftrsquigarrow}{narrows}{\mathrel}
1573 \mdsy@DeclareSymbol{nvardownwavearrow}{narrows}{\mathrel}
1574 \mdsy@DeclareAlias{ndownrsquigarrow}{narrows}{\mathrel}
1575 \mdsy@DeclareSymbol{nleftrightwavearrow}{narrows}{\mathrel}
1576 \mdsy@DeclareAlias{nleftrightsquigarrow}{narrows}{\mathrel}
1577 \mdsy@DeclareSymbol{nupdownwavearrow}{narrows}{\mathrel}
1578 \mdsy@DeclareAlias{nupdownsquigarrow}{narrows}{\mathrel}
1579 \mdsy@DeclareSymbol{nvarleftrightwavearrow}{narrows}{\mathrel}
1580 \mdsy@DeclareAlias{nrightleftsquigarrow}{narrows}{\mathrel}
1581 \mdsy@DeclareSymbol{nvarupdownwavearrow}{narrows}{\mathrel}
1582 \mdsy@DeclareAlias{ndownupsquigarrow}{narrows}{\mathrel}
1583 \mdsy@DeclareSymbol{ncwoverarcarrow}{narrows}{\mathrel}
1584 \mdsy@DeclareAlias{ncurvearrowright}{narrows}{\mathrel}
1585 \mdsy@DeclareAlias{nrightlcurvearrow}{narrows}{\mathrel}
1586 \mdsy@DeclareSymbol{ncwleftarcarrow}{narrows}{\mathrel}
1587 \mdsy@DeclareAlias{nuplcurvearrow}{narrows}{\mathrel}
1588 \mdsy@DeclareSymbol{ncwunderarcarrow}{narrows}{\mathrel}

```



```

1589 \mdsy@DeclareAlias{nleftlcurvearrow}{narrows}{\mathrel}
1590 \mdsy@DeclareSymbol{ncwrightarcarrow}{narrows}{\mathrel}
1591 \mdsy@DeclareAlias{ndownlcurvearrow}{narrows}{\mathrel}
1592 \mdsy@DeclareSymbol{ncwnwarcarrow}{narrows}{\mathrel}
1593 \mdsy@DeclareAlias{nrightupcurvedarrow}{narrows}{\mathrel}
1594 \mdsy@DeclareAlias{nnelcurvearrow}{narrows}{\mathrel}
1595 \mdsy@DeclareSymbol{ncwswarcarrow}{narrows}{\mathrel}
1596 \mdsy@DeclareAlias{nupleftcurvedarrow}{narrows}{\mathrel}
1597 \mdsy@DeclareAlias{nnwlcurvearrow}{narrows}{\mathrel}
1598 \mdsy@DeclareSymbol{ncwsearcarrow}{narrows}{\mathrel}
1599 \mdsy@DeclareAlias{nleftdowncurvedarrow}{narrows}{\mathrel}
1600 \mdsy@DeclareAlias{nswlcurvearrow}{narrows}{\mathrel}
1601 \mdsy@DeclareSymbol{ncwnearcarrow}{narrows}{\mathrel}
1602 \mdsy@DeclareAlias{ndownrightcurvedarrow}{narrows}{\mathrel}
1603 \mdsy@DeclareAlias{nseelcurvearrow}{narrows}{\mathrel}
1604 \mdsy@DeclareSymbol{nacwunderarcarrow}{narrows}{\mathrel}
1605 \mdsy@DeclareAlias{nrightrcurvearrow}{narrows}{\mathrel}
1606 \mdsy@DeclareSymbol{nacwrightarcarrow}{narrows}{\mathrel}
1607 \mdsy@DeclareAlias{nuprcurvearrow}{narrows}{\mathrel}
1608 \mdsy@DeclareSymbol{nacwoverarcarrow}{narrows}{\mathrel}
1609 \mdsy@DeclareAlias{ncurvearrowleft}{narrows}{\mathrel}
1610 \mdsy@DeclareAlias{nleftrcurvearrow}{narrows}{\mathrel}
1611 \mdsy@DeclareSymbol{nacwleftarcarrow}{narrows}{\mathrel}
1612 \mdsy@DeclareAlias{ndownrcurvearrow}{narrows}{\mathrel}
1613 \mdsy@DeclareSymbol{nacwsearcarrow}{narrows}{\mathrel}
1614 \mdsy@DeclareAlias{nuprightcurvearrow}{narrows}{\mathrel}
1615 \mdsy@DeclareAlias{nnercurvearrow}{narrows}{\mathrel}
1616 \mdsy@DeclareSymbol{nacwnearcarrow}{narrows}{\mathrel}
1617 \mdsy@DeclareAlias{nleftupcurvedarrow}{narrows}{\mathrel}
1618 \mdsy@DeclareAlias{nnwrcurvearrow}{narrows}{\mathrel}
1619 \mdsy@DeclareSymbol{nacwnwarcarrow}{narrows}{\mathrel}
1620 \mdsy@DeclareAlias{ndownleftcurvedarrow}{narrows}{\mathrel}
1621 \mdsy@DeclareAlias{nswrcurvearrow}{narrows}{\mathrel}
1622 \mdsy@DeclareSymbol{nacwswarcarrow}{narrows}{\mathrel}
1623 \mdsy@DeclareAlias{nrightdowncurvedarrow}{narrows}{\mathrel}
1624 \mdsy@DeclareAlias{nsercurvearrow}{narrows}{\mathrel}
1625 \mdsy@DeclareSymbol{nbdoverarcarrow}{narrows}{\mathrel}
1626 \mdsy@DeclareAlias{nleftrightcurvearrow}{narrows}{\mathrel}
1627 \mdsy@DeclareSymbol{nbdleftarcarrow}{narrows}{\mathrel}
1628 \mdsy@DeclareAlias{nupdowncurvearrow}{narrows}{\mathrel}
1629 \mdsy@DeclareSymbol{nbdunderarcarrow}{narrows}{\mathrel}
1630 \mdsy@DeclareAlias{nrightleftcurvearrow}{narrows}{\mathrel}
1631 \mdsy@DeclareSymbol{nbdrightarcarrow}{narrows}{\mathrel}
1632 \mdsy@DeclareAlias{ndownupcurvearrow}{narrows}{\mathrel}
1633 \mdsy@DeclareSymbol{nbdnwarcarrow}{narrows}{\mathrel}

```

```

1634 \mdsy@DeclareAlias{nneswcurvearrow}{narrows}{\mathrel}
1635 \mdsy@DeclareSymbol{nbdswarcarrow}{narrows}{\mathrel}
1636 \mdsy@DeclareAlias{nnwsecurvearrow}{narrows}{\mathrel}
1637 \mdsy@DeclareSymbol{nbdsearcarrow}{narrows}{\mathrel}
1638 \mdsy@DeclareAlias{nswnecurvearrow}{narrows}{\mathrel}
1639 \mdsy@DeclareSymbol{nbdnearcarrow}{narrows}{\mathrel}
1640 \mdsy@DeclareAlias{nsewcurvearrow}{narrows}{\mathrel}
1641 \mdsy@DeclareSymbol{nleftfootline}{narrows}{\mathrel}
1642 \mdsy@DeclareSymbol{nrightfootline}{narrows}{\mathrel}
1643 \mdsy@DeclareSymbol{nacwcirculararrowup}{narrows}{\mathrel}
1644 \mdsy@DeclareSymbol{nacwcirculararrowleft}{narrows}{\mathrel}
1645 \mdsy@DeclareAlias{ncirculararrowleft}{narrows}{\mathrel}
1646 \mdsy@DeclareAlias{nacwopencirculararrow}{narrows}{\mathrel}
1647 \mdsy@DeclareSymbol{nacwcirculararrowdown}{narrows}{\mathrel}
1648 \mdsy@DeclareAlias{nacwgapcirculararrow}{narrows}{\mathrel}
1649 \mdsy@DeclareSymbol{nacwcirculararrowright}{narrows}{\mathrel}
1650 \mdsy@DeclareSymbol{ncwcirculararrowdown}{narrows}{\mathrel}
1651 \mdsy@DeclareAlias{ncwgapcirculararrow}{narrows}{\mathrel}
1652 \mdsy@DeclareSymbol{ncwcirculararrowright}{narrows}{\mathrel}
1653 \mdsy@DeclareAlias{ncirculararrowright}{narrows}{\mathrel}
1654 \mdsy@DeclareAlias{ncwopencirculararrow}{narrows}{\mathrel}
1655 \mdsy@DeclareSymbol{ncwcirculararrowup}{narrows}{\mathrel}
1656 \mdsy@DeclareSymbol{ncwcirculararrowleft}{narrows}{\mathrel}
1657 \mdsy@DeclareSymbol{nRrightarrow}{narrows}{\mathrel}
1658 \mdsy@DeclareSymbol{nUparrow}{narrows}{\mathrel}
1659 \mdsy@DeclareSymbol{nLleftarrow}{narrows}{\mathrel}
1660 \mdsy@DeclareSymbol{nDdownarrow}{narrows}{\mathrel}
1661 \mdsy@DeclareSymbol{nlongrightarrow}{narrows}{\mathrel}
1662 \mdsy@DeclareSymbol{nlongleftarrow}{narrows}{\mathrel}
1663 \mdsy@DeclareSymbol{nLongrightarrow}{narrows}{\mathrel}
1664 \mdsy@DeclareSymbol{nLongleftarrow}{narrows}{\mathrel}
1665 \mdsy@DeclareSymbol{nlongleftrightharpoonright}{narrows}{\mathrel}
1666 \mdsy@DeclareSymbol{nLongleftrightharpoonright}{narrows}{\mathrel}
1667 \mdsy@DeclareSymbol{nlongmapsto}{narrows}{\mathrel}
1668 \mdsy@DeclareSymbol{nlongmapsfrom}{narrows}{\mathrel}
1669 \mdsy@DeclareSymbol{nLongmapsto}{narrows}{\mathrel}
1670 \mdsy@DeclareSymbol{nLongmapsfrom}{narrows}{\mathrel}
1671 \mdsy@DeclareSymbol{nlongrightwvearrow}{narrows}{\mathrel}
1672 \mdsy@DeclareAlias{nlongleadsto}{narrows}{\mathrel}
1673 \mdsy@DeclareAlias{nlongrightsquigarrow}{narrows}{\mathrel}
1674 \mdsy@DeclareSymbol{nlongleftwvearrow}{narrows}{\mathrel}
1675 \mdsy@DeclareAlias{nlongleftsquigarrow}{narrows}{\mathrel}
1676 \mdsy@DeclareSymbol{nlongleftfootline}{narrows}{\mathrel}
1677 \mdsy@DeclareAlias{nvlongdash}{narrows}{\mathrel}
1678 \mdsy@DeclareSymbol{nlongrightfootline}{narrows}{\mathrel}

```

```

1679 \mdsy@DeclareAlias{nlongdashv}{narrows}{\mathrel}
1680 \mdsy@setslot{224}
1681 \mdsy@DeclareSymbol{nrightvdash}{narrows}{\mathrel}
1682 \mdsy@DeclareAlias{nvDash}{narrows}{\mathrel}
1683 \mdsy@DeclareSymbol{nupvdash}{narrows}{\mathrel}
1684 \mdsy@DeclareAlias{nperp}{narrows}{\mathrel}
1685 \mdsy@DeclareSymbol{nleftvdash}{narrows}{\mathrel}
1686 \mdsy@DeclareAlias{ndashv}{narrows}{\mathrel}
1687 \mdsy@DeclareSymbol{ndownvdash}{narrows}{\mathrel}
1688 \mdsy@DeclareSymbol{nrightassert}{narrows}{\mathrel}
1689 \mdsy@DeclareAlias{nassert}{narrows}{\mathrel}
1690 \mdsy@DeclareAlias{nshortrighttack}{narrows}{\mathrel}
1691 \mdsy@DeclareSymbol{nupassert}{narrows}{\mathrel}
1692 \mdsy@DeclareAlias{nshortuptack}{narrows}{\mathrel}
1693 \mdsy@DeclareSymbol{nleftassert}{narrows}{\mathrel}
1694 \mdsy@DeclareAlias{nshortlefttack}{narrows}{\mathrel}
1695 \mdsy@DeclareSymbol{ndownassert}{narrows}{\mathrel}
1696 \mdsy@DeclareAlias{nshortdowntack}{narrows}{\mathrel}
1697 \mdsy@DeclareSymbol{nrightvDash}{narrows}{\mathrel}
1698 \mdsy@DeclareAlias{nvDash}{narrows}{\mathrel}
1699 \mdsy@DeclareSymbol{nupvDash}{narrows}{\mathrel}
1700 \mdsy@DeclareAlias{nVbar}{narrows}{\mathrel}
1701 \mdsy@DeclareSymbol{nleftvDash}{narrows}{\mathrel}
1702 \mdsy@DeclareAlias{nDashv}{narrows}{\mathrel}
1703 \mdsy@DeclareSymbol{ndownvDash}{narrows}{\mathrel}
1704 \mdsy@DeclareAlias{nbarV}{narrows}{\mathrel}
1705 \mdsy@DeclareSymbol{nrightmodels}{narrows}{\mathrel}
1706 \mdsy@DeclareAlias{nmodels}{narrows}{\mathrel}
1707 \mdsy@DeclareSymbol{nupmodels}{narrows}{\mathrel}
1708 \mdsy@DeclareSymbol{nleftmodels}{narrows}{\mathrel}
1709 \mdsy@DeclareSymbol{ndownmodels}{narrows}{\mathrel}
1710 \mdsy@DeclareSymbol{nrightVdash}{narrows}{\mathrel}
1711 \mdsy@DeclareAlias{nVdash}{narrows}{\mathrel}
1712 \mdsy@DeclareSymbol{nupVdash}{narrows}{\mathrel}
1713 \mdsy@DeclareSymbol{nleftVdash}{narrows}{\mathrel}
1714 \mdsy@DeclareAlias{ndashV}{narrows}{\mathrel}
1715 \mdsy@DeclareSymbol{ndownVdash}{narrows}{\mathrel}
1716 \mdsy@DeclareSymbol{nrightAssert}{narrows}{\mathrel}
1717 \mdsy@DeclareAlias{nAssert}{narrows}{\mathrel}
1718 \mdsy@DeclareSymbol{nupAssert}{narrows}{\mathrel}
1719 \mdsy@DeclareAlias{nvBar}{narrows}{\mathrel}
1720 \mdsy@DeclareSymbol{nleftAssert}{narrows}{\mathrel}
1721 \mdsy@DeclareSymbol{ndownAssert}{narrows}{\mathrel}
1722 \mdsy@DeclareAlias{nBarv}{narrows}{\mathrel}
1723 \mdsy@DeclareSymbol{nrightVDash}{narrows}{\mathrel}

```

```

1724 \mdsy@DeclareAlias{nVDash}{narrows}{\mathrel}
1725 \mdsy@DeclareSymbol{nupVDash}{narrows}{\mathrel}
1726 \mdsy@DeclareSymbol{nleftVDash}{narrows}{\mathrel}
1727 \mdsy@DeclareAlias{nDashV}{narrows}{\mathrel}
1728 \mdsy@DeclareSymbol{ndownVDash}{narrows}{\mathrel}
1729 \mdsy@DeclareSymbol{nVvdash}{narrows}{\mathrel}
1730 \mdsy@DeclareSymbol{ndashVv}{narrows}{\mathrel}
1731 \mdsy@DeclareSymbol{nvDdash}{narrows}{\mathrel}
1732 \mdsy@DeclareSymbol{nDdashv}{narrows}{\mathrel}

```

MdSymbolE: large operators

```

1733 \mdsy@setslot{0}
1734 \mdsy@DeclareSymbol{tbigplus}{largesymbols}{\mathop}
1735 \mdsy@DeclareSymbol{dbigplus}{largesymbols}{\mathop}
1736 \mdsy@DeclareSymbol{tbigtimes}{largesymbols}{\mathop}
1737 \mdsy@DeclareSymbol{dbigtimes}{largesymbols}{\mathop}
1738 \mdsy@DeclareSymbol{tbigwedge}{largesymbols}{\mathop}
1739 \mdsy@DeclareSymbol{dbigwedge}{largesymbols}{\mathop}
1740 \mdsy@DeclareSymbol{tbigvee}{largesymbols}{\mathop}
1741 \mdsy@DeclareSymbol{dbigvee}{largesymbols}{\mathop}
1742 \mdsy@DeclareSymbol{tbigwedgedot}{largesymbols}{\mathop}
1743 \mdsy@DeclareSymbol{dbigwedgedot}{largesymbols}{\mathop}
1744 \mdsy@DeclareSymbol{tbigveedot}{largesymbols}{\mathop}
1745 \mdsy@DeclareSymbol{dbigveedot}{largesymbols}{\mathop}
1746 \mdsy@DeclareSymbol{tbigdoublewedge}{largesymbols}{\mathop}
1747 \mdsy@DeclareAlias{tconjquant}{largesymbols}{\mathop}
1748 \mdsy@DeclareSymbol{dbigdoublewedge}{largesymbols}{\mathop}
1749 \mdsy@DeclareAlias{dconjquant}{largesymbols}{\mathop}
1750 \mdsy@DeclareSymbol{tbigdoublevee}{largesymbols}{\mathop}
1751 \mdsy@DeclareAlias{tdisjquant}{largesymbols}{\mathop}
1752 \mdsy@DeclareSymbol{dbigdoublevee}{largesymbols}{\mathop}
1753 \mdsy@DeclareAlias{ddisjquant}{largesymbols}{\mathop}
1754 \mdsy@DeclareSymbol{tbigcurlywedge}{largesymbols}{\mathop}
1755 \mdsy@DeclareSymbol{dbigcurlywedge}{largesymbols}{\mathop}
1756 \mdsy@DeclareSymbol{tbigcurlyvee}{largesymbols}{\mathop}
1757 \mdsy@DeclareSymbol{dbigcurlyvee}{largesymbols}{\mathop}
1758 \mdsy@DeclareSymbol{tbigcap}{largesymbols}{\mathop}
1759 \mdsy@DeclareSymbol{dbigcap}{largesymbols}{\mathop}
1760 \mdsy@DeclareSymbol{tbigcup}{largesymbols}{\mathop}
1761 \mdsy@DeclareSymbol{dbigcup}{largesymbols}{\mathop}
1762 \mdsy@DeclareSymbol{tbigcapdot}{largesymbols}{\mathop}
1763 \mdsy@DeclareSymbol{dbigcapdot}{largesymbols}{\mathop}
1764 \mdsy@DeclareSymbol{tbigcupdot}{largesymbols}{\mathop}
1765 \mdsy@DeclareSymbol{dbigcupdot}{largesymbols}{\mathop}
1766 \mdsy@DeclareSymbol{tbigcapplus}{largesymbols}{\mathop}
1767 \mdsy@DeclareSymbol{dbigcapplus}{largesymbols}{\mathop}

```

```

1768 \mdsy@DeclareSymbol{tbigcupplus}{largesymbols}{\mathop}
1769 \mdsy@DeclareAlias{tbiguplus}{largesymbols}{\mathop}
1770 \mdsy@DeclareSymbol{dbigcupplus}{largesymbols}{\mathop}
1771 \mdsy@DeclareAlias{dbiguplus}{largesymbols}{\mathop}
1772 \mdsy@DeclareSymbol{tbigsqcap}{largesymbols}{\mathop}
1773 \mdsy@DeclareSymbol{dbigsqcap}{largesymbols}{\mathop}
1774 \mdsy@DeclareSymbol{tbigsqcup}{largesymbols}{\mathop}
1775 \mdsy@DeclareSymbol{dbigsqcup}{largesymbols}{\mathop}
1776 \mdsy@DeclareSymbol{tbigsqcapdot}{largesymbols}{\mathop}
1777 \mdsy@DeclareSymbol{dbigsqcapdot}{largesymbols}{\mathop}
1778 \mdsy@DeclareSymbol{tbigsqcupdot}{largesymbols}{\mathop}
1779 \mdsy@DeclareSymbol{dbigsqcupdot}{largesymbols}{\mathop}
1780 \mdsy@DeclareSymbol{tbigsqcapplus}{largesymbols}{\mathop}
1781 \mdsy@DeclareSymbol{dbigsqcapplus}{largesymbols}{\mathop}
1782 \mdsy@DeclareSymbol{tbigsqcupplus}{largesymbols}{\mathop}
1783 \mdsy@DeclareSymbol{dbigsqcupplus}{largesymbols}{\mathop}
1784 \mdsy@DeclareSymbol{tbigoplus}{largesymbols}{\mathop}
1785 \mdsy@DeclareSymbol{dbigoplus}{largesymbols}{\mathop}
1786 \mdsy@DeclareSymbol{tbigotimes}{largesymbols}{\mathop}
1787 \mdsy@DeclareSymbol{dbigotimes}{largesymbols}{\mathop}
1788 \mdsy@DeclareSymbol{tbigodot}{largesymbols}{\mathop}
1789 \mdsy@DeclareSymbol{dbigodot}{largesymbols}{\mathop}
1790 \mdsy@DeclareSymbol{tbigoast}{largesymbols}{\mathop}
1791 \mdsy@DeclareSymbol{dbigoast}{largesymbols}{\mathop}
1792 \mdsy@DeclareSymbol{tprod}{largesymbols}{\mathop}
1793 \mdsy@DeclareSymbol{dprod}{largesymbols}{\mathop}
1794 \mdsy@DeclareSymbol{tcoprod}{largesymbols}{\mathop}
1795 \mdsy@DeclareSymbol{dcoprod}{largesymbols}{\mathop}
1796 \mdsy@DeclareSymbol{tsum}{largesymbols}{\mathop}
1797 \mdsy@DeclareSymbol{dsum}{largesymbols}{\mathop}
1798 \mdsy@DeclareSymbol{tosum}{largesymbols}{\mathop}
1799 \mdsy@DeclareAlias{tmodtwosum}{largesymbols}{\mathop}
1800 \mdsy@DeclareSymbol{dosum}{largesymbols}{\mathop}
1801 \mdsy@DeclareAlias{dmodtwosum}{largesymbols}{\mathop}
1802 \mdsy@DeclareSymbol{tint}{largesymbols}{\mathop}
1803 \mdsy@DeclareSymbol{dint}{largesymbols}{\mathop}
1804 \mdsy@DeclareSymbol{tiint}{largesymbols}{\mathop}
1805 \mdsy@DeclareSymbol{diint}{largesymbols}{\mathop}
1806 \mdsy@DeclareSymbol{tiiint}{largesymbols}{\mathop}
1807 \mdsy@DeclareSymbol{diiint}{largesymbols}{\mathop}
1808 \mdsy@DeclareSymbol{tiiiint}{largesymbols}{\mathop}
1809 \mdsy@DeclareSymbol{diiiint}{largesymbols}{\mathop}
1810 \mdsy@DeclareSymbol{tidotsint}{largesymbols}{\mathop}
1811 \mdsy@DeclareAlias{tdotsint}{largesymbols}{\mathop}
1812 \mdsy@DeclareSymbol{didotsint}{largesymbols}{\mathop}

```

```

1813 \mdsy@DeclareAlias{ddotsint}{largesymbols}{\mathop}
1814 \mdsy@DeclareSymbol{tlandupint}{largesymbols}{\mathop}
1815 \mdsy@DeclareAlias{tintclockwise}{largesymbols}{\mathop}
1816 \mdsy@DeclareSymbol{dlandupint}{largesymbols}{\mathop}
1817 \mdsy@DeclareAlias{dintclockwise}{largesymbols}{\mathop}
1818 \mdsy@DeclareSymbol{tlanddownint}{largesymbols}{\mathop}
1819 \mdsy@DeclareAlias{tawint}{largesymbols}{\mathop}
1820 \mdsy@DeclareAlias{tintctrcclockwise}{largesymbols}{\mathop}
1821 \mdsy@DeclareSymbol{dlanddownint}{largesymbols}{\mathop}
1822 \mdsy@DeclareAlias{dawint}{largesymbols}{\mathop}
1823 \mdsy@DeclareAlias{dintctrcclockwise}{largesymbols}{\mathop}
1824 \mdsy@DeclareSymbol{tintbar}{largesymbols}{\mathop}
1825 \mdsy@DeclareSymbol{dintbar}{largesymbols}{\mathop}
1826 \mdsy@DeclareSymbol{tintBar}{largesymbols}{\mathop}
1827 \mdsy@DeclareSymbol{dintBar}{largesymbols}{\mathop}
1828 \mdsy@DeclareSymbol{tfint}{largesymbols}{\mathop}
1829 \mdsy@DeclareSymbol{dfint}{largesymbols}{\mathop}
1830 \mdsy@DeclareSymbol{toint}{largesymbols}{\mathop}
1831 \mdsy@DeclareSymbol{doint}{largesymbols}{\mathop}
1832 \mdsy@DeclareSymbol{toiint}{largesymbols}{\mathop}
1833 \mdsy@DeclareSymbol{doiint}{largesymbols}{\mathop}
1834 \mdsy@DeclareSymbol{toiiiint}{largesymbols}{\mathop}
1835 \mdsy@DeclareSymbol{doiiiint}{largesymbols}{\mathop}
1836 \mdsy@DeclareSymbol{trcircularrightint}{largesymbols}{\mathop}
1837 \mdsy@DeclareAlias{tointctrcclockwise}{largesymbols}{\mathop}
1838 \mdsy@DeclareSymbol{drcircularrightint}{largesymbols}{\mathop}
1839 \mdsy@DeclareAlias{dointctrcclockwise}{largesymbols}{\mathop}
1840 \mdsy@DeclareSymbol{tlcircularrightint}{largesymbols}{\mathop}
1841 \mdsy@DeclareAlias{tvarointclockwise}{largesymbols}{\mathop}
1842 \mdsy@DeclareSymbol{dlcircularrightint}{largesymbols}{\mathop}
1843 \mdsy@DeclareAlias{dvarointclockwise}{largesymbols}{\mathop}
1844 \mdsy@DeclareSymbol{trcircleleftint}{largesymbols}{\mathop}
1845 \mdsy@DeclareAlias{tvarointctrcclockwise}{largesymbols}{\mathop}
1846 \mdsy@DeclareSymbol{drcircleleftint}{largesymbols}{\mathop}
1847 \mdsy@DeclareAlias{dvarointctrcclockwise}{largesymbols}{\mathop}
1848 \mdsy@DeclareSymbol{tlcircleleftint}{largesymbols}{\mathop}
1849 \mdsy@DeclareAlias{tointclockwise}{largesymbols}{\mathop}
1850 \mdsy@DeclareSymbol{dlcircularleftint}{largesymbols}{\mathop}
1851 \mdsy@DeclareAlias{dointclockwise}{largesymbols}{\mathop}
1852 \mdsy@DeclareSymbol{tsumint}{largesymbols}{\mathop}
1853 \mdsy@DeclareSymbol{dsumint}{largesymbols}{\mathop}
1854 %\let\intop\tint
1855 %\let\ointop\toint
1856
1857 \mdsy@DeclareOperator{bigplus}{\dbigplus}{\tbigplus}

```

```

1858 \mdsy@DeclareOperator{bigtimes}{\dbigtimes}{\tbigtimes}
1859 \mdsy@DeclareOperator{bigwedge}{\dbigwedge}{\tbigwedge}
1860 \mdsy@DeclareOperator{bigvee}{\dbigvee}{\tbigvee}
1861 \mdsy@DeclareOperator{bigwedgedot}{\dbigwedgedot}{\tbigwedgedot}
1862 \mdsy@DeclareOperator{bigveedot}{\dbigveedot}{\tbigveedot}
1863 \mdsy@DeclareOperator{bigdoublewedge}{\dbigdoublewedge}{\tbigdoublewedge}
1864 \mdsy@DeclareOperator{conjquant}{\dconjquant}{\tconjquant}
1865 \mdsy@DeclareOperator{bigdoublevee}{\dbigdoublevee}{\tbigdoublevee}
1866 \mdsy@DeclareOperator{disjquant}{\ddisjquant}{\tdisjquant}
1867 \mdsy@DeclareOperator{bigcurlywedge}{\dbigcurlywedge}{\tbigcurlywedge}
1868 \mdsy@DeclareOperator{bigcurlyvee}{\dbigcurlyvee}{\tbigcurlyvee}
1869 \mdsy@DeclareOperator{bigcurlywedgedot}{\dbigcurlywedgedot}{\tbigcurlywedgedot}
1870 \mdsy@DeclareOperator{bigcurlyveedot}{\dbigcurlyveedot}{\tbigcurlyveedot}
1871 \mdsy@DeclareOperator{bigdoublecurlywedge}{\dbigdoublecurlywedge}{\tbigdoublecurlywed}
1872 \mdsy@DeclareOperator{bigdoublecurlyvee}{\dbigdoublecurlyvee}{\tbigdoublecurlyvee}
1873 \mdsy@DeclareOperator{bigcap}{\dbigcap}{\tbigcap}
1874 \mdsy@DeclareOperator{bigcup}{\dbigcup}{\tbigcup}
1875 \mdsy@DeclareOperator{bigcapdot}{\dbigcapdot}{\tbigcapdot}
1876 \mdsy@DeclareOperator{bigcupdot}{\dbigcupdot}{\tbigcupdot}
1877 \mdsy@DeclareOperator{bigcapplus}{\dbigcapplus}{\tbigcapplus}
1878 \mdsy@DeclareOperator{bigcupplus}{\dbigcupplus}{\tbigcupplus}
1879 \mdsy@DeclareOperator{biguplus}{\dbiguplus}{\tbiguplus}
1880 \mdsy@DeclareOperator{bigsqcap}{\dbigsqcap}{\tbigsqcap}
1881 \mdsy@DeclareOperator{bigsqcup}{\dbigsqcup}{\tbigsqcup}
1882 \mdsy@DeclareOperator{bigsqcapdot}{\dbigsqcapdot}{\tbigsqcapdot}
1883 \mdsy@DeclareOperator{bigsqcupdot}{\dbigsqcupdot}{\tbigsqcupdot}
1884 \mdsy@DeclareOperator{bigsqcapplus}{\dbigsqcapplus}{\tbigsqcapplus}
1885 \mdsy@DeclareOperator{bigsqcupplus}{\dbigsqcupplus}{\tbigsqcupplus}
1886 \mdsy@DeclareOperator{bigoplus}{\dbigoplus}{\tbigoplus}
1887 \mdsy@DeclareOperator{bigotimes}{\dbigotimes}{\tbigotimes}
1888 \mdsy@DeclareOperator{bigodot}{\dbigodot}{\tbigodot}
1889 \mdsy@DeclareOperator{bigoast}{\dbigoast}{\tbigoast}
1890 \mdsy@DeclareOperator{sum}{\dsum}{\tsum}
1891 \mdsy@DeclareOperator{osum}{\dosum}{\tosum}
1892 \mdsy@DeclareOperator{modtwosum}{\dmodtwosum}{\tmodtwosum}
1893 \mdsy@DeclareOperator{prod}{\dprod}{\tprod}
1894 \mdsy@DeclareOperator{coprod}{\dcoprod}{\tcoprod}
1895 \mdsy@DeclareIntegral{int}{\dint}{\tint}
1896 \mdsy@DeclareIntegral{iint}{\diint}{\tiint}
1897 \mdsy@DeclareIntegral{iiint}{\diiint}{\tiiint}
1898 \mdsy@DeclareIntegral{iiiint}{\diiiint}{\tiiiint}
1899 \mdsy@DeclareIntegral{idotsint}{\didotsint}{\tidotsint}
1900 \mdsy@DeclareIntegral{dotsint}{\ddotsint}{\tdotsint}
1901 \mdsy@DeclareIntegral{landupint}{\dlandupint}{\tlandupint}
1902 \mdsy@DeclareIntegral{intclockwise}{\dintclockwise}{\tintclockwise}

```

```

1903 \mdsy@DeclareIntegral{landdownint}{\dlanddownint}{\tlanddownint}
1904 \mdsy@DeclareIntegral{awint}{\dawint}{\tawint}
1905 \mdsy@DeclareIntegral{intctrclockwise}{\dintctrclockwise}{\tintctrclockwise}
1906 \mdsy@DeclareIntegral{landdownint}{\dlanddownint}{\tlanddownint}
1907 \mdsy@DeclareIntegral{intbar}{\dintbar}{\tintbar}
1908 \mdsy@DeclareIntegral{intBar}{\dintBar}{\tintBar}
1909 \mdsy@DeclareIntegral{fint}{\dfint}{\tfint}
1910 \mdsy@DeclareIntegral{ooint}{\dooint}{\tooint}
1911 \mdsy@DeclareIntegral{oiint}{\doiint}{\toiint}
1912 \mdsy@DeclareIntegral{oiint}{\doiint}{\toiint}
1913 \mdsy@DeclareIntegral{rcircclerightint}{\drcircclerightint}{\trcircclerightint}
1914 \mdsy@DeclareIntegral{oointctrclockwise}{\doointctrclockwise}{\toointctrclockwise}
1915 \mdsy@DeclareIntegral{lccircclerightint}{\dlccircclerightint}{\tlccircclerightint}
1916 \mdsy@DeclareIntegral{varointclockwise}{\dvarointclockwise}{\tvarointclockwise}
1917 \mdsy@DeclareIntegral{rcircleleftint}{\drcircleleftint}{\trcircleleftint}
1918 \mdsy@DeclareIntegral{varointctrclockwise}{\dvarointctrclockwise}{\tvarointctrclockwise}
1919 \mdsy@DeclareIntegral{lccircleleftint}{\dlccircleleftint}{\tlccircleleftint}
1920 \mdsy@DeclareIntegral{oointclockwise}{\doointclockwise}{\toointclockwise}
1921 \mdsy@DeclareIntegral{sumint}{\dsumint}{\tsumint}
1922
1923 \mdsy@renewcommand{intkern@}{\mkern-8.5mu\mathchoice{\mkern-1mu}{\mkern-1mu}{\mkern-1mu}}
1924 \mdsy@renewcommand{intdots@}{\mkern-6mu%
1925   \mathchoice{\@cdots}%
1926   {\mkern0.5mu\cdotp\mkern0.5mu\cdotp}%
1927   {\mkern0.5mu\cdotp\mkern0.5mu\cdotp}%
1928   {\mkern0.5mu\cdotp\mkern0.5mu\cdotp}%
1929   \mkern-6mu}

Math accents.
1930 \mdsy@DeclareMathAccent{widehat}{\mathord}{\largesymbols}{72}
1931 \mdsy@DeclareMathAccent{widetilde}{\mathord}{\largesymbols}{78}
1932 \mdsy@DeclareMathAccent{wideparen}{\mathord}{\largesymbols}{7E}
1933 \mdsy@DeclareMathAccent{vec}{\mathord}{\largesymbols}{84}
1934 \mdsy@DeclareMathAccent{middlebar}{\mathord}{\largesymbols}{85}
1935 \mdsy@DeclareMathAccent{middleslash}{\mathord}{\largesymbols}{86}
1936 \mdsy@DeclareMathAccent{strokethrough}{\mathord}{\largesymbols}{87}

MdSymbolF: delimiters
1937 \ifmdsy@largedelims
1938 % \mdsy@DeclareOpen{ }{delimiters}{01}
1939 % \mdsy@DeclareClose{ }{delimiters}{07}
1940 \mdsy@DeclareOpen{lparen}{delimiters}{01}
1941 \mdsy@DeclareClose{rparen}{delimiters}{07}
1942 % \mdsy@DeclareOpen{[ ]}{delimiters}{13}
1943 % \mdsy@DeclareClose{[ ]}{delimiters}{19}
1944 \mdsy@DeclareOpen{lbrack}{delimiters}{13}
1945 \mdsy@DeclareClose{rbrack}{delimiters}{19}

```



```

1946 \mdsy@DeclareOpen{lfloor}{delimiters}{1F}
1947 \mdsy@DeclareClose{rfloor}{delimiters}{25}
1948 \mdsy@DeclareOpen{lceil}{delimiters}{2B}
1949 \mdsy@DeclareClose{rceil}{delimiters}{31}
1950 \mdsy@DeclareOpen{ulcorner}{delimiters}{37}
1951 \mdsy@DeclareClose{urcorner}{delimiters}{3D}
1952 \mdsy@DeclareOpen{llcorner}{delimiters}{43}
1953 \mdsy@DeclareClose{lrcorner}{delimiters}{49}
1954 \mdsy@DeclareOpen{ullcorner}{delimiters}{4F}
1955 \mdsy@DeclareClose{ulrcorner}{delimiters}{55}
1956 \mdsy@DeclareOpen{lsem}{delimiters}{61}
1957 \mdsy@DeclareClose{rsem}{delimiters}{67}
1958 \mdsy@DeclareOpen{lBrack}{delimiters}{61}
1959 \mdsy@DeclareClose{rBrack}{delimiters}{67}
1960 \mdsy@DeclareOpen{lbrace}{delimiters}{73}
1961 \mdsy@DeclareClose{rbrace}{delimiters}{79}
1962 % \mdsy@DeclareOpen{<}{delimiters}{86}
1963 % \mdsy@DeclareClose{>}{delimiters}{8C}
1964 \mdsy@DeclareOpen{langle}{delimiters}{86}
1965 \mdsy@DeclareClose{rangle}{delimiters}{8C}
1966 \mdsy@DeclareOpen{lAngle}{delimiters}{92}
1967 \mdsy@DeclareClose{rAngle}{delimiters}{98}
1968 \mdsy@DeclareOpen{langledot}{delimiters}{9E}
1969 \mdsy@DeclareClose{rangledot}{delimiters}{A4}
1970 % \mdsy@DeclareDelimiter{/}{\mathord}{delimiters}{AA}
1971 \mdsy@DeclareDelimiter{mathslash}{\mathord}{delimiters}{AA}
1972 \mdsy@DeclareMathSymbol{divslash}{\mathbin}{delimiters}{AA}
1973 \mdsy@DeclareDelimiter{backslash}{\mathord}{delimiters}{B0}
1974 % \expandafter\DeclareMathDelimiter\@backslashchar%
1975 % {\mathord}{delimiters}{B0}{delimiters}{B0}
1976 \mdsy@DeclareMathSymbol{setminus}{\mathbin}{delimiters}{B0}
1977 % \mdsy@DeclareDelimiter{|}{\mathord}{delimiters}{B7}
1978 \mdsy@DeclareDelimiter{vert}{\mathord}{delimiters}{B7}
1979 \mdsy@DeclareOpen{lvert}{delimiters}{B7}
1980 \mdsy@DeclareClose{rvert}{delimiters}{B7}
1981 \mdsy@DeclareMathSymbol{mid}{\mathrel}{delimiters}{B7}
1982 \mdsy@DeclareMathSymbol{nmid}{\mathrel}{delimiters}{BA}
1983 \mdsy@DeclareDelimiter{Vert}{\mathord}{delimiters}{BE}
1984 \mdsy@DeclareOpen{lVert}{delimiters}{BE}
1985 \mdsy@DeclareClose{rVert}{delimiters}{BE}
1986 \mdsy@DeclareMathSymbol{parallel}{\mathrel}{delimiters}{BE}
1987 \mdsy@DeclareMathSymbol{nparallel}{\mathrel}{delimiters}{C1}
1988 \mdsy@DeclareDelimiter{Vvert}{\mathord}{delimiters}{C4}
1989 \mdsy@DeclareOpen{lVvert}{delimiters}{C4}
1990 \mdsy@DeclareClose{rVvert}{delimiters}{C4}

```

```

1991 \else
1992 % \mdsy@DeclareOpen{(){delimiters}{00}
1993 % \mdsy@DeclareClose{)}{delimiters}{06}
1994 \mdsy@DeclareOpen{lparen}{delimiters}{00}
1995 \mdsy@DeclareClose{rparen}{delimiters}{06}
1996 % \mdsy@DeclareOpen{[]}{delimiters}{12}
1997 % \mdsy@DeclareClose{[]}{delimiters}{18}
1998 \mdsy@DeclareOpen{lbrack}{delimiters}{12}
1999 \mdsy@DeclareClose{rbrack}{delimiters}{18}
2000 \mdsy@DeclareOpen{lffloor}{delimiters}{1E}
2001 \mdsy@DeclareClose{rffloor}{delimiters}{24}
2002 \mdsy@DeclareOpen{lceil}{delimiters}{2A}
2003 \mdsy@DeclareClose{rceil}{delimiters}{30}
2004 \mdsy@DeclareOpen{ulcorner}{delimiters}{36}
2005 \mdsy@DeclareClose{urcorner}{delimiters}{3C}
2006 \mdsy@DeclareOpen{llcorner}{delimiters}{42}
2007 \mdsy@DeclareClose{lrcorner}{delimiters}{48}
2008 \mdsy@DeclareOpen{ullcorner}{delimiters}{4E}
2009 \mdsy@DeclareClose{ulrcorner}{delimiters}{54}
2010 \mdsy@DeclareOpen{lsem}{delimiters}{60}
2011 \mdsy@DeclareClose{rsem}{delimiters}{66}
2012 \mdsy@DeclareOpen{lBrack}{delimiters}{60}
2013 \mdsy@DeclareClose{rBrack}{delimiters}{66}
2014 \mdsy@DeclareOpen{lbrace}{delimiters}{72}
2015 \mdsy@DeclareClose{rbrace}{delimiters}{78}
2016 % \mdsy@DeclareOpen{<}{delimiters}{85}
2017 % \mdsy@DeclareClose{>}{delimiters}{8B}
2018 \mdsy@DeclareOpen{langle}{delimiters}{85}
2019 \mdsy@DeclareClose{rangle}{delimiters}{8B}
2020 \mdsy@DeclareOpen{lAngle}{delimiters}{91}
2021 \mdsy@DeclareClose{rAngle}{delimiters}{97}
2022 \mdsy@DeclareOpen{langledot}{delimiters}{9D}
2023 \mdsy@DeclareClose{rangledot}{delimiters}{A3}
2024 % \mdsy@DeclareDelimiter{/}{\mathord}{delimiters}{A9}
2025 \mdsy@DeclareDelimiter{mathslash}{\mathord}{delimiters}{A9}
2026 \mdsy@DeclareMathSymbol{divslash}{\mathbin}{delimiters}{A9}
2027 \mdsy@DeclareDelimiter{backslash}{\mathord}{delimiters}{AF}
2028 % \expandafter\DeclareMathDelimiter\@backslashchar%
2029 % {\mathord}{delimiters}{AF}{delimiters}{AF}
2030 \mdsy@DeclareMathSymbol{setminus}{\mathbin}{delimiters}{AF}
2031 % \mdsy@DeclareDelimiter{|}{\mathord}{delimiters}{B6}
2032 \mdsy@DeclareDelimiter{vert}{\mathord}{delimiters}{B6}
2033 \mdsy@DeclareOpen{lvert}{delimiters}{B6}
2034 \mdsy@DeclareClose{rvert}{delimiters}{B6}
2035 \mdsy@DeclareMathSymbol{mid}{\mathrel}{delimiters}{B6}

```

```

2036 \mdsy@DeclareMathSymbol{\nmid}{\mathrel}{delimiters}{"B9}
2037 \mdsy@DeclareDelimiter{Vert}{\mathord}{delimiters}{"BD}
2038 \mdsy@DeclareOpen{lVert}{delimiters}{"BD}
2039 \mdsy@DeclareClose{rVert}{delimiters}{"BD}
2040 \mdsy@DeclareMathSymbol{\parallel}{\mathrel}{delimiters}{"BD}
2041 \mdsy@DeclareMathSymbol{\nparallel}{\mathrel}{delimiters}{"C0}
2042 \mdsy@DeclareDelimiter{Vvert}{\mathord}{delimiters}{"C3}
2043 \mdsy@DeclareOpen{lVvert}{delimiters}{"C3}
2044 \mdsy@DeclareClose{rVvert}{delimiters}{"C3}
2045 \fi
2046 \let\\Vert
2047 \mdsy@renewcommand{divides}{\mid}
2048 \mdsy@renewcommand{ndivides}{\nmid}
2049 \mdsy@DeclareMathSymbol{\shortmid}{\mathrel}{delimiters}{"B5}
2050 \mdsy@DeclareMathSymbol{\nshortmid}{\mathrel}{delimiters}{"B8}
2051 \mdsy@DeclareMathSymbol{\shortparallel}{\mathrel}{delimiters}{"BC}
2052 \mdsy@DeclareMathSymbol{\nshortparallel}{\mathrel}{delimiters}{"BF}
2053 \mdsy@DeclareDelimiter{arrowvert}{\mathord}{delimiters}{"BB}
2054 \mdsy@DeclareDelimiter{Arrowvert}{\mathord}{delimiters}{"C2}
2055 \mdsy@DeclareClose{lgroup}{delimiters}{"7E}
2056 \mdsy@DeclareOpen{rgroup}{delimiters}{"7F}
2057 \mdsy@DeclareClose{rmoustache}{delimiters}{"80}
2058 \mdsy@DeclareOpen{lmoustache}{delimiters}{"81}
2059 \mdsy@DeclareDelimiter{bracevert}{\mathord}{delimiters}{"84}
2060
2061 \mdsy@DeclareMathDelimiter{uparrow}{\mathrel}{arrows}{"01}{delimiters}{"C6}
2062 \mdsy@DeclareMathDelimiter{downarrow}{\mathrel}{arrows}{"03}{delimiters}{"C7}
2063 \mdsy@DeclareMathDelimiter{updownarrow}{\mathrel}{arrows}{"11}{delimiters}{"C8}
2064 \mdsy@DeclareMathDelimiter{Uparrow}{\mathrel}{arrows}{"09}{delimiters}{"C9}
2065 \mdsy@DeclareMathDelimiter{Downarrow}{\mathrel}{arrows}{"0B}{delimiters}{"CA}
2066 \mdsy@DeclareMathDelimiter{Updownarrow}{\mathrel}{arrows}{"15}{delimiters}{"CB}

Horizontal braces.
2067 \mdsy@DeclareMathSymbol{\braceld}{\mathord}{delimiters}{"CC}
2068 \mdsy@DeclareMathSymbol{\bracelu}{\mathord}{delimiters}{"CD}
2069 \mdsy@DeclareMathSymbol{\bracerd}{\mathord}{delimiters}{"CE}
2070 \mdsy@DeclareMathSymbol{\braceru}{\mathord}{delimiters}{"CF}
2071 \mdsy@DeclareMathSymbol{\bracemd}{\mathord}{delimiters}{"D0}
2072 \mdsy@DeclareMathSymbol{\bracemu}{\mathord}{delimiters}{"D1}
2073 \mdsy@DeclareMathSymbol{\bracemid}{\mathord}{delimiters}{"D2}
2074
2075 \mdsy@DeclareRobustCommandArg{bracefill@}{5}{%
2076   $\m@th#5#1\leaders\hbox{$\#4$}\hfill#2\leaders\hbox{$\#4$}\hfill#3$%
2077 }
2078 \mdsy@renewcommand{downbracefill@}{\bracefill@\braceld\bracemd\bracerd\bracemid}
2079 \mdsy@renewcommand{upbracefill@}{\bracefill@\bracelu\bracemu\braceru\bracemid}

```

```

2080 \mdsy@renewcommand{downgroupfill@}{\bracefill@\braceld{}\bracerd\bracemid}
2081 \mdsy@renewcommand{upgroupfill@}{\bracefill@\bracelu{}\braceru\bracemid}
2082 \mdsy@renewcommand{linesegmentfill@}{\arrowfill@\leftfootline\relbar\rightfootline}
2083 \mdsy@renewcommand{leftharpoonfill@}{\arrowfill@\leftharpoondown\relbar\relbar}
2084 \mdsy@renewcommand{rightharpoonfill@}{\arrowfill@\relbar\relbar\rightharpoonup}
2085
2086 \mdsy@DeclareRobustCommandArg{overbrace}{1}{%
2087   \mathop{\mathpalette{\overarrow@downbracefill@}{#1}}\limits%
2088 }
2089 \mdsy@DeclareRobustCommandArg{underbrace}{1}{%
2090   \mathop{\mathpalette{\underarrow@upbracefill@}{#1}}\limits%
2091 }
2092 \mdsy@DeclareRobustCommand{overgroup}{\mathpalette{\overarrow@downgroupfill@}}
2093 \mdsy@DeclareRobustCommand{undergroup}{\mathpalette{\underarrow@upgroupfill@}}
2094 \mdsy@DeclareRobustCommand{overlinesegment}{\mathpalette{\overarrow@linesegmentfill@}}
2095 \mdsy@DeclareRobustCommand{overleftharpoon}{\mathpalette{\overarrow@leftharpoonfill@}}
2096 \mdsy@DeclareRobustCommand{overrightharpoon}{\mathpalette{\overarrow@rightharpoonfill@}}
2097 \mdsy@DeclareRobustCommand{underlinesegment}{\mathpalette{\underarrow@linesegmentfill@}}

```

Radical symbols.

```

2098 \ifmdsy@largedelims
2099   \mdsy@DeclareMathRadical{sqrtsgn}{delimiters}{D4}{delimiters}{D4}
2100   \mdsy@DeclareMathSymbol{surd}{\mathop}{delimiters}{D4}
2101 \else
2102   \mdsy@DeclareMathRadical{sqrtsgn}{delimiters}{D3}{delimiters}{D3}
2103   \mdsy@DeclareMathSymbol{surd}{\mathop}{delimiters}{D3}
2104 \fi

```

In the n -th root, we don't want the n to come too close to the radical (adopted from package lucimtx).

```

2105 \mdsy@DeclareRobustCommandArg{r@t}{2}{\setbox\z@hbox{\$m@th#1\sqrt{#2}$}%
2106   \dimen@ht\z@ \advance\dimen@-\dp\z@
2107   \mkern5mu\raise.6\dimen@copy\rootbox \mkern-8mu\box\z@}

```

Mathchars. If onlysansmath, we make certain single characters active to react on the mathversion.

```

2108 \AtBeginDocument{%
2109   \mdsy@DeclareActiveMathSymbol{+}{\mathbin}{symbols}{11}
2110   \mdsy@DeclareActiveMathSymbol{-}{\mathbin}{symbols}{0E}
2111   \mdsy@DeclareActiveMathSymbol{*}{\mathbin}{symbols}{98}
2112   \mdsy@DeclareActiveMathSymbol{:}{\mathrel}{symbols}{02}
2113   \mdsy@DeclareActiveMathSymbol{=}{\mathrel}{relations}{00}
2114   \mdsy@DeclareActiveMathSymbol{<}{\mathrel}{relations}{24}
2115   \mdsy@DeclareActiveMathSymbol{>}{\mathrel}{relations}{25}
2116   \ifmdsy@largedelims
2117     \mdsy@DeclareActiveMathDelimiter{|}{\mathord}{delimiters}{B7}
2118     \mdsy@DeclareActiveMathDelimiter{()}{\mathopen}{delimiters}{01}

```

```

2119 \mdsy@DeclareActiveMathDelimiter{}{\mathclose}{delimiters}"07}
2120 \mdsy@DeclareActiveMathDelimiter{[]{\mathopen}{delimiters}"13}
2121 \mdsy@DeclareActiveMathDelimiter{[]{\mathclose}{delimiters}"19}
2122 \mdsy@DeclareActiveMathDelimiter{/}{\mathord}{delimiters}"AA}
2123 \else
2124 \mdsy@DeclareActiveMathDelimiter{[]{\mathord}{delimiters}"B6}
2125 \mdsy@DeclareActiveMathDelimiter{(){\mathopen}{delimiters}"00}
2126 \mdsy@DeclareActiveMathDelimiter{}{\mathclose}{delimiters}"06}
2127 \mdsy@DeclareActiveMathDelimiter{[]{\mathopen}{delimiters}"12}
2128 \mdsy@DeclareActiveMathDelimiter{[]{\mathclose}{delimiters}"18}
2129 \mdsy@DeclareActiveMathDelimiter{/}{\mathord}{delimiters}"A9}
2130 \fi
2131 \ifmdsy@onlysansmath

```

amsmath and amspn define commands which use the mathcode of some of the symbols above to define new math characters. Since the mathcode is out of the range (made active), this fails. So change the commands and make the definitions at the begin of the document.

```

2132 \def\resetMathstrut@{%
2133 \setbox\z@\hbox{%
2134 \ifmathversionsans{%
2135 \mathchardef\@tempa\csname{@new\endcsname}%
2136 }{%
2137 \mathchardef\@tempa\csname{@old\endcsname}%
2138 }
2139 \def\@tempb##1"##2##3{\the\textfont"##3\char"%}
2140 \expandafter\@tempb\meaning\@tempa \relax
2141 }%
2142 \ht\Mathstrutbox@ht\z@ \dp\Mathstrutbox@dp\z@
2143 }
2144 \renewcommand{\std@minus}{-}
2145 \renewcommand{\std@equal}{=}
2146 \gdef\newmcodes@{\mathcode'\39\mathcode'\42\mathcode'\613A%
2147 \ifnum\mathcode'\45 \else
2148 \renewcommand{\std@minus}{-}\relax
2149 \fi
2150 \mathcode'\45\mathcode'\47\mathcode'\603A\relax}
2151 \fi
2152 }

```

There is no `\not` symbol in MdSymbol since all relational symbols come with a stroked companion. For compatibility we define a `\not` command that places a virgule over the following symbol.

```

2153 \mdsy@DeclareRobustCommandArg{c@ncel}{2}{\m@th\ooalign{$\hfil#1/\hfil$\crrc$#1#2$}}
2154 \mdsy@DeclareRobustCommandArg{not}{1}{\mathrel{\m@th\mathpalette{c@ncel}{#1}}}
2155 (/style)

```