

 Add icon Add cover

Master Document: Patient Information Leaflet

Document ID: ART-PIL-ASP325-EN-v3.0

Product: Aspirin Tablets 325mg

Version Date: 01-Dec-2024

Package leaflet: Information for the user

Aspirin 325 mg Tablets

Acetylsalicylic Acid

Read all of this leaflet carefully before you start taking this medicine because it contains important information for you.

Always take this medicine exactly as described in this leaflet or as your doctor or pharmacist has told you.

- Keep this leaflet. You may need to read it again.
- Ask your pharmacist if you need more information or advice.
- If you get any side effects, talk to your doctor or pharmacist. This includes any possible side effects not listed in this leaflet.
- You must talk to a doctor if you do not feel better or if you feel worse after 3 days.

What is in this leaflet

1. What Aspirin is and what it is used for
2. What you need to know before you take Aspirin
3. How to take Aspirin
4. Possible side effects
5. How to store Aspirin

6. Contents of the pack and other information

1. What Aspirin is and what it is used for

Aspirin 325 mg Tablets contain acetylsalicylic acid, which belongs to a group of medicines called non-steroidal anti-inflammatory drugs (NSAIDs). It works by relieving pain, reducing inflammation, and lowering fever.

Aspirin is used for the temporary relief of:

- Headaches
 - Pain and fever associated with colds
 - Menstrual pain
 - Muscle aches and pains
 - Toothaches
 - Minor pain of arthritis
-

2. What you need to know before you take Aspirin

Do not take Aspirin if you:

- are allergic to acetylsalicylic acid, other salicylates, or any of the other ingredients of this medicine (listed in section 6).
- have a history of asthma induced by the administration of salicylates or substances with a similar action.
- have stomach ulcers or a history of stomach bleeding.
- have severe liver or kidney problems.
- are in the last three months of pregnancy.

Warnings and precautions

Talk to your doctor or pharmacist before taking Aspirin if you have asthma, high blood pressure, or a history of stomach problems.

Reye's Syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a

rare but serious illness.

3. How to take Aspirin

Always take this medicine exactly as described in this leaflet. Check with your doctor or pharmacist if you are not sure.

Adults and children 12 years and over:

Take 1 or 2 tablets with a full glass of water every 4 to 6 hours as needed.

Do not take more than 12 tablets in 24 hours.

Do not give to children under 12 years of age unless on the advice of a doctor.

4. Possible side effects

Like all medicines, this medicine can cause side effects, although not everybody gets them. The most common side effect is stomach irritation. Stop taking this medicine and tell your doctor immediately if you experience any signs of stomach bleeding (e.g., vomiting blood, black or tarry stools).

5. How to store Aspirin

- Keep this medicine out of the sight and reach of children.
 - Store at room temperature 20°C to 25°C. Avoid excessive heat and moisture.
 - Do not use this medicine after the expiry date which is stated on the carton and blister foil.
-

6. Contents of the pack and other information

What Aspirin contains

- The active substance is acetylsalicylic acid. Each tablet contains 325 mg of acetylsalicylic acid.

- The other ingredients are microcrystalline cellulose, corn starch, and HPMC.

What Aspirin looks like and contents of the pack

Aspirin 325 mg Tablets are white, round, biconvex, uncoated tablets, plain on both sides.

They are supplied in blister packs of 10 tablets. Cartons contain 30 tablets (3 blister packs).

Marketing Authorisation Holder and Manufacturer:

NovaThera Pharmaceuticals Pvt. Ltd.

123 Pharma Way, Suite 100

Innovation City, ST 12345

This leaflet was last revised in December 2024.

Pharmacode: 1A2B3C4D

