Australian Government
Australian Pesticides and Veterinary Medicines Authority

PERMIT TO ALLOW SUPPLY AND MINOR USE OF UNREGISTERED AND REGISTERED AGVET CHEMICAL PRODUCTS FOR THE CONTROL OF YELLOW CRAZY ANT IN VARIOUS SITUATIONS

PERMIT NUMBER – PER91817

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a Supplier (as indicated) to possess the product for the purposes of supply and to supply the product to a person who can use the product under permit. This permit also allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder, the Supplier (if not one and the same) and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 12 NOVEMBER 2021 TO 31 MARCH 2026

Permit Holder:
NSW DEPARTMENT OF PRIMARY INDUSTRIES
105 Prince Street
ORANGE NSW 2800

Supplier:
(Engage Ant Bait)
Sumitomo Chemicals Australia PTY LTD
501 Victoria Avenue
CHATSWOOD NSW 2067

Persons who can use the product under this permit:
Employees or persons under the direction of NSW DPI or Local Land Services who have been provided with training in the proper handling and distribution of chemicals for the control of Yellow Crazy Ants and other exotic ant species.

CONDITIONS OF USE

Products to be used:
ENGAGE ANT BAIT
AN UNREGISTERED PRODUCT
Containing: 5g/kg S-METHOPRENE as its only active constituent.

AMDRO GRANULAR ANT BAIT (APVMA No. 47194)
Containing: 7.3 g/kg HYDRAMETHYLNON as its only active constituent.

OZCROP FIPRONIL 200 SC INSECTICIDE (APVMA No. 94294)
PLUS OTHER REGISTERED PRODUCTS
Containing: 200 g/L FIPRONIL as their only active constituent.

TERMIDOR RESIDUAL TERMITICIDE AND INSECTICIDE (APVMA No. 54624)
PLUS OTHER REGISTERED PRODUCTS
Containing: 100 g/L FIPRONIL as their only active constituent.

Jurisdiction:
NSW only.

Product to be used:

1) ENGAGE ANT BAIT
   AN UNREGISTERED PRODUCT
   Containing: 5g/kg S-METHOPRENE as its only active constituent.

RESTRAINTS:

- DO NOT apply under conditions which will cause movement of granules to non-target areas.
- DO NOT apply if heavy rains or storms are forecast within 3 days.
- DO NOT irrigate to the point of runoff for at least 3 days after application.

Situation	Pest	Rate
Commercial and industrial areas, rural, residential, parks, forest reserves, non-crop areas, pasture and crop areas as outlined in critical comments Cropping areas: Fruits, Vegetables, Nuts, Herbs and Spices (Note: refer to restrictions under critical comments below). Areas housing poultry (Note: refer to restrictions under critical comments below).	Yellow Crazy Ant (*Anoplolepis gracilipes*)	Apply at a maximum rate of 5kg bait per hectare.

Critical Use Comments:

- Apply in accordance with all label instructions as contained in Attachment 2.
- Baits may be laid by utilising either handheld spreaders, spreaders attached to motor vehicles or aerial application.

- All spreading equipment should be calibrated on a regular basis to ensure that the permitted rate per hectare is achieved and not exceeded.

Restrictions:
Baiting in fruits, vegetables, nuts, herbs and spices may only be undertaken either where the crops do not come into direct contact with the bait by baiting between rows or broadcast directly onto the crop but only when all crops are washed after harvest and before marketing.

Poultry: Baiting must be undertaken only in poultry situations where direct access to the bait as a potential feeding source is not possible. Use is therefore only permitted in situations where maintained caged poultry are above the ground/areas that is being treated (i.e. battery hens).

Withholding Periods:
Sugarcane: DO NOT graze or cut treated areas for stockfood.
All areas housing poultry: DO NOT graze treated areas (refer to the above restriction).
Fruits, Vegetables, Nuts, Herbs & Spices: Not required when used as directed.

Safety Directions:
May irritate the eyes and skin. Avoid contact with eyes and skin. Repeated exposure may cause allergic disorders. When handling or applying the product, wear rubber gloves, cotton overalls buttoned to the neck and wrist (or long-sleeved shirt and long pants), a washable hat and impervious footwear. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use wash rubber gloves and contaminated clothing.

First Aid Instruction:
If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26

Protection of Wildlife, Fish, Crustaceans and Environment:
Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.
DO NOT apply where yellow crazy ant populations are not evident or no longer evident.

Additional Conditions:
DO NOT ALLOW LIVESTOCK ACCESS TO BAIT.

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the unregistered product must be in accordance with the product label at Attachment 1. All users must read the current Safety Data Sheet as provided by the product supplier prior to use.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section

Users:
1. Persons who wish to prepare for use and/or use the products for the purposes specified in this permit must read, or have read to them, the permit particularly the information included in the Conditions of Permit.

2. This permit provides for the use of an unregistered product and use must be in accordance with this permit document and the relevant product labels as contained in Attachments 1.

3. All users must read the current Material Safety Data Sheet as provided by the product supplier prior to use.

Supply:
The supplier must supply the product in a container that complies with the requirements of section 18(1) of the Agricultural and Veterinary Chemicals Code Regulations. Attached to this container must be a label which is identical in content and format to the label in Attachment 1.

Permit holder

4. All product must be supplied with a copy of the current Material Safety Data Sheet.

5. The permit holder must maintain records of the quantities of product supplied/used under this permit. These details must be maintained for a minimum period of two years from the date of expiry of this permit and must be made available to the APVMA upon request.

6. The permit holder must maintain details of bait usage under this permit. Specifically details must include the dates and locations where baits were laid, rates, frequency of application, and total amount of product used. These details must be maintained for a minimum period of two years from the date of expiry of this permit and must be made available to the APVMA upon request.

7. The permit holder must maintain a list of those persons undertaking bait placement, as covered under "Persons who can use this product under this permit". Persons of this permit. This list must be maintained for a minimum period of two years from the date of expiry of this permit and must be made available to the APVMA upon request.

8. The permit holder must gain written consent from those landholders affected by baiting before baiting occurs.

9. Produce which has direct contact with the bait must be washed after harvest and prior to marketing.

10. In orchards/tree crops where fruit is harvested from the ground, do not broadcast bait under trees where it is likely to come into contact with fallen fruit which may be harvested.

11. Do not apply bait in pasture areas where non-mammalian livestock are or may feed.

12. Baits must only be laid in poultry situations where direct access to the baits as a feeding source is not possible.

Other Matters
Post baiting monitoring
Post baiting monitoring must be conducted to collect data /information on non-target impacts to native ants. If adverse effects are indicated, this should include monitoring population recovery in the treatment areas. This data/ information must be submitted at the permit renewal.

Product to be used:

2) AMDRO GRANULAR ANT BAIT (APVMA No. 47194)
   PLUS OTHER REGISTERED PRODUCTS
   Containing: 7.3 g/kg HYDRAMETHYLNON as its only active constituent.

RESTRAINTS:
DO NOT apply to food producing plants.
DO NOT graze treated area.
DO NOT graze treated turf or lawn; or feed turf or lawn clippings from any treated area to poultry or livestock.
DO NOT spread over open water.
DO NOT apply if rain is imminent or within 24 hours after rain.
DO NOT treat areas where there are non-target species of significance known to be present.
DO NOT apply where yellow crazy ant populations are not evident or no longer evident.

Situation	Pest	Rate
Gardens, golf courses and industrial areas, lawns, parks, turf, sports grounds, and other non-crop land and non-food bearing nursery stock.	Yellow Crazy Ant (*Anoplolepis gracilipes*)	Apply at a maximum rate of 5 kg product per hectare.

Critical Use Comments:

- Apply in accordance with all directions as contained on the registered label.
- Apply a maximum of 3 treatments per year, with a minimum of 3 months between treatments.

Protection of Wildlife, Fish, Crustaceans and Environment:
Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.

Additional Conditions:
This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

Use records:
The permit holder must maintain records of the use performed under this permit. Specifically, details must include the date and location where the baits were laid, rates and frequency of application, total amount of product used and the names and addresses of the persons undertaking the use. These details must be maintained for a minimum period of two years from the date of expiry of this permit and must be made available to the APVMA upon request.

Other Matters
Off-target monitoring:
The permit holder must ensure that off-target monitoring (in a manner agreed with the APVMA) is conducted to determine whether or not non-target exposure is occurring as a result of this baiting program. The results of this monitoring program should be forwarded to the APVMA as soon as practical at the conclusion of the program.

Product to be used:

OZCROP FIPRONIL 200 SC INSECTICIDE (APVMA No. 94294)
PLUS OTHER REGISTERED PRODUCTS
Containing: 200 g/L FIPRONIL as their only active constituent.

TERMIDOR RESIDUAL TERMITICIDE AND INSECTICIDE (APVMA No. 54624)
PLUS OTHER REGISTERED PRODUCTS
Containing: 100 g/L FIPRONIL as their only active constituent.

RESTRAINTS:

- DO NOT graze treated turf or lawn; or feed turf or lawn clippings from any treated area to poultry or livestock.
- DO NOT spray over open water.
- DO NOT apply to dry watercourses.
- DO NOT apply if heavy rains or storms are forecast within 3 days.
- DO NOT irrigate to the point of runoff for at least 3 days after application.
- DO NOT treat areas where there are non-target species of significance known to be present.
- DO NOT apply where yellow crazy ant populations are not evident or no longer evident.

Directions for Use:

Situation	Pest	Rate
TURF AND LAWN SITUATIONS (including parks and facilities, residential lawns and ornamental garden beds) AGRICULTURAL SITUATIONS (excluding market gardens/intensive horticultural and backyard vegetable gardens) COMMERCIAL, INDUSTRIAL, GOVERNMENT UTILITY AND INSTITUTIONAL AREAS.	Yellow Crazy Ant (*Anoplolepis gracilipes*)	200 g/L FIPRONIL 12.5 mL/100L 100 g/L FIPRONIL 25 mL/100L

Critical Use Comments:

- Apply in accordance with all directions as contained on the registered label.
- Application by pressure injection using a termiticide spear or equivalent into the nest proper: The dose MUST be properly injected into the ground, and care MUST be taken to minimise the amount of injection rising to the surface.
- Application by sprayer or watering can on the surrounding soil surface up to 1 metre radius from the nest: This method should be minimised to the extent possible.
- Potential for spray drift and run-off to aquatic areas should be avoided by spraying under suitable weather conditions and not applying prior to heavy rain.

Protection Of Wildlife, Fish, Crustaceans And Environment:

Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.

Protection Of Honey Bees And Other Insect Pollinators:

Highly toxic to bees. Harmful to bee brood. DO NOT apply in areas where bees are actively foraging. DO NOT apply in areas where crops, weeds or pasture are in flower at the time of

application or are expected to be in flower in the next 7 (pasture) or 28(crops) days. Before spraying, notify beekeepers to move hives to safety location with an untreated source of nectar, if there is a potential for managed bees to be affected by the spray or spray drift.

Withholding Period:
DO NOT graze or cut for stock food for 28 DAYS after application

Slaughter Interval:
If the withholding period cannot be observed and livestock are continuously grazing in the treated area, the minimum period that must elapse between the application of the chemical and slaughter is 35 days.

Trade advice:
Observance of the above WHP or Slaughter Interval allows compliance with Australian MRL's for fipronil in meat, offal and milk. To meet more stringent export requirements, it is recommended that a period of 49 days should elapse between application of the product and slaughter.

Additional Conditions:
This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

Export of Produce:
Exported produce or animals must have appropriate residue tolerance limits established in the importing countries and any residues must not exceed the tolerance limits.

Other matters
Continued issuance of this permit is subject to the outcomes of the current APVMA review of fipronil. This permit may be impacted by the outcomes of this review.

Issued by Australian Pesticides and Veterinary Medicines Authority.

Note: 1/11/2024 – Permit updated to remove use pattern for ANTOFF FIPRONIL ANT BAIT. New 200 g/L fipronil product added to replace the previous 200 g/L product. Post baiting monitoring condition added for use of ENGAGE ANT BAIT. Additional conditions updated to current standards. S161 statement added. Permit expiry extended to 31/03/2026. Permit issued as Version 2.

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

ENGAGE® ANT BAIT

ACTIVE CONSTITUENT: 5 g/kg (S)-METHOPRENE

GROUP 7A INSECTICIDE

For the control of red imported fire ants as per the Directions for Use table.

UNDER PERMIT USE ONLY
THIS PRODUCT IS NOT REGISTERED

CONTENTS 12.5 kg

DIRECTIONS FOR USE

SITUATION	PEST	RATE	CRITICAL COMMENTS
DOMESTIC AND PUBLIC SERVICE AREAS, COMMERCIAL AND INDUSTRIAL AREAS, PASTURE, FORESTS AND NON-CROP AREAS. CROPPING AREAS: FRUITS, VEGETABLES, NUTS, HERBS AND SPICES. (**NOTE:** REFER TO RESTRICTIONS UNDER CRITICAL COMMENTS). AREAS HOUSING POULTRY (**NOTE:** REFER TO RESTRICTIONS UNDER CRITICAL COMMENTS).	FIRE ANTS	Apply at rate of 1.6 to 2.0 kg bait per hectare.	Baits may be laid utilising either hand held spreaders, spreaders attached to motor vehicles or aerial application. All spreading equipment should be calibrated on a regular basis to ensure that the permitted rate per hectare is achieved and not exceeded. **Cropping Situations:** Restrictions. Baiting in fruits, vegetables, nuts, herbs and spices may only be undertaken in situations where direct contact will not occur with the crop. For crops grown at ground level baits should only be applied to areas/soil that will not result in direct contact of bait with the crop, in these circumstances application may be undertaken by placing bait on the soil between crop rows. Application must NOT be broadcast over the tops of crops. In orchard/tree crops where fruit may be harvested from the ground (i.e. macadamias) the bait must not be broadcast under the trees where it is likely to come into contact with fallen fruit that may be harvested for consumption. **Poultry:** Restrictions: Baiting must be undertaken only in poultry situations where direct access to the bait as a potential feeding source is not possible. Use is therefore only permitted in situations where maintained caged poultry are above the ground/areas that is being treated (i.e. battery hens).

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.
WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS

Engage Ant Bait is an Insect Growth Regulator, similar to the naturally occurring insect growth hormones, which interferes with their growth or development. Engage Ant Bait breaks the reproductive life cycle of ants, causing starvation of the colony. Ant workers pick up the bait granules and take them back to the colony. Workers feed the bait to both the queen and immature ants thereby preventing worker replacement. Due to degeneration of reproductive organs, the ant queen cannot replace workers. The lack of worker replacement results in colony death as the existing worker ants age and die. Within three to four weeks there is substantial colony mortality and within eight weeks the majority of the colony population has been eliminated.

APPLICATION

Baits may be laid utilising either hand held spreaders, spreaders attached to motor vehicles or aerial application. All spreading equipment should be calibrated on a regular basis to ensure that the permitted rate per hectare is achieved and not exceeded.

INSECTICIDE RESISTANCE WARNING

For insecticide resistance management Engage Ant Bait is a Group 7A Insecticide.
Some naturally occurring insect biotypes resistant to Engage Ant Bait and other Group 7A Insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Engage Ant Bait or other Group 7A Insecticides are used repeatedly. The effectiveness of Engage Ant Bait on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, Sumitomo Chemical Australia Pty Ltd accepts no liability for any losses that may result from the failure of Engage Ant Bait to control resistant insects.
Engage Ant Bait may be subject to specific resistance strategies. For further information contact your local supplier, Sumitomo Chemical Australia Pty Ltd representative or local department of agriculture agronomist.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight.
DO NOT dispose of chemicals on-site. Puncture, or shred and bury empty containers in a local authority landfill. If not available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should NOT be burnt.

SMALL SPILL MANAGEMENT

Sweep up material and contain in a refuse vessel for disposal in the same manner as for containers (see Storage and Disposal).

SAFETY DIRECTIONS

May irritate the eyes. Avoid contact with eyes. When handling or applying the product, wear rubber gloves, cotton overalls buttoned to the neck and wrist or (long-sleeved shirt and long pants), a washable hat and impervious footwear. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use wash rubber gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Tel: 131126).
If skin contact occurs, remove contaminated clothing and wash area thoroughly.
If in eyes wash out immediately with water.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet (MSDS).

NOTICE TO BUYER
Sumitomo Chemical Australia Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatory imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such statutes the liability of Sumitomo Chemical Australia Pty Ltd is limited to the replacement of the goods or (at the option of Sumitomo Chemical Australia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Sumitomo Chemical Australia Pty Ltd.

THIS PRODUCT IS NOT CONSIDERED TO BE A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD AND RAIL

IN A TRANSPORT EMERGENCY **DIAL: 000** POLICE OR FIRE BRIGADE	FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY **PHONE: 1800 024 973** TOLL FREE - ALL HOURS - AUSTRALIA WIDE

SUMITOMO CHEMICAL

SUMITOMO CHEMICAL AUSTRALIA PTY LTD
ABN: 21 081 096 255
501 Victoria Avenue Chatswood NSW
Tel: 02 9904 6499

® Registered Trademark of Sumitomo Chemical Co., Japan.