Australian Government
Australian Pesticides and Veterinary Medicines Authority

# PERMIT TO ALLOW SUPPLY AND EMERGENCY USE OF AN UNREGISTERED AGVET CHEMICAL PRODUCT FOR CONTROL OF ELECTRIC ANT IN VARIOUS SITUATIONS

## PERMIT NUMBER – PER94860

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a Supplier (as indicated) to possess the product for the purposes of supply and to supply the product to a person who can use the product under permit. This permit also allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder, the Supplier (if not one and the same) and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 2 AUGUST 2024 TO 31 AUGUST 2026**

**Permit Holder:**
QUEENSLAND DEPARTMENT OF AGRICULTURE AND FISHERIES
NATIONAL ELECTRIC ANT ERADICATION PROGRAM
21-23 Redden Street
PORTSMITH CAIRNS QLD 4870

**Supplier:**
SUMITOMO CHEMICAL AUSTRALIA PTY LTD
Level 5, 51 Rawson Street
EPPING NSW 2121

**Persons who can use the product under this permit:**
Employees or persons under the direction of the Department of Agriculture and Fisheries (DAF), Queensland, who are trained and experienced in the safe handling and use of agricultural chemicals.

## CONDITIONS OF USE

**Products to be used:**
ENGAGE PLUS ANT BAIT
AN UNREGISTERED PRODUCT
Containing: 5 g/kg (S)-METHOPRENE as the only active constituent

**RESTRAINTS:**
DO NOT apply under conditions which will cause movement of granules to non-target areas.
DO NOT apply if heavy rains or storms are forecast within 3 days.
DO NOT irrigate to the point of runoff for at least 3 days after application.
DO NOT apply where electric ant populations are not evident or no longer evident, in forests and non-crop areas.

**Directions for Use:**

| Situation/ Crop | Pest | Rate |
|---|---|---|
| Domestic and public service areas, Commercial and industrial areas, Pastures, Forests and Non-crop areas.<br><br>Cropping areas:<br>Fruits, Vegetables, Nuts, Herbs, Spices and Sugarcane.<br>(Note: refer to restrictions under critical comments below).<br><br>Areas housing poultry.<br>Note: refer to restrictions under critical comments below). | Electric Ant<br>(*Wasmannia auropunctata*) | 1.6 to 2 kg bait /ha |

**Critical Use Comments:**

- Apply in accordance with all label instructions as contained in **Attachment 1**.
- Baits may be laid by utilising either hand held spreaders, spreaders attached to motor vehicles or aerial application.
- DO NOT make more than 8 applications per year with a minimum re-treatment interval of 4-6 weeks between applications.
- Bait must ONLY be broadcast by hand within 5 metres of a stormwater drain or waterway.
- All spreading equipment should be calibrated on a regular basis to ensure that the permitted rate per hectare is achieved and not exceeded.

**Restrictions:**
***Crops***: Baiting in fruits, vegetables, nuts, herbs, spices and sugar cane may only be undertaken either where the crops do not come in direct contact with the bait by baiting between rows or broadcast directly onto crops but only when all crops are washed after harvest and before marketing.

***Poultry***: Baiting must be undertaken only in poultry situations where direct access to the bait as a potential feeding source is not possible. Use is therefore only permitted in situations where maintained caged poultry are above the ground/areas that is being treated (i.e. battery hens).

**Withholding Period:**
Harvest: Not required when used as directed.
Grazing: Not required when used as directed.

**Protection of Wildlife, Fish, Crustaceans and Environment:**
Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.

**Jurisdiction:**
QLD only.

**Additional Conditions:**
This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label at **Attachment 1**. All users must read the current Safety Data Sheet as provided by the product supplier prior to use.

*Supply*

1. The supplier must supply the product in a container that complies with the requirements of section 18 of the Agricultural and Veterinary Chemicals Code Regulations. Attached to this container must be a label which is identical in content and format to the label at **Attachment 1**.

*Permit holder*

2. All products must be supplied with a copy of the current Safety Data Sheet.

3. The permit holder must maintain records of the quantities of product supplied/used under this permit. These details must be maintained for a minimum period of two years from the date of expiry of this permit and must be made available to the APVMA upon request.

4. The permit holder must maintain details of bait usage under this permit. Specifically details must include the dates and locations where baits were laid, rates, frequency of application, and total amount of product used. These details must be maintained for a minimum period of two years from the date of expiry of this permit and must be made available to the APVMA upon request.

5. The permit holder must maintain a list of those persons undertaking bait placement, as covered under "Persons who can use this product under this permit". Persons of this permit. This list must be maintained for a minimum period of two years from the date of expiry of this permit and must be made available to the APVMA upon request.

6. Advice on the requirement to wash treated commodities (not pasture) must be provided to those whose crops have been directly treated.

7. Produce which has direct contact with the bait must be washed after harvest and prior to marketing.

8. In orchards/tree crops where fruit is harvested from the ground, do not broadcast bait under trees where it is likely to come into contact with fallen fruit which may be harvested.

9. Do not apply bait in pasture areas where non-mammalian livestock are or may feed.

10. Baits must only be laid in poultry situations where direct access to the baits as a feeding source is not possible.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

Issued by the Australian Pesticides and Veterinary Medicines Authority

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

## ENGAGE® PLUS ANT BAIT

ACTIVE CONSTITUENT: 5 g/kg (S)-METHOPRENE

GROUP **7A** INSECTICIDE

For the control of electric ants and yellow crazy ants as per the Directions for Use table.

**THIS PRODUCT IS NOT REGISTERED, AND MUST ONLY BE USED IN ACCORDANCE WITH THE CONDITIONS OF RELEVANT PERMIT**

NET CONTENTS: 4 kg - 12.5 kg

**DIRECTIONS FOR USE**

| SITUATION | PEST | RATE | CRITICAL COMMENTS |
|---|---|---|---|
| DOMESTIC AND PUBLIC SERVICE AREAS, COMMERCIAL AND INDUSTRIAL AREAS, FORESTS, PASTURES AND NON-CROP AREAS.<br><br>CROPPING AREAS: FRUITS, VEGETABLES, NUTS, HERBS, SPICES AND SUGARCANE (**NOTE:** REFER TO RESTRICTIONS UNDER CRITICAL COMMENTS).<br><br>AREAS HOUSING POULTRY (**NOTE:** REFER TO RESTRICTIONS UNDER CRITICAL COMMENTS). | Electric Ant (*Wasmannia auropunctata*) | Apply at rate of 1.6 to 2.0 kg bait per hectare. | Baits may be laid utilising either hand held spreaders, spreaders attached to motor vehicles or aerial application. All spreading equipment should be calibrated on a regular basis to ensure that the permitted rate per hectare is achieved and not exceeded.<br><br>**Cropping Situations:** Restrictions. Baiting in fruits, vegetables, nuts, herbs and spices may only be undertaken in situations where direct contact will not occur with the crop. For crops grown at ground level baits should only be applied to areas/soil that will not result in direct contact of bait with the crop, in these circumstances application may be undertaken by placing bait on the soil between crop rows. Application must NOT be broadcast over the tops of crops. In orchard/tree crops where fruit may be harvested from the ground (i.e. macadamias) the bait must not be broadcast under the trees where it is likely to come into contact with fallen fruit that may be harvested for consumption.<br><br>**Poultry:** Restrictions: Baiting must be undertaken only in poultry situations where direct access to the bait as a potential feeding source is not possible. Use is therefore only permitted in situations where maintained caged poultry are above the ground/areas that is being treated (i.e. battery hens). |
| | Yellow Crazy Ant (*Anoplolepis gracilipes*) | Apply at a maximum rate of 5kg bait per hectare. | |

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.
**WITHHOLDING PERIOD:** NOT REQUIRED WHEN USED AS DIRECTED.

**GENERAL INSTRUCTIONS**
Engage Plus Ant Bait is an Insect Growth Regulator, similar to the naturally occurring insect growth hormones, which interferes with their growth or development. Engage Plus Ant Bait breaks the reproductive life cycle of ants, causing starvation of the colony. Ant workers pick up the bait granules and take them back to the colony. Workers feed the bait to both the queen and immature ants thereby preventing worker replacement. Due to degeneration of reproductive organs, the ant queen cannot replace workers. The lack of worker replacement results in colony death as the existing worker ants age and die. Within three to four weeks there is substantial colony mortality and within eight weeks the majority of the colony population has been eliminated.

**APPLICATION**
Baits may be laid utilising either hand held spreaders, spreaders attached to motor vehicles or aerial application. All spreading equipment should be calibrated on a regular basis to ensure that the permitted rate per hectare is achieved and not exceeded.

**INSECTICIDE RESISTANCE WARNING**
For insecticide resistance management Engage Plus Ant Bait is a Group 7A Insecticide.
Some naturally occurring insect biotypes resistant to Engage Plus Ant Bait and other Group 7A Insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Engage Plus Ant Bait or other Group 7A Insecticides are used repeatedly. The effectiveness of Engage Plus Ant Bait on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, Sumitomo Chemical Australia Pty Ltd accepts no liability for any losses that may result from the failure of Engage Plus Ant Bait to control resistant insects.
Engage Plus Ant Bait may be subject to specific resistance strategies. For further information contact your local supplier, Sumitomo Chemical Australia Pty Ltd representative or local department of agriculture agronomist.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT**
DO NOT contaminate streams, rivers or waterways with the product or used containers.

**STORAGE AND DISPOSAL**
Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight.
Triple-rinse containers before disposal. Dispose of rinsate or any undiluted chemical according to state/territory legislative requirements.
If recycling, replace cap and return clean containers to recycler or designated collection point.
If not recycling, break, crush or puncture bags and containers and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

**SMALL SPILL MANAGEMENT**
Sweep up material and contain in a refuse vessel for disposal in the same manner as for containers (see Storage and Disposal).

**SAFETY DIRECTIONS**
May irritate the eyes. Avoid contact with eyes. When handling or applying the product, wear rubber gloves, cotton overalls buttoned to the neck and wrist or (long-sleeved shirt and long pants), a washable hat and impervious footwear. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use wash rubber gloves and contaminated clothing.

**FIRST AID**
If poisoning occurs, contact a doctor or Poisons Information Centre (Tel: 131126).
If skin contact occurs, remove contaminated clothing and wash area thoroughly.
If in eyes wash out immediately with water.

**SAFETY DATA SHEET**
Additional information is listed in the Safety Data Sheet (SDS).

**IMPORTANT NOTICE**
These goods are to be used only for the purpose and as specified on the label and are not suitable for any other purpose. To the fullest extent permitted by law, we do not accept or bear any liability on any basis for any loss, damage, cost or expense, arising in any way, directly or indirectly, in connection with the goods.

THIS PRODUCT IS NOT CONSIDERED TO BE A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD AND RAIL

| IN A TRANSPORT EMERGENCY<br>**DIAL: 000**<br>POLICE OR FIRE BRIGADE | FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY<br>**PHONE: 1800 033 111**<br>TOLL FREE - ALL HOURS - AUSTRALIA WIDE |
|---|---|

SUMITOMO CHEMICAL

**SUMITOMO CHEMICAL AUSTRALIA PTY LTD**
ABN: 21 081 096 255
51 Rawson Street Epping NSW 2121
Tel: 02 8752 9000

® Registered Trademark of Sumitomo Chemical Co., Japan.