SAFETY DATA SHEET
CORTEVA AGRISCIENCE AUSTRALIA PTY LTD

Product name: Entrust® Organic Insecticide **Issue Date:** 15.10.2025

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Australia and may not meet the regulatory requirements in other countries.

SECTION 1: IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product name: Entrust® Organic Insecticide

Recommended use of the chemical and restrictions on use
Identified uses: End use insecticide product

COMPANY IDENTIFICATION
CORTEVA AGRISCIENCE AUSTRALIA PTY LTD
LEVEL 9, 67 ALBERT AVENUE
CHATSWOOD NSW 2067
AUSTRALIA

Customer Information Number: 1800-700-096
AUCustomerService@Corteva.com

EMERGENCY TELEPHONE NUMBER
24-Hour Emergency Contact: +61 2 9474 7350
Local Emergency Contact: 1800 370 754
For advice, contact a doctor (at once) or the Australian Poisons Information Centre: 131 126
Transport Emergency Only Dial 000

SECTION 2: HAZARD(S) IDENTIFICATION

GHS Classification
Short-term (acute) aquatic hazard - Category 1
Long-term (chronic) aquatic hazard - Category 1

GHS label elements
Hazard pictograms

Signal word: Warning!

Hazard statements
Toxic to aquatic life with long lasting effects.

Precautionary statements
Prevention
Avoid release to the environment.

Response
Collect spillage.

Disposal
Dispose of contents/ container to an approved waste disposal plant.

Other hazards
None known

SECTION 3: COMPOSITION AND INFORMATION ON INGREDIENTS

This product is a mixture.

Component	CASRN	Concentration
Spinosad*	131929-60-6	22.54%
Polyethoxylated dodecyl alcohol	9002-92-0	1.0 - 3.0 %

* Spinosad is comprised of Spinosyn A (CAS # 131929-60-7) and Spinosyn D (CAS # 131929-63-0)

SECTION 4: FIRST AID MEASURES

Description of first aid measures
General advice:
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control centre or doctor for treatment advice.

Skin contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Suitable emergency safety shower facility should be available in work area.

Eye contact: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Suitable emergency eye wash facility should be available in work area.

Ingestion: No emergency medical treatment necessary.

Most important symptoms and effects, both acute and delayed:
Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed
Notes to physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor or going for treatment.

SECTION 5: FIREFIGHTING MEASURES

Hazchem code: ●3Z

Suitable extinguishing media: To extinguish combustible residues of this product use water spray, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable extinguishing media: None known.

Special hazards arising from the substance or mixture
Hazardous combustion products: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Nitrogen oxides (NOx). Carbon oxides.

Unusual Fire and Explosion Hazards: This material will not burn until the water has evaporated. Residue can burn.

Advice for firefighters
Fire Fighting Procedures: Evacuate area. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Remove undamaged containers from fire area if it is safe to do so. Use water spray to cool unopened containers. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this SDS.

Special protective equipment for firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Isolate area. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions: Discharge into the environment must be avoided. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up: Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Use absorbent material (e.g. cloth, fleece) to soak up spill. Collect in suitable and properly labeled containers and keep closed. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over pressurisation of the container. Retain and dispose of contaminated wash

water. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in. See Section 13, Disposal Considerations, for additional information.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling: Keep out of reach of children. Handle in accordance with good industrial hygiene and safety practice. Do not breathe vapour or mist. Wash thoroughly after handling. Smoking, eating and drinking should be prohibited in the application area. Take care to prevent spills, waste and minimise release to the environment. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage: Store in original, properly labelled container. Keep container tightly closed when not in use. Store in accordance with the particular national regulations.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50)	168316-95-8	TWA	0.3 mg/m3	Corteva OEL
		STEL	0.9 mg/m3	Corteva OEL
Propylene glycol	57-55-6	TWA (particulate)	10 mg/m3	AU OEL
		TWA (Total (vapour and particles))	150 ppm 474 mg/m3	AU OEL

Exposure controls
Engineering controls: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Individual protection measures
Eye/face protection: Use safety glasses (with side shields).
Skin protection: Wear clean, body-covering clothing.
Hand protection: Chemical protective gloves should not be needed when handling this material. Consistent with general hygienic practice for any material, skin contact should be minimized.
NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection),

potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.
Other protection: No precautions other than clean body-covering clothing should be needed.
Respiratory protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Physical state	Liquid.
Colour	Tan to brown
Odour	Mild
Odour Threshold	No test data available
pH	8.0 - 9.5 1% *pH Electrode*
Melting point/range	Not applicable
Freezing point	No test data available
Boiling point (760 mmHg)	No test data available
Flash point - closed cup	> 100 °C *Pensky-Martens Closed Cup ASTM D 93*
Evaporation Rate	No test data available
Flammability (solid, gas)	Not applicable
Vapour Pressure	No test data available
Relative Vapour Density (air = 1)	No test data available
Relative Density (water = 1)	No test data available
Water solubility	No test data available
Auto-ignition temperature	No test data available
Decomposition temperature	No test data available
Dynamic Viscosity	No test data available
Kinematic Viscosity	No test data available
Explosive properties	No data available
Oxidizing properties	Not an oxidiser
Liquid Density	1.0564 g/cm3 at 20 °C *Digital density meter*

NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Not classified as a reactivity hazard.

Chemical stability: No decomposition if stored and applied as directed. Stable under normal conditions.

Possibility of hazardous reactions: Stable under recommended storage conditions. No hazards to be specially mentioned.

Conditions to avoid: Some components of this product can decompose at elevated temperatures.

Incompatible materials: Strong acids. Strong bases.

Hazardous decomposition products: Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon oxides. Nitrogen oxides (NOx).

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological information appears in this section when such data is available.
Acute toxicity

Product:

Acute oral toxicity	:	Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 423 Information source: Internal study report
Acute inhalation toxicity	:	No adverse effects are anticipated from single exposure to mist. Based on the available data, respiratory irritation was not observed. LC50 (Rat, male and female), dust/mist: > 4.19 mg/l Method: OECD Test Guideline 403 No deaths occurred at this concentration. Assessment: The substance or mixture has no acute inhalation toxicity Maximum attainable concentration.
Acute dermal toxicity	:	Prolonged skin contact is unlikely to result in absorption of harmful amounts. LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402 Information source: Internal study report

Components:

Spinosad A & D:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity	:	LC50 (Rat) dust/mist: > 5.18 mg/l Exposure time: 4 h The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg

Polyethoxylated dodecyl alcohol:

Acute oral toxicity	:	LD50 (Rat): 1,000 mg/kg

Skin corrosion/irritation

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Information source: Internal study report

Components:

Spinosad A & D:

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Product:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Information source: Internal study report

Components:

Polyethoxylated dodecyl alcohol:

Result	:	Corrosive

Respiratory or skin sensitisation

Product:

Test Type	:	Local lymph node assay
Species	:	Mouse
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 429
Remarks	:	Information source: Internal study report

Components:

Spinosad A & D:

Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

Chronic toxicity

Germ cell mutagenicity

Components:

Spinosad A & D:

Germ cell mutagenicity - Assessment	:	In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

Polyethoxylated dodecyl alcohol:

Germ cell mutagenicity - Assessment	:	In vitro genetic toxicity studies were negative.

Carcinogenicity

Components:

Spinosad A & D:

Carcinogenicity - Assessment	:	Did not cause cancer in laboratory animals.

Reproductive toxicity

Components:

Spinosad A & D:

Reproductive toxicity - Assessment	:	In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals. Did not cause birth defects or other effects in the foetus even at doses which caused toxic effects in the mother.

Polyethoxylated dodecyl alcohol:

Reproductive toxicity - Assessment	:	No relevant data found.

STOT - single exposure

Product:

Assessment	:	Evaluation of available data suggests that this material is not an STOT-SE toxicant.

STOT - repeated exposure

Product:

Assessment	:	Evaluation of available data suggests that this material is not an STOT-RE toxicant.

Repeated dose toxicity

Components:

Spinosad A & D:

Remarks	:	In animals, Spinosad has been shown to cause vacuolization of cells in various tissues. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use.

Polyethoxylated dodecyl alcohol:

Remarks	:	No relevant data found.

Aspiration toxicity

Product:

Based on physical properties, not likely to be an aspiration hazard.

Components:

Spinosad A & D:

Based on available information, aspiration hazard could not be determined.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 22 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Information source: Internal study report
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.023 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Information source: Internal study report
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 16 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Information source: Internal study report

Components:

Spinosad A & D:

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 5.9 mg/l Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 or Equivalent EC50 (eastern oyster (Crassostrea virginica)): 0.295 mg/l
Toxicity to algae/aquatic plants	:	EbC50 (diatom Navicula sp.): 0.107 mg/l End point: Biomass Exposure time: 5 d EbC50 (Pseudokirchneriella subcapitata (green algae)): 39 mg/l Exposure time: 7 d EC50 (Lemna gibba): 10.6 mg/l Exposure time: 14 d
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.5 mg/l End point: mortality Test Type: flow-through test
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.0012 mg/l
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to microorganisms	:	(Bacteria): > 100 mg/l
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 970 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	:	Material is practically non-toxic to birds on an acute basis. Oral LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg bodyweight. Material is practically non-toxic to birds on a dietary basis Dietary LC50 (Colinus virginianus (Bobwhite quail)): > 5,253 mg/kg diet. Exposure time: 5 d Oral LD50 (Apis mellifera (bees)): 0.06 micrograms/bee Exposure time: 48 h Contact LD50 (Apis mellifera (bees)): 0.05 micrograms/bee Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity	:	Very toxic to aquatic life.

Polyethoxylated dodecyl alcohol:

Toxicity to daphnia and other aquatic invertebrates	:	Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested). LC50 (Daphnia magna (Water flea)): 6.5 mg/l Exposure time: 48 h Test Type: static test Method Not Specified.

Persistence and degradability

Components:

Spinosad A & D:

Biodegradability	:	Not biodegradable Biodegradation: < 1 % Exposure time: 28 d Method: OECD Test Guideline 301B or Equivalent 10-day Window: Fail
Biochemical Oxygen Demand (BOD)	:	66.0 % Incubation time: 5 d Method: DOW Test 68.0 % Incubation time: 10 d Method: DOW Test 76.0 % Incubation time: 20 d Method: DOW Test 77.0 % Incubation time: 28 d Method: DOW Test
Stability in water	:	Test Type: Hydrolysis Method: Stable Test Type: Hydrolysis Degradation half life (half-life): 200 - 259 d (25 °C) pH: 9 Test Type: Hydrolysis Method: Stable Test Type: Photolysis Degradation half life (half-life): 0.84 - 0.96 d pH: 7

Polyethoxylated dodecyl alcohol:

Biodegradability	:	Material is ultimately biodegradable (reaches > 70% mineralization in OECD test(s) for inherent biodegradability). Readily biodegradable.

Biodegradation: 74 %
Exposure time: 21 d
Method: OECD Test Guideline 302C or Equivalent
10-day Window: Not applicable

Bioaccumulative potential

Components:

Spinosad A & D:

Bioaccumulation	:	Species: Fish Bioconcentration factor (BCF): 33 Exposure time: 28 d Method: Measured
Partition coefficient: n-octanol/water	:	log Pow: 4.01 Remarks: Bioconcentration potential is moderate (BCF between 100 and 3,000 or Log Pow between 3 and 5).

Polyethoxylated dodecyl alcohol:

Partition coefficient: n-octanol/water	:	No relevant information found.

Mobility in soil

Components:

Spinosad A & D:

Distribution among environmental compartments	:	Koc: 701 Method: Measured Potential for mobility in soil is low (Koc between 500 and 2,000).
Stability in soil	:	Dissipation time: 8.68 - 9.44 d Method: Photolysis

Polyethoxylated dodecyl alcohol:

Distribution among environmental compartments	:	No relevant data found.

Other adverse effects

Components:

Spinosad A & D:

Ozone-Depletion Potential	:	This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods: If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14: TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Spinosad)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Spinosad)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Spinosad)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes(Spinosad)
Remarks	:	Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Spinosad)
Class	:	9
Packing group	:	III
Labels	:	9
Hazchem Code	:	•3Z
Environmentally hazardous	:	yes

Further information:
Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the Australian Code for the Transport of Dangerous Goods (ADG). This applies when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs per ADG Special Provision AU01.

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

The transport classification(s) provided herein are for informational purposes only and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: REGULATORY INFORMATION

Poison Schedule: No poison schedule number allocated.
APVMA Approval Number: 88118

SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision
Identification Number: / A143 / Issue Date: 15.10.2025 / Version: Replaces 14.09.2021
Product Code: T6P-18-2 (GF-2887)
Sections amended: All

Legend

AU OEL	Australia. Workplace Exposure Standards for Airborne Contaminants.
TWA	8-hr TWA
US WEEL	USA. Workplace Environmental Exposure Levels (WEEL)

Full text of other abbreviations
AIIC - Australian Inventory of Industrial Chemicals; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction

and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

™ ® Trademarks of Corteva Agriscience and its affiliated companies. © 2025 Corteva.