SAFETY DATA SHEET
CORTEVA AGRISCIENCE AUSTRALIA PTY LTD

Product name: Salibro® Reklemel® active Nematicide **Issue Date:** 1.06.2025

CORTEVA AGRISCIENCE AUSTRALIA PTY LTD encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Australia and may not meet the regulatory requirements in other countries.

SECTION 1: IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product name: Salibro® Reklemel® active Nematicide

Recommended use of the chemical and restrictions on use
Identified uses: End use nematicide product
Uses advised against: Do not use product for anything outside of the above specified uses.

COMPANY IDENTIFICATION
CORTEVA AGRISCIENCE AUSTRALIA PTY LTD
LEVEL 9, 67 ALBERT AVENUE
CHATSWOOD NSW 2067
AUSTRALIA

Customer Information Number: 1800-700-096
aucustomerservice@corteva.com

EMERGENCY TELEPHONE NUMBER
Local Emergency Contact: 1800-370-754
For advice, contact a doctor (at once) or the Australian Poisons Information Centre: 131 126
Transport Emergency Only Dial: 000

SECTION 2: HAZARD(S) IDENTIFICATION

GHS Classification
Specific target organ toxicity - repeated exposure - Category 2
Short term (acute) aquatic hazard – Category 3
Long term (chronic) aquatic hazard – Category 2

GHS label elements
Hazard pictograms

Signal word: **WARNING!**

Hazard statements
May cause damage to organs (Liver) through prolonged or repeated exposure.
Harmful to aquatic life.
Toxic to aquatic life with long lasting effects.

Precautionary statements
Prevention
Do not breathe mist/ vapours/ spray.
Avoid release to the environment.

Response
Get medical advice/ attention if you feel unwell.
Collect spillage.

Disposal
Dispose of contents/ container to an approved waste disposal plant.

Other hazards
None known.

SECTION 3: COMPOSITION

Component	CASRN	Concentration (w/w)
Fluazaindolizine	1254304-22-7	41.15 %

SECTION 4: FIRST AID MEASURES

Description of first aid measures
General advice: First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Inhalation: Call a poison control center or doctor for treatment advice. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

Skin contact: Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Wash contaminated clothing before re-use.

Eye contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. If eye irritation persists, consult a specialist.

Ingestion: Obtain medical attention. DO NOT induce vomiting unless directed to do so by a physician or poison control center. If victim is conscious: Rinse mouth with water.

Most important symptoms and effects, both acute and delayed: Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed
Notes to physician: Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Hazchem: •3Z

Suitable extinguishing media: Water spray. Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical.

Unsuitable extinguishing media: None known.

Special hazards arising from the substance or mixture
Hazardous combustion products: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Exposure to combustion products may be a hazard to health. Combustion products may include and are not limited to: Nitrogen oxides (NOx); Carbon oxides.

Unusual Fire and Explosion Hazards: None known.

Advice for firefighters
Fire Fighting Procedures: Remove undamaged containers from fire area if it is safe to do so. Evacuate area. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Do not allow run-off from fire-fighting to enter drains or water courses. Collect contaminated fire extinguishing water separately. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Ensure adequate ventilation. Use personal protective equipment. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions: Discharge into the environment must be avoided. If the product contaminates rivers and lakes or drains, inform respective authorities. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and materials for containment and cleaning up: Clean up remaining materials from spill with suitable absorbant. Wipe up with absorbent material (e.g. cloth, fleece). Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Neutralize with chalk, alkali solution or ammonia. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurisation of the container.

Keep in suitable, closed containers for disposal. See Section 13, Disposal Considerations, for additional information.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling: Handle in accordance with good industrial hygiene and safety practice. Avoid exposure - obtain special instructions before use. Smoking, eating and drinking should be prohibited in the application area. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid formation of aerosol. Provide sufficient air exchange and/or exhaust in work rooms. Avoid inhalation of vapour or mist. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Take care to prevent spills, waste and minimize release to the environment. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage: Store in a closed container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers. Store in accordance with the particular national regulations. Recommended storage temperature: > 0°C.
Do not store with the following product types: Acids; strong oxidizing agents.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propanediol	57-55-6	TWA (particulate)	10 mg/m3	AU OEL
		TWA (Total (vapour and particles))	150 ppm 474 mg/m3	AU OEL

Engineering controls: Ensure adequate ventilation, especially in confined areas.

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Avoid breathing dust or vapour.

Individual protection measures
Eye/face protection: Wear safety glasses with side shields. Wear a face shield where the possibility exists for face contact due to splashing, spraying or airborne contact with this material.
Skin protection: Where there is potential for skin contact have available and wear as appropriate impervious gloves, apron, pants, and jacket.
Hand protection: Protective gloves
Respiratory protection: Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge.

Other Information: Selection and use of personal protective equipment should be in accordance with the recommendations in one or more of the relevant Australian/New Zealand Standards, including:
AS/NZS 1336: Eye and face protection – Guidelines.
AS/NZS 1337: Personal eye protection - Eye and face protectors for occupational applications.
AS/NZS 1715: Selection, use and maintenance of respiratory protective equipment.

AS/NZS 2161: Occupational protective gloves.
AS/NZS 2210: Occupational protective footwear.
AS/NZS 4501: Occupational protective clothing Set

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Physical state	Liquid
Colour	Off-white
Odour	Mild acidic chemical.
Odour Threshold	No data available
pH	4
Melting point/range	No data available
Freezing point	No data available
Boiling point (760 mmHg)	No data available
Flash point	> 96 °C
Evaporation Rate (Butyl Acetate = 1)	No data available
Flammability (solid, gas)	Not applicable
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour Pressure	No data available
Relative Vapour Density (air = 1)	No data available
Relative Density (water = 1)	No data available
Water solubility	Dispersible
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Kinematic Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	The product contains no substances with oxidizing properties.
Liquid Density	1.205 g/cm3 at 20 °C
Molecular weight	No data available

NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Not classified as a reactivity hazard.

Chemical stability: No decomposition if stored and applied as directed. Stable under normal conditions.

Possibility of hazardous reactions: None known. No hazards to be specially mentioned.

Conditions to avoid: None known.

Incompatible materials: Strong acids. Strong bases.

Hazardous decomposition products: Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: nitrogen oxides, carbon oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological information appears in this section when such data is available.

Acute toxicity

Acute oral toxicity
As product: Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. LD50, Rat, female > 2,000 mg/kg
Fluazaindolizine: LD50, Rat: 3,129 mg/kg. The substance has no acute oral toxicity. OECD Test Guideline 425.

Acute dermal toxicity
As product: Prolonged skin contact is unlikely to result in absorption of harmful amounts.
LD50, Rat, > 5,000 mg/kg
Fluazaindolizine: LD50 (Rat): > 5,000 mg/kg. OECD Test Guideline 402

Acute inhalation toxicity
As product: Brief exposure (minutes) is not likely to cause adverse effects. Prolonged excessive exposure may cause adverse effects. LC50, Rat, 4 Hour, dust/mist > 5.1 mg/L
Fluazaindolizine: LC50, Rat, 4 Hour, dust/mist: > 5.8 mg/L. No deaths occurred at this concentration. The substance has no acute inhalation toxicity. OECD Test Guideline 403.

Skin corrosion/irritation
Product: Rabbit: Brief contact is essentially non-irritating to skin. Internal study report.
Fluazaindolizine: No skin irritation. OECD Test Guideline 404.

Serious eye damage/eye irritation
Product: Rabbit. Essentially non-irritating to eyes.
Fluazaindolizine: Rabbit: No eye irritation. OECD Test Guideline 405.

Sensitisation
Skin sensitization: As product: Mouse: Does not cause skin sensitisation.
Fluazaindolizine: Mouse: Does not cause skin sensitisation.
For respiratory sensitization: No relevant data found.

Specific Target Organ Systemic Toxicity (Single Exposure)
As product: Evaluation of available data suggests that this material is not an STOT-SE toxicant.
Fluazaindolizine: Available data are inadequate to determine single exposure specific target organ toxicity.

Specific Target Organ Systemic Toxicity (Repeated Exposure)
Fluazaindolizine: In animals, effects have been reported on the following organs: Liver

Carcinogenicity

Fluazaindolizine: Did not cause cancer in laboratory animals.

Teratogenicity
Fluazaindolizine: Did not cause birth defects or any other foetal effects in laboratory animals.

Reproductive toxicity
Fluazaindolizine: In animal studies, did not interfere with reproduction.

Mutagenicity
Fluazaindolizine: Animal testing did not show any mutagenic effects. Overall weight of evidence shows this material is not mutagenic.

Aspiration Hazard
As product: Based on physical properties, not likely to be an aspiration hazard.
Fluazaindolizine: Based on physical properties, not likely to be an aspiration hazard.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological information appears in this section when such data is available.

Ecotoxicity

Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 96 h > 99.4 mg a.s./L LC50 (Oncorhynchus mykiss (rainbow trout)): 96 h > 238 mg/L Method: OECD Test Guideline 203. Internal study report
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 48 h, 43 mg a.s./L EC50 (Daphnia magna (Water flea)): 48 h, 102 mg/L Method: OECD Test Guideline 202. Internal study report
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 72 h, 86.51 mg/L Method: OECD Test Guideline 201. Internal study report
Toxicity to terrestrial organisms	:	LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg Acute oral toxicity: LD50 (Apis mellifera (bees)): 72 h > 132 µg/bee Acute contact toxicity: LD50 (Apis mellifera (bees)): 48 h > 200 µg/bee

Components:

Fluazaindolizine:

Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): static test, mortality, 96 h > 26 mg/L Method: OECD Test Guideline 203

		Material is slightly toxic to fish on an acute basis (LC50 between 10 and 100 mg/L). LC50 (Oncorhynchus mykiss (rainbow trout)): 96 h > 60 mg/L Method: OECD Test Guideline 203 LC50 (Lepomis macrochirus (Bluegill sunfish)): 96 h > 58 mg/L Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): static test, immobilization, 48 h > 120 mg/L Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Lemna gibba G3 (gibbous duckweed)): Static renewal test, Frond, 7 d, 28.5 mg/L Method: OECD Test Guideline 221 NOEC (Lemna gibba G3 (gibbous duckweed)): Static renewal test, Frond, 7 d, 7.2 mg/L Method: OECD Test Guideline 221 ErC50 (Pseudokirchneriella subcapitata (green algae)): static test, 72 h, 46 mg/L Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 72 h, 12 mg/L Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Cyprinodon variegatus (sheepshead minnow)): flow-through test, 34 d, 1.5 mg/L Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): Semi-Static-Lifecycle 21 d, 1.2 mg/L Method: OECD Test Guideline 211 NOEC (Americamysis bahia (mysid shrimp)): flow-through test, 28 d, 0.62 mg/L
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): 28 d > 100 mg/kg Method: OECD Test Guideline 222
Toxicity to terrestrial organisms	:	Oral LD50 (Apis mellifera (bees)): Acute oral toxicity, 48 h >19,62 µg/bee Method: OECD Test Guideline 213 Contact LD50 (Apis mellifera (bees)): Acute contact toxicity, 48 h >200 µg/bee Method: OECD Test Guideline 214 LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg bodyweight.

Method: US EPA Test Guideline OPPTS 850.2100

LC50 (Colinus virginianus (Bobwhite quail)): 5 d > 5,620 mg/kg
Method: OECD Test Guideline 205

Persistence and degradability

Components:

Fluazaindolizine:

Biodegradability	:	Result: Not biodegradable

Bioaccumulative potential

Components:

Fluazaindolizine:

Bioaccumulation	:	Remarks: Does not bioaccumulate.

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods: If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14: TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluazaindolizine)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3082

Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluazaindolizine)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluazaindolizine)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	Yes (Fluazaindolizine)
Remarks	:	Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluazaindolizine)
Class	:	9
Packing group	:	III
Labels	:	9
Hazchem Code	:	•3Z
Environmentally hazardous	:	no

Further information

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the Australian Code for the Transport of Dangerous Goods (ADG). This applies when transported by road or rail in packaging that do not incorporate a receptacle exceeding 500 kg(L) or IBCs per ADG Special Provision AU01.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: REGULATORY INFORMATION

Poison Schedule: S5
APVMA Approval Number: 89013

SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision
Identification Number: 011000007615 / A143
Issue Date:1.06.2025 / Replaces: 29.01.2025
Code: DPX-Q8U80
Sections amended: 1, 16

Full text of other abbreviations
ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals. ASTM - American Society for the Testing of Materials; AU OEL - Australia. Workplace Exposure Standards for Airborne Contaminants. ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; N.O.S. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations. TWA - Exposure standard - time weighted average.

CORTEVA AGRISCIENCE AUSTRALIA PTY LTD urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDS's, we are not and cannot be responsible for SDS's obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

®,™ Trademarks of Corteva Agriscience and its affiliated companies. ® 2025 Corteva.