SAFETY DATA SHEET
CORTEVA AGRISCIENCE AUSTRALIA PTY LTD

Product name: Verpixo® Adavelt® active Fungicide **Issue Date:** 08.06.2023

CORTEVA AGRISCIENCE AUSTRALIA PTY LTD encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Australia and may not meet the regulatory requirements in other countries.

SECTION 1: IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product name: Verpixo® Adavelt® active Fungicide

Recommended use of the chemical and restrictions on use
Identified uses: End use fungicide product

COMPANY IDENTIFICATION
CORTEVA AGRISCIENCE AUSTRALIA PTY LTD
LEVEL 9, 67 ALBERT AVENUE
CHATSWOOD NSW 2067
AUSTRALIA

Customer Information Number: 1800-700-096
AUCustomerService@Corteva.com

EMERGENCY TELEPHONE NUMBER
24-Hour Emergency Contact: 1800 370 754
For advice, contact a doctor (at once) or the Australian Poisons Information Centre: 131 126
Transport Emergency Only Dial 000

SECTION 2: HAZARD(S) IDENTIFICATION

GHS Classification
Short-term (acute) aquatic hazard - Category 1
Long-term (chronic) aquatic hazard - Category 1

GHS label elements
Hazard pictograms

Signal word: **WARNING!**

Hazard statements
Very toxic to aquatic life with long lasting effects.

Precautionary statements
Prevention
Avoid release to the environment.

Response
Collect spillage.

Disposal
Dispose of contents/ container to an approved waste disposal plant.

Other hazards
No data available

SECTION 3: COMPOSITION AND INFORMATION ON INGREDIENTS

This product is a mixture.

Component	CASRN	Concentration
Florylpicoxamid	1961312-55-9	10 %
Polyoxyl 15 hydroxystearate	70142-34-6	1 - 3 %

SECTION 4: FIRST AID MEASURES

Description of first aid measures
General advice: First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air. Call a poison control centre or doctor for treatment advice.

Skin contact: Take off contaminated clothing. Wash with plenty of water. Call a poison control centre or doctor for treatment advice.

Eye contact: Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a physician, preferably an ophthalmologist. Suitable emergency eye wash facility should be available in work area.

Ingestion: If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.

Most important symptoms and effects, both acute and delayed:
Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed
Notes to physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control centre or doctor or going for treatment.

SECTION 5: FIREFIGHTING MEASURES

Hazchem code: ●3Z

Suitable extinguishing media: Water spray. Alcohol-resistant foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media: None known.

Special hazards arising from the substance or mixture
Hazardous combustion products: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Carbon oxides. Nitrogen oxides.

Unusual Fire and Explosion Hazards: Exposure to combustion products may be a hazard to health. Do not allow run-off from fire-fighting to enter drains or water courses.

Advice for firefighters
Fire Fighting Procedures:
Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.

Special protective equipment for firefighters: Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Ensure adequate ventilation. Use personal protective equipment. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions: If the product contaminates rivers and lakes or drains inform respective authorities. Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. Prevent from entering into soil, ditches, sewers, underwater. See Section 12, Ecological Information.

Methods and materials for containment and cleaning up: Clean up remaining materials from spill with suitable absorbant. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container. Keep in

suitable, closed containers for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). See Section 13, Disposal Considerations, for additional information.

SECTION 7: HANDLING AND STORAGE

Advice on safe handling: Avoid formation of aerosol. Provide sufficient air exchange and/or exhaust in work rooms. Do not breathe vapours/dust. Handle in accordance with good industrial hygiene and safety practice. Smoking, eating and drinking should be prohibited in the application area. Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage: Store in a closed container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers. Store in accordance with the particular national regulations.

Materials to avoid: Strong oxidizing agents.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control parameters
If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m3	AU OEL
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
Propanediol	57-55-6	TWA (particulate)	10 mg/m3	AU OEL
		TWA (Total (vapour and particles))	150 ppm 474 mg/m3	AU OEL

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

Exposure controls
Engineering controls: Exhaust systems should be designed to move the air away from the source of vapor/aerosol generation and people working at this point. Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. Local exhaust ventilation may be necessary for some operations. If there are no applicable exposure limit requirements or guidelines, use only in enclosed systems or with local exhaust ventilation.

Individual protection measures
Eye/face protection: Use safety glasses (with side shields).
Skin protection
Hand protection: Use chemical resistant gloves classified under standard AS/NZS 2161.10: Protective gloves against chemicals and micro-organisms. Specific properties of gloves such as length, thickness and material barrier shall be adapted to the specific product nature and task. Examples of preferred glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to AS/NZS 2161.10) is recommended. When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to AS/NZS 2161.10) is recommended.
NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.
Other protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.
Respiratory protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

Other Information: Selection and use of personal protective equipment should be in accordance with the recommendations in one or more of the relevant Australian/New Zealand Standards, including:
AS/NZS 1336: Eye and face protection – Guidelines.
AS/NZS 1337: Personal eye protection - Eye and face protectors for occupational applications.
AS/NZS 1715: Selection, use and maintenance of respiratory protective equipment.
AS/NZS 2161: Occupational protective gloves.
AS/NZS 2210: Occupational protective footwear.
AS/NZS 4501: Occupational protective clothing Set

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Physical state	Liquid.
Colour	Off-white
Odour	Mild
Odour Threshold	No data available
pH	6.18
Melting point/range	No data available
Freezing point	No data available
Boiling point (760 mmHg)	No data available
Flash point - closed cup	> 100 °C
Evaporation Rate (Butyl Acetate = 1)	No data available

Flammability (solid, gas)	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour Pressure	No data available
Relative Vapour Density (air = 1)	No data available
Relative Density (water = 1)	1.0023 g/cm3 (20 °C)
Water solubility	No data available
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Dynamic viscosity	92.5 - 219.5 mPa.s (40 °C). OPPTS 830.7100
Kinematic viscosity	92.3 - 219 mm2/s (40 °C). Calculated.
Decomposition temperature	No data available
Explosive properties	Not explosive. EC Method A.14
Oxidizing properties	No significant increase (>5^{0}C) in temperature.

NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Not classified as a reactivity hazard.

Chemical stability: No decomposition if stored and applied as directed. Stable under normal conditions.

Possibility of hazardous reactions: Stable under recommended storage conditions.

Conditions to avoid: None known.

Incompatible materials: Strong acids. Strong bases. Strong oxidising agents.

Hazardous decomposition products: Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological information appears in this section when such data is available.

Acute toxicity

Acute oral toxicity

Product: LD50 (Rat, female): > 2,000 mg/kg. No deaths occurred at this concentration. The substance or mixture has no acute oral toxicity. OECD Test Guideline 423

Florylpicoxamid: LD50 (Rat, female): > 2,000 mg/kg. No deaths occurred at this concentration. The substance has no acute oral toxicity. OECD Test Guideline 423

Polyoxyl 15 hydroxystearate: LD50 (Rat): 20,600 mg/kg. Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

Acute dermal toxicity
Product: LD50 Dermal (Rat, male and female): > 2,000 mg/kg. No deaths occurred at this concentration. The substance or mixture has no acute dermal toxicity. OECD Test Guideline 402
Florylpicoxamid: LD50 Dermal (Rat, male and female): > 2,000 mg/kg.

Acute inhalation toxicity
Product: LC50 (Rat, male and female): 4 hour, dust/mist, > 6.4 mg/l. OECD Test Guideline 436.
Florylpicoxamid: LC50 (Rat, male and female): 4 hour, dust/mist, > 5.48 mg/l.

Skin corrosion/irritation
Product: Rabbit. No skin irritation. OECD Test Guideline 404.
Polyoxyl 15 hydroxystearate: No skin irritation. OECD Test Guideline 404.

Serious eye damage/irritation
Product: Rabbit. No eye irritation. OECD Test Guideline 405.

Sensitization
Product: Mouse. Local lymph node assay (LLNA). Does not cause skin sensitisation. OECD Test Guideline 429.
Florylpicoxamid: For skin sensitization: As product: Did not demonstrate the potential for contact allergy in mice.
Florylpicoxamid: For respiratory sensitization: No relevant data found.
Polyoxyl 15 hydroxystearate: Guinea pig. Has caused allergic skin reactions when tested in guinea pigs. May cause sensitisation by skin contact. OECD Test Guideline 406.
Polyoxyl 15 hydroxystearate: For respiratory sensitization: No relevant data found.

Specific Target Organ Systemic Toxicity (Single Exposure)
Product: Evaluation of available data suggests that this material is not an STOT-SE toxicant.
Florylpicoxamid: Available data are inadequate to determine single exposure specific target organ toxicity.
Polyoxyl 15 hydroxystearate: Available data are inadequate to determine single exposure specific target organ toxicity.

Specific Target Organ Systemic Toxicity (Repeated Exposure)
Product: Evaluation of available data suggests that this material is not an STOT-RE toxicant.
Florylpicoxamid: No relevant data found.
Polyoxyl 15 hydroxystearate: Based on available data, repeated exposures are not expected to cause significant adverse effects except at very high aerosol concentrations. Repeated excessive aerosol exposures may cause respiratory tract irritation and even death

Carcinogenicity
Florylpicoxamid: No relevant data found.
Polyoxyl 15 hydroxystearate: Did not cause cancer in laboratory animals.

Reproductive toxicity
Florylpicoxamid: In animal studies, did not interfere with reproduction. Did not cause birth defects or any other foetal effects in laboratory animals.
Polyoxyl 15 hydroxystearate: In animal studies, did not interfere with reproduction. Did not show teratogenic effects in animal experiments.

Germ cell mutagenicity
Florylpicoxamid: In vitro genetic toxicity studies were negative.
Polyoxyl 15 hydroxystearate: Did not show mutagenic effects in animal experiments.

Aspiration Hazard
Florylpicoxamid: Based on physical properties, not likely to be an aspiration hazard.
Polyoxyl 15 hydroxystearate: Based on available information, aspiration hazard could not be determined.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological information appears in this section when such data is available.

Ecotoxicity

Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.15 mg/l Exposure time: 96 h Test Type: flow-through Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna): > 0.2 mg/l Exposure time: 48 h Test Type: Static renewal test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 2.29 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	:	LD50 (Apis mellifera (bees)): > 222 mg/kg Exposure time: 48 d End point: Acute contact toxicity Method: OECD Test Guideline 214 LD50 (Apis mellifera (bees)): > 200 mg/kg Exposure time: 48 d End point: Acute contact toxicity Method: OECD Test Guideline 213 LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg Exposure time: 7 d End point: Acute oral toxicity Method: OECD Test Guideline 223

Ecotoxicology Assessment

Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.

Florylpicoxamid:

Toxicity to fish	:	LC50 (Rainbow trout (Oncorhynchus mykiss)): 0.01 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 LC50 (Pimephales promelas (fathead minnow)): 0.015 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (water flea Daphnia magna): 0.059 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EyC50 (Pseudokirchneriella subcapita): 1.4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Lemna gibba (gibbous duckweed)): 0.152 mg/l Exposure time: 7 d
M-Factor (Acute aquatic toxicity)	:	100
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.0034 mg/l Exposure time: 28 d Method: OECD Test Guideline 210 NOEC (Cyprinodon variegatus (sheepshead minnow)): 0.0008 mg/l Exposure time: 28 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.0137 mg/l Exposure time: 21 d NOEC (saltwater mysid Mysidopsis bahia): 0.0008 mg/l Exposure time: 28 d
M-Factor (Chronic aquatic toxicity)	:	100
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): >6.59 mg/kg dry weight (d.w.) Exposure time: 14 d End point: mortality
Toxicity to terrestrial organisms	:	(Apis mellifera (bees)): >109.2 Exposure time: 48 h End point: Acute oral toxicity (Apis mellifera (bees)): >100 Exposure time: 48 h End point: Acute contact toxicity

		(Colinus virginianus (Bobwhite quail)): 2,250 mg/kg Exposure time: 14 d End point: Acute oral toxicity
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202

Ecotoxicology Assessment

Acute aquatic toxicity	:	This product has no known ecotoxicological effects.
Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.

Polyoxyl 15 hydroxystearate:

Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna): 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h

Persistence and degradability

Components:

Florylpicoxamid:

Biodegradability	:	Result: Not readily biodegradable. Remarks: Not readily biodegraded.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Components:

Florylpicoxamid:

Results of PBT and vPvB assessment	:	This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).
Ozone-Depletion Potential	:	Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Polyoxyl 15 hydroxystearate:

Results of PBT and vPvB assessment	:	This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).
Ozone-Depletion Potential	:	Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods: If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14: TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florylpicoxamid)
Class	:	9
Packing group	:	III
Labels	:	9

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florylpicoxamid)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florylpicoxamid)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F

Marine pollutant	:	yes
Remarks	:	Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florylpicoxamid)
Class	:	9
Packing group	:	III
Labels	:	9
Hazchem Code	:	•3Z

Further information

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the Australian Code for the Transport of Dangerous Goods (ADG). This applies when transported by road or rail in packaging that do not incorporate a receptacle exceeding 500 kg(L) or IBCs per ADG Special Provision AU01.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: REGULATORY INFORMATION

Poison Schedule: 5
APVMA Approval Number: 91871

SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision
Identification Number: / A143 /
Issue Date: 8.06.2023 Replaces: 20.02.2023
Formulation Code: GF-4536

Full text of other abbreviations
AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC -

Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

™ ® Trademarks of Corteva Agriscience and its affiliated companies. © 2023 Corteva.