READ SAFETY DIRECTIONS BEFORE OPENING OR USING

ACRAMITE®

MITICIDE

ACTIVE CONSTITUENT: 480 g/L BIFENAZATE

UPL

GROUP	20D	INSECTICIDE

For the control of Two-spotted Mite, European Red Mite and Bryobia Mite in Pome Fruit, Stone Fruit, Almonds, Fruiting Vegetables, Cucurbits, Papaya and Strawberries as indicated in the Directions for Use table

IMPORTANT: READ THE ATTACHED LEAFLET/BOOKLET BEFORE USE.

CONTENTS: 5L

07/22/F

UPL Australia Pty Ltd
Level 3, 70 Hindmarsh Square,
Adelaide, SA, 5000
Tel: (08) 8112 0900
Fax: (08) 8112 0999

drumMUSTER eligible container

9 322524 067040

READ SAFETY DIRECTIONS
BEFORE OPENING OR USING

PEEL HERE

ACRAMITE®

MITICIDE

ACTIVE CONSTITUENT: 480 g/L BIFENAZATE

GROUP	20D	INSECTICIDE

For the control of Two-spotted Mite, European Red Mite and Bryobia Mite in Pome Fruit, Stone Fruit, Almonds, Fruiting Vegetables, Cucurbits, Papaya and Strawberries as indicated in the Directions for Use table

IMPORTANT: READ THIS BOOKLET BEFORE USE.

UPL Australia Pty Ltd
Level 3, 70 Hindmarsh Square,
Adelaide, SA, 5000
Tel: (08) 8112 0900 Fax: (08) 8112 0999

STORAGE AND DISPOSAL

Keep out of reach of children. Store in the closed, original container in a dry cool well-ventilated area. Do not store for prolonged periods in direct sunlight.

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple-rinse container for disposal. Dispose of rinsate by adding it to the spray tank. Do not dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be taken separately.

SAFETY DIRECTIONS

Harmful if inhaled. May irritate the eyes. Avoid contact with eyes. Do not inhale spray mist. When opening the container and preparing the product for use and using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and a disposable (mist) face mask covering the mouth and nose. In addition, If applying by low pressure hand wand, wear cotton overalls, over normal clothing, buttoned to the neck and wrist, elbow-length chemical resistant gloves and a disposable (mist) face mask covering mouth and nose. Wash hands after use. After each day's use wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet that can be obtained from the supplier.

CONDITIONS OF SALE

UPL Australia Pty Ltd accepts responsibility for the consistent quality of the product; however since the use and application of the product is beyond control, the company accepts no responsibility whatsoever for any loss, damage or other result following the use of the product whether used in accordance with directions or not; other than those mandatorily imposed by statutes, the liability is limited to the replacement of the goods and is conditional upon a claim made in writing and, where necessary, a sufficient part of the goods being returned for proper examination by the company within thirty days of sale.

Additional statements required by Globally Harmonised System for classification and labelling of chemicals (GHS) and Safe Work Australia:
May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure. Keep out of reach of children. Contaminated work clothing should not be allowed out of the workplace

In an Emergency	24 Hour Emergency Response Service
Dial **000**	Australia **1800 033 111**
Police or Fire Brigade	International **+61 3 9663 2130**

BATCH NO

DOM

UPL

APVMA Approval No: 55264/135588
® Acramite is a registered trademark of ARYSTA LIFESCIENCE, INC.
07/22/T

DIRECTIONS FOR USE

RESTRAINTS
DO NOT use if rainfall is expected before spray has dried as reduced efficacy may result.

Crop	Pest	Rate	WHP	Critical Comments
Apples & Pears	Two-spotted mite (*Tetranychus urticae*), European red mite (*Panonychus ulmi*)	Dilute Spraying 65 mL / 100 L (31.2 g ai/100L)	Harvest 7 days Grazing 28 days	Acramite should be applied to the point of run-off as soon as mites appear. Equipment should be calibrated so that no less than 1000 L of water is applied per hectare. Complete coverage of all foliage is essential. Only one application should be made per season.
Apricots, Nectarines, Peaches & Plums	Bryobia mite (*Bryobia rubrioculus*)		Harvest 3 days Grazing 28 days	
Almonds	Two-spotted mite (*Tetranychus urticae*), Byrobia mite (*Bryobia rubrioculus*)		Harvest 14 Days Grazing 28 Days	
Fruiting vegetables including; tomatoes, capsicum, peppers and eggplant (excluding sweet corn and mushrooms)			1 day	
Cucurbits (excluding cucumber)			3 days	
Cucumber			1 day	
Papaya	Two-spotted mite (*Tetranychus uriticae)*		7 days	
Strawberries	Two-spotted Mite (*Tetranychus uriticae)* Bryobia mite (*Bryobia rubrioculus*)	Dilute spraying 65ml/ 100L (31.2g /ai/ 100L)	1 day	Do not apply more than 2 applications per growing season. Do not re-apply within 21 days of the previous application. A different acaracide should be used between Acramite applications.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIODS
POME FRUIT: DO NOT HARVEST FOR 7 DAYS AFTER APPLICATION.
APRICOTS, NECTARINES, PEACHES, PLUMS: DO NOT HARVEST FOR 3 DAYS AFTER APPLICATION.
ALMONDS: DO NOT HARVEST FOR 14 DAYS AFTER APPLICATION.
CUCUMBER, FRUITING VEGETABLES (EXCEPT SWEET CORN, MUSHROOM) AND STRAWBERRIES: DO NOT HARVEST FOR 1 DAY AFTER APPLICATION
CUCURBITS (EXCEPT CUCUMBER) DO NOT HARVEST FOR 3 DAYS AFTER APPLICATION
PAPAYA: DO NOT HARVEST FOR 7 DAYS AFTER APPLICATION

FRUIT: DO NOT FEED TREATED PRODUCE TO LIVESTOCK FOR 7 DAYS AFTER APPLICATION.
ALMONDS: DO NOT FEED TREATED PRODUCE TO LIVESTOCK FOR 14 DAYS AFTER APPLICATION.
ALL ORCHARD CROPS: DO NOT ALLOW LIVESTOCK TO GRAZE IN TREATED AREA FOR 28 DAYS AFTER APPLICATION.

EXPORT OF TREATED PRODUCE
MRLS OR IMPORT TOLERANCES FOR BIFENAZATE MAY NOT BE ESTABLISHED IN ALL MARKETS. IF YOU ARE USING THIS PRODUCT ON APPLES, PEARS, APRICOTS, NECTARINES, PEACHES, PLUMS, ALMONDS, FRUITING VEGETABLES, CUCURBITS, PAPAYA AND STRAWBERRIES FOR EXPORT, PLEASE CHECK WITH UPL AUSTRALIA PTY LTD FOR THE LATEST INFORMATION.

GENERAL INSTRUCTIONS
Acramite® Miticide is a selective miticide for the control of plant-eating mite pests on apples, pears, apricots, nectarines, peaches, plums, almonds, fruiting vegetables including tomatoes, capsicum, peppers and eggplant, cucurbits, papaya and strawberry. When used as directed and applied to the foliage, it provides quick knockdown through contact activity, and good residual control. Due to its unique chemistry, mode of action and selective nature, Acramite is relatively inactive against beneficial/ predaceous mites and insects and therefore is compatible with IPM and resistance management programs.

Crop Monitoring:
Effective control depends upon regular crop monitoring. Check trees regularly (every 3-5 days) during the season.

Mixing Instructions:
Measure the required amount of Acramite, add to partly filled spray tank under agitation, and then add the remainder of the water.
Use a sprayer designed to apply high volumes of spray solution up to the point of run-off and matched to the crop being sprayed. Set up and operate the sprayer to achieve even coverage throughout the crop canopy. Apply sufficient spray solution (Acramite + water) to cover the crop to the point of run-off. Avoid excessive run-off. The required amount of spray solution (Acramite + water) will change as the crop grows. The required water volume may be determined by applying different test volumes, using different settings on the sprayer, from industry guidelines or expert advice.

Acramite has been shown to degrade rapidly when mixed and stored with alkaline water. To prevent degradation under alkaline conditions, solutions of Acramite must be used promptly (within 24 hours).

Alternatively, a commercially available buffering agent can be added to the solution to reduce the pH to a neutral / acidic range.

Application:
This product is non-systemic in action and therefore complete coverage is required for mite control.

Resistance Management:
Pome & stone fruit, almonds, fruiting vegetables including tomatoes, capsicum, peppers and eggplant, cucurbits and papaya: Only one application should be applied per season.
Strawberries: Do not apply more than 2 applications per growing season. Do not re-apply within 21 days of the previous application. A different acaracide should be used between Acramite applications.

INSECTICIDE RESISTANCE WARNING

GROUP	20D	INSECTICIDE

For insecticide resistance management Acramite® Miticide is a Group 20D insecticide.
Some naturally occurring insect biotypes resistant to Acramite Miticide and other Group 20D insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Acramite Miticide or other Group 20D insecticides are used repeatedly. The effectiveness of Acramite Miticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, UPL Australia Pty Ltd accepts no liability for any losses that may result from the failure of Acramite Miticide to control resistant insects.
Acramite Miticide may be subject to specific resistance management strategies. For further information contact your local supplier, UPL Australia Pty Ltd representative or local agricultural department agronomist.

PRECAUTION
Do not apply using spraying equipment carried on the back of the user

Re-entry Period:
Do not enter treated areas until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
Highly toxic to fish and aquatic organisms. DO NOT contaminate streams, rivers or waterways with the chemical or used containers. DO NOT allow spraydrift to contaminate streams, rivers or waterways. Dangerous to bees. DO NOT spray plants in flower while bees are foraging.

STORAGE AND DISPOSAL

Keep out of reach of children. Store in the closed, original container in a dry cool well-ventilated area. Do not store for prolonged periods in direct sunlight.

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple-rinse container for disposal. Dispose of rinsate by adding it to the spray tank. Do not dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be taken separately.

SAFETY DIRECTIONS

Harmful if inhaled. May irritate the eyes. Avoid contact with eyes. Do not inhale spray mist. When opening the container and preparing the product for use and using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and a disposable (mist) face mask covering the mouth and nose. In addition, If applying by low pressure hand wand, wear cotton overalls, over normal clothing, buttoned to the neck and wrist, elbow-length chemical resistant gloves and a disposable (mist) face mask covering mouth and nose. Wash hands after use. After each day's use wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet that can be obtained from the supplier.

CONDITIONS OF SALE

UPL Australia Pty Ltd accepts responsibility for the consistent quality of the product; however since the use and application of the product is beyond control, the company accepts no responsibility whatsoever for any loss, damage or other result following the use of the product whether used in accordance with directions or not; other than those mandatorily imposed by statutes, the liability is limited to the replacement of the goods and is conditional upon a claim made in writing and, where necessary, a sufficient part of the goods being returned for proper examination by the company within thirty days of sale.

Additional statements required by Globally Harmonised System for classification and labelling of chemicals (GHS) and Safe Work Australia:

May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure. Keep out of reach of children. Contaminated work clothing should not be allowed out of the workplace.

APVMA Approval No: 55264/135588

® Acramite is a registered trademark of ARYSTA LIFESCIENCE, INC.