CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Uptake®

SPRAYING OIL

ACTIVE CONSTITUENT: 582 g/L PARAFFINIC OIL
240 g/L ALKOXYLATED ALCOHOL NON-IONIC SURFACTANTS

A spraying oil to improve the spreading and wetting of crop protection products on plant surfaces as specified in the Directions For Use.

Pack Sizes: 5L, 20L, 100L, 1000L

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone: *Australia* 13 11 26.

EMERGENCY RESPONSE (ALL HOURS)
RING FROM ANYWHERE IN AUSTRALIA
1800 370 754
(LOCAL CALL FEE ONLY)

IN A TRANSPORT EMERGENCY ONLY
DIAL 000
FOR POLICE OR FIRE BRIGADE

SAFETY DIRECTIONS

- Will irritate the eyes.
- May irritate the skin.
- Avoid contact with eyes and skin.
- When opening the container and preparing spray wear elbow-length PVC gloves and face-shield or goggles.
- If product in eyes, wash out immediately with water.
- Wash hands after use.
- After each day's use wash gloves, face-shield or goggles.

SAFETY DATA SHEET

Additional information is listed on the Safety Data Sheet for **UPTAKE® SPRAYING OIL** which is available from Corteva Agriscience on request. Call Customer Service Toll Free on 1-800 700 096 or visit www.corteva.com.au

CORTEVA™ agriscience

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

Visit us at Corteva.com.au

DIRECTIONS FOR USE

Important: Prior to use, read all directions on this label and on the label of the product(s) being used. The product(s) label for specific usage and restrictions have precedence over Directions For Use referred to on this label.

Uptake® Spraying Oil is compatible with a wide range of herbicides including: Achieve®[1] WG Herbicide, atrazine, Axial®[1] 100 EC Selective Herbicide, Axial®[1] Xtra Herbicide, Barnstorm® Herbicide, Broadstrike® Herbicide, bromoxynil, bromoxynil/MCPA, Cadence®[1] Herbicide, Cheetah®[1] Gold Herbicide, Decision®[1] Herbicide, Eclipse®[1] 100 SC Herbicide, florasulam, Fusilade®[1] Forte, Garlon® 600 Herbicide, Grazon® Extra Herbicide, Lontrel® Advanced Herbicide, Lontrel® 750 SG Herbicide, mancozeb, MCPA LVE, Mateno®[1] Complete, oxyfluorfen, Paradigm® Arylex active Herbicide, pinoxaden, Pixxaro® Arylex active Herbicide, propyzamide, Precept®[1] Selective Herbicide, Sakura®[1] Flow 480 SC Herbicide, Select®[1] Herbicide, simazine, Status®[1] Herbicide, Starane® Advanced Herbicide, Talinor®[1] herbicide, Targa®[1] Herbicide, Topik®[1] 240 EC Herbicide, Trezac® Arylex active Herbicide, Ubeniq® Rinskor active Herbicide, Velocity®[1] Selective Herbicide, Verdict® 520 Herbicide.

Uptake® Spraying Oil is compatible with the following fungicides: Amistar®[1] Xtra Fungicide, Aviator®[1] Xpro Foliar Fungicide, flutriafol, Opus®[1] 125 Fungicide, Prosaro®[1] 420 SC Foliar Fungicide, propiconazole, prothiconazole, Radial®[1] fungicide, tebuconazole, triadimefon and Telbeck® Arylex active Fungicide.

Uptake® Spraying Oil is compatible with the following insecticides: Success® Neo Jemvelva active Insecticide, Transform® WG Isoclast active Insecticide.

Granular formulations - when mixing with granular formulations, excellent agitation is required. Contact Corteva Agriscience or the manufacturer of the product(s) for more information.

SITUATIONS

Broadacre Cropping including fallow (except sugarcane)

Where specified use 500 mL Uptake® /100 L water, applying a minimum of 250 mL of Uptake® per hectare. For weed control in rice use 1000 mL Uptake® / 100L water, applying a minimum of 500 mL of Uptake® per hectare.

Sugarcane Defoliation

Where specified use 1 L Uptake® /100 L water, applying a minimum of 500 mL of Uptake® per hectare.

Spot and High-Volume Spraying

Where specified use 500 mL Uptake® /100 L water, applying to the point of run-off.

Horticulture

Uptake® is compatible with Verdict® 520 Herbicide for horticultural uses. Use 500 mL Uptake® /100 L water, applying a minimum of 250 mL of Uptake® per hectare.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD

Adhere to the withholding period(s) specified on the label of the companion product(s) used.

MIXING

- These are general mixing instructions. Always follow mixing instructions of each ingredient in tank-mix. Ensure product compatibility. Recommendations on other product labels take precedence over mixing instructions on this label.
- Add water to the spray tank to 10 cm above the level of agitation and ensure the agitation device is working vigorously. (There must be a minimum of 100 L of water in the tank before any pesticide is added.)
- If tank mixing, use the following general order for mix partners. First add water dispersible granules (eg. Broadstrike®), second add flowable formulations (eg. atrazine), third add emulsifiable concentrates (eg. Verdict® 520), fourth add water soluble liquids (e.g. Lontrel® Herbicide) and last Uptake® Spraying Oil.
- Between the addition of each ingredient allow at least one minute to ensure thorough mixing before the next tank-mix partner is added.
- Finally add Uptake® Spraying Oil. Continue filling the tank to the required volume maintaining agitation at all times.
- Only mix sufficient solution for immediate use. Verdict® 520 and any other tank-mixes should be applied immediately for best results.

STORAGE OF SPRAY SOLUTION

- Agitate for 1 hour every 8 hours and agitate for 1 hour before spraying out where spray solution is not applied within 8 hours of mixing.
- Agitate sooner and/or for longer to maintain quality of spray solution, if recommended on partner product labels.

CLEANING SPRAY EQUIPMENT

- The presence of the product(s) makes it essential for the spray equipment to be cleaned between different applications.
- To rinse and decontaminate spray equipment refer to the relevant product labels for instructions.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

- **DO NOT** contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

EXPLOSION WARNING: Apparently "EMPTY" containers may contain liquid and/or vapour residue which can be explosive if exposed to an ignition source at temperatures above 90ºC. Such conditions may occur during cutting or welding. <u>DO NOT</u> cut or weld these containers. Explosion may cause injury or death.

Store in the tightly closed original container in a securely locked, cool, well-ventilated place. DO NOT store for prolonged periods in direct sunlight. DO NOT store near food, feedstuffs, fertiliser or seed.

- **DO NOT** re-use containers.

The method of disposal of the container depends on the container type. Read the 'Storage and disposal' instructions on the label that is attached to the container.

5L and 20L drums

This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple rinse container for disposal. Dispose of rinsate by adding to the spray tank. DO NOT dispose of undiluted chemicals on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management site. The cap should not be replaced but may be taken separately. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. DO NOT burn empty containers or product.

100 L containers

Empty contents fully into application equipment. Close all valves and return to the point of supply for refill or storage.

1,000 L containers

Triple-rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. Close all valves and arrange for collection under the relevant return program.

SMALL SPILL MANAGEMENT

DO NOT touch or walk through spilled material. Wear a face shield or goggles, overalls buttoned to neck and wrist, chemical resistant gloves and footwear. Stop leak when safe to do so. Dam area and prevent entry into waterways, and drains.

Small spills/leaks: Absorb with material such as sand, soil or sawdust. Collect spilled product and place in sealable container for disposal. Spill residues may be cleaned using water and detergent. Contain and absorb wash water for disposal. Absorb and collect washings and place in the same sealable container for disposal. Dam the area of large spills and report them to Corteva Agriscience Emergency Services at 1-800 700 096.

APVMA Approval No.: 41255/137483

D.O.M.
Batch No.

Corteva Agriscience Australia Pty Ltd A.B.N. 24 003 771 659
67 Albert Avenue, Chatswood, NSW 2067
www.corteva.com.au
CUSTOMER SERVICE TOLL FREE **1-800 700 096**

™ ® Trademarks of Corteva Agriscience and its affiliated companies. © 2022 Corteva.
®1 Trademarks of other companies

Barcode
for stock
identification