Product Name: DESIGNER ENHANCED WETTER AND STICKER

APVMA approval No: 58920/140229

RLP APPROVED

Label Name:	DESIGNER ENHANCED WETTER AND STICKER

Signal Headings:	READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Constituent Statements:	385 g/L ORGANOSILICONE SURFACTANT FLUID 255 g/L SYNTHETIC LATEX

Mode of Action:	

Statement of Claims:	For use with low volume application to enhance the spreading and foliage deposition of fungicides, insecticides, plant growth regulators and foliar nutrients

Net Contents:	5L 10L

Restraints:	DO NOT use with products where the label prohibits use of surfactants. Refer to label of the agricultural chemical that is to be mixed with Designer Enhanced Wetter and Sticker.

Directions for Use:	This section contains file attachment.

Other Limitations:	

Withholding Periods:	REFER TO THE LABEL OF THE AGRICULTURAL CHEMICAL THAT IS TO BE MIXED WITH Designer®.

General Instructions:	GENERAL INFORMATION Designer combines the adherence ability of a latex polymer with ‘super’ coverage of organosilicone surfactants. Designer will increase deposition, reduce run-off and secure

	spray from rain or overhead irrigation. Designer will decrease surface tension, resulting in better coverage. Designer promotes rapid spreading for a uniform protective film. Designer is especially suited to situations where coverage is critical and is particularly suited to low volume spraying where water coverage is a limiting factor. Apply sprays containing Designer at least 30 minutes before anticipated rain or overhead irrigation. MIXING 1. Fill spray tank half full with water and begin agitation. 2. Add pesticides/foliar nutrients as directed by label, while maintaining agitation. 3. After pesticides are thoroughly mixed, eliminate any existing foam with approved defoamer. 4. To minimize foam from organosilicone surfactant, fill tank to desired water volume before adding Designer. APPLICATION Adjust rates of Designer and/or the water volumes to obtain thorough coverage. Optimum spreading and wetting from Designer will occur between pH6 and pH8. Spray mixtures above and below these figures should be sprayed immediately or adjust the solution to within the correct range. COMPATIBILITY Designer is compatible with most commonly used fungicides, insecticides, plant growth regulators and foliar nutrients. Designer should not be used with herbicides or products where the label prohibits use of surfactants. DO NOT mix Designer with spray oils as phytotoxicity may occur. Designer will break down rapidly when mixed with highly acidic or highly alkaline chemicals and poor wetting may result. If more than 2-3 kg or litres of pesticide are being added to the spray tank, the rate of Designer will need to be increased to counter antagonism with formulated surfactants in the added pesticides. Consult your local Nufarm representative for up to date information on product compatibility.

Precautions:	CAUTION Designer has demonstrated good crop safety, however, not all plants and spray mixtures have been tested. Treatments that have a potential for phytotoxicity could be aggravated by Designer. Before spraying any previously untried mixtures with Designer, always test the mixture for crop. Before treating large areas, a small area should be tested for crop phytotoxicity. RE-ENTRY STATEMENT Refer to label of the agricultural chemical that is to be mixed with Designer Enhanced Wetter and Sticker.

Protections:	PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT DO NOT contaminate wetlands or watercourses with this product or used containers.

Storage and Disposal:	KEEP OUT OF REACH OF CHILDREN. Store in the closed original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

Safety Directions:	Will irritate the eyes. May irritate the skin. Avoid contact with eyes and skin. When using together with other products, consult their label safety directions. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves and goggles. Wash hands after use. After each day’s use, wash gloves, goggles and contaminated clothing.

First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.

First Aid Warnings:	Refer to label of the agricultural chemical that is to be mixed with Designer Enhanced Wetter and Sticker.

DIRECTIONS FOR USE

SITUATION	CROPS	RATE	SPRAY VOLUME	CRITICAL COMMENTS
Use only with Fungicides, Insecticides, Plant Growth Regulators, Foliar Nutrients	**Vines**		100-300L/ha	NOTE: Unlike many other adjuvants, Designer is applied at a per hectare rate not at a per 100L water rate. As Designer is affected by many product formulations, always refer to product label compatibility section for more information. Use higher rate for lower water volumes and as amount of pesticide in spray mix increases. Increase water volume as canopy density increases. Adjust rates of Designer and/or water volumes to obtain thorough coverage to the point of run-off.
	Foliage	300-700mL/ha		
	Bunches	800-1200mL/ha		
	Vegetables		150-200L/ha	
	Hard to wet e.g. onion	300-1200mL/ha		
	Easy to wet e.g. potatoes	200-800mL/ha		
	Blueberries	400-800mL/ha	200-700L/ha	
	Macadamia	400- 800mL/ha	400-1700L/ha	

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION