61980_48122_1L_label_MPL_V02 2/9/2009 A4 91%, A3 100%

260mm

125mm

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

APPROVED LABEL

AzaMax®

INSECTICIDE

ACTIVE CONSTITUENTS: 11.82 g/L AZADIRACHTIN A and B present as 29.55 g/L *azadirachta indica* extract

GROUP **22A** INSECTICIDE

Infopest ✓ Verified

For the control of two-spotted mites, aphids and whitefly in Floriculture and ornamentals and fungus gnats in potting soil as shown in the Directions for Use.

Mites

Aphids

Whitefly

Fungus Gnats

ORGANIC CROP PROTECTANTS Pty Ltd
42 Halloran Street, Lilyfield NSW 2040
Telephone **(02) 9810 4566** Fax **(02) 9810 4674**

CONTENTS 1L

STORAGE AND DISPOSAL: Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS: Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing product for use, wear elbow length PVC gloves. Wash hands after use. After each day's use wash gloves.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

MSDS: Additional information is listed in the Material Safety Data Sheet.

NOTE:
Because Organic Crop Protectants Pty Ltd has no control over handling, storage or use of AzaMax Insecticide, the company makes no express or implied representations or warranty (other than non-excludable statutory warranties). This product is sold on the condition that the buyer and/or user assumes all risks of the handling, use of AzaMax Insecticide and results obtained from its use.

For further information contact 1800 634 204 8am-5pm Monday to Friday.
® Registered trademark

Manufactured by: EID Parry (India) Limited

ALLOWED INPUT 222A BFA REGISTERED PRODUCT

DIRECTIONS FOR USE

RESTRAINT: DO NOT use on plants that produce food for human or animal consumption.

Crop/ Situation	Pest	Rate	Critical Comments
Floriculture, Ornamentals	Two-spotted Mites Whitefly Aphids	200 mL to 300 mL per 100 L water	Regularly monitor plants for presence of pests. Use a 7 to 10 day spray regime when pests are present. Multiple applications (3-5) may be required. Use the higher rate under higher pest pressure. Spray volume will vary according to the crop and location. Apply in a spray volume of 250 to 500 L/ha, using a hand held wand or knapsack spray. Addition of a botanical oil concentrate adjuvant is recommended. Note plant safety PRECAUTION below.
Potting soil (for floriculture and ornamentals only)	Fungus gnats	30 mL/10 L water	Apply as a soil drench using approximately 1 litre mixture per 8 litres potting soil.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION. WITHHOLDING PERIOD (WHP): NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS: AzaMax is a biologically derived product that is active on the above sucking insect pests on a wide range of ornamental plants. Consistent applications are necessary during pest activity.

PRECAUTION - Plant Safety: Trials on sensitive plants such as ferns, poinsettias and African violets have resulted in crop damage. Minor phytotoxic effects have occurred in other species. Testing in a small area is therefore recommended before spraying to determine sensitive species and varieties.

MIXING: Half fill spray tank and commence agitation. Slowly add required amount of AzaMax. Top up with required quantity of water. Agitate well before commencing spray procedure.

INSECTICIDE RESISTANCE WARNING GROUP 22A INSECTICIDE

For insecticide resistance management AzaMax Insecticide is a Group 22A insecticide. Some naturally occurring insect biotypes resistant to AzaMax Insecticide and other Group 22A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if AzaMax Insecticide or other Group 22A insecticides are used repeatedly. The effectiveness of AzaMax Insecticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Organic Crop Protectants Pty Ltd accepts no liability for any losses that may result from the failure of AzaMax Insecticide to control resistant insects.

AzaMax Insecticide may be subject to specific resistance management strategies. For further information contact your local supplier, Organic Crop Protectants Pty Ltd representative or local agricultural department agronomist.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT: Dangerous to aquatic invertebrates. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

APVMA Approval Number 61980/1L/0809
DOM
EXPIRY
BATCH NO.

Oneworld Design

JOB NUMBER: 1372 DATE: 2.09.2009 VERSION: v6 Job Name : Azamax Changes FILE NAME: 1372_1L_Azamax_1L_v6.ai NOTE: BLACK TEXT SET TO OVERPRINT

Colours: CYAN MAGENTA YELLOW BLACK

Artwork Approval Platemaking and printing not to proceed without customer's signed approval. Copy Size Colours

Client Approval: Date:

This artwork is produced in good faith with every care and consideration. However, no responsibility for errors is accepted after artwork is approved by customer.

46 Norfolk Rd Epping NSW 2121 9876 1444 0401 020 405 info@oneworlddesign.com.au www.oneworlddesign.com.au

COPYRIGHT The artwork contained in this file are solely intended for the use of the named adressee(s). It may contain information that is confidential and legally priviledged. The artwork is also subject to copyright. No part should be reproduced, adapted or transmitted without the written consent of Oneworld Design.

61980_48122_5L_label_MPL_V02 2/9/2009 A4 48%, A3 68%

18.0cm

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

AzaMax®

INSECTICIDE

APVMA APPROVED LABEL

ACTIVE CONSTITUENTS: 11.82 g/L AZADIRACHTIN A and B present as 29.55 g/L *Azadirachta indica* extract

GROUP **22A** INSECTICIDE

For the control of two-spotted mites, aphids and whitefly in Floriculture and ornamentals and fungus gnats in potting soil as shown in the Directions for Use.

Mites

Aphids

Whitefly

Fungus Gnats

CONTENTS 5L

ORGANIC CROP PROTECTANTS Pty Ltd
42 Halloran Street, Lilyfield NSW 2040
Telephone **(02) 9810 4566** Fax **(02) 9810 4674**

APVMA Approval Number 61980/5L/0809
DOM
EXPIRY
BATCH NO.

20.0cm

DIRECTIONS FOR USE

RESTRAINT: DO NOT use on plants that produce food for human or animal consumption.

Crop/ Situation	Pest	Rate	Critical Comments
Floriculture, Ornamentals	Two-spotted Mites Whitefly Aphids	200 mL to 300 mL per 100 L water	Regularly monitor plants for presence of pests. Use a 7 to 10 day spray regime when pests are present. Multiple applications (3-5) may be required. Use the higher rate under higher pest pressure. Spray volume will vary according to the crop and location. Apply in a spray volume of 250 to 500 L/ha, using a hand held wand or knapsack spray. Addition of a botanical oil concentrate adjuvant is recommended. Note plant safety PRECAUTION below.
Potting soil (for floriculture and ornamentals only)	Fungus gnats	30 mL/10 L water	Apply as a soil drench using approximately 1 litre mixture per 8 litres potting soil.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.
WITHHOLDING PERIOD (WHP): NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS: AzaMax is a biologically derived product that is active on the above sucking insect pests on a wide range of ornamental plants. Consistent applications are necessary during pest activity.

PRECAUTION - Plant Safety: Trials on sensitive plants such as ferns, poinsettias and African violets have resulted in crop damage. Minor phytotoxic effects have occurred in other species. Testing in a small area is therefore recommended before spraying to determine sensitive species and varieties.

MIXING: Half fill spray tank and commence agitation. Slowly add required amount of AzaMax. Top up with required quantity of water. Agitate well before commencing spray procedure.

INSECTICIDE RESISTANCE WARNING GROUP **22A** INSECTICIDE

For insecticide resistance management AzaMax Insecticide is a Group 22A insecticide. Some naturally occurring insect biotypes resistant to AzaMax Insecticide and other Group 22A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if AzaMax Insecticide or other Group 22A insecticides are used repeatedly. The effectiveness of AzaMax Insecticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Organic Crop Protectants Pty Ltd accepts no liability for any losses that may result from the failure of AzaMax Insecticide to control resistant insects.

AzaMax Insecticide may be subject to specific resistance management strategies. For further information contact your local supplier, Organic Crop Protectants Pty Ltd representative or local agricultural department agronomist.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT: Dangerous to aquatic invertebrates.
DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL: Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS: Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing product for use, wear elbow length PVC gloves. Wash hands after use. After each day's use wash gloves.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

MSDS: Additional information is listed in the Material Safety Data Sheet.

NOTE: Because Organic Crop Protectants Pty Ltd has no control over handling, storage or use of AzaMax Insecticide, the company makes no express or implied representations or warranty (other than non-excludable statutory warranties). This product is sold on the condition that the buyer and/or user assumes all risks of the handling, use of AzaMax Insecticide and results obtained from its use.

For further information contact 1800 634 204
8am-5pm Monday to Friday. ® Registered trademark

Manufactured by: EID Parry (India) Limited

ALLOWED INPUT 2224J
BFA REGISTERED PRODUCT

19.93cm

Oneworld Design

JOB NUMBER: 1372 DATE: 2.09.2009 VERSION: V10 JOB NAME: Azamax Changes FILE NAME: 1372 - Azamax_5L_v10 NOTE:

Colours: CYAN MAGENTA YELLOW BLACK

Artwork Approval Platemaking and printing not to proceed without customer's signed approval. Copy Size Colours

Client Approval: Date:

This artwork is produced in good faith with every care and consideration.
However, no responsibility for errors is accepted after artwork is approved by customer.

46 Norfolk Rd Epping NSW 2121 9876 1444 0401 020 405 info@oneworlddesign.com.au www.oneworlddesign.com.au

COPYRIGHT The artwork contained in this file are solely intended for the use of the named adressee(s). It may contain information that is confidential and legally priviledged. The artwork is also subject to copyright. No part should be reproduced, adapted or transmitted without the written consent of Oneworld Design.

61980_48122_10L_label_MPL_V02 2/9/2009 A4 48%, A3 68%

18.0cm

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

AzaMax®

INSECTICIDE

ACTIVE CONSTITUENTS: 11.82 g/L AZADIRACHTIN A and B present as 29.55 g/L *Azadirachta indica* extract

GROUP **22A** INSECTICIDE

For the control of two-spotted mites, aphids and whitefly in Floriculture and ornamentals and fungus gnats in potting soil as shown in the Directions for Use.

APPROVED LABEL

Mites

Aphids

Whitefly

Fungus Gnats

CONTENTS 10L

ORGANIC CROP PROTECTANTS Pty Ltd
42 Halloran Street, Lilyfield NSW 2040
Telephone **(02) 9810 4566** Fax **(02) 9810 4674**

APVMA Approval Number 61980/10L/0809
DOM
EXPIRY
BATCH NO.

20.0cm

DIRECTIONS FOR USE

RESTRAINT: DO NOT use on plants that produce food for human or animal consumption.

Crop/ Situation	Pest	Rate	Critical Comments
Floriculture, Ornamentals	Two-spotted Mites Whitefly Aphids	200 mL to 300 mL per 100 L water	Regularly monitor plants for presence of pests. Use a 7 to 10 day spray regime when pests are present. Multiple applications (3-5) may be required. Use the higher rate under higher pest pressure. Spray volume will vary according to the crop and location. Apply in a spray volume of 250 to 500 L/ha, using a hand held wand or knapsack spray. Addition of a botanical oil concentrate adjuvant is recommended. Note plant safety PRECAUTION below.
Potting soil (for floriculture and ornamentals only)	Fungus gnats	30 mL/10 L water	Apply as a soil drench using approximately 1 litre mixture per 8 litres potting soil.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.
WITHHOLDING PERIOD (WHP): NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS: AzaMax is a biologically derived product that is active on the above sucking insect pests on a wide range of ornamental plants. Consistent applications are necessary during pest activity.

PRECAUTION - Plant Safety: Trials on sensitive plants such as ferns, poinsettias and African violets have resulted in crop damage. Minor phytotoxic effects have occurred in other species. Testing in a small area is therefore recommended before spraying to determine sensitive species and varieties.

MIXING: Half fill spray tank and commence agitation. Slowly add required amount of AzaMax. Top up with required quantity of water. Agitate well before commencing spray procedure.

INSECTICIDE RESISTANCE WARNING GROUP **22A** INSECTICIDE

For insecticide resistance management AzaMax Insecticide is a Group 22A insecticide. Some naturally occurring insect biotypes resistant to AzaMax Insecticide and other Group 22A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if AzaMax Insecticide or other Group 22A insecticides are used repeatedly. The effectiveness of AzaMax Insecticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Organic Crop Protectants Pty Ltd accepts no liability for any losses that may result from the failure of AzaMax Insecticide to control resistant insects.

AzaMax Insecticide may be subject to specific resistance management strategies. For further information contact your local supplier, Organic Crop Protectants Pty Ltd representative or local agricultural department agronomist.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT: Dangerous to aquatic invertebrates.
DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL: Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS: Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing product for use, wear elbow length PVC gloves. Wash hands after use. After each day's use wash gloves.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.
MSDS: Additional information is listed in the Material Safety Data Sheet.

NOTE: Because Organic Crop Protectants Pty Ltd has no control over handling, storage or use of AzaMax Insecticide, the company makes no express or implied representations or warranty (other than non-excludable statutory warranties). This product is sold on the condition that the buyer and/or user assumes all risks of the handling, use of AzaMax Insecticide and results obtained from its use.

For further information contact 1800 634 204
8am-5pm Monday to Friday. ® Registered trademark

Manufactured by: EID Parry (India) Limited

ALLOWED INPUT 2224J
BFA REGISTERED PRODUCT

19.93cm

Oneworld Design

JOB NUMBER: 1372 DATE: 2.09.2009 VERSION: V10 JOB NAME: Azamax Changes FILE NAME: 1372 - Azamax_10L_v10 NOTE:

Colours: CYAN MAGENTA YELLOW BLACK

Artwork Approval Platemaking and printing not to proceed without customer's signed approval. Copy Size Colours

Client Approval: Date:

This artwork is produced in good faith with every care and consideration. However, no responsibility for errors is accepted after artwork is approved by customer.

46 Norfolk Rd Epping NSW 2121 9876 1444 0401 020 405 info@oneworlddesign.com.au www.oneworlddesign.com.au

COPYRIGHT The artwork contained in this file are solely intended for the use of the named adressee(s). It may contain information that is confidential and legally priviledged. The artwork is also subject to copyright. No part should be reproduced, adapted or transmitted without the written consent of Oneworld Design.

61980_42022_20L_front panel_MPL_V02 18/10/07 A4 73% A3 100% 170mm x 345mm

17cm

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

AzaMax®

INSECTICIDE

ACTIVE CONSTITUENTS: 11.82 g/L AZADIRACHTIN A and B
present as 29.55 g/L *Azadirachta indica* extract

GROUP 22A INSECTICIDE

For the control of two-spotted mites, aphids and whitefly in Floriculture and ornamentals and fungus gnats in potting soil as shown in the Directions for Use.

Mites

Aphids

Whitefly

Fungus Gnats

ORGANIC CROP PROTECTANTS Pty Ltd
42 Halloran Street, Lilyfield 2040
Telephone **(02) 9810 4566** Fax **(02) 9810 4674**

CONTENTS
20L

APPROVED
LABEL

STORAGE AND DISPOSAL:
Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS:
Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing product for use, wear elbow length PVC gloves. Wash hands after use. After each day's use wash gloves.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.
MSDS: Additional information is listed in the Material Safety Data Sheet.

For further information contact 1800 634 204 8am-5pm Monday to Friday.

® Registered trademark

Manufactured by: EID Parry (India) Limited

ALLOWED INPUT 222AI
BFA REGISTERED PRODUCT

APVMA Approval Number 61980/20L/0807
DOM
EXPIRY
BATCH NO.

34.5cm

61980_42022_20L_back panel_MPL_V01 23/8/07 77% A4 100% A3 170mm x 170mm

DIRECTIONS FOR USE

RESTRAINT: DO NOT use on plants that produce food for human or animal consumption.

Crop/ Situation	Pest	Rate	Critical Comments
Floriculture, Ornamentals	Two-spotted Mites Whitefly Aphids	200 mL to 300 mL per 100 L water	Regularly monitor plants for presence of pests. Use a 7 to 10 day spray regime when pests are present. Multiple applications (3-5) may be required. Use the higher rate under higher pest pressure. Spray volume will vary according to the crop and location. Applyin a spray volume of 250 to 500 L/ha, using a hand held wand or knapsack spray. Addition of a botanical oil concentrate adjuvant is recommended. Note plant safety PRECAUTION below.
Potting soil (for floriculture and ornamentals only)	Fungus gnats	30 mL/10 L water	Apply as a soil drench using approximately 1 litre mixture per 8 litres potting soil.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD (WHP): NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS: AzaMax is a biologically derived product that is active on the above sucking insect pests on a wide range of ornamental plants. Consistent applications are necessary during pest activity.

PRECAUTION - Plant Safety: Trials on sensitive plants such as ferns, poinsettias and African violets have resulted in crop damage. Minor phytotoxic effects have occurred in other species. Testing in a small area is therefore recommended before spraying to determine sensitive species and varieties.

MIXING: Half fill spray tank and commence agitation. Slowly add required amount of AzaMax. Top up with required quantity of water. Agitate well before commencing spray procedure.

GROUP 22A INSECTICIDE

INSECTICIDE RESISTANCE WARNING

For insecticide resistance management AzaMax Insecticide is a Group 22A insecticide. Some naturally occurring insect biotypes resistant to AzaMax Insecticide and other Group 22A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if AzaMax Insecticide or other Group 22A insecticides are used repeatedly. The effectiveness of AzaMax Insecticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Organic Crop Protectants Pty Ltd accepts no liability for any losses that may result from the failure of AzaMax Insecticide to control resistant insects.

AzaMax Insecticide may be subject to specific resistance management strategies. For further information contact your local supplier, Organic Crop Protectants Pty Ltd representative or local agricultural department agronomist.

PROTECTION OF LIVESTOCK: Dangerous to bees. DO NOT spray any plants in flower while bees are foraging.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:
Dangerous to aquatic invertebrates. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

NOTE: Because Organic Crop Protectants Pty Ltd has no control over handling, storage or use of AzaMax Insecticide, the company makes no express or implied representations or warranty (other than non-excludable statutory warranties). This product is sold on the condition that the buyer and/or user assumes all risks of the handling, use of AzaMax Insecticide and results obtained from its use.

APVMA APPROVED LABEL

17cm

17cm

Oneworld Design

JOB NUMBER: 0882 DATE: 23.08.2007 VERSION: V3 JOB NAME: FINISHED ART FOR AZAMAX 20L FILE NAME: 0882 - Azamax_label_20L NOTE:

Colours: CYAN MAGENTA YELLOW BLACK

Artwork Approval Platemaking and printing not to proceed without customer's signed approval. Copy Size Colours

Client Approval: Date:

This artwork is produced in good faith with every care and consideration. However, no responsibility for errors is accepted after artwork is approved by customer.

46 Norfolk Rd Epping NSW 2121 9876 1444 0401 020 405 info@oneworlddesign.com.au www.oneworlddesign.com.au

COPYRIGHT The artwork contained in this file are solely intended for the use of the named adressee(s). It may contain information that is confidential and legally priviledged. The artwork is also subject to copyright. No part should be reproduced, adapted or transmitted without the written consent of Oneworld Design.