CAUTION

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

PROWESS®

FUNGICIDE

ACTIVE CONSTITUENT: 300 g/L phosphorous (phosphonic) acid, present as the mono and di-ammonium phosphite

GROUP	P07	FUNGICIDE

Effective against Phytopthora disease in Avocado as per the Directions for Use Table.

IMPORTANT: READ THIS BOOKLET BEFORE USE.

UPL Australia Pty Ltd
Level 3, 70 Hindmarsh Square,
Adelaide, SA, 5000
Tel: (08) 8112 0900 Fax: (08) 8112 0999

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do NOT store for prolonged periods in direct sunlight.

Triple rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

drumMUSTER eligible containers: This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple-rinse container for disposal. Dispose of rinsate by adding it to the spray tank. Do not dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be taken separately.

Refillable containers: Empty contents fully into application equipment. Close all valves and return to point of supply/designated collection point for refill or storage.

SAFETY DIRECTIONS

Will irritate the eyes. Avoid contact with eyes. Do not inhale spray mist. When opening the container, preparing and using the prepared spray, wear chemical resistant clothing buttoned to the neck and elbow-length chemical resistant gloves and face shield or goggles. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet available from the supplier.

CONDITIONS OF SALE

UPL Australia Pty Ltd accepts responsibility for the consistent quality of the product; however since the use and application of the product is beyond control, the company accepts no responsibility whatsoever for any loss, damage or other result following the use of the product whether used in accordance with directions or not; other than those mandatorily imposed by statutes, the liability is limited to the replacement of the goods and is conditional upon a claim made in writing and, where necessary, a sufficient part of the goods being returned for proper examination by the company within thirty days of sale.

Additional statements required by Globally Harmonised System for classification and labelling of chemicals (GHS) and Safe Work Australia:

Wash hands, face and all exposed skin thoroughly after handling. If medical advice is needed, have product container or label at hand. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

In an Emergency	24 Hour Emergency Response Service
Dial **000**	Australia **1800 033 111**
Police or Fire Brigade	International **+61 3 9663 2130**

BATCH NO

DOM

UPL

APVMA APPROVAL NO. 93201/138257

® Registered trademark of UPL Australia Pty Ltd 05/24/T

Restraints:
DO NOT apply Prowess Fungicide at volumes which cause excessive run off.
DO NOT apply by aircraft.
DO NOT apply if heavy rains or storms are forecast within 3 days.
DO NOT irrigate to the point of runoff for at least 3 days after application.

SPRAY DRIFT RESTRAINTS
Specific definitions for terms used in this section of the label can be found at apvma.gov.au/spraydrift.
DO NOT allow bystanders to come into contact with the spray cloud.
DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. The buffer zones in the relevant buffer zone table below provide guidance but may not be sufficient in all situations. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.
DO NOT apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.
DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings 1 to 2 hours before sunset and persist until 1 to 2 hours after sunrise.

DO NOT apply by a vertical sprayer unless the following requirements are met:
- Spray is not directed above the target canopy.
- The outside of the sprayer is turned off when turning at the end of rows and when spraying the outer row on each side of the application site.
- Minimum distances between the application site and downwind sensitive areas (see 'Mandatory buffer zones' section of the following table titled 'Buffer zones for vertical sprayers') are observed.

Buffer zones for vertical sprayer

Application rate	**Mandatory downwind buffer zones**
	Natural aquatic areas
Up to maximum label rate	15 metres

DIRECTIONS FOR USE

Crop	Disease	Rate	Critical comments
Avocado	Phytophthora Root Rot (*Phytophthora cinnamomi*)	1240-1650 mL/100L	Apply as a foliar spray. Apply after leaf flushes have hardened, until 6 weeks prior to flowering. Check the pH of the tank mix and buffer to a pH of 7.2 • Prowess Fungicide must be applied repeatedly to achieve and maintain industry recommended levels of phosphorous acid in the root system to ensure optimum protection against Phytophthora Root Rot. • DO NOT apply more than 5 applications per year with a minimum re- treatment interval of 21 days between applications. • Apply as a foliar spray by knapsack or air-blast sprayer. • Only spray trees with a good leaf canopy. • DO NOT add wetters or stickers or other pesticides to the solution. • Commence applications of Prowess Fungicide when Spring or Summer leaf flushes have hardened in Autumn or late Spring, but whilst root flushing is continuing during this period. • Ensure applications are completed 6 weeks prior to flowering. • Apply spray to the point of run-off, ensuring all leaves and branches are covered. • Apply spray volume of 2,000-3,000 L/ha for mature trees (depending on tree size). • Allow 10 days to elapse after a phosphorous acid spray before applying copper fungicides. DO NOT spray with phosphorous acid if residues of copper hydroxide are present; otherwise severe leaf defoliation may result.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS:
Avocado: NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS

For effective disease control, a good leaf coverage must be achieved before a widespread disease outbreak occurs.

MIXING

Half fill spray vat and with agitation system running, add the required amount of product.

APPLICATION

Prowess Fungicide is applied as a high volume spray to achieve full cover.
Avoid application when the plants are under stress as a result of drought, heat or waterlogging as it may result in inefficient control and phytotoxic effects.

SYSTEMIC TRANSLOCATION

Prowess Fungicide is systemic and is translocated downwards (basipetal) from leaves to lower stems and tubers.
The product also has acropetal mobility (translocation towards growing points).

COMPATIBILITY

Prowess Fungicide may be physically compatible with a wide range of products, however the biological compatibility of these mixtures may not have been fully tested under all environmental and biological conditions.

Mixtures of Prowess Fungicide with other products in some circumstances may be ineffective or may cause serious damage. The use of mixtures is not recommended and would therefore be entirely at the user's risk.

For further information, please contact UPL Australia Pty Ltd.

FUNGICIDE RESISTANCE WARNING

GROUP	P07	FUNGICIDE

For fungicide resistance management, Prowess Fungicide is a Group P07 fungicide.
Some naturally occurring individual fungi resistant to Prowess Fungicide and other Group P07 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by Prowess Fungicide, and other Group P07 fungicides, thus resulting in a reduction in efficacy and possible yield loss.
Since the occurrence of resistant fungi is difficult to detect prior to use, UPL Australia Pty Ltd accepts no liability for any losses that may result from the failure of Prowess Fungicide to control resistant fungi.

PRECAUTIONS

CROP SAFETY

Phytotoxicity to leaves can occur at applications of double the upper label rate. To minimize leaf phytotoxicity potential, label rates must be followed. It is also important to avoid double spraying crops at the end of rows.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or watercourses with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do NOT store for prolonged periods in direct sunlight.

Plastic containers:

Triple rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

drumMUSTER eligible containers:

This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple-rinse container for disposal. Dispose of rinsate by adding it to the spray tank. Do not dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be taken separately.

Refillable containers:

Empty contents fully into application equipment. Close all valves and return to point of supply/designated collection point for refill or storage.

SAFETY DIRECTIONS

Will irritate the eyes. Avoid contact with eyes. Do not inhale spray mist. When opening the container, preparing and using the prepared spray, wear chemical resistant clothing buttoned to the neck and elbow-length chemical resistant gloves and face shield or goggles. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone Australia 13 11 26. New Zealand 0800 764 766.

APVMA APPROVAL NO. 93201/138257

Additional statements required by Globally Harmonised System for classification and labelling of chemicals (GHS) and Safe Work Australia:
Wash hands, face and all exposed skin thoroughly after handling. If medical advice is needed, have product container or label at hand. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.