FEASIBILITY RESEARCH, REDBELLY DAO COMMUNITY TASK BOARD, TASK-29

Could Redbelly connect to Quant's Overledger?

An evidence-first look at the technical fit, the work involved, the institutional value and the compliance risks of linking Redbelly Network to Overledger.

> **Research, not news.** No partnership or talks between Redbelly and Quant have been announced, and nothing in this study implies any. It relies on public sources only and contains no price talk or investment advice.

RESEARCH CUT-OFF
25 October 2026

VERSION
1.1

SOURCES
48 links, 154 phrases checked

LIVE CHECKS
22, run 25 October 2026

● CONFIRMED ● ANALYSIS ● UNKNOWN

Contents

01 Before you read

02 The verdict in sixty seconds

03 Where this question comes from

04 How Overledger works

05 Redbelly's profile

06 Field tests without an account

07 Tests with an Overledger account

08 Door by door: can Redbelly get in today?

09 The build list

10 What institutions would gain

11 Compliance across chains

12 Hard stops and open questions

13 What would change the answer

14 How this study was done

15 Glossary

16 Source list

01 Before you read

This document studies one question from public evidence: is a link between Redbelly Network and Quant's Overledger technically feasible, what would building it involve, and what would institutions on Redbelly gain or risk.

> NOTICE
>
> **Read this as research, not news.** No partnership or talks between Redbelly and Quant have been announced, and this document does not imply any S48. Redbelly has published no official stance on bridging either S48. Wherever no public source answers a point, we mark it as unknown instead of guessing.

Each finding carries one of three labels:

- **Confirmed** means a public source says it, and the citation chip beside the sentence links to that source. Results of the tests we ran ourselves also count as confirmed; they are labelled "live check" and link to raw output that anyone can regenerate.
- **Analysis** is our own reasoning from confirmed facts. Nobody at Redbelly, Quant or Tokeniser has said it.
- **Unknown** marks a gap that no public source fills.

Evidence was gathered up to 25 October 2026. Quant says Overledger keeps adding networks and points readers to its API for the current set S07, so some details here will date quickly. What would change the answer lists the things worth watching. There is no price talk and no investment advice here.

02 The verdict in sixty seconds

● CONFIRMED

- Overledger has two doors for blockchains. Any account can plug in an open network from one of six supported families, EVM among them, with a single API request. Consortium, permissioned and operator-gated networks are onboarded in a project with Quant's team [S07].
- Redbelly runs the EVM at version Prague with Solidity v0.8.30 [S23]. It has a Mainnet (chain 151) and a Testnet (chain 153), each with a public RPC address [S21].
- Reading Redbelly is open to all, but writing needs an identity. Before switching on write access, each user has to collect an access credential issued by an accredited issuer [S25]. When we signed a transaction with a brand new key, both networks rejected it with "Sender not authorised to write transactions" [S49].
- None of the Overledger documentation we read mentions Redbelly [S05] [S06] [S07] [S11], and Fusion Rollup did not include it among its first connected chains [S11]. Using an Overledger account, we pulled the live network list on 25 October 2026: it held 59 networks and Redbelly was not one of them by name, RPC host or chain ID [S50].

● ANALYSIS

Today there is no Redbelly connection on Overledger. The smallest possible link would be an Overledger account pointing at a Redbelly RPC endpoint, so Overledger can read the chain and relay transactions that verified Redbelly users have already signed. On paper that looks achievable: Redbelly is EVM [S23], Ankr already runs a Redbelly endpoint and sits on Overledger's list of approved providers [S07] [S21], and accounts may add EVM networks Overledger has never seen [S07]. Nobody has tested it. The deciding factor belongs to Quant: whether a chain with open reads and gated writes, which Overledger's own glossary calls "public permissioned" [S06], may use the self-service door.

Everything beyond that minimal link, including signing keys held by Quant, Overledger workflows and moving value through Fusion Rollup, cannot happen unless Quant adds Redbelly support. Separately, Redbelly's compliance rules stay on Redbelly. An asset copied to another chain leaves them behind unless the link is deliberately built to carry them.

The connection ladder

"Connected" can mean very different things, so we split it into four rungs. Each rung needs more work and a different set of people.

RUNG	WHAT A USER WOULD NOTICE	CAN IT HAPPEN TODAY?	WHO HOLDS THE KEY TO IT
1. Observe	Overledger shows Redbelly balances, blocks and contract state	Plausible, not tested	Any Overledger account, provided the node passes Overledger's health check S07 S49
2. Relay	Overledger forwards a Redbelly transaction that a verified user signed	Plausible, not tested	As rung 1, and every signer must already have Redbelly write access S25 S49
3. Automate	Flow Apps, Quant custody keys and event trackers work on Redbelly	Not available	Quant, plus Redbelly-verified signing addresses S09 S12
4. Transfer value	Tokens or messages cross between Redbelly and other chains via Overledger	Not available	Quant, through a Fusion Rollup or bridge project S11
Listing	Redbelly shows up in Overledger's network list	Absent	Read with an account: 59 networks, no Redbelly S50
Bank reach	Institutions on TCH's network can reach Redbelly assets	Unknown	TCH and its member banks; no ledgers or public chain links announced S01 S03
Rules travel	Receptor and Tokeniser checks still apply once an asset leaves Redbelly	Only by design	Whoever designs the link (see Compliance across chains)




Figure 1. The connection ladder: four rungs, and who can unlock each one.

03 Where this question comes from

● CONFIRMED

The Clearing House (TCH) announced on 24 September 2026 that it had chosen Quant to power its On-Chain Money Initiative, which it describes as "a new interoperable payments network that will enable financial institutions of all sizes to clear and settle tokenized deposit transactions" [S01]. Quant's technology "will enable the network's interoperability, orchestration, and transaction-management layer", and the network will connect to existing rails such as RTP and CHIPS [S01] [S02]. TCH expects participating institutions to have access in the first half of 2027 [S01].

TCH had first presented the initiative on 5 June 2026, as a project led by banks and operated by TCH [S04]. According to Quant, the choice followed a competitive process. Quant adds that US institutions clearing through TCH without tokenised deposits of their own will be able to use its Tokenised Deposits-as-a-Service offering [S03].

● ANALYSIS

The link to Redbelly is indirect. A large US bank network has picked Quant to sit between its members and their ledgers. Should Quant end up as common bank plumbing, chains its software already speaks to would sit closer to those banks. The community question grows out of that thought.

Two gaps in the announcement deserve attention. The press texts speak of "Quant's technology" without naming a product [S01] [S02] [S03]. We study Overledger because the task names it and because its public documentation is the part of Quant's stack that explains how chains are attached [S05]. And the announcement says nothing about Redbelly, or about public blockchains in general.

● UNKNOWN

None of the four announcements names the ledgers underneath the bank network or mentions links to public blockchains [S01] [S02] [S03] [S04].

04 How Overledger works

A useful picture is an airport hub. Passengers check in once at the hub, and the hub routes each of them to the right airline. Overledger plays the hub for applications, and blockchains are the airlines.

● CONFIRMED

Quant describes Overledger as a multi-DLT platform with "one set of credentials, one API surface, one execution environment that connects to many DLT networks" [S05]. Its main parts are:

- **The Gateway**, the single entry point. It checks who is calling, sends each request to the right place and hosts higher-level workflows [S06].
- **Connectors**, one per blockchain family, which "abstract individual DLT RPC protocols behind a common interface" [S06]. Each one draws on a pool of nodes run by Quant and nodes added by customers [S06].
- **Flow Apps**, typed multi-step sessions for jobs such as signing, deploying a contract, a compliance check or a payment [S05]. Flow Apps that touch a chain mostly use a Prepare, Sign, Execute sequence [S12]. Outside parties may host Flow Apps and register them [S05] [S12], although Quant states that every app it currently ships is internal [S12].
- **The Signer**. Customers either sign with their own keys or let Quant keep the keys, in a hot wallet on testnet or under contract in a KMS or HSM on mainnet. Private keys never pass through the Gateway [S09].
- **The Overledger Firewall**, which works at two levels: off-chain it decides which users may reach which networks, and on-chain its Fusion Firewall component decides which addresses may call contracts, send messages between chains or bridge particular tokens [S10].
- **Fusion Rollup**, an OP Stack based rollup that settles to several base chains at the same time and offers one EVM environment over all of them [S11].
- **Quant Connect**, the web portal for opening an account and creating API keys [S08].

The API can also watch a contract event on a given network and post the result to a callback URL [S14], and Flow Apps send signed webhooks [S12].




Figure 2. How Overledger is put together, from its public documentation. Redbelly is not a listed network.

The three doors into Overledger

● CONFIRMED

The Connectors chapter sets out two onboarding paths, and Fusion Rollup forms a third, separate route S07 S11.

Door 1, self-service. The supported families are EVM, Solana, Cosmos, SUI, Hedera and Aptos, and the door is meant for open networks without membership rules S07. Quant names three tests a family must pass: "(a) its nodes expose RPC or REST over HTTPS, (b) the RPC requires no security factor beyond an API key, and (c) node identity does not matter to other tenants" S07. An account may attach a node to a network Overledger already knows, or bring a network it does not know yet, if the family qualifies. In Quant's words, "The first POST /nodes call registers both the network and your node for it. This new network will then be available for Overledger users" S07.

Each node is either shared or kept to the account. A shared (public) node joins the common pool, must be hosted by an approved provider and must embed that provider's API key in its URL; ankr.com is one of the approved domains S07 S13. A private node may sit on any domain and serves only the account that added it S07. All nodes go through a health check when they are added S07.

Door 2, engagement. Quant reserves this for networks "where node identity matters, typically permissioned DLTs used by regulated consortia and operator-gated public chains" S07. Quant lists Fabric, Corda, Canton, permissioned Besu and Quorum among them, and adds that a network offering RPC over HTTPS "and authenticates with a bearer

or API-key factor, Quant can normally onboard it" S07. A completely new family needs a "DLT checker (health validation + chain identifer lookup)", which Quant puts at around two days of work plus about a day per app that must handle it S07.

Some rules hold for every path. Administrative methods such as `personal_*`, `admin_*` and `txpool_*` are blocked at the Gateway on EVM S07. Every network is public, permissioned (open to users the owner grants) or private S07. To choose a node, the Gateway favours the caller's private nodes and then weighs latency, error rates and QNT staked on each node S07. The current network list is served by `GET /networks` S07.

Door 3, Fusion Rollup. The rollup keeps its own list of base chains. At testnet launch these were Ethereum Sepolia, Polygon Amoy and Quant's own permissioned Besu testnet S11. Each base chain carries "Standard OP Stack contracts, one deployment per chain" S11.




Figure 3. The three documented ways a chain reaches Overledger, and how Redbelly fits each one.

● UNKNOWN

The pages we read describe which chains Fusion was launched with, but give no self-service procedure for adding another base chain S11.

05 Redbelly's profile

CONFIRMED

- **Positioning.** Redbelly's documentation calls it "a layer 1 blockchain, built and optimised for real world asset tokenisation" [S15].
- **Execution.** Redbelly "can execute smart contracts written for the EVM", and its portal pins EVM version Prague and Solidity v0.8.30 [S23].
- **Access points.** Mainnet uses chain ID 151 and the RPC host `governors.mainnet.redbelly.network`; Testnet uses chain ID 153 [S21]. The portal also names two third-party Mainnet endpoints: Ankr at `rpc.ankr.com/redbelly_mainnet`, and Uniblock, which expects an API key in a header [S21].
- **Consensus.** DBFT has no leader, withstands faults while t < n/3, settles transactions deterministically "in a matter of seconds", and Redbelly states that the chain "cannot fork" [S22].
- **Fees.** Each unit of gas costs a fixed US dollar amount, converted at execution time by an on-chain oracle [S24].
- **Identity.** Every participant must prove who they are before getting access [S25]. A user shows a passport, verified by biometrics, to an accredited issuer and then turns on write access "through a specific network smart contract" [S26]. The accredited issuers sit in an on-chain registry [S27]. Redbelly's access app names Averer as the issuer; one verified person can link several accounts, and Testnet access is offered once verification is done [S30]. A community builder reports that Mainnet and Testnet approvals are granted separately [S46].
- **Organisations.** A business proves incorporation to an accredited issuer [S29], after at least one officeholder has onboarded as an individual [S27].
- **Consensus nodes.** Running one requires two accounts with network access and acceptance into the operator programme, which is not taking applications at the moment [S31].

Bridges Redbelly already uses

CONFIRMED

- **LayerZero.** LayerZero V2 lists a Redbelly Mainnet deployment [S38], and Redbelly's portal lists tokens that move over LayerZero via Stargate, among them RBNT, USD₮0, AUDF and WETH [S33].
- **Lucid Labs**, built on Polymer and LayerZero [S34], is the tool Redbelly's portal recommends for bringing RBNT back to Redbelly from elsewhere [S32].

- **Celer cBridge** uses a pegged model between Ethereum, BNB Chain and Redbelly [S36]. Celer's post shows USDT, USDC, WBTC and ETH flowing into Redbelly and RBNT flowing out [S36]. According to Redbelly's portal, Celer moves RBNT one way only: it "bridges out from Redbelly to Ethereum and BNB Chain, not back" [S35].
- **Wrapped RBNT on Ethereum.** Redbelly published `0xb45ffb51984d626ee758b336c61cf20990c6bf13` as the official Wrapped RBNT contract on Ethereum [S37], and its portal lists that address in the Lucid Labs table [S34]. Celer's Ethereum token for wrapped RBNT is a separate contract, `0x063a1D5BFEAb213c9c12f47b704fccf81D60983e` [S35].
- **DAO work.** The selected TASK-08 entry built a testnet bridge that locks ETH on Sepolia and mints on Redbelly Testnet, secured by two of three relayers [S44], with a working demo [S45]. The selected TASK-16 entry is a recovery guide for RBNT stuck between chains [S47].

● ANALYSIS

Two observations shape the rest of this study.

The first is technical familiarity. Redbelly speaks EVM, the family with the widest self-service support on Overledger, and several unrelated bridge providers already run on it. That proves outside infrastructure can work with Redbelly's EVM. It proves nothing about Overledger in particular.

The second is Redbelly's access model. Anyone can read the chain, but only verified identities can write. Overledger's documentation divides networks into open ones that use self-service and gated ones that go through engagement [S07]. Redbelly falls between the two, and Overledger's glossary happens to name its exact model, "public permissioned", defined as "anyone can read but only allowlisted parties can write" [S06]. How Quant files Redbelly is the first question any attempt would hit.

One more detail stands out. Ethereum already hosts at least two different wrapped RBNT tokens issued by different bridges [S34] [S35]. Fusion's "Unify" feature was designed to "merge multiple chain-specific representations of the same underlying asset into a single rollup balance" [S11]. In principle that fits Redbelly's situation, but adding tokens to Fusion needs sign-off from Quant's governance [S10].

06 Field tests without an account

Documentation can drift from reality, so we tested whatever could be tested without credentials. Every call only reads, except one transaction that is meant to fail. The code is in `scripts/probe.mjs`, the raw output in `evidence/live-checks.json`, and `npm run probe` repeats the whole run.

● CONFIRMED BY LIVE CHECK

WHAT WE SENT, 25 OCTOBER 2026	WHAT CAME BACK	WHY IT IS RELEVANT
`eth_chainId` to Redbelly Mainnet, Testnet and the Ankr endpoint	151, 153 and 151 S49	Plain EVM JSON-RPC over HTTPS works on all three, which is self-service test (a).
A call to Ankr without any API key	Normal answer S49	Ankr is an approved provider S07 that serves Redbelly Mainnet S21. A shared node also needs a key in its URL; we did not test a keyed URL.
`net_version` to Mainnet	Rejected as unavailable, code -32601 S49	Quant's docs keep this method "for wallets and tools that predate eth_chainId" S11. They do not reveal what the EVM health check calls.
`eth_syncing`, `eth_gasPrice`, `eth_feeHistory`, `eth_maxPriorityFeePerGas`	All returned values S49	Ordinary status and fee queries behave normally.
Block tag `finalized`	Equal to the newest block S49	Fits deterministic finality S22.
Block tag `safe`	3,663 blocks older than `finalized` S49	Odd. Anything waiting on `safe` sees stale data. No documentation explains it.
A zero-value transaction signed by a fresh, unverified key	Rejected on both networks: "Sender not authorised to write transactions" S49	The identity gate is enforced at the RPC, as a community builder also reported S46.
Gas estimate for that same key	Returned an estimate S49	A workflow could get through "prepare" and only fail at "execute".
Code at Permit2's usual address	None S49	Overledger's x402 payment gates depend on Permit2 on EVM S12.
Code at the Multicall3 and CREATE2 deployer addresses	Present S49	Tools that expect these helpers at their usual addresses will find them.

WHAT WE SENT, 25 OCTOBER 2026	WHAT CAME BACK	WHY IT IS RELEVANT
Overledger `GET /health`	HTTP 200, no login needed S49	The gateway named in the docs is up.
Overledger `GET /networks` and `/networks/fusion`	HTTP 401 without login S49	The list is closed to the public; we read it with an account in the next section.

07 Tests with an Overledger account

Some questions can only be answered by someone holding the right access. We split them into three stages inside one script, `npm run probe:account`.

● CONFIRMED

- **The network list sits behind a login.** It comes from `GET /networks` S07, which returns HTTP 401 to anonymous callers S49. Accounts and API keys are issued through Quant Connect S08.
- **Adding a node may publish a network.** When a network is new to Overledger, "the first POST /nodes call registers both the network and your node for it" and the network "will then be available for Overledger users" S07. The API reference for `POST /nodes` covers the node URL, network, name and family, and sets out the rules for shared nodes S13; the choice between shared and private is described for the Quant Connect form S07.
- **A real Redbelly transaction needs a verified signer**, meaning a passport and biometric check with the accredited issuer Averer before write access is switched on S26 S30.

● ANALYSIS

Because of the second point, we chose not to register Redbelly as a shared network: other Overledger users would see the entry, and it could be taken for a listing. The script respects that line. Stage 1 only reads. Stage 2 works on Redbelly Testnet, prefers a node set to private in Quant Connect, and removes the node when finished. Stage 3 sends a single zero-value transfer from the operator's own verified Testnet address. No API key or private key is ever written to disk.

● CONFIRMED BY LIVE CHECK

Run on 25 October 2026 through `https://fusion-rollup.quant.dev`, covering stage 1 (read-only). 4 of 4 graded checks behaved as expected S50.

STAGE	CHECK	RESULT	WHAT IT SHOWS
1	API key authenticates	● As expected	The key is valid. The user id itself is not stored. S50
1	Live network list: 59 networks visible to this account	● As expected	The live list that the documentation points to. Visibility rules mean another account may see a different list. S50
1	Redbelly does not appear in the live network list	● Observed	Redbelly is not a listed network for this account on this date. S50

STAGE	CHECK	RESULT	WHAT IT SHOWS
1	Fusion Rollup connected networks	● As expected	Shows which base chains the rollup is connected to today. S50
1	Nodes registered by this account	● As expected	Baseline before any node test. S50

● CONFIRMED

- **Size and mix.** The account could see 59 networks: 54 EVM, plus one each of Solana, SUI, Aptos, Hedera and Canton S50. Five of the six self-service families from the documentation are represented; there was no Cosmos network S07 S50.
- **Almost all test networks.** Other than Quant's permissioned Canton network, every entry is a test network, for example Ethereum Sepolia, Base Sepolia and Avalanche Fuji, and the gateway the documentation names is itself a testnet environment S50.
- **Redbelly absent.** A search of every field in every entry for "redbelly", "rbnt", Redbelly's RPC host and chain IDs 151, 152 and 153 returned nothing S50.
- **Fusion today.** The rollup reports three connected networks: Quant Private Network (chain 7695), Ethereum Sepolia and Amoy S50, three base chains as in the documentation S11.
- **Live field names.** Entries use `displayName` and `dltType`, while the documented model calls these fields `name` and `type` S07 S50.

● ANALYSIS

The EVM networks Overledger already serves on testnet are a varied group, from rollups like zkSync, Scroll and Linea to standalone chains like Avalanche, Sei and Monad S50. That variety makes it more likely, though not certain, that an EVM chain with Redbelly's quirks would pass the checker. The list covers testnet only and tells us nothing about Overledger's mainnet. A stage 2 run would settle the health check question; we held back because registering a new network on the shared gateway can create an entry that others see S07.

08 Door by door: can Redbelly get in today?

Below, each Overledger route is held up against Redbelly's documentation and our test results.

Door 1: the self-service tests

OVERLEDGER'S CONDITION S07	EVIDENCE FROM REDBELLY	OUR CALL
(a) HTTPS RPC	Mainnet and Testnet publish HTTPS endpoints S21 that answered our calls S49	● Satisfied
(b) Nothing beyond an API key at the RPC	Reads need no key on the governor or Ankr endpoints S49; the write gate checks the signer of a transaction, not the connection S25 S49	● Satisfied at the RPC; signers gated
(c) Nodes interchangeable for tenants	Every endpoint returns the same chain state, since the gate is on the signer S25 S49	● Looks satisfied; Quant decides
Network is open and permissionless	Reads open, writes gated, a model Overledger itself calls "public permissioned" S06, while its engagement path names "operator-gated public chains" S07	○ Quant decides

● ANALYSIS

Measured against the written tests alone, Redbelly appears to qualify. The sticking point is labelling. Self-service is presented as the path for open, permissionless networks S07, and Redbelly's write gate is the sort of feature that could steer Quant toward the engagement path instead. Only Quant can make that call; the Redbelly community cannot.

Door 1: attaching a node

● CONFIRMED

- Self-service accepts networks Overledger has not listed yet, as long as the family is supported, and EVM is S07.
- A shared node must be hosted on an approved domain with an API key in its path; ankr.com qualifies S07 S13, and Redbelly's portal publishes an Ankr Mainnet endpoint S21.
- A private node may live on any HTTPS domain and serves only the account that added it S07.

● ANALYSIS

Two ways in appear possible on paper.

- **Private node.** An account adds Redbelly's own RPC address as a private node, visible to that account alone. This is the easiest option and would give that account rung 1 (observe), and rung 2 (relay) for transactions already signed by a verified Redbelly user.
- **Shared node.** An account adds a keyed Ankr address for Redbelly as a shared node. If Overledger accepted it, the same call would create the Redbelly network entry for every Overledger user S07.

In both cases the write gate stays with Redbelly. Overledger would only deliver the transaction; Redbelly would still decide whether the signer may write.

● UNKNOWN

- Whether Overledger's EVM health check accepts Redbelly. Quant describes it only as "health validation + chain identifer lookup" S07, and Redbelly has no `net_version` and a lagging `safe` tag S49. Either detail might matter, or neither.
- Whether a keyed Ankr URL for Redbelly exists in the format Overledger requires. The keyless endpoint works S49; the keyed one was not tested.
- Whether Quant would allow a write-gated network to be created through self-service in the first place.

Door 2: an engagement with Quant

● CONFIRMED

Quant uses engagements for gated, consortium and permissioned networks, and expects to onboard most networks that expose HTTPS RPC protected by a bearer token or API key S07.

● ANALYSIS

Redbelly's public RPC meets the transport side of that description S21 S49. Engagement is how Redbelly would become a fully supported network, with Quant-operated nodes, firewall rules and support from Quant. There is a practical snag: Overledger node pools include nodes Quant runs itself S06, yet becoming a Redbelly consensus node requires selection into the operator programme and network access, and the programme is closed to applications S31. Quant would more likely rely on third-party RPC providers, or on a non-consensus node if Redbelly offers one, which we could not establish. An engagement only happens if Quant chooses it, and no public source shows that any such work exists or is planned.

Door 3: Fusion Rollup

CONFIRMED

Fusion launched on testnet with Ethereum Sepolia, Polygon Amoy and Quant's own permissioned Besu testnet S11. Each base chain hosts the standard OP Stack bridge and dispute contracts S11, and Fusion Firewall rules are mirrored onto every base chain S06. Users sign their own deposits and withdrawals S11.

ANALYSIS

For Redbelly to become a Fusion base chain, the OP Stack contracts would have to be deployed on Redbelly and Redbelly would have to be wired into deposits, messages and withdrawals. The deployer and every depositing or withdrawing address would need write access on Redbelly S25. Fusion counts a deposit as final once the base chain block containing it has finalized S11. Redbelly's `finalized` tag returns the newest block, which suits that model, but its `safe` tag lags S49, so the way Fusion's software reads Redbelly's block tags would need testing. This is a Quant-led project in which Redbelly participants would take part, not a switch the community can flip.

UNKNOWN

We found nothing public on what it takes, costs or how long it lasts to make a chain a Fusion base chain.

Where that leaves Redbelly

ANALYSIS

No connection exists today. Rungs 1 and 2 look achievable on paper through self-service, most simply with a private node. Nobody has tried it, and two things could stop it: Overledger's health check and Quant's classification of a write-gated network. Rungs 3 and 4, meaning Quant custody, Flow Apps and Fusion Rollup, stay out of reach unless Quant decides to support Redbelly.

09 The build list

Here is the work in the order an engineering team would face it, described for non-engineers. The owners listed are our reading of the roles in the documentation, not anyone's actual plan.

TASK	WHY IT IS NEEDED	LIKELY OWNER	BLOCKING QUESTION
1. Choose a door	Private self-service node, shared self-service node, engagement or Fusion each have different reach S07 S11	Whoever holds the Overledger account; Quant for engagement or Fusion	Will Quant accept a write-gated chain on self-service
2. Point at a node	Overledger needs a Redbelly RPC address; a shared listing needs an approved provider and a keyed URL S07	The account holder, with a provider such as Ankr S21	Does a keyed Ankr URL work
3. Clear the health check	Overledger validates the node and the chain identity before accepting it S07	Quant's software	Does the checker depend on `net_version` or the `safe` tag S49
4. Verify the signers	Each address that signs on Redbelly needs an access credential S25; companies go through business verification S29	The institution, an accredited issuer, and Quant for Quant-held keys S09	In whose name would a Quant-held key be verified
5. Prove it on Testnet	Exercise reads, signed writes, refusals of unverified signers, fees and event trackers on chain 153 S21 S14	Quant engineers, with Redbelly developers testing alongside	Requires an Overledger account and verified test signers
6. Decide what moves	Either keep assets on Redbelly and send instructions, or mirror them onto other chains S11	Issuers, and Quant if Fusion is used	The compliance design described below
7. Line up the rules	Match Overledger's allowlists S10 to Receptor eligibility S28, including what happens when eligibility ends	Issuers, Quant and Redbelly	Legal and product choices
8. Settle the terms	Commercial, legal and support agreements between the operators	Whoever runs the link	Not public

● ANALYSIS

Tasks 1 to 5 are enough for rungs 1 and 2. Since Redbelly is already EVM, it should not need the new-family work Quant estimates at roughly two days plus a day per app S07, unless gaps such as the missing `net_version` force a Redbelly-specific checker.

Task 4 is unique to Redbelly. Every signing address on Redbelly is an identity decision as much as a technical one: an unverified key is turned away no matter what it signs S25 S49. Overledger API keys identify the caller but cannot sign anything, and each transaction still

needs the caller's own key S08, so the identity question follows the signing key wherever it is kept.

Tasks 6 and 7 carry the heaviest load, because they determine whether a Redbelly asset keeps its safeguards once another chain is involved.

Small gaps an engineer would check first

ANALYSIS

None of these would stop a project on its own, but each needs an answer.

- **No** `net_version` S49. Quant keeps it for older wallets and tools S11; any checker or Flow App that calls it would have to switch to `eth_chainId`.
- **A lagging** `safe` **tag** S49. Software waiting on `safe` would treat Redbelly as slower than it really is.
- **No Permit2** at its standard address S49. Paid Flow App actions rely on Permit2 for x402 on EVM S12, so a verified account would have to deploy it first. The CREATE2 deployer that normally places it is already there S49.
- **Gas estimates do not check identity** S49. A workflow should confirm write access before preparing a transaction rather than discovering the problem at submission.
- **Dollar-pegged fees** through an on-chain oracle S24. Fee logic built around a market auction would need retesting.

10 What institutions would gain

ANALYSIS

Gains for institutions already on Overledger

- **Fewer integrations.** Redbelly would be reached with the same login and API they use for other networks S05, not a separate integration project.
- **Linked workflows.** Flow Apps and event trackers S12 S14 could make an action on another network depend on an event on Redbelly, for instance releasing a payment once a tokenised fund unit has been transferred. Quant would first have to support Redbelly in those tools.
- **Custody flexibility.** Keys can stay in-house or sit with Quant in a KMS or HSM S09, matching different custody policies, provided each signing address has Redbelly write access S25.

Gains for institutions already on Redbelly

- **A possible path to bank networks built on Quant**, should those networks ever open to outside chains. Today nobody knows whether they will S01 S03.
- **Their current advantages remain.** Verified counterparties S25, deterministic finality S22 and dollar-denominated fees S24 are why an issuer might pick Redbelly in the first place, and a link would leave them untouched.
- **A ready interface.** Tokeniser already exposes an API and MCP for connecting to existing systems S39, the kind of surface an Overledger workflow or an AI agent could use.

Limits and costs

- **Compliance stays behind.** Overledger's Firewall governs who may act inside Overledger S10; Redbelly's controls decide ownership and transfer rights on Redbelly itself S28 S39. They are separate and currently unconnected.
- **No ticket to TCH's network.** Membership and ledger choices there belong to TCH S01 S04.
- **Another dependency.** Institutions would add an outside provider to their stack, on terms nobody has published for this case.

11 Compliance across chains

This part looks at how Redbelly's compliance tools operate now, and at the points where they could stop protecting an asset, or a claim on it, after it leaves Redbelly.

● CONFIRMED

- **Receptor credentials** follow the W3C verifiable credential model and come with Issuer, Holder and Verifier modules [S16]. Issuers that grant network access must be accredited [S16].
- **Issuer identifiers name the network.** Averer's identifiers include it, for example `did:receptor:redbelly:mainnet:...` on Mainnet [S19].
- **Proof by Query** has a verifier smart contract check a zero-knowledge proof, so the verifier never sees or keeps personal data [S17]. The Eligibility SDK builds on Privado ID and the Iden3 zero-knowledge tools [S19].
- **Selective Disclosure** is built on BBS+ signatures, and Redbelly says this method "can only be used off-chain" [S18].
- **What queries can do today.** On-chain checks handle one query at a time, with multiple queries per check listed as coming later. Supported credentials include AML/CTF and Australian sophisticated or wholesale investor status. Verifiers are told to leave revocation checks on in production [S20].
- **Gated contract functions.** Developers can limit smart contract functions to users who prove they meet set criteria, and they choose which issuers they trust [S28].
- **Tokeniser** operates on Redbelly and "programs eligibility into every asset at the protocol level: identity, KYC, AML, CTF, wholesale and sophisticated investor tests, and TMD". It verifies every holder and checks every transfer [S39]. Its rules are "enforced at the point of transfer, every time" [S40]; failing trades are stopped and each check is logged [S41]. In secondary transfers "ownership and payment are exchanged in a single step" [S42], and units pledged as collateral stay locked until the loan is repaid [S43].
- **On Overledger's side**, the Fusion Firewall works on addresses: Overledger keeps a record off-chain of which addresses belong to which user [S10] and copies the firewall rules to every base chain [S06].




Figure 4. Where Redbelly's compliance checks run, and where they could break once an asset leaves.

● ANALYSIS

Every one of those protections lives **on Redbelly**. A contract verifies the Receptor proof and Tokeniser applies the asset's rules when it moves S17 S40. A different chain or a rollup cannot see those checks and applies whatever rules it has. A link must therefore either recreate equivalent checks on the far side or keep the asset at home where the checks already run.

SITUATION	PROTECTION ON REDBELLY TODAY	AFTER THE ASSET LEAVES	RISK
Who owns it	Each holder is verified S39	The far chain sets the rules	A plain wrapped token can end up with anyone
Passing it on	Each transfer is checked S40	Trades of the wrapped copy happen where Redbelly cannot see them	Resale bypasses eligibility
Proving eligibility	A verifier contract checks the zero-knowledge proof S17	Contracts elsewhere only learn the result if someone relays it	A relayed status is wrong or out of date
Losing eligibility	Revocation is enforced when checks stay on S20	Every copy of the status elsewhere must change too	Someone no longer eligible keeps an allowlist entry
Sharing personal data	Selective Disclosure happens off-chain only S18	No on-chain proof exists to move	A contract cannot repeat a disclosure-based check

SITUATION	PROTECTION ON REDBELLY TODAY	AFTER THE ASSET LEAVES	RISK
Control of the key	Each account maps to one verified person S25 S30	The asset may sit with a custodian, in an omnibus wallet or behind a Quant key S09	The identity behind an address becomes unclear
Settlement	Asset and payment move in one step S42	Payment may settle on another network	One side settles and the other does not
Collateral	Pledged units stay locked until repayment S43	A copy on another chain might be pledged again	The same asset backs two loans
Bridge plumbing	Not needed	Locking, minting, custody and relayers enter the picture	"Lock-and-mint mismatches, custodian compromise, oracle failure" S11
Several versions	One native asset	Each bridge issues its own wrapped token S34 S35	Rules enforced on one version but not another
The trip home	Moving anything on Redbelly needs write access S25, and Tokeniser assets only go to eligible holders S39	The receiving address must be verified to move the asset, and eligible for a Tokeniser asset	Assets arrive somewhere they cannot leave, a problem the DAO recovery guide already covers for RBNT S47

Patterns that keep the rules intact

● ANALYSIS

Five patterns follow from the evidence. We offer them for discussion only; we are not recommending any of them to anyone and know of none under consideration.

- **A. Instructions travel, the asset stays.** Overledger runs the workflow, but the asset itself stays put on Redbelly, where Tokeniser and Receptor keep checking each transfer S39 S17. The payment side could settle on another network. This carries the least compliance risk but needs care so that either both sides complete or neither does.
- **B. Eligibility as a workflow step.** Quant cites a "compliance check" as an example of a Flow App step S05 and accepts Flow Apps hosted by outside parties S12. A workflow could call a Receptor eligibility check before it acts, leaving the check where it was designed to run. Someone would still have to build and operate that app.
- **C. A mirrored allowlist.** The asset is represented elsewhere, and its contract only allows transfers between addresses on a list that copies Redbelly eligibility. Such a list could live in Overledger's address controls S10, provided something reliable updates it the moment a holder stops qualifying.

- **D. Prove it again over there.** The holder repeats the eligibility proof on the destination chain using the same credential. Receptor's tools build on Iden3 and Privado ID [S19], yet its documentation only describes verification on Redbelly.
- **E. One balance through Fusion.** Fusion can merge versions of the same asset from different chains into one rollup balance [S11], and its firewall controls which tokens may be deposited [S10]. On its own this would not enforce Tokeniser's investor rules.

● UNKNOWN

- Whether Receptor verifier contracts, or trust in Redbelly's accredited issuers, could be used on another chain.
- What Tokeniser would do if one of its assets were mirrored elsewhere. Everything it publishes describes checks on Redbelly [S39] [S40].
- Whether Receptor eligibility could feed Overledger's allowlists automatically. Overledger describes lists kept by Overledger and by contract deployers [S10], not by external credential systems.

12 Hard stops and open questions

● CONFIRMED

Hard stops as of the cut-off date:

- Redbelly cannot be used as an Overledger network today. The Overledger documentation we read never mentions it S05 S06 S07 S11, and the live list we read with an account does not contain it S50.
- Redbelly cannot be attached to Fusion Rollup. It is not a connected network and no self-service route is documented S11.
- No route, Overledger included, lets an unverified address write to Redbelly S25 S49.
- Overledger's Permit2-based payment gates cannot run on Redbelly until Permit2 is deployed there S12 S49.

● UNKNOWN

Open questions:

- Which door Quant would assign to Redbelly, self-service or engagement S06 S07.
- Whether Overledger's EVM health check would accept a Redbelly node S07 S49.
- Whether Overledger's mainnet environment, or another account, would see a different network list S07 S50.
- Whether Quant-held keys could gain Redbelly write access, and in whose name S09 S25.
- Whether the bank network TCH is building will ever reach a public blockchain S01.
- Whether Receptor verification can work on other chains.
- What an engagement would cost, how long it would take and on what commercial terms.
- What Redbelly's official view on bridging is; none has been published S48.

13 What would change the answer

ANALYSIS

Any of the following public events would turn an unknown into a confirmed fact. They are indicators to watch, not forecasts:

- Redbelly showing up in Overledger's documentation or its `GET /networks` list S07.
- A published Overledger test against Redbelly Testnet, chain ID 153 S21.
- An official Redbelly statement on bridging S48.
- TCH naming the ledgers behind the On-Chain Money network S01.
- Receptor documentation that covers verification on chains other than Redbelly S16 S17.
- Quant documenting how a new base chain joins Fusion Rollup S11.

14 How this study was done

- **Evidence base.** Quant's Overledger guides and endpoint reference; announcements from TCH and Quant; Redbelly's technical docs, the Vine developer portal and the access app; Tokeniser's site; documentation from Celer and LayerZero; Redbelly's Wrapped RBNT announcement; and DAO community deliverables. The source list shows what each source supports.
- **Claim checking.** For each source we stored the exact wording our claims rely on, 154 phrases in all. `npm run verify:sources` loads each link again and searches the page for every stored phrase. On 25 October 2026 all 48 external links opened and every phrase was found.
- **Text checking.** `npm run lint` makes sure every confirmed statement carries a citation, every citation resolves, and the text contains no partnership wording, no price talk, no personal credit, no dashes and no emoji.
- **Tests without credentials.** `npm run probe` repeats the 22 checks from Field tests without an account. It needs no credentials and cannot move funds.
- **Tests that need access.** `npm run probe:account` reads Overledger's network list, can relay calls to a Redbelly Testnet node, and can complete a Redbelly transaction. Stage 1, the read-only list check, was run with an Overledger account on 25 October 2026; see Tests with an Overledger account. Stages 2 and 3 were not run, so anything said about Overledger's behaviour with a Redbelly node remains analysis.
- **Vendor claims.** Statements by Quant, Redbelly, Tokeniser and bridge operators are reported as their own; anything beyond them is labelled analysis.
- **No position taken.** This study does not argue for or against a link, and it contains no price discussion or investment advice.

15 Glossary

TERM	IN THIS REPORT IT MEANS
Overledger	Quant's multi-DLT platform, giving applications one API across many ledgers S05
Gateway	The entry point of Overledger that authenticates and routes every request S06
Connector	The component that speaks a given blockchain family's own protocol S06
Self-service	Attaching a node, or a new network, through `POST /nodes` without Quant's team S07
Engagement	A project with Quant's team to bring a gated or new network on board S07
Flow App	A typed, multi-step workflow driven through the Gateway S12
Fusion Rollup	Quant's OP Stack rollup that settles to several base chains together S11
EVM	The Ethereum Virtual Machine, the contract runtime Redbelly implements S23
RPC endpoint	The URL that programs call to query a blockchain node or submit transactions to it
Public permissioned	Overledger's label for networks with open reads and allowlisted writes S06
Receptor	Redbelly's identity and credential protocol S16
Verifiable credential	A digitally signed claim about someone, kept by that person S16
Accredited issuer	An issuer Redbelly authorises to grant network access S27
Zero-knowledge proof	Cryptographic evidence that a condition holds, such as being eligible, that hides the underlying data S17
Lock-and-mint	Locking an asset on its home chain while an equivalent token is created on another S44
Tokenised deposit	A commercial bank deposit recorded on a ledger, the focus of TCH's initiative S01
KMS or HSM	Managed key services or dedicated hardware that safeguard signing keys S09
TMD	Target market determination, among the rules Tokeniser applies when an asset is transferred S40

16 Source list

Each citation in the text links to the source below. Every external link and the quoted phrases it supports were checked on 25 October 2026.

The Clearing House and Quant announcements

S01 The Clearing House Partners with Quant to Advance the On-Chain Money Initiative. The Clearing House, 2026-09-24.
https://www.theclearinghouse.org/payment-systems/Articles/2026/09/The-Clearing-House-Partners-with-Quant-to-Advance-the--On-Chain-Money-Initiative
Supports: TCH selected Quant to power the On-Chain Money Initiative; Quant's technology provides the interoperability, orchestration and transaction-management layer with connectivity to RTP and CHIPS; expected in the first half of 2027.

S02 The Clearing House Partners with Quant to Advance the On-Chain Money Initiative (Quant press release). Quant, 2026-09-24.
https://quant.network/press-releases/the-clearing-house-partners-with-quant-to-advance-the-on-chain-money-initiative/
Supports: Quant's own release of the same announcement, with the same description of its role and timing.

S03 Quant powers The Clearing House's On-Chain Money Initiative in the US. Quant, 2026-09-24.
https://quant.network/news/quant-powers-the-clearing-houses-on-chain-money-initiative-in-the-us/
Supports: Selection followed a competitive process; Quant will also offer Tokenised Deposits-as-a-Service to US institutions that process through TCH but lack tokenised deposit capability.

S04 Major Financial Institutions Unveil Bank-Led On-Chain Money Initiative. The Clearing House, 2026-06-05.
https://www.theclearinghouse.org/payment-systems/Articles/2026/06/Major-Financial-Institutions-Unveil-Bank-Led-On-Chain-Money-Initiative
Supports: The initiative was unveiled in June 2026 by a group of banks; it is operated by TCH and includes a connectivity layer to fiat rails.

Quant Overledger documentation and API reference

S05 Start Here (Overledger documentation). Quant, accessed 2026-10-25.
https://docs.overledger.dev/docs/start-here
Supports: Overledger is Quant's multi-DLT platform with one set of credentials and one API surface; Flow Applications include steps such as a compliance check; customers and partners can host their own Flow Apps.

S06 Overview (Overledger documentation). Quant, accessed 2026-10-25.
https://docs.overledger.dev/docs/overview
Supports: Overledger's three foundations (Gateway, Connectors, Fusion Rollup); network categories; glossary definition of a public permissioned network; Fusion Firewall policies mirrored on each connected L1.

S07 Connectors (Overledger documentation). Quant, accessed 2026-10-25.
https://docs.overledger.dev/docs/connectors
Supports: Self-serve versus managed engagement; six self-serve families; the three self-serve eligibility tests; POST /nodes adds a new network in a supported family; public and private nodes; approved provider domains; engagement for operator-gated chains; new-family effort; node selection; blocked admin methods; network visibility model; live list from GET /networks.

S08 Authentication (Overledger documentation). Quant, accessed 2026-10-25.
https://docs.overledger.dev/docs/authentication
Supports: Accounts are created in Quant Connect; API keys authenticate RPC; a leaked API key cannot move funds because transactions still need the caller's own signature.

S09 Signing (Overledger documentation). Quant, accessed 2026-10-25.
https://docs.overledger.dev/docs/signing
Supports: Two custody options (client-held keys or Quant-held keys in a testnet hot wallet or contracted mainnet KMS/HSM); the Gateway never sees private keys; EVM uses ECDSA on secp256k1; raw signed transactions can be submitted through the Connectors RPC.

S10 Overledger Firewall (Overledger documentation). Quant, accessed 2026-10-25.
https://docs.overledger.dev/docs/overledger-firewall
Supports: Two firewall layers; the off-chain layer gates network access per user; the on-chain Fusion Firewall allowlists addresses; token allowlist entries need governance sign-off.

S11 Fusion Rollup (Overledger documentation). Quant, accessed 2026-10-25.
https://docs.overledger.dev/docs/fusion-rollup
Supports: Fusion is an OP Stack based multi-ledger rollup; its connected networks at testnet launch; bridge contracts deployed on each connected network; four primitives; known bridge risks; firewall locked down on mainnet; deposits final once the connected chain's block has finalized; net_version kept for older wallets and tools.

S12 Flow Apps (Overledger documentation). Quant, accessed 2026-10-25.
https://docs.overledger.dev/docs/flow-apps
Supports: Prepare-Sign-Execute pattern; external Flow Apps hosted by partners; x402 payment gates via Permit2 on EVM; signed webhooks.

S13 Register a new DLT node (Overledger API reference). Quant, accessed 2026-10-25.
https://docs.overledger.dev/reference/post_nodes
Supports: POST /nodes takes a node URL and a DLT family (EVM among them); public node URLs must come from an approved provider domain with an API key in the path.

S14 Subscribe to a specific contract event signature (Overledger API reference). Quant, accessed 2026-10-25.
https://docs.overledger.dev/reference/subscribeevent
Supports: Overledger's API can subscribe to a contract event on a given network and call back a URL.

Redbelly Network documentation

S15 Redbelly Network Technical Documentation (home). Redbelly Network, accessed 2026-10-25.
https://docs.redbelly.network/
Supports: Redbelly is a layer 1 blockchain built for real world asset tokenisation, with a DBFT consensus and an EVM implementation.

S16 Receptor (Redbelly documentation). Redbelly Network, accessed 2026-10-25.
https://docs.redbelly.network/pages/receptor/
Supports: Receptor is Redbelly's identity and verifiable credential protocol, built on the W3C data model, with Issuer, Holder and Verifier modules; issuers that provide network access are accredited.

S17 Proof by Query (Redbelly documentation). Redbelly Network, accessed 2026-10-25.
https://docs.redbelly.network/pages/methods/proof-by-query/
Supports: Proof by Query uses a zero-knowledge verifier smart contract; personal data is never seen or stored by the verifier.

S18 Selective Disclosure (Redbelly documentation). Redbelly Network, accessed 2026-10-25.
https://docs.redbelly.network/pages/methods/selective-disclosure/
Supports: Selective Disclosure uses BBS+ signatures and can only be used off-chain.

S19 Eligibility SDK overview (Redbelly documentation). Redbelly Network, accessed 2026-10-25.
https://docs.redbelly.network/pages/eligibility-sdk/eligibility-sdk/
Supports: The Eligibility SDK uses Privado ID and Iden3 zero-knowledge proofs; Averer's issuer DIDs are network specific.

S20 Configure Eligibility Criteria (Redbelly documentation). Redbelly Network, accessed 2026-10-25.
https://docs.redbelly.network/pages/eligibility-sdk/configure-eligibility-criteria/
Supports: Supported query types (on-chain single query only; multi query planned); credential types including AML/CTF and Australian sophisticated or wholesale investor; revocation checks should stay on.

S21 Redbelly Network environments (Vine developer portal). Redbelly Network, accessed 2026-10-25.
https://vine.redbelly.network/environments/
Supports: Mainnet chain ID 151 and Testnet chain ID 153 with public RPC URLs; Ankr and Uniblock listed as third-party public RPC providers for Mainnet.

S22 DBFT and super block: security, finality and scalability (Vine). Redbelly Network, accessed 2026-10-25.
https://vine.redbelly.network/consensus/
Supports: DBFT is leaderless, tolerates fewer than a third faulty nodes, gives deterministic finality in seconds and cannot fork.

S23 EVM compatibility (Vine). Redbelly Network, accessed 2026-10-25.
https://vine.redbelly.network/consensus/evm-compatibility/
Supports: Redbelly is EVM compatible; EVM version Prague; Solidity v0.8.30.

S24 Network fees (Vine). Redbelly Network, accessed 2026-10-25.
https://vine.redbelly.network/network-fees/
Supports: Gas is priced in fixed US dollar terms using an on-chain oracle; a simple native transaction costs US$0.01 in gas.

S25 Identity and participation on the network (Vine). Redbelly Network, accessed 2026-10-25.
https://vine.redbelly.network/identity/
Supports: All participants must prove who they are before gaining access; users claim an access credential from an accredited issuer before self-enabling write access; business verification exists.

S26 User access (Vine). Redbelly Network, accessed 2026-10-25.
https://vine.redbelly.network/identity/user-access/
Supports: Write access is enabled through a specific network smart contract after a passport and biometric check with an accredited issuer.

S27 Accredited issuers (Vine). Redbelly Network, accessed 2026-10-25.
https://vine.redbelly.network/identity/accredited-issuers/
Supports: Accredited issuers onboard users and businesses and are listed in an on-chain registry; business onboarding needs an onboarded officeholder.

S28 Eligibility on Redbelly (Vine). Redbelly Network, accessed 2026-10-25.
https://vine.redbelly.network/identity/eligibility/
Supports: Eligibility checks can restrict smart contract functions to users who prove they meet criteria; developers choose which issuers they trust.

S29 Business verification (Vine). Redbelly Network, accessed 2026-10-25.
https://vine.redbelly.network/business-verification/
Supports: Businesses prove they are incorporated to an accredited issuer.

S30 Redbelly Access (official access dApp). Redbelly Network, accessed 2026-10-25.
https://access.redbelly.network/
Supports: Averer is the accredited issuer that verifies identity; more accounts can be connected to one identity; Testnet access is offered after verification.

S31 Becoming a node operator (Vine). Redbelly Network, accessed 2026-10-25.
https://vine.redbelly.network/nodes/become-operator/
Supports: Node operators need network access and selection; submissions are currently closed.

S32 Redbelly Network native currency (Vine). Redbelly Network, accessed 2026-10-25.
https://vine.redbelly.network/native-currency/
Supports: RBNT routes listed: Base via LayerZero, Ethereum via Polymer; Lucid Labs Bridge to bring RBNT back to Redbelly.

Tokeniser

S39 Tokeniser (home and FAQ). Tokeniser Pty Ltd, accessed 2026-10-25.
https://tokeniser.com/
Supports: Tokeniser runs on Redbelly with identity and eligibility built into the protocol; eligibility is programmed into every asset and every transfer is checked; Tokeniser offers an API and MCP.

S40 Tokeniser technology. Tokeniser Pty Ltd, accessed 2026-10-25.
https://tokeniser.com/technology
Supports: Eligibility, identity and TMD enforced at the point of transfer; Averer provides identity and wallet; Tokeniser's statement on connecting to other networks.

S41 Tokeniser: Automated compliance. Tokeniser Pty Ltd, accessed 2026-10-25.
https://tokeniser.com/product/superpowers/automated-compliance
Supports: Trades that fail an eligibility check do not proceed, and every check is logged.

S42 Tokeniser: Secondary transfer. Tokeniser Pty Ltd, accessed 2026-10-25.
https://tokeniser.com/product/superpowers/secondary-transfer
Supports: Ownership and payment are exchanged in a single step between eligible investors.

S43 Tokeniser: Collateral mobility. Tokeniser Pty Ltd, accessed 2026-10-25.
https://tokeniser.com/product/superpowers/collateral-mobility
Supports: Units pledged as collateral remain locked until the loan is repaid; the issuer approves lenders.

Existing bridges and wrapped RBNT

S33 LayerZero bridged tokens (Vine). Redbelly Network, accessed 2026-10-25.
https://vine.redbelly.network/bridged-tokens/layerzero/
Supports: Tokens on Redbelly that can be bridged via LayerZero using Stargate, including RBNT, USDT0, AUDF and WETH.

S34 Lucid Labs bridged tokens (Vine). Redbelly Network, accessed 2026-10-25.
https://vine.redbelly.network/bridged-tokens/lucidlabs/
Supports: Lucid Labs is powered by Polymer and LayerZero; it lists WRBNT on Ethereum at 0xb45f...bF13.

S35 Celer cBridge bridged tokens (Vine). Redbelly Network, accessed 2026-10-25.
https://vine.redbelly.network/bridged-tokens/celer/
Supports: Through Celer, RBNT bridges out from Redbelly to Ethereum and BNB Chain, not back; Celer's wRBNT on Ethereum is a different contract.

S36 Celer Announces cBridge Support for Redbelly. Celer Network, 2025-08-01.
https://blog.celer.network/2025/08/01/celer-announces-cbridge-support-for-redbelly/
Supports: cBridge connects Ethereum, BNB Chain and Redbelly with a pegged bridge; the listed directions put USDT, USDC, WBTC and ETH into Redbelly and RBNT out of it.

S37 Redbelly Network on X: Wrapped RBNT live on Ethereum Mainnet. Redbelly Network, 2025-02-14.
https://x.com/RedbellyNetwork/status/1890340030197166112
Supports: Redbelly announced Wrapped RBNT on Ethereum with official contract 0xb45ffb51984d626ee758b336c61cf20990c6bf13, powered by Router Protocol's Nitro.

S38 Deployed Endpoints, Message Libraries, and Executors (LayerZero V2). LayerZero, accessed 2026-10-25.
https://docs.layerzero.network/v2/deployments/deployed-contracts
Supports: Redbelly Mainnet (chain ID 151) is listed among LayerZero V2 deployments.

Redbelly DAO community work

S44 TASK-08 Existing Bridge Integration Guide (winning entry archive). Redbelly DAO Community Task Board, accessed 2026-10-25.
https://github.com/Redbelly-DAO-Community-Taskboard/TASK-08-bridge-integration-guide
Supports: A working lock-and-mint testnet bridge from Ethereum Sepolia to Redbelly Testnet secured by a 2-of-3 relayer set.

S45 Redbridge testnet demo (TASK-08). Redbelly DAO community, accessed 2026-10-25.
https://redbridge.test-hub.xyz/
Supports: Live testnet demo: lock ETH on Sepolia and receive WETH.rb on Redbelly Testnet.

S46 redbelly-testnet-bridge: article (TASK-08 community entry). Redbelly DAO community, accessed 2026-10-25.
https://github.com/tycayomide/redbelly-testnet-bridge/blob/main/ARTICLE.md
Supports: Unverified wallets cannot send any Testnet transaction; Mainnet and Testnet approvals are separate; LayerZero is live on Mainnet but not Testnet.

S47 TASK-16 Unstick Your RBNT: Cross-Chain Recovery Playbook (winning entry archive). Redbelly DAO Community Task Board, accessed 2026-10-25.
https://github.com/Redbelly-DAO-Community-Taskboard/TASK-16-cross-chain-recovery-playbook
Supports: Archived DAO playbook for recovering stuck cross-chain RBNT (the deliverable PDF in the repository covers Polymer transfers to Ethereum that must be claimed by hand).

S48 TASK-29 brief: Quant Overledger and Redbelly Interoperability Research. Redbelly DAO Community Task Board, accessed 2026-10-25.
https://taskboard.redbellydao.network/tasks/TASK-29
Supports: Redbelly and Quant have no announced partnership or talks; Redbelly has not published an official position on bridging.

Live checks run for this report

S49 Live checks against Redbelly RPC and the Overledger gateway (this report). This report, scripts/probe.mjs, 2026-10-25.
Included with this report as evidence/live-checks.json. Reproduce with `npm run probe`. Endpoints queried: governors.mainnet.redbelly.network, governors.testnet.redbelly.network, rpc.ankr.com/redbelly_mainnet, fusion-rollup.quant.dev.
Supports: Results of 22 reproducible checks: chain IDs, supported methods, block tags, refusal of an unverified write, presence of common contracts, and Overledger endpoints that need an account.

S50 Account-level checks through an Overledger account (this report). This report, scripts/overledger-account-probe.mjs, 2026-10-25.
Included with this report as evidence/overledger-account-checks.json. Reproduce with `npm run probe`. Endpoints queried: governors.mainnet.redbelly.network, governors.testnet.redbelly.network, rpc.ankr.com/redbelly_mainnet, fusion-rollup.quant.dev.
Supports: Results of 5 checks made with an Overledger API key, stages 1: the live network list, and where run, a Redbelly Testnet node used through Overledger.