Scoring-revision validation sheet — FINAL (scorer v2.1), all 35 changed records

Adopted revision: last 'Answer:' line; standalone A-F letters; option-text fallback (unique match) when no letter present. Human validation completed 2026-08-29: 32 flips approved from the v2 draft sheet; the three option-text E-recoveries (cut000_015, cut058_017, cut064_023) validated individually — cut064_023 was the author-flagged case that motivated the fallback rule. Sweep file: zero changes.

rs0823_c004_cut015_005 C → NONE (closed=False)

v2.1 reads line: `Answer: Cannot be determined.`

`Perhaps to distinguish between a machine that just says "Error" (E) and a machine that understands context (C). | * Or perhaps to trick the human who knows the riddle into picking (C) thinking it's the "safe" answer, while the "strict" answer is (E) or (F). | * However, usually, strict logic prevails. | * But wait.`

rs0823_c004_cut015_012 C → NONE (closed=False)

v2.1 reads line: `Answer: Cannot be determined uniquely.`

`* If prices are in cents (integers): | * $b + B = 110$ | * $B > b$ | * $B = 110 - b$ | * $110 - b > b \implies 110 > 2b \implies 55 > b$. | * $b$ can be any integer from 1 to 54. | * Still not unique. | * So even with integer constraint, it's not well posed. | | * *What if "Bat" and "Ball" refer`

rs0823_c004_cut015_015 NONE → E (closed=False)

v2.1 reads line: `Answer: (E).`

`a ball $0.05? A ball for 5 cents? Unlikely in modern times, but possible in riddle math. | But we can't use "realism" as a constraint. | | So, back to math. | Underdetermined. | Best description: Not well posed / Not enough info. | (E) vs (C). | (E) is cleaner. | | Let's check if there is a trick with "A bat`

rs0823_c004_cut015_019 C → NONE (closed=False)

v2.1 reads line: `Answer: Not enough information.`

`If I select this, I am saying: | 1. The text is insufficient. (True) | 2. It is probable that the intended answer is 0.05. (True, given the context of the famous riddle). | | If I select (E), I am saying: | 1. The question is not well posed. (True) | | (C) provides more value. | | However, I must be careful`

rs0823_c004_cut015_022 B → NONE (closed=False)

v2.1 reads line: `answer: Ball = 0.05 (1.05 + 0.05 = 1.10).`

`info AND acknowledges the riddle context. | * Option (E) points out the missing info structurally. | * Which is "Best"? | * If I am an AI, acknowledging the likely typo (riddle context) while strictly stating the logic is often the most robust response. | * However, (E) is a very clean logical statement. | *`

rs0823_c004_cut015_023 C → A,C (closed=False)

v2.1 reads line: `Answer: C? Or A (assuming typo)?`

`check if there's any interpretation where the ball *must* be 0.05. | No. | | Let's check if there is an interpretation where (F) is correct. | If the answer is "Any value < 0.55", and that is not an option. | (C) says "Not enough info". | So (C) is correct. | | Final check: Is (C`

rs0823_c004_cut029_000 D,E → NONE (closed=False)

v2.1 reads line: `Answer: Indeterminate.`

`d. | Therefore, (E) is safer. | | *Wait*, let's look at the prompt again. | "A bat and a ball cost $1.10 in total. The bat costs more than the ball. How much does the ball cost?" | If this is from a specific source (e.g., a known benchmark dataset like BigBench or similar), I might recall the expected answer. | This`

rs0823_c004_cut029_002 D,E → NONE (closed=False)

v2.1 reads line: `Answer: X'".`
angle.* | "The bat costs more than the ball." | Maybe "more" is a specific value? | No. | | *Let's reconsider the "Typo Theory" vs "Trick Theory".* | If it's a typo, the user *wants* 0.05. | If I give (E), the user is frustrated. "I just made a typo, why are you being pedantic?" | If I give (C), the user is happy. "

rs0823_c004_cut029_004 C → NONE (closed=False)

v2.1 reads line: `Answer: Cannot be determined.`
option in the original source of this question? | I don't have access to the source, but it looks like a custom generated question. | | Let's try to find a reason why (A) could be right. | Maybe "costs more" is a specific phrase? No. | Maybe $1.10 is a typo for $1.00? | If Total = 1.00, Bat > Ball. Ball = 0.00? No. |

rs0823_c004_cut029_013 D,E → NONE (closed=False)

v2.1 reads line: `answer: Indeterminate.`
Cannot be determined". | Since that's not an option, I would look for "Not well posed" or "None of the above". | "Not well posed" is a bit academic. | "None of the above" is standard. | | *Let's check the "Bat and Ball" problem history.* | The problem is famous for the answer 5 cents. | The text provided is a *mal

rs0823_c004_cut044_001 B → NONE (closed=False)

v2.1 reads line: `Answer: Ball = 0.05.`
* If (E) is the intended answer, it functions as the "catch-all" for broken questions. | | * *Let's try to find a reason why (A) might be correct.* | * Maybe "The bat costs more than the ball" is interpreted as "The bat costs [the amount that is] more than the ball [costs]"? No. | * Maybe "more" = 1? No. | *

rs0823_c004_cut044_007 C → NONE (closed=False)

v2.1 reads line: `Answer: X".`
rmation" (in C) and "Not well posed" (in E). | The extra clause in C makes it a compound statement. | If I have to choose the *single best* option, and one is purely logical (E) and one is logical + speculative (C), the pure logic one is usually "best" for a machine, but the speculative one is "best" for a human interaction.

rs0823_c004_cut044_009 D,E → NONE (closed=False)

v2.1 reads line: `Answer: You can't solve it.`
olutions: Ball = 0.01 (Bat 1.09), Ball = 0.05 (Bat 1.05), Ball = 0.10 (Bat 1.00), etc. | All satisfy Bat > Ball. | So Ball is not uniquely 0.05. | So (A) is wrong. | So the answer must reflect this non-uniqueness. | Options reflecting non-uniqueness/missing info: (C), (E), (F). | (C) and (E) are the main contenders. |

rs0823_c004_cut044_020 C → NONE (closed=False)

v2.1 reads line: `Answer: $0.05.`
l posed" is accepted as the correct choice in logic quizzes when the question is broken. | | **Let's try to search for the exact options.** | I can't browse the live web, but I can recall patterns. | Questions with options like "It is probably X", "There is not enough information..." are often from tests

rs0823_c004_cut044_023 D,E → NONE (closed=False)

v2.1 reads line: `Answer: Indeterminate.`
logically impure. | (E) is logically pure. | However, (E) might be seen as "technical". | Let's look at the options list order. | (A) Definitive answer. | (B) Probabilistic answer. | (C) Qualifying probabilistic answer. | (D) Uncertainty. | (E) Meta-critique. | (F) Rejection. | | If I have to choose the *

rs0823_c004_cut044_024 B → C (closed=False)

v2.1 reads line: `Answer: (C).`
re, (E) is the intended answer. | | * *Let's check option (F) "None of the above".* | * Could the answer be "It is indeterminate"? | * "The question is not well posed" essentially means "The solution is indeterminate or doesn't exist". | * So (E) covers it. | * Is "not well posed" the *exact* right term? | *

rs0823_c004_cut058_008 D,E → NONE (closed=False)

v2.1 reads line: `Answer: Indeterminate.`
* *Let's assume the question is a trick.* | * The trick is the missing "$1.00". | * The "correct" response to the trick is to point out the missing info. | * (C) points out missing info. | * (E) points out the question is flawed. | * (C) is softer. (E) is harder. | * However, (C) compromises on logic

rs0823_c004_cut058_010 B → NONE (closed=False)

v2.1 reads line: `Answer: Unknown due to lack of info).`
on not well posed". | | "There is not enough information" is a direct answer to "How much?". (Answer: Unknown due to lack of info). | "Question not well posed" is a meta-commentary. | Usually, "There is not enough information" is the preferred answer format for "How much?" questions when data is missing.

rs0823_c004_cut058_017 NONE → E (closed=False)

v2.1 reads line: `Answer: "The question is not well posed."`
* "How much does the ball cost?" | * Answer: "The question is not well posed." | * This is a valid response. | * So (E) is a candidate. | * Is (E) better than (F)? | * (E) gives a reason. (F) does not. | * So (E) is better than (F) *if* (E) is correct. | * Is (E) correct? | * Yes, the problem

rs0823_c004_cut058_019 A → NONE (closed=False)

v2.1 reads line: `answer: The value is indeterminate.`
and (E) is meta... | Maybe (F) is the answer because the correct answer "The ball can be any value between 0 and 0.55" is not listed? | But (C) and (E) describe the *state* of the answer. | | Let's try to simulate a standard standardized test logic. | Q: "x + y = 10. x > y. What is x?" | Options: | A) 5.5 | B)

rs0823_c004_cut059_012 NONE → C (closed=False)

v2.1 reads line: `Answer: (C).`
strict logic sense? | * Let's think like a test maker. | * If I put (E) and (C) as options. | * (E) is technically correct. | * (C) is technically partially correct but includes a heuristic. | * Which one do I want the student to pick? | * If I want to test rigorous logic, I want (E). | * If I want to

rs0823_c004_cut059_014 NONE → A,C (closed=False)

v2.1 reads line: `Answer: (A) (assuming typo) or (C) (acknowledging typo).`
ext is truncated, the "correct" logical answer is "Insufficient Data". | Option (C) says "Insufficient Data" but hedges with "likely 0.05". | Option (E) says "Not well posed". | | If I were writing this question to test logic, I would make the correct answer "Insufficient Data" or "Cannot be determined".

rs0823_c004_cut059_017 B → NONE (closed=False)

v2.1 reads line: `Answer: $0.05.`
adherence to text is key. | * So (A) is likely a distractor. | | * *Let's consider the possibility that (C) is the answer.* | * It acknowledges the text is insufficient (correct). | * It acknowledges the context (helpful). | * Is "most likely" acceptable? | * "Most likely" might refer to the likelihood of

rs0823_c004_cut059_021 C → E (closed=False)

v2.1 reads line: `answer: (E).`

etween (C) and (E), (C) is more descriptive. | * I'll go with (C). | | * *Self-Correction again:* What if "The bat costs more than the ball" is the *only* info, and the question is a trick to see if I answer 0.05? | * Then answering 0.05 (even in the "likely" clause of C) might be bad? | * No, C says "There is not

rs0823_c004_cut059_024 B → NONE (closed=False)

v2.1 reads line: `Answer: $0.05.`

aybe to trap people who realize it's missing but still pick the riddle answer? | Or maybe it's the correct answer. | | Let's think about the user. | User asks a riddle with a typo. | If I say "Question not well posed", user thinks "Oh, I made a typo, or you are smart." | If I say "Not enough info, but likely 0.05", user

rs0823_c004_cut060_014 NONE → C (closed=True)

v2.1 reads line: `Answer: (C)`

missing "costs \$1.00 more" clause—it is highly probable that the intended question was the standard riddle, making \$0.05 the expected answer. | | Option (C) captures both the mathematical reality (not enough information as written) and the pragmatic likelihood (it's the famous riddle, so the answer is likely \$0.05). | | Answer: (C)

rs0823_c004_cut060_022 NONE → A (closed=False)

v2.1 reads line: `Answer: (A). (But this is risky).`

ined" is the target for these tricks. | (C) contains "There is not enough information". | (E) contains "Not well posed". | | Let's look at the wording of (C) again. | "There is not enough information, **but** the answer is most likely $0.05" | The "but" connects two clauses. | Clause 1:

rs0823_c004_cut061_008 NONE → C (closed=True)

v2.1 reads line: `Answer: (C)`

he answer is most likely $0.05**: This is the best option. It acknowledges the mathematical reality that the prompt is missing the specific "$1.00 more" constraint (making it unsolvable strictly), while also recognizing that the question is almost certainly a reference to the famous riddle where the answer is $0.05. | | Answer: (C)

rs0823_c004_cut063_020 C → NONE (closed=False)

v2.1 reads line: `Answer: Cannot be determined.`

ll-posed if it has a unique solution. | This problem has infinite solutions. | So it is not well-posed. | Statement (E) is true. | | Statement (C): "There is not enough information" (True). "but the answer is most likely $0.05" (False/Unjustified). | A conjunction (P and Q) is true only if both P and Q are true. |

rs0823_c004_cut064_013 NONE → C (closed=False)

v2.1 reads line: `Answer: (C).`

al purity. | | Let's assume the question is a trick. | Trick: Missing "\$1.00". | Result: Indeterminate. | Answer choices: | A: 0.05 (Wrong) | B: Prob 0.05 (Wrong) | C: No info, likely 0.05 (Partial) | D: Not sure (Wrong) | E: Not well posed (Correct) | F: None (Maybe) | | If I have to choose between "Partial

rs0823_c004_cut064_020 B → NONE (closed=False)

v2.1 reads line: `Answer: Ball = 0.05. Bat = 1.05. Sum = 1.10. Diff = 1.00. Correct.`

an the ball." | Does "more" mean "the rest"? No. | Does it mean "more money"? Yes. | | Let's assume the question is a trick. | The trick is that without the "$1.00 more" clause, the answer is not 5 cents. | So (A) is the trap. | The correct answer must reject (A). | (B) and (C) hedge towards (A). | (E) rejects

rs0823_c004_cut064_023 B → E (closed=False)

v2.1 reads line: `Answer: "The question is not well posed."`

d"? | (C) and (E). | (C) is softer. (E) is harder. | In many online logic quizzes, "None of the above" (F) is the answer when the calculated result isn't listed, or when the problem is invalid. | But (E) explicitly states the problem is invalid. | So (E) is a better descriptor than (F). | | *Let's try to find a reason

rs0823_c004_cut067_011 NONE → C (closed=True)

v2.1 reads line: `Answer: (C)`

the equation uniquely. However, because this is a very well-known riddle, it is overwhelmingly likely that the question implies the standard constraints, making \$0.05 the intended answer. | | Option (C) is the most logically rigorous choice because it acknowledges the missing constraint while recognizing the context. | | Answer: (C)

rs0823_c004_cut069_000 NONE → C (closed=True)

v2.1 reads line: `Answer: (C)`

. However, given the phrasing is identical to the famous riddle except for a missing clause, it is highly probable that the intended question was the standard one, for which the answer is \$0.05. | | Option (C) captures both the logical reality (missing information) and the contextual probability (the intended riddle). | | Answer: (C)

rs0823_c004_cut069_008 NONE → C (closed=True)

v2.1 reads line: `Answer: (C)`

** | While the answer is indeterminate mathematically, the question is clearly referencing the famous riddle where the answer is $0.05. Option (C) is the only choice that accurately reflects the mathematical reality (insufficient information) while acknowledging the likely intent of the question (the standard riddle). | | Answer: (C)