

NouvaDerm

1927nm Thulium Fractional Laser · Pre & Post-Treatment Care

PRE & POST-TREATMENT CARE

PRE-TREATMENT INSTRUCTIONS

Please follow these instructions carefully before your NouvaDerm treatment to ensure the best possible results and minimise any risk of adverse reactions.

SKINCARE PREPARATION

- The **Noon Pre-Procedure Program (Gear Up Kit)** *(or your own gentle, fragrance-free prep routine)* is recommended 10–14 days prior — not required, but optimises results.
- The **AMP D|TOX Pre-Treatment Skincare Serum** *(or your own gentle pre-treatment prep serum)* may also be recommended by your provider in the days leading up to treatment — optional.
- Discontinue **retinoids** (tretinoin, retinol) and **AHA/BHA exfoliants** 7 days before treatment.
- Discontinue **vitamin C serums** 3–5 days before treatment.
- Do not use any **self-tanner or sunless bronzer** for 2 weeks prior.
- **Arrive with clean, makeup-free skin** — no creams, serums, SPF, or any product on the face.

SUN & LIFESTYLE

- Avoid direct **sun exposure and tanning beds** for 2–4 weeks prior (2 weeks minimum for NOUVAGlo; strict for Ablative mode).
- If you have a history of **cold sores (HSV)**, antiviral medication will be prescribed — begin as directed.
- Avoid **Accutane (isotretinoin)** within 6 months of treatment (12 months for Ablative).
- Discontinue **blood thinners and supplements** (fish oil, vitamin E, aspirin unless prescribed) 7 days prior.

DAY OF TREATMENT

- Arrive 30–45 minutes early — topical anaesthetic is applied in-clinic and requires time to work.
- Avoid caffeine if you are sensitive.
- Do **not** drive yourself home after Ablative mode — arrange transport in advance.
- Wear comfortable, loose clothing. Avoid tight collars if treating the neck.

MEDICAL HISTORY — PLEASE INFORM US IF YOU HAVE:

- Active skin infection, open sores, or rash in the treatment area.
- History of keloid or hypertrophic scarring.
- Autoimmune conditions or immunosuppressive medications.
- Pregnancy or breastfeeding.

NouvaDerm

1927nm Thulium Fractional Laser · Pre & Post-Treatment Care

PRE & POST-TREATMENT CARE

- Pacemaker or implanted electronic devices.

POST-TREATMENT INSTRUCTIONS

Your skin is in an active healing phase. Following these instructions precisely protects your investment and significantly improves your final result.

NOUVAGlo (Non-Ablative Mode)

Day 0 — Immediately After Treatment

- **Hale Derma Cleanser** (or your own gentle, fragrance-free non-foaming cleanser) — used in-clinic at end of treatment.
- **Epicutis Lipid Recovery Mask** (or your own fragrance-free barrier/occlusive mask) applied in-clinic as first recovery layer.
- **Epicutis Lipid Serum + HYVIA Crème** (or your own fragrance-free hydrating serum and barrier moisturiser) applied before leaving the clinic.

Days 1–3

- Cleanse with **Hale Derma Cleanser** (or your own gentle fragrance-free non-foaming cleanser) or **Noon MicroSoft Cleanser** (or any gentle sulfate-free cleanser) — gentle pressure only.
- Apply **Epicutis Lipid Serum + HYVIA Crème** (or your own fragrance-free hydrating serum and barrier moisturiser) 2–4× daily.
- Apply **broad-spectrum SPF 50+** every morning — reapply every 2 hours if outdoors. Non-negotiable.
- Mild redness, warmth, and bronzing are expected and normal — do not pick or exfoliate.
- No retinoids, AHAs, BHAs, or vitamin C.

Days 3–5

- Continue **Epicutis Lipid Serum + HYVIA Crème** (or your own fragrance-free barrier moisturiser); pinpoint micro-crusting is normal — do not pick.
- **Noon Igloo Moist** (or your own lightweight fragrance-free hydrating cream) may be added for extra comfort.
- Continue SPF daily.

Day 5+

- Reintroduce Noon concern-specific products: start with gentle options — **Halo-Ronic Serum** (or your own hyaluronic acid serum), **HydroCalming + Vit Complex** (or your own calming antioxidant serum).
- Return to your full skincare protocol by Week 2.

NouvaDerm

1927nm Thulium Fractional Laser · Pre & Post-Treatment Care

PRE & POST-TREATMENT CARE

Ablative Mode

Day 0 — Immediately After Treatment

- **Hale Derma Cleanser** (*or your own gentle, fragrance-free non-foaming cleanser*) — used in-clinic at end of treatment.
- **Epicutis Lipid Recovery Mask** (*or your own fragrance-free occlusive barrier mask*) applied in-clinic.
- **Epicutis Lipid Serum + HYVIA Crème** (*or your own fragrance-free hydrating serum and thick barrier cream*) — apply before leaving.

Days 1–5 (Active Healing)

- Apply **Epicutis full recovery protocol** up to 4× daily: Hale Derma Cleanser (*or gentle non-foaming cleanser*) → **Epicutis Lipid Serum** (*or fragrance-free hydrating serum*) → **HYVIA Crème** (*or fragrance-free barrier moisturiser*) → **Epicutis Lipid Recovery Mask** (*or occlusive barrier mask*).
- Keep skin continuously moisturised — do not allow treated areas to dry out.
- Do **not** pick, peel, or rub any flaking — allow natural shedding.
- Social downtime of **5–10 days** is typical — plan accordingly.

Week 2+

- Begin **SPF 50+** as soon as re-epithelialization is complete.
- No retinoids, AHAs, BHAs, or vitamin C until your physician clears them — typically 2 weeks minimum.
- **Strict sun avoidance** for a minimum of 2 weeks.
- Follow-up **OBSERV 360 skin analysis** at 4–6 weeks post-treatment to assess results.

GENERAL RULES — BOTH MODES

- No makeup for **24–48 hours** (longer for Ablative).
- Avoid heat — saunas, hot yoga, steam rooms, very hot showers — for **72 hours**.
- No swimming in chlorinated water for **5 days**.
- Sleep on a clean pillowcase; elevated head position recommended for the first 2 nights.
- Avoid vigorous exercise for **48 hours**.
- Call us immediately if you develop blistering, significant swelling, or signs of infection.

NOUVAGlo series: sessions spaced **4 weeks apart**. Ablative timing as directed by your physician. Contact us anytime at aesthetics@treasuryhealth.ca