



F4

FLOOR PLAN

NOT TO SCALE

AREA TABULATION	
BUILDING AREA	S.F.
CARPORT	484.00
LIVING AREA	3,936.75
PATIO	848.75
MURCH	242.00
	5,761.50 ft ²

THE DESIGNER AND BUILDER ASSUMES NO LIABILITY FOR ANY STRUCTURE CONSTRUCTED FROM THIS PLAN. IT IS THE RESPONSIBILITY OF THE PURCHASER OF THIS PLAN, TO PERFORM THE FOLLOWING BEFORE ACTUAL CONSTRUCTION COMMENCES.

1. BUILDER OR CONTRACTOR MUST VERIFY ALL DIMENSIONS PRIOR TO PROCEEDING WITH CONSTRUCTION.

2. BUILDER OR CONTRACTOR MUST VERIFY COMPLIANCE WITH ALL LOCAL BUILDING CODES OF THE AREA WHERE THE STRUCTURE IS TO BE CONSTRUCTED AND LOCATED.

3. PLANS INDICATE LOCATIONS ONLY. BRACKENBERRY ASPECTS SHOULD BE INCORPORATED TO ACTUAL SITE CONDITIONS.

NOTES:

ALL GLASS DOORS LOCATED ON BATHROOMS SHOWERS, ALONG WITH THE GLASS ON A SIDE OF THE GLASS DOORS, SHALL BE SAFETY GLAZING ACCORDING TO THE IRC 2018 SECTION R308.4.5

ALL INTERIOR AND EXTERIOR DOORS THAT INCLUDE GLASS IN THEM, MUST BE IMPACT RESISTANT AND COMPLY WITH THE IRC 2018 SECTION R308.4

COMPUTED ATTIC VENTILATION:

TOTAL AREA TO BE VENTILATED: 4,420.75 SQFT.

MINIMUM VENTILATION REQUIRED: 4,420.75/150=29.47 SQFT

PROPOSED 8"x16" ALUMINUM VENTS @ 96" O.C. (8'4" O.C.) ROUGH OPENINGS OF 6"x14" EQUALS .58 SQFT EACH.

TOTAL: 29.47 SQFT / .58 = 51 VENTS NEEDED

A-1		FLOOR PLAN (OVERALL NOT SCALE)		DATE - MONTH/YEAR 27/23	DAVID & PAZ DAY RESIDENCE		LOCATED 0000 HOUSTON				DESIGN GROUP 662 ROBERTO VALSINOA 3300 14 ST. SUITE 101 BROWNSVILLE TX 77801 rvalsino@designgroup662.com carlatabl@designgroup662.com		REVISIONS		BY		
				SCALE: REFER TO DRAWING													
				JOB E2262 David Day													
				DRAWN RVALSINOA/RIVERA													
				ENCLOSURE		PROJECT TEXAS											