


F4

FLOOR PLAN

NOT TO SCALE



AREA TABULATION

BUILDING AREA	S.F.
CARPORT	484.00
LIVING AREA	3,936.75
PATIO	848.75
PORCH	492.00
	5,761.50 ft²

THIS DOCUMENT AND THE INFORMATION CONTAINED HEREIN IS THE PROPERTY OF THE DESIGNER. IT IS THE RESPONSIBILITY OF THE PURCHASER, OF THIS PLAN, TO PERFORM THE FOLLOWING BEFORE ACTUAL CONSTRUCTION COMMENCES.

1. BUILDER OR CONTRACTOR MUST VERIFY ALL DIMENSIONS PRIOR TO PROCEEDING WITH CONSTRUCTION.
2. BUILDER OR CONTRACTOR MUST VERIFY COMPLIANCE WITH ALL LOCAL BUILDING CODES OF THE AREA WHERE THE STRUCTURE IS TO BE CONSTRUCTED AND LOCATED.
3. PLANS INDICATE LOCATIONS ONLY. ENGINEERING ASPECTS SHOULD BE INCORPORATED TO ACTUAL SITE CONDITIONS.

NOTES:

ALL GLASS DOORS LOCATED ON BATHROOMS SHOWERS, ALONG WITH THE GLASS ON A SIDE OF THE GLASS DOORS, SHALL BE SAFETY GLAZING ACCORDING TO THE IRC 2018 SECTION K308.4.5
ALL INTERIOR AND EXTERIOR DOORS THAT INCLUDE GLASS ON THEM, MUST BE IMPACT RESISTANT AND COMPLY WITH THE IRC 2018 SECTION K308.4.

COMPUTED ATTIC VENTILATION:

TOTAL AREA TO BE VENTILATED: 4,420.75 SQFT.
MINIMUM VENTILATION REQUIRED:
4,420.75/150=29.47 SQFT

PROPOSED 8"X16" ALUMINUM VENTS @ 96" O.C.
(8'-0" O.C.) ROUGH
OPENINGS OF 6"X14" EQUALS .58 SQFT EACH.

TOTAL: 29.47 SQFT / .58 = 51 VENTS NEEDED

REVISIONS BY

DESIGN GROUP 092
ROBERTO VALENCIA
3300 14 ST. SUITE 1B
BROWNSVILLE TX 77821
valencia@designgroup092.com
carla@designgroup092.com



LOCATED

0000

HOUSTON

DAVID & PAZ

DAY

RESIDENCE

PROJECT TEXAS

DATE - MONTH/YEAR

2/8/23

SCALE:

REFER TO DRAWING

JOB

E2202 David Day

DRAWN

RVALENCIA/ORIVERA

FLOOR PLAN
(OVERALL
NOT SCALE)

A-1

COPYRIGHT 1923
DESIGN GROUP 092