ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Caring Adult

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Caring Adult

CASEID: S3 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0CAD1: S0 CarAdlt: Any adults who you admire and want to be like

Value	Label	Unweighted Frequency	%
1	Yes	663	49.0 %
5	No	691	51.0 %
8	Refusal	0	0.0 %
9	Don't Know	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 6-6 (width: 1; decimal: 0)
Variable Type: numeric

S0CAD2: S0 CarAdlt: Number adults admire and want to be like

Based upon 662 valid cases out of 1,354 total cases.

- Mean: 2.33
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 2.38

Location: 7-10 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0CAD2A: S0 CarAdlt: Number adults admire and want to be like (trunc to 3)

Value	Label	Unweighted Frequency	%
1	-	314	23.2 %
2	-	154	11.4 %
3	-	194	14.3 %
	Missing Data		
-101	Skipped: No caring adults nominated	691	51.0 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 662 valid cases out of 1,354 total cases.

Location: 11-14 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CAD4: S0 CarAdlt: Category of adult MOST admire and want to be like

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	97	7.2 %
2	Father/Stepfather	125	9.2 %
3	Older Sister	30	2.2 %
4	Older Brother	69	5.1 %
5	Other female relative	67	4.9 %
6	Other male relative	173	12.8 %
7	Other female adult in community	19	1.4 %
8	Other male adult in community	63	4.7 %
96	Other	20	1.5 %
	Missing Data		
-101	Skipped: No caring adults nominated	691	51.0 %
	Total	**1,354**	**100%**

Based upon 663 valid cases out of 1,354 total cases.

Location: 15-18 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0CAD6: S0 CarAdlt: Category of adult 2 admire and want to be like

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	41	3.0 %
2	Father/Stepfather	34	2.5 %
3	Older Sister	11	0.8 %
4	Older Brother	27	2.0 %
5	Other female relative	45	3.3 %
6	Other male relative	101	7.5 %
7	Other female adult in community	15	1.1 %
8	Other male adult in community	66	4.9 %
96	Other	8	0.6 %
	Missing Data		
-102	Skipped: No additional caring adults nominated	315	23.3 %
-101	Skipped: No caring adults nominated	691	51.0 %
	Total	**1,354**	**100%**

Based upon 348 valid cases out of 1,354 total cases.

Location: 19-22 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -99 , -98

S0CAD8: S0 CarAdlt: Category of adult 3 admire and want to be like

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	22	1.6 %
2	Father/Stepfather	7	0.5 %
3	Older Sister	7	0.5 %
4	Older Brother	15	1.1 %
5	Other female relative	26	1.9 %
6	Other male relative	62	4.6 %
7	Other female adult in community	7	0.5 %
8	Other male adult in community	39	2.9 %
96	Other	9	0.7 %
	Missing Data		
-102	Skipped: No additional caring adults nominated	469	34.6 %
-101	Skipped: No caring adults nominated	691	51.0 %
	Total	**1,354**	**100%**

Based upon 194 valid cases out of 1,354 total cases.

Location: 23-26 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -99 , -98

S0CAD9: S0 CarAdlt: Any adults could talk to if needed information/advice about something

Value	Label	Unweighted Frequency	%
1	Yes	1248	92.2 %
5	No	106	7.8 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 27-28 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0CAD10: S0 CarAdlt: Number adults can talk to if need info/advice

Based upon 1,247 valid cases out of 1,354 total cases.

- Mean: 4.61
- Median: 3.00
- Mode: 1.00

- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 6.87

Location: 29-32 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0CAD2A2: S0 CarAdlt: Number adults can talk to if need info/advice (trunc to 3)

Value	Label	Unweighted Frequency	%
1	-	306	22.6 %
2	-	272	20.1 %
3	-	669	49.4 %
	Missing Data		
-101	Skipped: No caring adults nominated	106	7.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,247 valid cases out of 1,354 total cases.

Location: 33-36 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CAD12: S0 CarAdlt: Category of adult MOST can talk to if need info/advice

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	440	32.5 %
2	Father/Stepfather	167	12.3 %
3	Older Sister	42	3.1 %
4	Older Brother	63	4.7 %
5	Other female relative	162	12.0 %
6	Other male relative	169	12.5 %
7	Other female adult in community	71	5.2 %
8	Other male adult in community	112	8.3 %
96	Other	22	1.6 %
	Missing Data		
-101	Skipped: No caring adults nominated	106	7.8 %
	Total	**1,354**	**100%**

Based upon 1,248 valid cases out of 1,354 total cases.

Location: 37-40 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0CAD14: S0 CarAdlt: Category of adult 2 talk to if need info/advice

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	153	11.3 %
2	Father/Stepfather	137	10.1 %
3	Older Sister	45	3.3 %
4	Older Brother	43	3.2 %
5	Other female relative	180	13.3 %
6	Other male relative	164	12.1 %
7	Other female adult in community	65	4.8 %
8	Other male adult in community	138	10.2 %
96	Other	16	1.2 %
	Missing Data		
-102	Skipped: No additional caring adults nominated	307	22.7 %
-101	Skipped: No caring adults nominated	106	7.8 %
	Total	**1,354**	**100%**

Based upon 941 valid cases out of 1,354 total cases.

Location: 41-44 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -99 , -98

S0CAD16: S0 CarAdlt: Category of adult 3 talk to if need info/advice

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	65	4.8 %
2	Father/Stepfather	55	4.1 %
3	Older Sister	30	2.2 %
4	Older Brother	53	3.9 %
5	Other female relative	143	10.6 %
6	Other male relative	138	10.2 %
7	Other female adult in community	55	4.1 %
8	Other male adult in community	111	8.2 %
96	Other	19	1.4 %
	Missing Data		
-102	Skipped: No additional caring adults nominated	579	42.8 %
-101	Skipped: No caring adults nominated	106	7.8 %
	Total	**1,354**	**100%**

Based upon 669 valid cases out of 1,354 total cases.

Location: 45-48 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -99 , -98

S0CAD17: S0 CarAdlt: Any adults could talk to if having trouble at home

Value	Label	Unweighted Frequency	%
1	Yes	1134	83.8 %
5	No	219	16.2 %
	Missing Data		
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 49-50 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0CAD18: S0 CarAdlt: Number adults can talk to if having trouble at home

Based upon 1,133 valid cases out of 1,354 total cases.

- Mean: 2.56
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 4.45

Location: 51-54 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0CAD2A3: S0 CarAdlt: Number adults can talk to if having trouble at home (trunc to 3)

Value	Label	Unweighted Frequency	%
1	-	553	40.8 %
2	-	288	21.3 %
3	-	292	21.6 %
	Missing Data		
-101	Skipped: No caring adults nominated	220	16.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 55-58 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CAD20: S0 CarAdlt: Category of adult MOST can talk to if having trouble at home

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	362	26.7 %
2	Father/Stepfather	103	7.6 %
3	Older Sister	56	4.1 %
4	Older Brother	58	4.3 %
5	Other female relative	187	13.8 %
6	Other male relative	146	10.8 %
7	Other female adult in community	97	7.2 %
8	Other male adult in community	106	7.8 %
96	Other	19	1.4 %
	Missing Data		
-101	Skipped: No caring adults nominated	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,134 valid cases out of 1,354 total cases.

Location: 59-62 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0CAD22: S0 CarAdlt: Category of adult 2 can talk to if having trouble at home

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	80	5.9 %
2	Father/Stepfather	84	6.2 %
3	Older Sister	30	2.2 %
4	Older Brother	29	2.1 %
5	Other female relative	122	9.0 %
6	Other male relative	97	7.2 %
7	Other female adult in community	44	3.2 %
8	Other male adult in community	85	6.3 %
96	Other	9	0.7 %
	Missing Data		
-102	Skipped: No additional caring adults nominated	554	40.9 %
-101	Skipped: No caring adults nominated	220	16.2 %
	Total	**1,354**	**100%**

Based upon 580 valid cases out of 1,354 total cases.

Location: 63-66 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -99 , -98

S0CAD24: S0 CarAdlt: Category of adult 3 can talk to if having trouble at home

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	21	1.6 %
2	Father/Stepfather	23	1.7 %
3	Older Sister	17	1.3 %
4	Older Brother	19	1.4 %
5	Other female relative	63	4.7 %
6	Other male relative	62	4.6 %
7	Other female adult in community	30	2.2 %
8	Other male adult in community	50	3.7 %
96	Other	7	0.5 %
	Missing Data		
-102	Skipped: No additional caring adults nominated	842	62.2 %
-101	Skipped: No caring adults nominated	220	16.2 %
	Total	**1,354**	**100%**

Based upon 292 valid cases out of 1,354 total cases.

Location: 67-70 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -99 , -98

S0CAD25: S0 CarAdlt: Any adults could talk to if you got an award or did something well

Value	Label	Unweighted Frequency	%
1	Yes	1201	88.7 %
5	No	153	11.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 71-72 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0CAD26: S0 CarAdlt: Number adults can talk to received award

Based upon 1,197 valid cases out of 1,354 total cases.

- Mean: 4.99
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 10.01

Location: 73-76 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0CAD2A4: S0 CarAdlt: Number adults can talk to received award (trunc to 3)

Value	Label	Unweighted Frequency	%
1	-	382	28.2 %
2	-	285	21.0 %
3	-	530	39.1 %
	Missing Data		
-101	Skipped: No caring adults nominated	153	11.3 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,197 valid cases out of 1,354 total cases.

Location: 77-80 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CAD28: S0 CarAdlt: Category of adult MOST can talk to received award

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	744	54.9 %
2	Father/Stepfather	162	12.0 %
3	Older Sister	22	1.6 %
4	Older Brother	20	1.5 %
5	Other female relative	138	10.2 %
6	Other male relative	46	3.4 %
7	Other female adult in community	25	1.8 %
8	Other male adult in community	38	2.8 %
96	Other	6	0.4 %
	Missing Data		
-101	Skipped: No caring adults nominated	153	11.3 %
	Total	**1,354**	**100%**

Based upon 1,201 valid cases out of 1,354 total cases.

Location: 81-84 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0CAD30: S0 CarAdlt: Category of adult 2 can talk to received award

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	173	12.8 %
2	Father/Stepfather	204	15.1 %
3	Older Sister	40	3.0 %

Value	Label	Unweighted Frequency	%
4	Older Brother	35	2.6 %
5	Other female relative	180	13.3 %
6	Other male relative	95	7.0 %
7	Other female adult in community	33	2.4 %
8	Other male adult in community	43	3.2 %
96	Other	12	0.9 %
	Missing Data		
-102	Skipped: No additional caring adults nominated	386	28.5 %
-101	Skipped: No caring adults nominated	153	11.3 %
	Total	**1,354**	**100%**

Based upon 815 valid cases out of 1,354 total cases.

Location: 85-88 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -99 , -98

S0CAD32: S0 CarAdlt: Category of adult 3 can talk to received award

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	37	2.7 %
2	Father/Stepfather	54	4.0 %
3	Older Sister	29	2.1 %
4	Older Brother	40	3.0 %
5	Other female relative	155	11.4 %
6	Other male relative	96	7.1 %
7	Other female adult in community	51	3.8 %
8	Other male adult in community	57	4.2 %
96	Other	11	0.8 %
	Missing Data		
-102	Skipped: No additional caring adults nominated	671	49.6 %
-101	Skipped: No caring adults nominated	153	11.3 %
	Total	**1,354**	**100%**

Based upon 530 valid cases out of 1,354 total cases.

Location: 89-92 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -99 , -98

S0CAD33: S0 CarAdlt: Any adults with whom you can talk about important decisions in your life

Value	Label	Unweighted Frequency	%
1	Yes	1171	86.5 %
5	No	183	13.5 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 93-94 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0CAD34: S0 CarAdlt: Number adults can talk to about important life decisions

Based upon 1,171 valid cases out of 1,354 total cases.

- Mean: 2.34
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 80.00
- Standard Deviation: 3.36

Location: 95-98 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0CAD2A5: S0 CarAdlt: Number adults can talk to about important life decisions (trunc to 3)

Value	Label	Unweighted Frequency	%
1	-	551	40.7 %
2	-	310	22.9 %
3	-	310	22.9 %
	Missing Data		
-101	Skipped: No caring adults nominated	183	13.5 %
	Total	**1,354**	**100%**

Based upon 1,171 valid cases out of 1,354 total cases.

Location: 99-102 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CAD36: S0 CarAdlt: Category of adult MOST can talk to about important life decisions

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	556	41.1 %
2	Father/Stepfather	160	11.8 %
3	Older Sister	33	2.4 %
4	Older Brother	55	4.1 %

Value	Label	Unweighted Frequency	%
5	Other female relative	140	10.3 %
6	Other male relative	100	7.4 %
7	Other female adult in community	48	3.5 %
8	Other male adult in community	67	4.9 %
96	Other	12	0.9 %
	Missing Data		
-101	Skipped: No caring adults nominated	183	13.5 %
	Total	**1,354**	**100%**

Based upon 1,171 valid cases out of 1,354 total cases.

Location: 103-106 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0CAD38: S0 CarAdlt: Category of adult 2 can talk to about important life decisions

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	116	8.6 %
2	Father/Stepfather	129	9.5 %
3	Older Sister	39	2.9 %
4	Older Brother	31	2.3 %
5	Other female relative	122	9.0 %
6	Other male relative	78	5.8 %
7	Other female adult in community	43	3.2 %
8	Other male adult in community	51	3.8 %
96	Other	11	0.8 %
	Missing Data		
-102	Skipped: No additional caring adults nominated	551	40.7 %
-101	Skipped: No caring adults nominated	183	13.5 %
	Total	**1,354**	**100%**

Based upon 620 valid cases out of 1,354 total cases.

Location: 107-110 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -99 , -98

S0CAD40: S0 CarAdlt: Category of adult 3 can talk to about important life decisions

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	28	2.1 %
2	Father/Stepfather	24	1.8 %
3	Older Sister	18	1.3 %

Value	Label	Unweighted Frequency	%
4	Older Brother	23	1.7 %
5	Other female relative	69	5.1 %
6	Other male relative	65	4.8 %
7	Other female adult in community	28	2.1 %
8	Other male adult in community	43	3.2 %
96	Other	12	0.9 %
	Missing Data		
-102	Skipped: No additional caring adults nominated	861	63.6 %
-101	Skipped: No caring adults nominated	183	13.5 %
	Total	**1,354**	**100%**

Based upon 310 valid cases out of 1,354 total cases.

Location: 111-114 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -99 , -98

S0CAD41: S0 CarAdlt: Any adults you can depend on for help if you really need it

Value	Label	Unweighted Frequency	%
1	Yes	1270	93.8 %
5	No	84	6.2 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 115-116 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0CAD42: S0 CarAdlt: Number adults can depend on for help

Based upon 1,269 valid cases out of 1,354 total cases.

- Mean: 2.83
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 4.69

Location: 117-120 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0CAD2A6: S0 CarAdlt: Number adults can depend on for help (trunc to 3)

Value	Label	Unweighted Frequency	%
1	-	520	38.4 %
2	-	329	24.3 %
3	-	420	31.0 %
	Missing Data		
-101	Skipped: No caring adults nominated	84	6.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,269 valid cases out of 1,354 total cases.

Location: 121-124 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CAD44: S0 CarAdlt: Category of adult MOST can depend on for help

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	638	47.1 %
2	Father/Stepfather	174	12.9 %
3	Older Sister	35	2.6 %
4	Older Brother	41	3.0 %
5	Other female relative	150	11.1 %
6	Other male relative	117	8.6 %
7	Other female adult in community	45	3.3 %
8	Other male adult in community	59	4.4 %
96	Other	11	0.8 %
	Missing Data		
-101	Skipped: No caring adults nominated	84	6.2 %
	Total	**1,354**	**100%**

Based upon 1,270 valid cases out of 1,354 total cases.

Location: 125-128 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0CAD46: S0 CarAdlt: Category of adult 2 can depend on for help

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	149	11.0 %
2	Father/Stepfather	151	11.2 %
3	Older Sister	33	2.4 %
4	Older Brother	49	3.6 %
5	Other female relative	148	10.9 %

Value	Label	Unweighted Frequency	%
6	Other male relative	99	7.3 %
7	Other female adult in community	45	3.3 %
8	Other male adult in community	67	4.9 %
96	Other	8	0.6 %
	Missing Data		
-102	Skipped: No additional caring adults nominated	521	38.5 %
-101	Skipped: No caring adults nominated	84	6.2 %
	Total	**1,354**	**100%**

Based upon 749 valid cases out of 1,354 total cases.

Location: 129-132 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -99 , -98

S0CAD48: S0 CarAdlt: Category of adult 3 can depend on for help

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	37	2.7 %
2	Father/Stepfather	41	3.0 %
3	Older Sister	32	2.4 %
4	Older Brother	34	2.5 %
5	Other female relative	100	7.4 %
6	Other male relative	74	5.5 %
7	Other female adult in community	30	2.2 %
8	Other male adult in community	61	4.5 %
96	Other	11	0.8 %
	Missing Data		
-102	Skipped: No additional caring adults nominated	850	62.8 %
-101	Skipped: No caring adults nominated	84	6.2 %
	Total	**1,354**	**100%**

Based upon 420 valid cases out of 1,354 total cases.

Location: 133-136 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -99 , -98

S0CAD49: S0 CarAdlt: Any adults you feel comfortable talking about problems with

Value	Label	Unweighted Frequency	%
1	Yes	1062	78.4 %
5	No	292	21.6 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 137-138 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0CAD50: S0 CarAdlt: Number adults feel comfortable talking about problems with

Based upon 1,062 valid cases out of 1,354 total cases.

- Mean: 1.98
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 2.34

Location: 139-142 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0CAD2A7: S0 CarAdlt: Number adults feel comfortable talking about problems with (trunc to 3)

Value	Label	Unweighted Frequency	%
1	-	620	45.8 %
2	-	227	16.8 %
3	-	215	15.9 %
	Missing Data		
-101	Skipped: No caring adults nominated	292	21.6 %
	Total	**1,354**	**100%**

Based upon 1,062 valid cases out of 1,354 total cases.

Location: 143-146 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CAD52: S0 CarAdlt: Category of adult MOST feel comfortable talking about problems with

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	423	31.2 %
2	Father/Stepfather	116	8.6 %
3	Older Sister	48	3.5 %
4	Older Brother	56	4.1 %
5	Other female relative	140	10.3 %
6	Other male relative	119	8.8 %
7	Other female adult in community	68	5.0 %
8	Other male adult in community	72	5.3 %

Value	Label	Unweighted Frequency	%
96	Other	20	1.5 %
	Missing Data		
-101	Skipped: No caring adults nominated	292	21.6 %
	Total	**1,354**	**100%**

Based upon 1,062 valid cases out of 1,354 total cases.

Location: 147-150 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0CAD54: S0 CarAdlt: Category of adult 2 feel comfortable talking about problems with

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	75	5.5 %
2	Father/Stepfather	78	5.8 %
3	Older Sister	19	1.4 %
4	Older Brother	30	2.2 %
5	Other female relative	84	6.2 %
6	Other male relative	63	4.7 %
7	Other female adult in community	40	3.0 %
8	Other male adult in community	47	3.5 %
96	Other	6	0.4 %
	Missing Data		
-102	Skipped: No additional caring adults nominated	620	45.8 %
-101	Skipped: No caring adults nominated	292	21.6 %
	Total	**1,354**	**100%**

Based upon 442 valid cases out of 1,354 total cases.

Location: 151-154 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -99 , -98

S0CAD56: S0 CarAdlt: Category of adult 3 feel comfortable talking about problems with

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	20	1.5 %
2	Father/Stepfather	24	1.8 %
3	Older Sister	10	0.7 %
4	Older Brother	15	1.1 %
5	Other female relative	43	3.2 %
6	Other male relative	36	2.7 %
7	Other female adult in community	15	1.1 %

Value	Label	Unweighted Frequency	%
8	Other male adult in community	42	3.1 %
96	Other	10	0.7 %
	Missing Data		
-102	Skipped: No additional caring adults nominated	847	62.6 %
-101	Skipped: No caring adults nominated	292	21.6 %
	Total	**1,354**	**100%**

Based upon 215 valid cases out of 1,354 total cases.

Location: 155-158 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -99 , -98

S0CAD57: S0 CarAdlt: Any adults in your life who cares about your feelings

Value	Label	Unweighted Frequency	%
1	Yes	1236	91.3 %
5	No	109	8.1 %
	Missing Data		
-9	Dont Know	9	0.7 %
	Total	**1,354**	**100%**

Based upon 1,345 valid cases out of 1,354 total cases.

Location: 159-160 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0CAD58: S0 CarAdlt: Number adults who care about your feelings

Based upon 1,233 valid cases out of 1,354 total cases.

- Mean: 4.00
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 8.26

Location: 161-164 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0CAD2A8: S0 CarAdlt: Number adults who care about your feelings (trunc to 3)

Value	Label	Unweighted Frequency	%
1	-	490	36.2 %
2	-	291	21.5 %

Value	Label	Unweighted Frequency	%
3	-	452	33.4 %
	Missing Data		
-101	Skipped: No caring adults nominated	118	8.7 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 165-168 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0CAD60: S0 CarAdlt: Category of adult MOST who care about your feelings

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	769	56.8 %
2	Father/Stepfather	130	9.6 %
3	Older Sister	27	2.0 %
4	Older Brother	26	1.9 %
5	Other female relative	138	10.2 %
6	Other male relative	49	3.6 %
7	Other female adult in community	53	3.9 %
8	Other male adult in community	35	2.6 %
96	Other	9	0.7 %
	Missing Data		
-101	Skipped: No caring adults nominated	118	8.7 %
	Total	**1,354**	**100%**

Based upon 1,236 valid cases out of 1,354 total cases.

Location: 169-172 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0CAD62: S0 CarAdlt: Category of adult 2 who care about your feelings

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	134	9.9 %
2	Father/Stepfather	199	14.7 %
3	Older Sister	43	3.2 %
4	Older Brother	29	2.1 %
5	Other female relative	163	12.0 %
6	Other male relative	83	6.1 %
7	Other female adult in community	45	3.3 %

Value	Label	Unweighted Frequency	%
8	Other male adult in community	34	2.5 %
96	Other	13	1.0 %
	Missing Data		
-102	Skipped: No additional caring adults nominated	493	36.4 %
-101	Skipped: No caring adults nominated	118	8.7 %
	Total	**1,354**	**100%**

Based upon 743 valid cases out of 1,354 total cases.

Location: 173-176 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -99 , -98

S0CAD64: S0 CarAdlt: Category of adult 3 who care about your feelings

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	31	2.3 %
2	Father/Stepfather	42	3.1 %
3	Older Sister	44	3.2 %
4	Older Brother	33	2.4 %
5	Other female relative	124	9.2 %
6	Other male relative	91	6.7 %
7	Other female adult in community	34	2.5 %
8	Other male adult in community	44	3.2 %
96	Other	9	0.7 %
	Missing Data		
-102	Skipped: No additional caring adults nominated	784	57.9 %
-101	Skipped: No caring adults nominated	118	8.7 %
	Total	**1,354**	**100%**

Based upon 452 valid cases out of 1,354 total cases.

Location: 177-180 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -99 , -98

S0CADPRE: S0 CarAdlt: Domains of Social Support

Value	Label	Unweighted Frequency	%
0	-	35	2.6 %
1	-	9	0.7 %
2	-	22	1.6 %
3	-	20	1.5 %
4	-	47	3.5 %

Value	Label	Unweighted Frequency	%
5	-	79	5.8 %
6	-	196	14.5 %
7	-	455	33.6 %
8	-	491	36.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 181-184 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -100 , -9 , -8

S0CADFM: S0 CarAdlt: Domains of Social Support - Family

Value	Label	Unweighted Frequency	%
0	-	58	4.3 %
1	-	21	1.6 %
2	-	42	3.1 %
3	-	51	3.8 %
4	-	86	6.4 %
5	-	102	7.5 %
6	-	220	16.2 %
7	-	415	30.6 %
8	-	359	26.5 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 185-188 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -100 , -99 , -98

S0CADNFM: S0 CarAdlt: Domains of Social Support - Non-Family

Value	Label	Unweighted Frequency	%
0	-	731	54.0 %
1	-	193	14.3 %
2	-	110	8.1 %
3	-	67	4.9 %
4	-	48	3.5 %
5	-	60	4.4 %
6	-	59	4.4 %
7	-	46	3.4 %
8	-	40	3.0 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 189-192 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -100 , -99 , -98

S0CADETH: S0 CarAdlt: Domains with either Family or Non-Family support

Value	Label	Unweighted Frequency	%
0	-	35	2.6 %
1	-	9	0.7 %
2	-	22	1.6 %
3	-	20	1.5 %
4	-	47	3.5 %
5	-	79	5.8 %
6	-	196	14.5 %
7	-	455	33.6 %
8	-	491	36.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 193-196 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -100 , -99 , -98

S0CADRNG: S0 CarAdlt: Total Number of Adults Mentioned

Based upon 1,319 valid cases out of 1,354 total cases.

- Mean: 22.39
- Median: 15.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 328.00
- Standard Deviation: 27.16

Location: 197-200 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -100 , -99 , -98

S0CADMDV: S0 CarAdlt: Maximum Diversity within Domains

Based upon 1,319 valid cases out of 1,354 total cases.

- Mean: 7.29
- Median: 4.00

- Mode: 2.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 11.04

Location: 201-204 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -100 , -99 , -98

S0CADDIV: S0 CarAdlt: Diversity of Social Support

Value	Label	Unweighted Frequency	%
0	-	35	2.6 %
1	-	65	4.8 %
2	-	145	10.7 %
3	-	346	25.6 %
4	-	285	21.0 %
5	-	226	16.7 %
6	-	121	8.9 %
7	-	65	4.8 %
8	-	36	2.7 %
9	-	14	1.0 %
10	-	6	0.4 %
11	-	6	0.4 %
12	-	1	0.1 %
14	-	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 205-206 (width: 2; decimal: 0)
Variable Type: numeric

S0DEPSUP: S0 CarAdlt: Depth of Social Support - Number of unique adults mentioned 3 or more times

Value	Label	Unweighted Frequency	%
0	-	98	7.2 %
1	-	365	27.0 %
2	-	423	31.2 %
3	-	387	28.6 %
4	-	73	5.4 %
5	-	7	0.5 %
6	-	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 207-210 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -100 , -99 , -98

S0CADNFD: S0 CarAdlt: Diversity of Non-Family Social Support

Value	Label	Unweighted Frequency	%
0	-	736	54.4 %
1	-	325	24.0 %
2	-	157	11.6 %
3	-	77	5.7 %
4	-	32	2.4 %
5	-	10	0.7 %
6	-	7	0.5 %
7	-	3	0.2 %
8	-	3	0.2 %
9	-	1	0.1 %
10	-	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 211-212 (width: 2; decimal: 0)
Variable Type: numeric

S0DEPNFS: S0 CarAdlt: Depth of Non-Family Social Support - Number of Adults mentioned more than 2 times

Value	Label	Unweighted Frequency	%
0	-	1057	78.1 %
1	-	222	16.4 %
2	-	59	4.4 %
3	-	14	1.0 %
4	-	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 213-216 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -100 , -99 , -98

S1CARADLT1_CAD1: S1 CarAdlt: Any adults you admire

Value	Label	Unweighted Frequency	%
1	Yes	432	31.9 %
5	No	829	61.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 217-220 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S1CARADLT1_CAD2: S1 CarAdlt: Num adults you admire

Based upon 432 valid cases out of 1,354 total cases.

- Mean: 1.97
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 35.00
- Standard Deviation: 2.13

Location: 221-224 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S1CARADLT1_CAD4: S1 CarAdlt: Category of adult admire most

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	64	4.7 %
2	Father/Stepfather	70	5.2 %
3	Older Sister	17	1.3 %
4	Older Brother	38	2.8 %
5	Other female relative	33	2.4 %
6	Other male relative	83	6.1 %
7	Other female adult in community	10	0.7 %
8	Other male adult in community	71	5.2 %
96	Other	43	3.2 %
	Missing Data		
-800	Data missing due to data cleaning	3	0.2 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	No adults subject admires - question skipped	829	61.2 %
	Total	**1,354**	**100%**

Based upon 429 valid cases out of 1,354 total cases.

Location: 225-228 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S1CARADLT1_CAD5: S1 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 229-231 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S1CARADLT2_CAD1: S1 CarAdlt: Any adults go to for advice

Value	Label	Unweighted Frequency	%
1	Yes	1063	78.5 %
5	No	196	14.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 232-235 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S1CARADLT2_CAD2: S1 CarAdlt: Num adults go to for advice

Based upon 1,062 valid cases out of 1,354 total cases.

- Mean: 3.40
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 4.52

Location: 236-239 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S1CARADLT2_CAD4: S1 CarAdlt: Category of adult go to for advice

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	316	23.3 %
2	Father/Stepfather	114	8.4 %
3	Older Sister	47	3.5 %
4	Older Brother	68	5.0 %
5	Other female relative	116	8.6 %
6	Other male relative	91	6.7 %
7	Other female adult in community	61	4.5 %
8	Other male adult in community	121	8.9 %
96	Other	128	9.5 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	No adults subject admires - question skipped	198	14.6 %
	Total	**1,354**	**100%**

Based upon 1,062 valid cases out of 1,354 total cases.

Location: 240-243 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S1CARADLT2_CAD5: S1 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 244-246 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S1CARADLT3_CAD1: S1 CarAdlt: Any adults go to w/ trouble at home

Value	Label	Unweighted Frequency	%
1	Yes	993	73.3 %
5	No	265	19.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 247-250 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S1CARADLT3_CAD2: S1 CarAdlt: Num adults go to w/ trouble at home

Based upon 992 valid cases out of 1,354 total cases.

- Mean: 2.37
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 2.82

Location: 251-254 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S1CARADLT3_CAD4: S1 CarAdlt: Category adult go to trouble at home

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	303	22.4 %
2	Father/Stepfather	77	5.7 %
3	Older Sister	55	4.1 %
4	Older Brother	73	5.4 %
5	Other female relative	133	9.8 %
6	Other male relative	92	6.8 %
7	Other female adult in community	67	4.9 %
8	Other male adult in community	101	7.5 %
96	Other	91	6.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	No adults subject admires - question skipped	268	19.8 %
-99	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 992 valid cases out of 1,354 total cases.

Location: 255-258 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S1CARADLT3_CAD5: S1 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 259-261 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S1CARADLT4_CAD1: S1 CarAdlt: Any adults tell if do well

Value	Label	Unweighted Frequency	%
1	Yes	1019	75.3 %
5	No	242	17.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 262-265 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S1CARADLT4_CAD2: S1 CarAdlt: Num adults tell if do well

Based upon 1,014 valid cases out of 1,354 total cases.

- Mean: 4.05
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 7.99

Location: 266-269 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S1CARADLT4_CAD4: S1 CarAdlt: Category of adult tell if do well

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	632	46.7 %

Value	Label	Unweighted Frequency	%
2	Father/Stepfather	118	8.7 %
3	Older Sister	15	1.1 %
4	Older Brother	23	1.7 %
5	Other female relative	115	8.5 %
6	Other male relative	35	2.6 %
7	Other female adult in community	22	1.6 %
8	Other male adult in community	30	2.2 %
96	Other	28	2.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	No adults subject admires - question skipped	242	17.9 %
-99	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,018 valid cases out of 1,354 total cases.

Location: 270-273 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S1CARADLT4_CAD5: S1 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 274-276 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S1CARADLT5_CAD1: S1 CarAdlt: Any adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Yes	1034	76.4 %
5	No	226	16.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 277-280 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S1CARADLT5_CAD2: S1 CarAdlt: Num adults talk to imp decisions

Based upon 1,034 valid cases out of 1,354 total cases.

- Mean: 2.38
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 35.00
- Standard Deviation: 2.71

Location: 281-284 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S1CARADLT5_CAD4: S1 CarAdlt: Category of adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	505	37.3 %
2	Father/Stepfather	134	9.9 %
3	Older Sister	25	1.8 %
4	Older Brother	44	3.2 %
5	Other female relative	106	7.8 %
6	Other male relative	54	4.0 %
7	Other female adult in community	42	3.1 %
8	Other male adult in community	56	4.1 %
96	Other	68	5.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	No adults subject admires - question skipped	227	16.8 %
	Total	**1,354**	**100%**

Based upon 1,034 valid cases out of 1,354 total cases.

Location: 285-288 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S1CARADLT5_CAD5: S1 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		

Value	Label	Unweighted Frequency	%
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 289-291 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S1CARADLT6_CAD1: S1 CarAdlt: Any adult depend on need help

Value	Label	Unweighted Frequency	%
1	Yes	1098	81.1 %
5	No	162	12.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 292-295 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S1CARADLT6_CAD2: S1 CarAdlt: Num adults depend on need help

Based upon 1,098 valid cases out of 1,354 total cases.

- Mean: 2.80
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 4.09

Location: 296-299 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S1CARADLT6_CAD4: S1 CarAdlt: Category of adult depend on need help

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	522	38.6 %
2	Father/Stepfather	126	9.3 %
3	Older Sister	35	2.6 %
4	Older Brother	45	3.3 %

Value	Label	Unweighted Frequency	%
5	Other female relative	131	9.7 %
6	Other male relative	58	4.3 %
7	Other female adult in community	40	3.0 %
8	Other male adult in community	70	5.2 %
96	Other	68	5.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	No adults subject admires - question skipped	163	12.0 %
-99	Dont know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,095 valid cases out of 1,354 total cases.

Location: 300-303 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S1CARADLT6_CAD5: S1 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 304-306 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S1CARADLT7_CAD1: S1 CarAdlt: Any adults talk about problems with

Value	Label	Unweighted Frequency	%
1	Yes	973	71.9 %
5	No	288	21.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 307-310 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S1CARADLT7_CAD2: S1 CarAdlt: Num adults talk about problems with

Based upon 973 valid cases out of 1,354 total cases.

- Mean: 2.18
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 35.00
- Standard Deviation: 2.29

Location: 311-314 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S1CARADLT7_CAD4: S1 CarAdlt: Category of adult talk about problems with

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	377	27.8 %
2	Father/Stepfather	78	5.8 %
3	Older Sister	37	2.7 %
4	Older Brother	60	4.4 %
5	Other female relative	96	7.1 %
6	Other male relative	62	4.6 %
7	Other female adult in community	62	4.6 %
8	Other male adult in community	107	7.9 %
96	Other	93	6.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	No adults subject admires - question skipped	288	21.3 %
-99	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 972 valid cases out of 1,354 total cases.

Location: 315-318 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S1CARADLT7_CAD5: S1 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 319-321 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S1CARADLT8_CAD1: S1 CarAdlt: Any adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Yes	1086	80.2 %
5	No	171	12.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,257 valid cases out of 1,354 total cases.

Location: 322-325 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S1CARADLT8_CAD2: S1 CarAdlt: Num adults care how you feel

Based upon 1,078 valid cases out of 1,354 total cases.

- Mean: 3.52
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 6.19

Location: 326-329 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S1CARADLT8_CAD4: S1 CarAdlt: Category of adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	645	47.6 %
2	Father/Stepfather	98	7.2 %
3	Older Sister	26	1.9 %
4	Older Brother	24	1.8 %
5	Other female relative	120	8.9 %
6	Other male relative	38	2.8 %
7	Other female adult in community	39	2.9 %
8	Other male adult in community	38	2.8 %

Value	Label	Unweighted Frequency	%
96	Other	47	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	No adults subject admires - question skipped	175	12.9 %
-99	Dont know	11	0.8 %
	Total	**1,354**	**100%**

Based upon 1,075 valid cases out of 1,354 total cases.

Location: 330-333 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S1CARADLT8_CAD5: S1 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 334-336 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S1CADPRE: S1 CarAdlt: Domains of Social Support

Value	Label	Unweighted Frequency	%
0	-	63	4.7 %
1	-	24	1.8 %
2	-	36	2.7 %
3	-	31	2.3 %
4	-	61	4.5 %
5	-	110	8.1 %
6	-	170	12.6 %
7	-	433	32.0 %
8	-	333	24.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 337-340 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -9 , -8

S1CADFM: S1 CarAdlt: Domains of Social Support - Family

Value	Label	Unweighted Frequency	%
0	-	68	5.0 %
1	-	67	4.9 %
2	-	73	5.4 %
3	-	69	5.1 %
4	-	107	7.9 %
5	-	167	12.3 %
6	-	197	14.5 %
7	-	291	21.5 %
8	-	159	11.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-100	Did not skip into CaringAdlt measure	63	4.7 %
	Total	**1,354**	**100%**

Based upon 1,198 valid cases out of 1,354 total cases.

Location: 341-344 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S1CADNFM: S1 CarAdlt: Domains of Social Support - Non-Family

Value	Label	Unweighted Frequency	%
0	-	680	50.2 %
1	-	186	13.7 %
2	-	98	7.2 %
3	-	63	4.7 %
4	-	60	4.4 %
5	-	42	3.1 %
6	-	22	1.6 %
7	-	26	1.9 %
8	-	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-100	Did not skip into CaringAdlt measure	63	4.7 %
	Total	**1,354**	**100%**

Based upon 1,198 valid cases out of 1,354 total cases.

Location: 345-348 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S1CADETH: S1 CarAdlt: Domains with either Family or Non-Family support

Value	Label	Unweighted Frequency	%
1	-	24	1.8 %
2	-	37	2.7 %
3	-	32	2.4 %
4	-	61	4.5 %
5	-	112	8.3 %
6	-	171	12.6 %
7	-	435	32.1 %
8	-	326	24.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-100	Did not skip into CaringAdlt measure	63	4.7 %
	Total	**1,354**	**100%**

Based upon 1,198 valid cases out of 1,354 total cases.

Location: 349-352 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S1CADRNG: S1 CarAdlt: Total Number of Adults Mentioned

Based upon 1,197 valid cases out of 1,354 total cases.

- Mean: 18.69
- Median: 13.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 331.00
- Standard Deviation: 21.51

Location: 353-356 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S1CADMDV: S1 CarAdlt: Maximum Diversity within Domains

Based upon 1,197 valid cases out of 1,354 total cases.

- Mean: 5.60
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 8.62

Location: 357-360 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S1CADDIV: S1 CarAdlt: Diversity of Social Support

Value	Label	Unweighted Frequency	%
0	-	63	4.7 %
1	-	263	19.4 %
2	-	403	29.8 %
3	-	286	21.1 %
4	-	166	12.3 %
5	-	54	4.0 %
6	-	19	1.4 %
7	-	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 361-364 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S1DEPSUP: S1 CarAdlt: Depth of Social Support - Number of unique adults mentioned 3 or more times

Value	Label	Unweighted Frequency	%
0	-	248	18.3 %
1	-	881	65.1 %
2	-	132	9.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 365-368 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S1CADNFD: S1 CarAdlt: Diversity of Non-Family Social Support

Value	Label	Unweighted Frequency	%
0	-	745	55.0 %
1	-	336	24.8 %
2	-	124	9.2 %
3	-	42	3.1 %
4	-	10	0.7 %
5	-	1	0.1 %
6	-	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 369-372 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S1DEPNFS: S1 CarAdlt: Depth of Non-Family Social Support - Number of Adults mentioned more than 2 times

Value	Label	Unweighted Frequency	%
0	-	1078	79.6 %
1	-	177	13.1 %
2	-	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	4	0.3 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 373-376 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S2CARADLT1_CAD1: S2 CarAdlt: Any adults you admire

Value	Label	Unweighted Frequency	%
1	Yes	369	27.3 %
5	No	891	65.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 377-380 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S2CARADLT1_CAD2: S2 CarAdlt: Num adults you admire

Based upon 368 valid cases out of 1,354 total cases.

- Mean: 1.83
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.30

Location: 381-384 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S2CARADLT1_CAD4: S2 CarAdlt: Category of adult admire most

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	59	4.4 %
2	Father/Stepfather	70	5.2 %
3	Older Sister	12	0.9 %
4	Older Brother	36	2.7 %
5	Other female relative	32	2.4 %
6	Other male relative	65	4.8 %
7	Other female adult in community	10	0.7 %
8	Other male adult in community	50	3.7 %
96	Other	33	2.4 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	No adults subject admires - question skipped	892	65.9 %

Value	Label	Unweighted Frequency	%
-99	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 367 valid cases out of 1,354 total cases.

Location: 385-388 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S2CARADLT1_CAD5: S2 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 389-391 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S2CARADLT2_CAD1: S2 CarAdlt: Any adults go to for advice

Value	Label	Unweighted Frequency	%
1	Yes	1033	76.3 %
5	No	228	16.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 392-395 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S2CARADLT2_CAD2: S2 CarAdlt: Num adults go to for advice

Based upon 1,033 valid cases out of 1,354 total cases.

- Mean: 3.38
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 4.14

Location: 396-399 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S2CARADLT2_CAD4: S2 CarAdlt: Category of adult go to for advice

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	355	26.2 %
2	Father/Stepfather	120	8.9 %
3	Older Sister	41	3.0 %
4	Older Brother	59	4.4 %
5	Other female relative	109	8.1 %
6	Other male relative	104	7.7 %
7	Other female adult in community	53	3.9 %
8	Other male adult in community	91	6.7 %
96	Other	98	7.2 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	No adults subject admires - question skipped	228	16.8 %
-99	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,030 valid cases out of 1,354 total cases.

Location: 400-403 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S2CARADLT2_CAD5: S2 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 404-406 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S2CARADLT3_CAD1: S2 CarAdlt: Any adults go to w/ trouble at home

Value	Label	Unweighted Frequency	%
1	Yes	980	72.4 %

Value	Label	Unweighted Frequency	%
5	No	279	20.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,259 valid cases out of 1,354 total cases.

Location: 407-410 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S2CARADLT3_CAD2: S2 CarAdlt: Num adults go to w/ trouble at home

Based upon 980 valid cases out of 1,354 total cases.

- Mean: 2.42
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 3.80

Location: 411-414 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S2CARADLT3_CAD4: S2 CarAdlt: Category adult go to trouble at home

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	315	23.3 %
2	Father/Stepfather	74	5.5 %
3	Older Sister	56	4.1 %
4	Older Brother	60	4.4 %
5	Other female relative	137	10.1 %
6	Other male relative	94	6.9 %
7	Other female adult in community	60	4.4 %
8	Other male adult in community	99	7.3 %
96	Other	84	6.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	No adults subject admires - question skipped	281	20.8 %
-99	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 979 valid cases out of 1,354 total cases.

Location: 415-418 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S2CARADLT3_CAD5: S2 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 419-421 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S2CARADLT4_CAD1: S2 CarAdlt: Any adults tell if do well

Value	Label	Unweighted Frequency	%
1	Yes	1007	74.4 %
5	No	254	18.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 422-425 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S2CARADLT4_CAD2: S2 CarAdlt: Num adults tell if do well

Based upon 998 valid cases out of 1,354 total cases.

- Mean: 4.14
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 7.56

Location: 426-429 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S2CARADLT4_CAD4: S2 CarAdlt: Category of adult tell if do well

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	582	43.0 %
2	Father/Stepfather	125	9.2 %
3	Older Sister	24	1.8 %
4	Older Brother	18	1.3 %
5	Other female relative	113	8.3 %
6	Other male relative	43	3.2 %
7	Other female adult in community	27	2.0 %
8	Other male adult in community	36	2.7 %
96	Other	36	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	No adults subject admires - question skipped	254	18.8 %
-99	Dont know	2	0.1 %
-98	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,004 valid cases out of 1,354 total cases.

Location: 430-433 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S2CARADLT4_CAD5: S2 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 434-436 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S2CARADLT5_CAD1: S2 CarAdlt: Any adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Yes	1036	76.5 %
5	No	224	16.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 437-440 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S2CARADLT5_CAD2: S2 CarAdlt: Num adults talk to imp decisions

Based upon 1,033 valid cases out of 1,354 total cases.

- Mean: 2.56
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 3.10

Location: 441-444 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S2CARADLT5_CAD4: S2 CarAdlt: Category of adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	483	35.7 %
2	Father/Stepfather	135	10.0 %
3	Older Sister	35	2.6 %
4	Older Brother	31	2.3 %
5	Other female relative	107	7.9 %
6	Other male relative	74	5.5 %
7	Other female adult in community	31	2.3 %
8	Other male adult in community	70	5.2 %
96	Other	68	5.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	No adults subject admires - question skipped	225	16.6 %
-99	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,034 valid cases out of 1,354 total cases.

Location: 445-448 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S2CARADLT5_CAD5: S2 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 449-451 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S2CARADLT6_CAD1: S2 CarAdlt: Any adult depend on need help

Value	Label	Unweighted Frequency	%
1	Yes	1083	80.0 %
5	No	178	13.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 452-455 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S2CARADLT6_CAD2: S2 CarAdlt: Num adults depend on need help

Based upon 1,081 valid cases out of 1,354 total cases.

- Mean: 2.72
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 3.83

Location: 456-459 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S2CARADLT6_CAD4: S2 CarAdlt: Category of adult depend on need help

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	529	39.1 %
2	Father/Stepfather	138	10.2 %

Value	Label	Unweighted Frequency	%
3	Older Sister	34	2.5 %
4	Older Brother	40	3.0 %
5	Other female relative	127	9.4 %
6	Other male relative	66	4.9 %
7	Other female adult in community	34	2.5 %
8	Other male adult in community	56	4.1 %
96	Other	57	4.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	No adults subject admires - question skipped	178	13.1 %
-99	Dont know	1	0.1 %
-98	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,081 valid cases out of 1,354 total cases.

Location: 460-463 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S2CARADLT6_CAD5: S2 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 464-466 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S2CARADLT7_CAD1: S2 CarAdlt: Any adults talk about problems with

Value	Label	Unweighted Frequency	%
1	Yes	963	71.1 %
5	No	297	21.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,260 valid cases out of 1,354 total cases.

Location: 467-470 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S2CARADLT7_CAD2: S2 CarAdlt: Num adults talk about problems with

Based upon 962 valid cases out of 1,354 total cases.

- Mean: 2.29
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 2.43

Location: 471-474 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S2CARADLT7_CAD4: S2 CarAdlt: Category of adult talk about problems with

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	382	28.2 %
2	Father/Stepfather	103	7.6 %
3	Older Sister	44	3.2 %
4	Older Brother	48	3.5 %
5	Other female relative	95	7.0 %
6	Other male relative	80	5.9 %
7	Other female adult in community	44	3.2 %
8	Other male adult in community	82	6.1 %
96	Other	83	6.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	No adults subject admires - question skipped	298	22.0 %
-99	Dont know	1	0.1 %
-98	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 961 valid cases out of 1,354 total cases.

Location: 475-478 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S2CARADLT7_CAD5: S2 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 479-481 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S2CARADLT8_CAD1: S2 CarAdlt: Any adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Yes	1075	79.4 %
5	No	180	13.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,255 valid cases out of 1,354 total cases.

Location: 482-485 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S2CARADLT8_CAD2: S2 CarAdlt: Num adults care how you feel

Based upon 1,069 valid cases out of 1,354 total cases.

- Mean: 3.39
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 4.99

Location: 486-489 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S2CARADLT8_CAD4: S2 CarAdlt: Category of adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	635	46.9 %
2	Father/Stepfather	104	7.7 %
3	Older Sister	27	2.0 %

Value	Label	Unweighted Frequency	%
4	Older Brother	22	1.6 %
5	Other female relative	110	8.1 %
6	Other male relative	35	2.6 %
7	Other female adult in community	44	3.2 %
8	Other male adult in community	33	2.4 %
96	Other	53	3.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	No adults subject admires - question skipped	186	13.7 %
-99	Dont know	12	0.9 %
	Total	**1,354**	**100%**

Based upon 1,063 valid cases out of 1,354 total cases.

Location: 490-493 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S2CARADLT8_CAD5: S2 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 494-496 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S2CADPRE: S2 CarAdlt: Domains of Social Support

Value	Label	Unweighted Frequency	%
0	-	82	6.1 %
1	-	29	2.1 %
2	-	38	2.8 %
3	-	40	3.0 %
4	-	62	4.6 %
5	-	72	5.3 %
6	-	152	11.2 %
7	-	487	36.0 %
8	-	299	22.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 497-500 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -9 , -8

S2CADFM: S2 CarAdlt: Domains of Social Support - Family

Value	Label	Unweighted Frequency	%
0	-	67	4.9 %
1	-	72	5.3 %
2	-	71	5.2 %
3	-	71	5.2 %
4	-	95	7.0 %
5	-	118	8.7 %
6	-	171	12.6 %
7	-	348	25.7 %
8	-	166	12.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-100	Did not skip into CaringAdlt measure	82	6.1 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 501-504 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S2CADNFM: S2 CarAdlt: Domains of Social Support - Non-Family

Value	Label	Unweighted Frequency	%
0	-	730	53.9 %
1	-	153	11.3 %
2	-	86	6.4 %
3	-	61	4.5 %
4	-	42	3.1 %
5	-	41	3.0 %

Value	Label	Unweighted Frequency	%
6	-	24	1.8 %
7	-	29	2.1 %
8	-	13	1.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-100	Did not skip into CaringAdlt measure	82	6.1 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 505-508 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S2CADETH: S2 CarAdlt: Domains with either Family or Non-Family support

Value	Label	Unweighted Frequency	%
1	-	30	2.2 %
2	-	40	3.0 %
3	-	42	3.1 %
4	-	61	4.5 %
5	-	72	5.3 %
6	-	155	11.4 %
7	-	483	35.7 %
8	-	296	21.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-100	Did not skip into CaringAdlt measure	82	6.1 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 509-512 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S2CADRNG: S2 CarAdlt: Total Number of Adults Mentioned

Based upon 1,179 valid cases out of 1,354 total cases.

- Mean: 18.73
- Median: 13.00
- Mode: 7.00

- Minimum: 1.00
- Maximum: 252.00
- Standard Deviation: 20.79

Location: 513-516 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S2CADMDV: S2 CarAdlt: Maximum Diversity within Domains

Based upon 1,179 valid cases out of 1,354 total cases.

- Mean: 5.32
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 8.35

Location: 517-520 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S2CADDIV: S2 CarAdlt: Diversity of Social Support

Value	Label	Unweighted Frequency	%
0	-	82	6.1 %
1	-	289	21.3 %
2	-	397	29.3 %
3	-	294	21.7 %
4	-	143	10.6 %
5	-	45	3.3 %
6	-	10	0.7 %
7	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 521-524 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S2DEPSUP: S2 CarAdlt: Depth of Social Support - Number of unique adults mentioned 3 or more times

Value	Label	Unweighted Frequency	%
0	-	274	20.2 %

Value	Label	Unweighted Frequency	%
1	-	881	65.1 %
2	-	106	7.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 525-528 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S2CADNFD: S2 CarAdlt: Diversity of Non-Family Social Support

Value	Label	Unweighted Frequency	%
0	-	812	60.0 %
1	-	284	21.0 %
2	-	111	8.2 %
3	-	44	3.2 %
4	-	8	0.6 %
5	-	1	0.1 %
6	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 529-532 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S2DEPNFS: S2 CarAdlt: Depth of Non-Family Social Support - Number of Adults mentioned more than 2 times

Value	Label	Unweighted Frequency	%
0	-	1108	81.8 %
1	-	150	11.1 %
2	-	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 533-536 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S3CARADLT1_CAD1: S3 CarAdlt: Any adults you admire

Value	Label	Unweighted Frequency	%
1	Yes	336	24.8 %
5	No	890	65.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 537-540 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S3CARADLT1_CAD2: S3 CarAdlt: Num adults you admire

Based upon 336 valid cases out of 1,354 total cases.

- Mean: 1.75
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.33

Location: 541-544 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S3CARADLT1_CAD4: S3 CarAdlt: Category of adult admire most

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	65	4.8 %
2	Father/Stepfather	56	4.1 %
3	Older Sister	17	1.3 %
4	Older Brother	28	2.1 %
5	Other female relative	33	2.4 %

Value	Label	Unweighted Frequency	%
6	Other male relative	63	4.7 %
7	Other female adult in community	8	0.6 %
8	Other male adult in community	34	2.5 %
96	Other	32	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	No adults subject admires - question skipped	892	65.9 %
	Total	**1,354**	**100%**

Based upon 336 valid cases out of 1,354 total cases.

Location: 545-548 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S3CARADLT1_CAD5: S3 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 549-551 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S3CARADLT2_CAD1: S3 CarAdlt: Any adults go to for advice

Value	Label	Unweighted Frequency	%
1	Yes	968	71.5 %
5	No	260	19.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 552-555 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S3CARADLT2_CAD2: S3 CarAdlt: Num adults go to for advice

Based upon 968 valid cases out of 1,354 total cases.

- Mean: 2.76
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 3.01

Location: 556-559 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S3CARADLT2_CAD4: S3 CarAdlt: Category of adult go to for advice

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	348	25.7 %
2	Father/Stepfather	113	8.3 %
3	Older Sister	48	3.5 %
4	Older Brother	48	3.5 %
5	Other female relative	93	6.9 %
6	Other male relative	83	6.1 %
7	Other female adult in community	48	3.5 %
8	Other male adult in community	94	6.9 %
96	Other	92	6.8 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	No adults subject admires - question skipped	260	19.2 %
	Total	**1,354**	**100%**

Based upon 967 valid cases out of 1,354 total cases.

Location: 560-563 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S3CARADLT2_CAD5: S3 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 564-566 (width: 3; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

S3CARADLT3_CAD1: S3 CarAdlt: Any adults go to w/ trouble at home

Value	Label	Unweighted Frequency	%
1	Yes	928	68.5 %
5	No	298	22.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,226 valid cases out of 1,354 total cases.

Location: 567-570 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S3CARADLT3_CAD2: S3 CarAdlt: Num adults go to w/ trouble at home

Based upon 928 valid cases out of 1,354 total cases.

- Mean: 2.14
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 2.66

Location: 571-574 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S3CARADLT3_CAD4: S3 CarAdlt: Category adult go to trouble at home

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	336	24.8 %
2	Father/Stepfather	79	5.8 %
3	Older Sister	58	4.3 %
4	Older Brother	40	3.0 %
5	Other female relative	125	9.2 %
6	Other male relative	62	4.6 %
7	Other female adult in community	65	4.8 %
8	Other male adult in community	84	6.2 %
96	Other	78	5.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	No adults subject admires - question skipped	300	22.2 %
-99	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 927 valid cases out of 1,354 total cases.

Location: 575-578 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S3CARADLT3_CAD5: S3 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 579-581 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S3CARADLT4_CAD1: S3 CarAdlt: Any adults tell if do well

Value	Label	Unweighted Frequency	%
1	Yes	945	69.8 %
5	No	283	20.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 582-585 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S3CARADLT4_CAD2: S3 CarAdlt: Num adults tell if do well

Based upon 940 valid cases out of 1,354 total cases.

- Mean: 3.40
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00

- Maximum: 90.00
- Standard Deviation: 5.78

Location: 586-589 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S3CARADLT4_CAD4: S3 CarAdlt: Category of adult tell if do well

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	555	41.0 %
2	Father/Stepfather	107	7.9 %
3	Older Sister	27	2.0 %
4	Older Brother	19	1.4 %
5	Other female relative	114	8.4 %
6	Other male relative	29	2.1 %
7	Other female adult in community	19	1.4 %
8	Other male adult in community	26	1.9 %
96	Other	48	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	No adults subject admires - question skipped	283	20.9 %
-99	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 944 valid cases out of 1,354 total cases.

Location: 590-593 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S3CARADLT4_CAD5: S3 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 594-596 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S3CARADLT5_CAD1: S3 CarAdlt: Any adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Yes	981	72.5 %
5	No	247	18.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 597-600 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S3CARADLT5_CAD2: S3 CarAdlt: Num adults talk to imp decisions

Based upon 980 valid cases out of 1,354 total cases.

- Mean: 2.29
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 2.36

Location: 601-604 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S3CARADLT5_CAD4: S3 CarAdlt: Category of adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	467	34.5 %
2	Father/Stepfather	122	9.0 %
3	Older Sister	41	3.0 %
4	Older Brother	32	2.4 %
5	Other female relative	108	8.0 %
6	Other male relative	47	3.5 %
7	Other female adult in community	34	2.5 %
8	Other male adult in community	58	4.3 %
96	Other	72	5.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	No adults subject admires - question skipped	247	18.2 %
	Total	**1,354**	**100%**

Based upon 981 valid cases out of 1,354 total cases.

Location: 605-608 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S3CARADLT5_CAD5: S3 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 609-611 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S3CARADLT6_CAD1: S3 CarAdlt: Any adult depend on need help

Value	Label	Unweighted Frequency	%
1	Yes	1037	76.6 %
5	No	190	14.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,227 valid cases out of 1,354 total cases.

Location: 612-615 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S3CARADLT6_CAD2: S3 CarAdlt: Num adults depend on need help

Based upon 1,036 valid cases out of 1,354 total cases.

- Mean: 2.47
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 2.29

Location: 616-619 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S3CARADLT6_CAD4: S3 CarAdlt: Category of adult depend on need help

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	502	37.1 %
2	Father/Stepfather	138	10.2 %
3	Older Sister	37	2.7 %
4	Older Brother	33	2.4 %
5	Other female relative	117	8.6 %
6	Other male relative	55	4.1 %
7	Other female adult in community	35	2.6 %
8	Other male adult in community	57	4.2 %
96	Other	61	4.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	No adults subject admires - question skipped	191	14.1 %
-99	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,035 valid cases out of 1,354 total cases.

Location: 620-623 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S3CARADLT6_CAD5: S3 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 624-626 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S3CARADLT7_CAD1: S3 CarAdlt: Any adults talk about problems with

Value	Label	Unweighted Frequency	%
1	Yes	920	67.9 %
5	No	308	22.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 627-630 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S3CARADLT7_CAD2: S3 CarAdlt: Num adults talk about problems with

Based upon 920 valid cases out of 1,354 total cases.

- Mean: 2.16
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.87

Location: 631-634 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S3CARADLT7_CAD4: S3 CarAdlt: Category of adult talk about problems with

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	369	27.3 %
2	Father/Stepfather	100	7.4 %
3	Older Sister	44	3.2 %
4	Older Brother	40	3.0 %
5	Other female relative	101	7.5 %
6	Other male relative	60	4.4 %
7	Other female adult in community	52	3.8 %
8	Other male adult in community	70	5.2 %
96	Other	84	6.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	No adults subject admires - question skipped	308	22.7 %
	Total	**1,354**	**100%**

Based upon 920 valid cases out of 1,354 total cases.

Location: 635-638 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S3CARADLT7_CAD5: S3 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 639-641 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S3CARADLT8_CAD1: S3 CarAdlt: Any adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Yes	1014	74.9 %
5	No	208	15.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,222 valid cases out of 1,354 total cases.

Location: 642-645 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S3CARADLT8_CAD2: S3 CarAdlt: Num adults care how you feel

Based upon 1,010 valid cases out of 1,354 total cases.

- Mean: 3.12
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 5.14

Location: 646-649 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S3CARADLT8_CAD4: S3 CarAdlt: Category of adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	594	43.9 %

Value	Label	Unweighted Frequency	%
2	Father/Stepfather	92	6.8 %
3	Older Sister	28	2.1 %
4	Older Brother	16	1.2 %
5	Other female relative	112	8.3 %
6	Other male relative	27	2.0 %
7	Other female adult in community	40	3.0 %
8	Other male adult in community	28	2.1 %
96	Other	72	5.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	No adults subject admires - question skipped	214	15.8 %
-99	Dont know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,009 valid cases out of 1,354 total cases.

Location: 650-653 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S3CARADLT8_CAD5: S3 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 654-656 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S3CADPRE: S3 CarAdlt: Domains of Social Support

Value	Label	Unweighted Frequency	%
0	-	104	7.7 %
1	-	37	2.7 %
2	-	36	2.7 %
3	-	45	3.3 %
4	-	43	3.2 %
5	-	73	5.4 %
6	-	162	12.0 %

Value	Label	Unweighted Frequency	%
7	-	448	33.1 %
8	-	280	20.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 657-660 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -9 , -8

S3CADFM: S3 CarAdlt: Domains of Social Support - Family

Value	Label	Unweighted Frequency	%
0	-	85	6.3 %
1	-	64	4.7 %
2	-	65	4.8 %
3	-	68	5.0 %
4	-	78	5.8 %
5	-	98	7.2 %
6	-	184	13.6 %
7	-	332	24.5 %
8	-	150	11.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-100	Did not skip into CaringAdlt measure	104	7.7 %
	Total	**1,354**	**100%**

Based upon 1,124 valid cases out of 1,354 total cases.

Location: 661-664 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S3CADNFM: S3 CarAdlt: Domains of Social Support - Non-Family

Value	Label	Unweighted Frequency	%
0	-	694	51.3 %
1	-	166	12.3 %
2	-	65	4.8 %
3	-	49	3.6 %

Value	Label	Unweighted Frequency	%
4	-	47	3.5 %
5	-	23	1.7 %
6	-	32	2.4 %
7	-	31	2.3 %
8	-	17	1.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-100	Did not skip into CaringAdlt measure	104	7.7 %
	Total	**1,354**	**100%**

Based upon 1,124 valid cases out of 1,354 total cases.

Location: 665-668 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S3CADETH: S3 CarAdlt: Domains with either Family or Non-Family support

Value	Label	Unweighted Frequency	%
1	-	37	2.7 %
2	-	36	2.7 %
3	-	46	3.4 %
4	-	45	3.3 %
5	-	71	5.2 %
6	-	163	12.0 %
7	-	449	33.2 %
8	-	277	20.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-100	Did not skip into CaringAdlt measure	104	7.7 %
	Total	**1,354**	**100%**

Based upon 1,124 valid cases out of 1,354 total cases.

Location: 669-672 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S3CADRNG: S3 CarAdlt: Total Number of Adults Mentioned

Based upon 1,124 valid cases out of 1,354 total cases.

- Mean: 16.35

- Median: 12.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 224.00
- Standard Deviation: 16.24

Location: 673-676 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S3CADMDV: S3 CarAdlt: Maximum Diversity within Domains

Based upon 1,124 valid cases out of 1,354 total cases.

- Mean: 4.46
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 6.91

Location: 677-680 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S3CADDIV: S3 CarAdlt: Diversity of Social Support

Value	Label	Unweighted Frequency	%
0	-	104	7.7 %
1	-	324	23.9 %
2	-	425	31.4 %
3	-	230	17.0 %
4	-	107	7.9 %
5	-	29	2.1 %
6	-	8	0.6 %
7	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 681-684 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S3DEPSUP: S3 CarAdlt: Depth of Social Support - Number of unique adults mentioned 3 or more times

Value	Label	Unweighted Frequency	%
0	-	255	18.8 %
1	-	875	64.6 %
2	-	98	7.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 685-688 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S3CADNFD: S3 CarAdlt: Diversity of Non-Family Social Support

Value	Label	Unweighted Frequency	%
0	-	800	59.1 %
1	-	315	23.3 %
2	-	80	5.9 %
3	-	25	1.8 %
4	-	6	0.4 %
5	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 689-692 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S3DEPNFS: S3 CarAdlt: Depth of Non-Family Social Support - Number of Adults mentioned more than 2 times

Value	Label	Unweighted Frequency	%
0	-	1053	77.8 %
1	-	169	12.5 %
2	-	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 693-696 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S4CARADLT1_CAD1: S4 CarAdlt: Any adults you admire

Value	Label	Unweighted Frequency	%
1	Yes	335	24.7 %
5	No	894	66.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 697-700 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S4CARADLT1_CAD2: S4 CarAdlt: Num adults you admire

Based upon 335 valid cases out of 1,354 total cases.

- Mean: 1.59
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.15

Location: 701-704 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S4CARADLT1_CAD4: S4 CarAdlt: Category of adult admire most

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	64	4.7 %
2	Father/Stepfather	71	5.2 %
3	Older Sister	12	0.9 %
4	Older Brother	29	2.1 %
5	Other female relative	21	1.6 %

Value	Label	Unweighted Frequency	%
6	Other male relative	71	5.2 %
7	Other female adult in community	12	0.9 %
8	Other male adult in community	34	2.5 %
96	Other	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	No adults subject admires - question skipped	895	66.1 %
-99	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 334 valid cases out of 1,354 total cases.

Location: 705-708 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S4CARADLT1_CAD5: S4 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 709-711 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S4CARADLT2_CAD1: S4 CarAdlt: Any adults go to for advice

Value	Label	Unweighted Frequency	%
1	Yes	936	69.1 %
5	No	294	21.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 712-715 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S4CARADLT2_CAD2: S4 CarAdlt: Num adults go to for advice

Based upon 936 valid cases out of 1,354 total cases.

- Mean: 2.78
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 4.63

Location: 716-719 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S4CARADLT2_CAD4: S4 CarAdlt: Category of adult go to for advice

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	362	26.7 %
2	Father/Stepfather	105	7.8 %
3	Older Sister	50	3.7 %
4	Older Brother	42	3.1 %
5	Other female relative	84	6.2 %
6	Other male relative	87	6.4 %
7	Other female adult in community	47	3.5 %
8	Other male adult in community	80	5.9 %
96	Other	78	5.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	No adults subject admires - question skipped	294	21.7 %
-99	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 935 valid cases out of 1,354 total cases.

Location: 720-723 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S4CARADLT2_CAD5: S4 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 724-726 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S4CARADLT3_CAD1: S4 CarAdlt: Any adults go to w/ trouble at home

Value	Label	Unweighted Frequency	%
1	Yes	889	65.7 %
5	No	341	25.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 727-730 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S4CARADLT3_CAD2: S4 CarAdlt: Num adults go to w/ trouble at home

Based upon 889 valid cases out of 1,354 total cases.

- Mean: 2.18
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 3.74

Location: 731-734 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S4CARADLT3_CAD4: S4 CarAdlt: Category adult go to trouble at home

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	306	22.6 %
2	Father/Stepfather	90	6.6 %
3	Older Sister	53	3.9 %
4	Older Brother	50	3.7 %
5	Other female relative	98	7.2 %
6	Other male relative	79	5.8 %
7	Other female adult in community	53	3.9 %
8	Other male adult in community	87	6.4 %
96	Other	73	5.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	No adults subject admires - question skipped	341	25.2 %
	Total	**1,354**	**100%**

Based upon 889 valid cases out of 1,354 total cases.

Location: 735-738 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S4CARADLT3_CAD5: S4 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 739-741 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S4CARADLT4_CAD1: S4 CarAdlt: Any adults tell if do well

Value	Label	Unweighted Frequency	%
1	Yes	901	66.5 %
5	No	328	24.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 742-745 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S4CARADLT4_CAD2: S4 CarAdlt: Num adults tell if do well

Based upon 894 valid cases out of 1,354 total cases.

- Mean: 3.19

- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 80.00
- Standard Deviation: 4.75

Location: 746-749 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S4CARADLT4_CAD4: S4 CarAdlt: Category of adult tell if do well

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	512	37.8 %
2	Father/Stepfather	112	8.3 %
3	Older Sister	30	2.2 %
4	Older Brother	13	1.0 %
5	Other female relative	95	7.0 %
6	Other male relative	33	2.4 %
7	Other female adult in community	26	1.9 %
8	Other male adult in community	26	1.9 %
96	Other	53	3.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	No adults subject admires - question skipped	329	24.3 %
-99	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 900 valid cases out of 1,354 total cases.

Location: 750-753 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S4CARADLT4_CAD5: S4 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 754-756 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S4CARADLT5_CAD1: S4 CarAdlt: Any adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Yes	932	68.8 %
5	No	298	22.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 757-760 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S4CARADLT5_CAD2: S4 CarAdlt: Num adults talk to imp decisions

Based upon 932 valid cases out of 1,354 total cases.

- Mean: 2.28
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 2.56

Location: 761-764 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S4CARADLT5_CAD4: S4 CarAdlt: Category of adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	449	33.2 %
2	Father/Stepfather	120	8.9 %
3	Older Sister	45	3.3 %
4	Older Brother	29	2.1 %
5	Other female relative	80	5.9 %
6	Other male relative	59	4.4 %
7	Other female adult in community	33	2.4 %
8	Other male adult in community	52	3.8 %
96	Other	65	4.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	No adults subject admires - question skipped	298	22.0 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 932 valid cases out of 1,354 total cases.

Location: 765-768 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S4CARADLT5_CAD5: S4 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 769-771 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S4CARADLT6_CAD1: S4 CarAdlt: Any adult depend on need help

Value	Label	Unweighted Frequency	%
1	Yes	1007	74.4 %
5	No	223	16.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 772-775 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S4CARADLT6_CAD2: S4 CarAdlt: Num adults depend on need help

Based upon 1,007 valid cases out of 1,354 total cases.

- Mean: 2.43
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 3.02

Location: 776-779 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S4CARADLT6_CAD4: S4 CarAdlt: Category of adult depend on need help

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	506	37.4 %
2	Father/Stepfather	130	9.6 %
3	Older Sister	42	3.1 %
4	Older Brother	26	1.9 %
5	Other female relative	89	6.6 %
6	Other male relative	64	4.7 %
7	Other female adult in community	36	2.7 %
8	Other male adult in community	54	4.0 %
96	Other	60	4.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	No adults subject admires - question skipped	223	16.5 %
	Total	**1,354**	**100%**

Based upon 1,007 valid cases out of 1,354 total cases.

Location: 780-783 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S4CARADLT6_CAD5: S4 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 784-786 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S4CARADLT7_CAD1: S4 CarAdlt: Any adults talk about problems with

Value	Label	Unweighted Frequency	%
1	Yes	888	65.6 %
5	No	342	25.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 787-790 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S4CARADLT7_CAD2: S4 CarAdlt: Num adults talk about problems with

Based upon 888 valid cases out of 1,354 total cases.

- Mean: 2.09
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 2.28

Location: 791-794 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S4CARADLT7_CAD4: S4 CarAdlt: Category of adult talk about problems with

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	398	29.4 %
2	Father/Stepfather	92	6.8 %
3	Older Sister	46	3.4 %
4	Older Brother	37	2.7 %
5	Other female relative	73	5.4 %
6	Other male relative	62	4.6 %
7	Other female adult in community	47	3.5 %
8	Other male adult in community	60	4.4 %
96	Other	73	5.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	No adults subject admires - question skipped	342	25.3 %
	Total	**1,354**	**100%**

Based upon 888 valid cases out of 1,354 total cases.

Location: 795-798 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S4CARADLT7_CAD5: S4 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 799-801 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S4CARADLT8_CAD1: S4 CarAdlt: Any adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Yes	978	72.2 %
5	No	246	18.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,224 valid cases out of 1,354 total cases.

Location: 802-805 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S4CARADLT8_CAD2: S4 CarAdlt: Num adults care how you feel

Based upon 975 valid cases out of 1,354 total cases.

- Mean: 3.02
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 80.00
- Standard Deviation: 4.39

Location: 806-809 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S4CARADLT8_CAD4: S4 CarAdlt: Category of adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	565	41.7 %

Value	Label	Unweighted Frequency	%
2	Father/Stepfather	96	7.1 %
3	Older Sister	39	2.9 %
4	Older Brother	19	1.4 %
5	Other female relative	90	6.6 %
6	Other male relative	29	2.1 %
7	Other female adult in community	38	2.8 %
8	Other male adult in community	33	2.4 %
96	Other	63	4.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	No adults subject admires - question skipped	252	18.6 %
-99	Dont know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 972 valid cases out of 1,354 total cases.

Location: 810-813 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S4CARADLT8_CAD5: S4 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 814-816 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S4CADPRE: S4 CarAdlt: Domains of Social Support

Value	Label	Unweighted Frequency	%
0	-	142	10.5 %
1	-	33	2.4 %
2	-	36	2.7 %
3	-	43	3.2 %
4	-	57	4.2 %
5	-	74	5.5 %
6	-	138	10.2 %

Value	Label	Unweighted Frequency	%
7	-	450	33.2 %
8	-	257	19.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 817-820 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -9 , -8

S4CADFM: S4 CarAdlt: Domains of Social Support - Family

Value	Label	Unweighted Frequency	%
0	-	88	6.5 %
1	-	58	4.3 %
2	-	70	5.2 %
3	-	61	4.5 %
4	-	78	5.8 %
5	-	91	6.7 %
6	-	154	11.4 %
7	-	322	23.8 %
8	-	166	12.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Did not skip into CaringAdlt measure	142	10.5 %
	Total	**1,354**	**100%**

Based upon 1,088 valid cases out of 1,354 total cases.

Location: 821-824 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S4CADNFM: S4 CarAdlt: Domains of Social Support - Non-Family

Value	Label	Unweighted Frequency	%
0	-	711	52.5 %
1	-	138	10.2 %
2	-	62	4.6 %
3	-	31	2.3 %

Value	Label	Unweighted Frequency	%
4	-	33	2.4 %
5	-	37	2.7 %
6	-	21	1.6 %
7	-	35	2.6 %
8	-	20	1.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Did not skip into CaringAdlt measure	142	10.5 %
	Total	**1,354**	**100%**

Based upon 1,088 valid cases out of 1,354 total cases.

Location: 825-828 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S4CADETH: S4 CarAdlt: Domains with either Family or Non-Family support

Value	Label	Unweighted Frequency	%
1	-	33	2.4 %
2	-	36	2.7 %
3	-	43	3.2 %
4	-	58	4.3 %
5	-	78	5.8 %
6	-	134	9.9 %
7	-	451	33.3 %
8	-	255	18.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Did not skip into CaringAdlt measure	142	10.5 %
	Total	**1,354**	**100%**

Based upon 1,088 valid cases out of 1,354 total cases.

Location: 829-832 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S4CADRNG: S4 CarAdlt: Total Number of Adults Mentioned

Based upon 1,088 valid cases out of 1,354 total cases.

- Mean: 15.91

- Median: 12.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 350.00
- Standard Deviation: 18.47

Location: 833-836 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S4CADMDV: S4 CarAdlt: Maximum Diversity within Domains

Based upon 1,088 valid cases out of 1,354 total cases.

- Mean: 4.19
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 6.12

Location: 837-840 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S4CADDIV: S4 CarAdlt: Diversity of Social Support

Value	Label	Unweighted Frequency	%
0	-	142	10.5 %
1	-	385	28.4 %
2	-	389	28.7 %
3	-	211	15.6 %
4	-	69	5.1 %
5	-	24	1.8 %
6	-	9	0.7 %
7	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 841-844 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S4DEPSUP: S4 CarAdlt: Depth of Social Support - Number of unique adults mentioned 3 or more times

Value	Label	Unweighted Frequency	%
0	-	291	21.5 %
1	-	857	63.3 %
2	-	82	6.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 845-848 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S4CADNFD: S4 CarAdlt: Diversity of Non-Family Social Support

Value	Label	Unweighted Frequency	%
0	-	855	63.1 %
1	-	269	19.9 %
2	-	72	5.3 %
3	-	23	1.7 %
4	-	8	0.6 %
5	-	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 849-852 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S4DEPNFS: S4 CarAdlt: Depth of Non-Family Social Support - Number of Adults mentioned more than 2 times

Value	Label	Unweighted Frequency	%
0	-	1080	79.8 %
1	-	148	10.9 %
2	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	123	9.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 853-856 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S5CARADLT1_CAD1: S5 CarAdlt: Any adults you admire

Value	Label	Unweighted Frequency	%
1	Yes	294	21.7 %
5	No	938	69.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 857-860 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S5CARADLT1_CAD2: S5 CarAdlt: Num adults you admire

Based upon 294 valid cases out of 1,354 total cases.

- Mean: 1.52
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.91

Location: 861-864 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S5CARADLT1_CAD4: S5 CarAdlt: Category of adult admire most

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	71	5.2 %
2	Father/Stepfather	52	3.8 %
3	Older Sister	12	0.9 %
4	Older Brother	24	1.8 %
5	Other female relative	20	1.5 %

Value	Label	Unweighted Frequency	%
6	Other male relative	64	4.7 %
7	Other female adult in community	14	1.0 %
8	Other male adult in community	19	1.4 %
96	Other	16	1.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	No adults subject admires - question skipped	939	69.4 %
-99	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 292 valid cases out of 1,354 total cases.

Location: 865-868 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S5CARADLT1_CAD5: S5 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 869-871 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S5CARADLT2_CAD1: S5 CarAdlt: Any adults go to for advice

Value	Label	Unweighted Frequency	%
1	Yes	885	65.4 %
5	No	348	25.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 872-875 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S5CARADLT2_CAD2: S5 CarAdlt: Num adults go to for advice

Based upon 885 valid cases out of 1,354 total cases.

- Mean: 2.59
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 2.99

Location: 876-879 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S5CARADLT2_CAD4: S5 CarAdlt: Category of adult go to for advice

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	351	25.9 %
2	Father/Stepfather	97	7.2 %
3	Older Sister	46	3.4 %
4	Older Brother	34	2.5 %
5	Other female relative	83	6.1 %
6	Other male relative	78	5.8 %
7	Other female adult in community	40	3.0 %
8	Other male adult in community	78	5.8 %
96	Other	77	5.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	No adults subject admires - question skipped	348	25.7 %
-99	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 884 valid cases out of 1,354 total cases.

Location: 880-883 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S5CARADLT2_CAD5: S5 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 884-886 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S5CARADLT3_CAD1: S5 CarAdlt: Any adults go to w/ trouble at home

Value	Label	Unweighted Frequency	%
1	Yes	836	61.7 %
5	No	397	29.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 887-890 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S5CARADLT3_CAD2: S5 CarAdlt: Num adults go to w/ trouble at home

Based upon 836 valid cases out of 1,354 total cases.

- Mean: 2.04
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.90

Location: 891-894 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S5CARADLT3_CAD4: S5 CarAdlt: Category adult go to trouble at home

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	318	23.5 %
2	Father/Stepfather	78	5.8 %
3	Older Sister	55	4.1 %
4	Older Brother	30	2.2 %
5	Other female relative	88	6.5 %
6	Other male relative	53	3.9 %
7	Other female adult in community	59	4.4 %
8	Other male adult in community	69	5.1 %
96	Other	84	6.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	No adults subject admires - question skipped	397	29.3 %
-99	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 834 valid cases out of 1,354 total cases.

Location: 895-898 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S5CARADLT3_CAD5: S5 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 899-901 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S5CARADLT4_CAD1: S5 CarAdlt: Any adults tell if do well

Value	Label	Unweighted Frequency	%
1	Yes	870	64.3 %
5	No	363	26.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 902-905 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S5CARADLT4_CAD2: S5 CarAdlt: Num adults tell if do well

Based upon 867 valid cases out of 1,354 total cases.

- Mean: 3.20

- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 4.79

Location: 906-909 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S5CARADLT4_CAD4: S5 CarAdlt: Category of adult tell if do well

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	506	37.4 %
2	Father/Stepfather	85	6.3 %
3	Older Sister	37	2.7 %
4	Older Brother	17	1.3 %
5	Other female relative	94	6.9 %
6	Other male relative	33	2.4 %
7	Other female adult in community	23	1.7 %
8	Other male adult in community	27	2.0 %
96	Other	48	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	No adults subject admires - question skipped	363	26.8 %
	Total	**1,354**	**100%**

Based upon 870 valid cases out of 1,354 total cases.

Location: 910-913 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S5CARADLT4_CAD5: S5 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 914-916 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S5CARADLT5_CAD1: S5 CarAdlt: Any adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Yes	901	66.5 %
5	No	332	24.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 917-920 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S5CARADLT5_CAD2: S5 CarAdlt: Num adults talk to imp decisions

Based upon 901 valid cases out of 1,354 total cases.

- Mean: 2.31
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 2.61

Location: 921-924 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S5CARADLT5_CAD4: S5 CarAdlt: Category of adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	448	33.1 %
2	Father/Stepfather	102	7.5 %
3	Older Sister	41	3.0 %
4	Older Brother	26	1.9 %
5	Other female relative	96	7.1 %
6	Other male relative	44	3.2 %
7	Other female adult in community	35	2.6 %
8	Other male adult in community	38	2.8 %
96	Other	71	5.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	No adults subject admires - question skipped	332	24.5 %
	Total	**1,354**	**100%**

Based upon 901 valid cases out of 1,354 total cases.

Location: 925-928 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S5CARADLT5_CAD5: S5 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 929-931 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S5CARADLT6_CAD1: S5 CarAdlt: Any adult depend on need help

Value	Label	Unweighted Frequency	%
1	Yes	951	70.2 %
5	No	282	20.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 932-935 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S5CARADLT6_CAD2: S5 CarAdlt: Num adults depend on need help

Based upon 949 valid cases out of 1,354 total cases.

- Mean: 2.30
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.99

Location: 936-939 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S5CARADLT6_CAD4: S5 CarAdlt: Category of adult depend on need help

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	483	35.7 %
2	Father/Stepfather	109	8.1 %
3	Older Sister	44	3.2 %
4	Older Brother	25	1.8 %
5	Other female relative	105	7.8 %
6	Other male relative	50	3.7 %
7	Other female adult in community	27	2.0 %
8	Other male adult in community	39	2.9 %
96	Other	67	4.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	No adults subject admires - question skipped	282	20.8 %
-99	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 949 valid cases out of 1,354 total cases.

Location: 940-943 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S5CARADLT6_CAD5: S5 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 944-946 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S5CARADLT7_CAD1: S5 CarAdlt: Any adults talk about problems with

Value	Label	Unweighted Frequency	%
1	Yes	832	61.4 %
5	No	401	29.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 947-950 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S5CARADLT7_CAD2: S5 CarAdlt: Num adults talk about problems with

Based upon 831 valid cases out of 1,354 total cases.

- Mean: 2.07
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.77

Location: 951-954 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S5CARADLT7_CAD4: S5 CarAdlt: Category of adult talk about problems with

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	389	28.7 %
2	Father/Stepfather	87	6.4 %
3	Older Sister	41	3.0 %
4	Older Brother	29	2.1 %
5	Other female relative	68	5.0 %
6	Other male relative	56	4.1 %
7	Other female adult in community	38	2.8 %
8	Other male adult in community	51	3.8 %
96	Other	72	5.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	No adults subject admires - question skipped	401	29.6 %
-99	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 831 valid cases out of 1,354 total cases.

Location: 955-958 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S5CARADLT7_CAD5: S5 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 959-961 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S5CARADLT8_CAD1: S5 CarAdlt: Any adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Yes	947	69.9 %
5	No	276	20.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	10	0.7 %
	Total	**1,354**	**100%**

Based upon 1,223 valid cases out of 1,354 total cases.

Location: 962-965 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S5CARADLT8_CAD2: S5 CarAdlt: Num adults care how you feel

Based upon 941 valid cases out of 1,354 total cases.

- Mean: 2.80
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 3.14

Location: 966-969 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S5CARADLT8_CAD4: S5 CarAdlt: Category of adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	560	41.4 %
2	Father/Stepfather	81	6.0 %
3	Older Sister	41	3.0 %

Value	Label	Unweighted Frequency	%
4	Older Brother	12	0.9 %
5	Other female relative	96	7.1 %
6	Other male relative	29	2.1 %
7	Other female adult in community	35	2.6 %
8	Other male adult in community	24	1.8 %
96	Other	59	4.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	No adults subject admires - question skipped	286	21.1 %
-99	Dont know	10	0.7 %
	Total	**1,354**	**100%**

Based upon 937 valid cases out of 1,354 total cases.

Location: 970-973 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S5CARADLT8_CAD5: S5 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 974-976 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S5CADPRE: S5 CarAdlt: Domains of Social Support

Value	Label	Unweighted Frequency	%
0	-	175	12.9 %
1	-	47	3.5 %
2	-	53	3.9 %
3	-	49	3.6 %
4	-	44	3.2 %
5	-	69	5.1 %
6	-	116	8.6 %
7	-	441	32.6 %
8	-	239	17.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 977-980 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -9 , -8

S5CADFM: S5 CarAdlt: Domains of Social Support - Family

Value	Label	Unweighted Frequency	%
0	-	78	5.8 %
1	-	75	5.5 %
2	-	75	5.5 %
3	-	58	4.3 %
4	-	74	5.5 %
5	-	95	7.0 %
6	-	150	11.1 %
7	-	306	22.6 %
8	-	147	10.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Did not skip into CaringAdlt measure	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,058 valid cases out of 1,354 total cases.

Location: 981-984 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S5CADNFM: S5 CarAdlt: Domains of Social Support - Non-Family

Value	Label	Unweighted Frequency	%
0	-	689	50.9 %
1	-	130	9.6 %
2	-	67	4.9 %
3	-	53	3.9 %
4	-	26	1.9 %
5	-	28	2.1 %

Value	Label	Unweighted Frequency	%
6	-	21	1.6 %
7	-	35	2.6 %
8	-	9	0.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Did not skip into CaringAdlt measure	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,058 valid cases out of 1,354 total cases.

Location: 985-988 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S5CADETH: S5 CarAdlt: Domains with either Family or Non-Family support

Value	Label	Unweighted Frequency	%
1	-	48	3.5 %
2	-	52	3.8 %
3	-	50	3.7 %
4	-	45	3.3 %
5	-	70	5.2 %
6	-	120	8.9 %
7	-	438	32.3 %
8	-	235	17.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Did not skip into CaringAdlt measure	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,058 valid cases out of 1,354 total cases.

Location: 989-992 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S5CADRNG: S5 CarAdlt: Total Number of Adults Mentioned

Based upon 1,058 valid cases out of 1,354 total cases.

- Mean: 14.97
- Median: 11.00
- Mode: 7.00

- Minimum: 1.00
- Maximum: 235.00
- Standard Deviation: 15.05

Location: 993-996 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S5CADMDV: S5 CarAdlt: Maximum Diversity within Domains

Based upon 1,058 valid cases out of 1,354 total cases.

- Mean: 3.76
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 4.66

Location: 997-1000 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S5CADDIV: S5 CarAdlt: Diversity of Social Support

Value	Label	Unweighted Frequency	%
0	-	175	12.9 %
1	-	392	29.0 %
2	-	389	28.7 %
3	-	187	13.8 %
4	-	69	5.1 %
5	-	14	1.0 %
6	-	7	0.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1001-1004 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S5DEPSUP: S5 CarAdlt: Depth of Social Support - Number of unique adults mentioned 3 or more times

Value	Label	Unweighted Frequency	%
0	-	341	25.2 %
1	-	803	59.3 %

Value	Label	Unweighted Frequency	%
2	-	89	6.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1005-1008 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S5CADNFD: S5 CarAdlt: Diversity of Non-Family Social Support

Value	Label	Unweighted Frequency	%
0	-	865	63.9 %
1	-	257	19.0 %
2	-	86	6.4 %
3	-	24	1.8 %
4	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1009-1012 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S5DEPNFS: S5 CarAdlt: Depth of Non-Family Social Support - Number of Adults mentioned more than 2 times

Value	Label	Unweighted Frequency	%
0	-	1091	80.6 %
1	-	137	10.1 %
2	-	5	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 1013-1016 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S6CARADLT1_CAD1: S6 CarAdlt: Any adults you admire

Value	Label	Unweighted Frequency	%
1	Yes	284	21.0 %
5	No	948	70.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1017-1020 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S6CARADLT1_CAD2: S6 CarAdlt: Num adults you admire

Based upon 284 valid cases out of 1,354 total cases.

- Mean: 1.52
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 1.22

Location: 1021-1024 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S6CARADLT1_CAD4: S6 CarAdlt: Category of adult admire most

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	71	5.2 %
2	Father/Stepfather	55	4.1 %
3	Older Sister	11	0.8 %
4	Older Brother	25	1.8 %
5	Other female relative	26	1.9 %
6	Other male relative	45	3.3 %
7	Other female adult in community	9	0.7 %
8	Other male adult in community	25	1.8 %
96	Other	16	1.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %

Value	Label	Unweighted Frequency	%
-101	No adults subject admires - question skipped	948	70.0 %
-99	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 283 valid cases out of 1,354 total cases.

Location: 1025-1028 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S6CARADLT1_CAD5: S6 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1029-1031 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S6CARADLT2_CAD1: S6 CarAdlt: Any adults go to for advice

Value	Label	Unweighted Frequency	%
1	Yes	865	63.9 %
5	No	367	27.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1032-1035 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S6CARADLT2_CAD2: S6 CarAdlt: Num adults go to for advice

Based upon 865 valid cases out of 1,354 total cases.

- Mean: 2.44
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 2.51

Location: 1036-1039 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S6CARADLT2_CAD4: S6 CarAdlt: Category of adult go to for advice

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	344	25.4 %
2	Father/Stepfather	100	7.4 %
3	Older Sister	44	3.2 %
4	Older Brother	38	2.8 %
5	Other female relative	102	7.5 %
6	Other male relative	59	4.4 %
7	Other female adult in community	30	2.2 %
8	Other male adult in community	58	4.3 %
96	Other	84	6.2 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	No adults subject admires - question skipped	367	27.1 %
-99	Dont know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 859 valid cases out of 1,354 total cases.

Location: 1040-1043 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S6CARADLT2_CAD5: S6 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1044-1046 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S6CARADLT3_CAD1: S6 CarAdlt: Any adults go to w/ trouble at home

Value	Label	Unweighted Frequency	%
1	Yes	820	60.6 %
5	No	412	30.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1047-1050 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S6CARADLT3_CAD2: S6 CarAdlt: Num adults go to w/ trouble at home

Based upon 820 valid cases out of 1,354 total cases.

- Mean: 2.06
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 3.88

Location: 1051-1054 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S6CARADLT3_CAD4: S6 CarAdlt: Category adult go to trouble at home

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	316	23.3 %
2	Father/Stepfather	76	5.6 %
3	Older Sister	55	4.1 %
4	Older Brother	36	2.7 %
5	Other female relative	104	7.7 %
6	Other male relative	56	4.1 %
7	Other female adult in community	34	2.5 %
8	Other male adult in community	53	3.9 %
96	Other	88	6.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	No adults subject admires - question skipped	412	30.4 %
-99	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 818 valid cases out of 1,354 total cases.

Location: 1055-1058 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S6CARADLT3_CAD5: S6 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1059-1061 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S6CARADLT4_CAD1: S6 CarAdlt: Any adults tell if do well

Value	Label	Unweighted Frequency	%
1	Yes	872	64.4 %
5	No	360	26.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1062-1065 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S6CARADLT4_CAD2: S6 CarAdlt: Num adults tell if do well

Based upon 871 valid cases out of 1,354 total cases.

- Mean: 3.12
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 6.71

Location: 1066-1069 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S6CARADLT4_CAD4: S6 CarAdlt: Category of adult tell if do well

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	501	37.0 %
2	Father/Stepfather	88	6.5 %
3	Older Sister	39	2.9 %

Value	Label	Unweighted Frequency	%
4	Older Brother	18	1.3 %
5	Other female relative	103	7.6 %
6	Other male relative	30	2.2 %
7	Other female adult in community	21	1.6 %
8	Other male adult in community	20	1.5 %
96	Other	47	3.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	No adults subject admires - question skipped	360	26.6 %
-99	Dont know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 867 valid cases out of 1,354 total cases.

Location: 1070-1073 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S6CARADLT4_CAD5: S6 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1074-1076 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S6CARADLT5_CAD1: S6 CarAdlt: Any adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Yes	895	66.1 %
5	No	337	24.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1077-1080 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S6CARADLT5_CAD2: S6 CarAdlt: Num adults talk to imp decisions

Based upon 895 valid cases out of 1,354 total cases.

- Mean: 2.10
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.98

Location: 1081-1084 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S6CARADLT5_CAD4: S6 CarAdlt: Category of adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	458	33.8 %
2	Father/Stepfather	103	7.6 %
3	Older Sister	47	3.5 %
4	Older Brother	24	1.8 %
5	Other female relative	95	7.0 %
6	Other male relative	36	2.7 %
7	Other female adult in community	31	2.3 %
8	Other male adult in community	25	1.8 %
96	Other	72	5.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	No adults subject admires - question skipped	337	24.9 %
-99	Dont know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 891 valid cases out of 1,354 total cases.

Location: 1085-1088 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S6CARADLT5_CAD5: S6 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1089-1091 (width: 3; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S6CARADLT6_CAD1: S6 CarAdlt: Any adult depend on need help

Value	Label	Unweighted Frequency	%
1	Yes	946	69.9 %
5	No	286	21.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1092-1095 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S6CARADLT6_CAD2: S6 CarAdlt: Num adults depend on need help

Based upon 945 valid cases out of 1,354 total cases.

- Mean: 2.17
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 22.00
- Standard Deviation: 2.03

Location: 1096-1099 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S6CARADLT6_CAD4: S6 CarAdlt: Category of adult depend on need help

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	469	34.6 %
2	Father/Stepfather	111	8.2 %
3	Older Sister	51	3.8 %
4	Older Brother	26	1.9 %
5	Other female relative	108	8.0 %
6	Other male relative	47	3.5 %
7	Other female adult in community	27	2.0 %
8	Other male adult in community	32	2.4 %
96	Other	69	5.1 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	122	9.0 %

Value	Label	Unweighted Frequency	%
-101	No adults subject admires - question skipped	286	21.1 %
-99	Dont know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 940 valid cases out of 1,354 total cases.

Location: 1100-1103 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S6CARADLT6_CAD5: S6 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1104-1106 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S6CARADLT7_CAD1: S6 CarAdlt: Any adults talk about problems with

Value	Label	Unweighted Frequency	%
1	Yes	835	61.7 %
5	No	397	29.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1107-1110 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S6CARADLT7_CAD2: S6 CarAdlt: Num adults talk about problems with

Based upon 835 valid cases out of 1,354 total cases.

- Mean: 2.02
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.77

Location: 1111-1114 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S6CARADLT7_CAD4: S6 CarAdlt: Category of adult talk about problems with

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	365	27.0 %
2	Father/Stepfather	88	6.5 %
3	Older Sister	53	3.9 %
4	Older Brother	39	2.9 %
5	Other female relative	98	7.2 %
6	Other male relative	38	2.8 %
7	Other female adult in community	29	2.1 %
8	Other male adult in community	43	3.2 %
96	Other	80	5.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	No adults subject admires - question skipped	397	29.3 %
-99	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 1115-1118 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S6CARADLT7_CAD5: S6 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1119-1121 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S6CARADLT8_CAD1: S6 CarAdlt: Any adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Yes	926	68.4 %
5	No	295	21.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	11	0.8 %
	Total	**1,354**	**100%**

Based upon 1,221 valid cases out of 1,354 total cases.

Location: 1122-1125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S6CARADLT8_CAD2: S6 CarAdlt: Num adults care how you feel

Based upon 924 valid cases out of 1,354 total cases.

- Mean: 2.71
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 3.93

Location: 1126-1129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S6CARADLT8_CAD4: S6 CarAdlt: Category of adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	532	39.3 %
2	Father/Stepfather	78	5.8 %
3	Older Sister	41	3.0 %
4	Older Brother	18	1.3 %
5	Other female relative	94	6.9 %
6	Other male relative	20	1.5 %
7	Other female adult in community	29	2.1 %
8	Other male adult in community	16	1.2 %
96	Other	82	6.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	No adults subject admires - question skipped	306	22.6 %
-99	Dont know	16	1.2 %
	Total	**1,354**	**100%**

Based upon 910 valid cases out of 1,354 total cases.

Location: 1130-1133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S6CARADLT8_CAD5: S6 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
	Missing Data		
997	Blank	1354	100.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1134-1136 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S6CADPRE: S6 CarAdlt: Domains of Social Support

Value	Label	Unweighted Frequency	%
0	-	187	13.8 %
1	-	46	3.4 %
2	-	41	3.0 %
3	-	48	3.5 %
4	-	54	4.0 %
5	-	65	4.8 %
6	-	137	10.1 %
7	-	424	31.3 %
8	-	230	17.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1137-1140 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -9 , -8

S6CADFM: S6 CarAdlt: Domains of Social Support - Family

Value	Label	Unweighted Frequency	%
0	-	82	6.1 %
1	-	62	4.6 %
2	-	66	4.9 %
3	-	65	4.8 %
4	-	70	5.2 %
5	-	91	6.7 %
6	-	152	11.2 %

Value	Label	Unweighted Frequency	%
7	-	311	23.0 %
8	-	146	10.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Did not skip into CaringAdlt measure	187	13.8 %
	Total	**1,354**	**100%**

Based upon 1,045 valid cases out of 1,354 total cases.

Location: 1141-1144 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S6CADNFM: S6 CarAdlt: Domains of Social Support - Non-Family

Value	Label	Unweighted Frequency	%
0	-	710	52.4 %
1	-	117	8.6 %
2	-	62	4.6 %
3	-	41	3.0 %
4	-	29	2.1 %
5	-	23	1.7 %
6	-	25	1.8 %
7	-	29	2.1 %
8	-	9	0.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Did not skip into CaringAdlt measure	187	13.8 %
	Total	**1,354**	**100%**

Based upon 1,045 valid cases out of 1,354 total cases.

Location: 1145-1148 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S6CADETH: S6 CarAdlt: Domains with either Family or Non-Family support

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	46	3.4 %
2	-	42	3.1 %
3	-	49	3.6 %
4	-	57	4.2 %

Value	Label	Unweighted Frequency	%
5	-	66	4.9 %
6	-	139	10.3 %
7	-	420	31.0 %
8	-	224	16.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Did not skip into CaringAdlt measure	187	13.8 %
	Total	**1,354**	**100%**

Based upon 1,045 valid cases out of 1,354 total cases.

Location: 1149-1152 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S6CADRNG: S6 CarAdlt: Total Number of Adults Mentioned

Based upon 1,045 valid cases out of 1,354 total cases.

- Mean: 14.41
- Median: 11.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 200.00
- Standard Deviation: 14.38

Location: 1153-1156 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S6CADMDV: S6 CarAdlt: Maximum Diversity within Domains

Based upon 1,045 valid cases out of 1,354 total cases.

- Mean: 4.07
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 7.65

Location: 1157-1160 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S6CADDIV: S6 CarAdlt: Diversity of Social Support

Value	Label	Unweighted Frequency	%
0	-	187	13.8 %
1	-	433	32.0 %

Value	Label	Unweighted Frequency	%
2	-	326	24.1 %
3	-	199	14.7 %
4	-	65	4.8 %
5	-	17	1.3 %
6	-	3	0.2 %
7	-	1	0.1 %
8	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1161-1164 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S6DEPSUP: S6 CarAdlt: Depth of Social Support - Number of unique adults mentioned 3 or more times

Value	Label	Unweighted Frequency	%
0	-	349	25.8 %
1	-	802	59.2 %
2	-	81	6.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1165-1168 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S6CADNFD: S6 CarAdlt: Diversity of Non-Family Social Support

Value	Label	Unweighted Frequency	%
0	-	898	66.3 %
1	-	249	18.4 %
2	-	67	4.9 %
3	-	11	0.8 %
4	-	6	0.4 %
5	-	1	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1169-1172 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S6DEPNFS: S6 CarAdlt: Depth of Non-Family Social Support - Number of Adults mentioned more than 2 times

Value	Label	Unweighted Frequency	%
0	-	1093	80.7 %
1	-	133	9.8 %
2	-	6	0.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1173-1176 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S7CARADLT1_CAD1: S7 CarAdlt: Any adults you admire

Value	Label	Unweighted Frequency	%
1	Yes	269	19.9 %
5	No	946	69.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1177-1180 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S7CARADLT1_CAD2: S7 CarAdlt: Num adults you admire

Based upon 269 valid cases out of 1,354 total cases.

- Mean: 1.61
- Median: 1.00
- Mode: 1.00

- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.05

Location: 1181-1184 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S7CARADLT1_CAD4: S7 CarAdlt: Category of adult admire most

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	61	4.5 %
2	Father/Stepfather	61	4.5 %
3	Older Sister	13	1.0 %
4	Older Brother	22	1.6 %
5	Other female relative	26	1.9 %
6	Other male relative	45	3.3 %
7	Other female adult in community	6	0.4 %
8	Other male adult in community	16	1.2 %
96	Other	18	1.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	No adults subject admires - question skipped	946	69.9 %
-99	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 268 valid cases out of 1,354 total cases.

Location: 1185-1188 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S7CARADLT1_CAD5: S7 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
24	-	1	0.1 %
29	-	1	0.1 %
32	-	1	0.1 %
64	-	1	0.1 %
	Missing Data		
997	Blank	1350	99.7 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 1189-1191 (width: 3; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

S7CARADLT2_CAD1: S7 CarAdlt: Any adults go to for advice

Value	Label	Unweighted Frequency	%
1	Yes	841	62.1 %
5	No	374	27.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1192-1195 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S7CARADLT2_CAD2: S7 CarAdlt: Num adults go to for advice

Based upon 841 valid cases out of 1,354 total cases.

- Mean: 2.37
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 2.36

Location: 1196-1199 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S7CARADLT2_CAD4: S7 CarAdlt: Category of adult go to for advice

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	349	25.8 %
2	Father/Stepfather	113	8.3 %
3	Older Sister	42	3.1 %
4	Older Brother	31	2.3 %
5	Other female relative	96	7.1 %
6	Other male relative	63	4.7 %
7	Other female adult in community	32	2.4 %
8	Other male adult in community	38	2.8 %
96	Other	76	5.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	No adults subject admires - question skipped	374	27.6 %
-99	Dont know	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 840 valid cases out of 1,354 total cases.

Location: 1200-1203 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S7CARADLT2_CAD5: S7 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
24	-	1	0.1 %
28	-	1	0.1 %
35	-	1	0.1 %
39	-	1	0.1 %
40	-	1	0.1 %
46	-	1	0.1 %
64	-	1	0.1 %
	Missing Data		
997	Blank	1347	99.5 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 1204-1206 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S7CARADLT3_CAD1: S7 CarAdlt: Any adults go to w/ trouble at home

Value	Label	Unweighted Frequency	%
1	Yes	809	59.7 %
5	No	404	29.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1207-1210 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S7CARADLT3_CAD2: S7 CarAdlt: Num adults go to w/ trouble at home

Based upon 809 valid cases out of 1,354 total cases.

- Mean: 1.95
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 2.02

Location: 1211-1214 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S7CARADLT3_CAD4: S7 CarAdlt: Category adult go to trouble at home

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	332	24.5 %
2	Father/Stepfather	79	5.8 %
3	Older Sister	52	3.8 %
4	Older Brother	23	1.7 %
5	Other female relative	101	7.5 %
6	Other male relative	58	4.3 %
7	Other female adult in community	47	3.5 %
8	Other male adult in community	42	3.1 %
96	Other	75	5.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	No adults subject admires - question skipped	406	30.0 %
	Total	**1,354**	**100%**

Based upon 809 valid cases out of 1,354 total cases.

Location: 1215-1218 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S7CARADLT3_CAD5: S7 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
22	-	1	0.1 %
24	-	1	0.1 %
29	-	1	0.1 %
40	-	1	0.1 %
49	-	1	0.1 %
64	-	1	0.1 %
	Missing Data		
997	Blank	1348	99.6 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 1219-1221 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S7CARADLT4_CAD1: S7 CarAdlt: Any adults tell if do well

Value	Label	Unweighted Frequency	%
1	Yes	852	62.9 %
5	No	363	26.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1222-1225 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S7CARADLT4_CAD2: S7 CarAdlt: Num adults tell if do well

Based upon 849 valid cases out of 1,354 total cases.

- Mean: 3.02
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 5.92

Location: 1226-1229 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S7CARADLT4_CAD4: S7 CarAdlt: Category of adult tell if do well

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	489	36.1 %
2	Father/Stepfather	104	7.7 %
3	Older Sister	30	2.2 %
4	Older Brother	11	0.8 %
5	Other female relative	93	6.9 %
6	Other male relative	34	2.5 %
7	Other female adult in community	18	1.3 %

Value	Label	Unweighted Frequency	%
8	Other male adult in community	13	1.0 %
96	Other	60	4.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	No adults subject admires - question skipped	363	26.8 %
	Total	**1,354**	**100%**

Based upon 852 valid cases out of 1,354 total cases.

Location: 1230-1233 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S7CARADLT4_CAD5: S7 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
22	-	1	0.1 %
24	-	1	0.1 %
27	-	1	0.1 %
39	-	1	0.1 %
40	-	1	0.1 %
64	-	1	0.1 %
	Missing Data		
997	Blank	1348	99.6 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 1234-1236 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S7CARADLT5_CAD1: S7 CarAdlt: Any adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Yes	888	65.6 %
5	No	327	24.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1237-1240 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S7CARADLT5_CAD2: S7 CarAdlt: Num adults talk to imp decisions

Based upon 888 valid cases out of 1,354 total cases.

- Mean: 2.09
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 2.11

Location: 1241-1244 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S7CARADLT5_CAD4: S7 CarAdlt: Category of adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	437	32.3 %
2	Father/Stepfather	116	8.6 %
3	Older Sister	44	3.2 %
4	Older Brother	16	1.2 %
5	Other female relative	101	7.5 %
6	Other male relative	36	2.7 %
7	Other female adult in community	28	2.1 %
8	Other male adult in community	26	1.9 %
96	Other	82	6.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	No adults subject admires - question skipped	327	24.2 %
-99	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 886 valid cases out of 1,354 total cases.

Location: 1245-1248 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S7CARADLT5_CAD5: S7 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
22	-	1	0.1 %
24	-	1	0.1 %
29	-	1	0.1 %
35	-	1	0.1 %
40	-	1	0.1 %

Value	Label	Unweighted Frequency	%
48	-	1	0.1 %
64	-	1	0.1 %
	Missing Data		
997	Blank	1347	99.5 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 1249-1251 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S7CARADLT6_CAD1: S7 CarAdlt: Any adult depend on need help

Value	Label	Unweighted Frequency	%
1	Yes	918	67.8 %
5	No	295	21.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 1252-1255 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S7CARADLT6_CAD2: S7 CarAdlt: Num adults depend on need help

Based upon 918 valid cases out of 1,354 total cases.

- Mean: 2.25
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 2.26

Location: 1256-1259 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S7CARADLT6_CAD4: S7 CarAdlt: Category of adult depend on need help

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	456	33.7 %
2	Father/Stepfather	116	8.6 %

Value	Label	Unweighted Frequency	%
3	Older Sister	48	3.5 %
4	Older Brother	24	1.8 %
5	Other female relative	105	7.8 %
6	Other male relative	47	3.5 %
7	Other female adult in community	22	1.6 %
8	Other male adult in community	25	1.8 %
96	Other	75	5.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	No adults subject admires - question skipped	297	21.9 %
	Total	**1,354**	**100%**

Based upon 918 valid cases out of 1,354 total cases.

Location: 1260-1263 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S7CARADLT6_CAD5: S7 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
22	-	1	0.1 %
24	-	1	0.1 %
29	-	1	0.1 %
35	-	1	0.1 %
39	-	1	0.1 %
64	-	1	0.1 %
	Missing Data		
997	Blank	1348	99.6 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 1264-1266 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S7CARADLT7_CAD1: S7 CarAdlt: Any adults talk about problems with

Value	Label	Unweighted Frequency	%
1	Yes	835	61.7 %
5	No	380	28.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1267-1270 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S7CARADLT7_CAD2: S7 CarAdlt: Num adults talk about problems with

Based upon 835 valid cases out of 1,354 total cases.

- Mean: 2.06
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 2.10

Location: 1271-1274 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S7CARADLT7_CAD4: S7 CarAdlt: Category of adult talk about problems with

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	381	28.1 %
2	Father/Stepfather	94	6.9 %
3	Older Sister	47	3.5 %
4	Older Brother	27	2.0 %
5	Other female relative	93	6.9 %
6	Other male relative	38	2.8 %
7	Other female adult in community	38	2.8 %
8	Other male adult in community	28	2.1 %
96	Other	89	6.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	No adults subject admires - question skipped	380	28.1 %
	Total	**1,354**	**100%**

Based upon 835 valid cases out of 1,354 total cases.

Location: 1275-1278 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S7CARADLT7_CAD5: S7 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
24	-	1	0.1 %
27	-	1	0.1 %
28	-	1	0.1 %
39	-	1	0.1 %
40	-	1	0.1 %
64	-	1	0.1 %
	Missing Data		
997	Blank	1348	99.6 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 1279-1281 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S7CARADLT8_CAD1: S7 CarAdlt: Any adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Yes	901	66.5 %
5	No	301	22.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	13	1.0 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1282-1285 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S7CARADLT8_CAD2: S7 CarAdlt: Num adults care how you feel

Based upon 897 valid cases out of 1,354 total cases.

- Mean: 2.85
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 3.13

Location: 1286-1289 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S7CARADLT8_CAD4: S7 CarAdlt: Category of adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	518	38.3 %
2	Father/Stepfather	78	5.8 %
3	Older Sister	42	3.1 %
4	Older Brother	14	1.0 %
5	Other female relative	89	6.6 %
6	Other male relative	24	1.8 %
7	Other female adult in community	30	2.2 %
8	Other male adult in community	18	1.3 %
96	Other	82	6.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	No adults subject admires - question skipped	314	23.2 %
-99	Dont know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 895 valid cases out of 1,354 total cases.

Location: 1290-1293 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S7CARADLT8_CAD5: S7 CarAdlt: Age of this person

Value	Label	Unweighted Frequency	%
22	-	1	0.1 %
24	-	1	0.1 %
29	-	1	0.1 %
39	-	1	0.1 %
62	-	1	0.1 %
64	-	1	0.1 %
	Missing Data		
997	Blank	1348	99.6 %
	Total	**1,354**	**100%**

Based upon 6 valid cases out of 1,354 total cases.

Location: 1294-1296 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S7CADPRE: S7 CarAdlt: Domains of Social Support

Value	Label	Unweighted Frequency	%
0	-	200	14.8 %

Value	Label	Unweighted Frequency	%
1	-	40	3.0 %
2	-	34	2.5 %
3	-	38	2.8 %
4	-	48	3.5 %
5	-	75	5.5 %
6	-	156	11.5 %
7	-	404	29.8 %
8	-	220	16.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1297-1300 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -9 , -8

S7CADFM: S7 CarAdlt: Domains of Social Support - Family

Value	Label	Unweighted Frequency	%
0	-	84	6.2 %
1	-	58	4.3 %
2	-	46	3.4 %
3	-	65	4.8 %
4	-	65	4.8 %
5	-	92	6.8 %
6	-	142	10.5 %
7	-	302	22.3 %
8	-	161	11.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Did not skip into CaringAdlt measure	200	14.8 %
	Total	**1,354**	**100%**

Based upon 1,015 valid cases out of 1,354 total cases.

Location: 1301-1304 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S7CADNFM: S7 CarAdlt: Domains of Social Support - Non-Family

Value	Label	Unweighted Frequency	%
0	-	705	52.1 %
1	-	105	7.8 %
2	-	49	3.6 %
3	-	43	3.2 %
4	-	31	2.3 %
5	-	16	1.2 %
6	-	22	1.6 %
7	-	36	2.7 %
8	-	8	0.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Did not skip into CaringAdlt measure	200	14.8 %
	Total	**1,354**	**100%**

Based upon 1,015 valid cases out of 1,354 total cases.

Location: 1305-1308 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S7CADETH: S7 CarAdlt: Domains with either Family or Non-Family support

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
1	-	39	2.9 %
2	-	34	2.5 %
3	-	38	2.8 %
4	-	49	3.6 %
5	-	76	5.6 %
6	-	158	11.7 %
7	-	402	29.7 %
8	-	218	16.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Did not skip into CaringAdlt measure	200	14.8 %
	Total	**1,354**	**100%**

Based upon 1,015 valid cases out of 1,354 total cases.

Location: 1309-1312 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S7CADRNG: S7 CarAdlt: Total Number of Adults Mentioned

Based upon 1,015 valid cases out of 1,354 total cases.

- Mean: 14.54
- Median: 11.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 240.00
- Standard Deviation: 14.83

Location: 1313-1316 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S7CADMDV: S7 CarAdlt: Maximum Diversity within Domains

Based upon 1,015 valid cases out of 1,354 total cases.

- Mean: 3.90
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 5.95

Location: 1317-1320 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S7CADDIV: S7 CarAdlt: Diversity of Social Support

Value	Label	Unweighted Frequency	%
0	-	200	14.8 %
1	-	432	31.9 %
2	-	317	23.4 %
3	-	191	14.1 %
4	-	60	4.4 %
5	-	10	0.7 %
6	-	4	0.3 %
7	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1321-1324 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S7DEPSUP: S7 CarAdlt: Depth of Social Support - Number of unique adults mentioned 3 or more times

Value	Label	Unweighted Frequency	%
0	-	339	25.0 %
1	-	808	59.7 %
2	-	68	5.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1325-1328 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S7CADNFD: S7 CarAdlt: Diversity of Non-Family Social Support

Value	Label	Unweighted Frequency	%
0	-	906	66.9 %
1	-	227	16.8 %
2	-	65	4.8 %
3	-	17	1.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1329-1332 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S7DEPNFS: S7 CarAdlt: Depth of Non-Family Social Support - Number of Adults mentioned more than 2 times

Value	Label	Unweighted Frequency	%
0	-	1087	80.3 %
1	-	124	9.2 %
2	-	4	0.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1333-1336 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S8CARADLT1_CAD1: S8 CarAdlt: Any adults you admire

Value	Label	Unweighted Frequency	%
1	Yes	309	22.8 %
5	No	896	66.2 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1337-1340 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S8CARADLT1_CAD2: S8 CarAdlt: Num adults you admire

Based upon 309 valid cases out of 1,354 total cases.

- Mean: 1.45
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 0.93

Location: 1341-1344 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S8CARADLT1_CAD4: S8 CarAdlt: Category of adult admire most

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	68	5.0 %
2	Father/Stepfather	69	5.1 %
3	Older Sister	9	0.7 %
4	Older Brother	27	2.0 %
5	Other female relative	24	1.8 %
6	Other male relative	52	3.8 %
7	Other female adult in community	10	0.7 %
8	Other male adult in community	30	2.2 %
96	Other	20	1.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	No adults subject admires - question skipped	896	66.2 %
	Total	**1,354**	**100%**

Based upon 309 valid cases out of 1,354 total cases.

Location: 1345-1348 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S8CARADLT1_CAD5: S8 CarAdlt: Age of this person

Based upon 161 valid cases out of 1,354 total cases.

- Mean: 42.99
- Median: 42.00
- Mode: 42.00
- Minimum: 22.00
- Maximum: 82.00
- Standard Deviation: 11.44

Location: 1349-1351 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S8CARADLT2_CAD1: S8 CarAdlt: Any adults go to for advice

Value	Label	Unweighted Frequency	%
1	Yes	866	64.0 %
5	No	339	25.0 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1352-1355 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S8CARADLT2_CAD2: S8 CarAdlt: Num adults go to for advice

Based upon 866 valid cases out of 1,354 total cases.

- Mean: 2.29
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.96

Location: 1356-1359 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S8CARADLT2_CAD4: S8 CarAdlt: Category of adult go to for advice

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	347	25.6 %
2	Father/Stepfather	127	9.4 %
3	Older Sister	48	3.5 %
4	Older Brother	40	3.0 %
5	Other female relative	88	6.5 %
6	Other male relative	57	4.2 %
7	Other female adult in community	35	2.6 %
8	Other male adult in community	52	3.8 %
96	Other	72	5.3 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	No adults subject admires - question skipped	339	25.0 %
	Total	**1,354**	**100%**

Based upon 866 valid cases out of 1,354 total cases.

Location: 1360-1363 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S8CARADLT2_CAD5: S8 CarAdlt: Age of this person

Based upon 417 valid cases out of 1,354 total cases.

- Mean: 42.18
- Median: 42.00
- Minimum: 19.00
- Maximum: 85.00
- Standard Deviation: 11.14

Location: 1364-1366 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S8CARADLT3_CAD1: S8 CarAdlt: Any adults go to w/ trouble at home

Value	Label	Unweighted Frequency	%
1	Yes	812	60.0 %
5	No	393	29.0 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1367-1370 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S8CARADLT3_CAD2: S8 CarAdlt: Num adults go to w/ trouble at home

Based upon 812 valid cases out of 1,354 total cases.

- Mean: 1.90
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.67

Location: 1371-1374 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S8CARADLT3_CAD4: S8 CarAdlt: Category adult go to trouble at home

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	311	23.0 %
2	Father/Stepfather	108	8.0 %
3	Older Sister	49	3.6 %
4	Older Brother	34	2.5 %
5	Other female relative	94	6.9 %
6	Other male relative	50	3.7 %
7	Other female adult in community	39	2.9 %
8	Other male adult in community	44	3.2 %
96	Other	83	6.1 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	No adults subject admires - question skipped	393	29.0 %
	Total	**1,354**	**100%**

Based upon 812 valid cases out of 1,354 total cases.

Location: 1375-1378 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S8CARADLT3_CAD5: S8 CarAdlt: Age of this person

Based upon 386 valid cases out of 1,354 total cases.

- Mean: 42.23
- Median: 42.00
- Mode: 42.00
- Minimum: 18.00
- Maximum: 83.00
- Standard Deviation: 12.14

Location: 1379-1381 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S8CARADLT4_CAD1: S8 CarAdlt: Any adults tell if do well

Value	Label	Unweighted Frequency	%
1	Yes	845	62.4 %
5	No	360	26.6 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1382-1385 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S8CARADLT4_CAD2: S8 CarAdlt: Num adults tell if do well

Based upon 844 valid cases out of 1,354 total cases.

- Mean: 2.80
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00

- Maximum: 90.00
- Standard Deviation: 4.71

Location: 1386-1389 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S8CARADLT4_CAD4: S8 CarAdlt: Category of adult tell if do well

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	472	34.9 %
2	Father/Stepfather	109	8.1 %
3	Older Sister	37	2.7 %
4	Older Brother	17	1.3 %
5	Other female relative	91	6.7 %
6	Other male relative	29	2.1 %
7	Other female adult in community	23	1.7 %
8	Other male adult in community	21	1.6 %
96	Other	45	3.3 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	No adults subject admires - question skipped	360	26.6 %
-99	Dont know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 844 valid cases out of 1,354 total cases.

Location: 1390-1393 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S8CARADLT4_CAD5: S8 CarAdlt: Age of this person

Based upon 399 valid cases out of 1,354 total cases.

- Mean: 44.66
- Median: 44.00
- Mode: 42.00
- Minimum: 19.00
- Maximum: 85.00
- Standard Deviation: 10.87

Location: 1394-1396 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S8CARADLT5_CAD1: S8 CarAdlt: Any adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Yes	871	64.3 %
5	No	334	24.7 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1397-1400 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S8CARADLT5_CAD2: S8 CarAdlt: Num adults talk to imp decisions

Based upon 871 valid cases out of 1,354 total cases.

- Mean: 2.05
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.85

Location: 1401-1404 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S8CARADLT5_CAD4: S8 CarAdlt: Category of adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	433	32.0 %
2	Father/Stepfather	113	8.3 %
3	Older Sister	37	2.7 %
4	Older Brother	31	2.3 %
5	Other female relative	94	6.9 %
6	Other male relative	40	3.0 %
7	Other female adult in community	25	1.8 %
8	Other male adult in community	32	2.4 %
96	Other	66	4.9 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	No adults subject admires - question skipped	334	24.7 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 871 valid cases out of 1,354 total cases.

Location: 1405-1408 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S8CARADLT5_CAD5: S8 CarAdlt: Age of this person

Based upon 411 valid cases out of 1,354 total cases.

- Mean: 43.74
- Median: 43.00
- Mode: 42.00
- Minimum: 19.00
- Maximum: 85.00
- Standard Deviation: 11.07

Location: 1409-1411 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S8CARADLT6_CAD1: S8 CarAdlt: Any adult depend on need help

Value	Label	Unweighted Frequency	%
1	Yes	924	68.2 %
5	No	281	20.8 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1412-1415 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S8CARADLT6_CAD2: S8 CarAdlt: Num adults depend on need help

Based upon 924 valid cases out of 1,354 total cases.

- Mean: 2.10
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.89

Location: 1416-1419 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S8CARADLT6_CAD4: S8 CarAdlt: Category of adult depend on need help

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	440	32.5 %
2	Father/Stepfather	130	9.6 %
3	Older Sister	41	3.0 %
4	Older Brother	30	2.2 %
5	Other female relative	98	7.2 %
6	Other male relative	53	3.9 %
7	Other female adult in community	35	2.6 %
8	Other male adult in community	33	2.4 %
96	Other	62	4.6 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	No adults subject admires - question skipped	281	20.8 %
-99	Dont know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 922 valid cases out of 1,354 total cases.

Location: 1420-1423 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S8CARADLT6_CAD5: S8 CarAdlt: Age of this person

Based upon 430 valid cases out of 1,354 total cases.

- Mean: 43.59
- Median: 43.00
- Mode: 42.00
- Minimum: 19.00
- Maximum: 85.00
- Standard Deviation: 11.33

Location: 1424-1426 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S8CARADLT7_CAD1: S8 CarAdlt: Any adults talk about problems with

Value	Label	Unweighted Frequency	%
1	Yes	849	62.7 %

Value	Label	Unweighted Frequency	%
5	No	356	26.3 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1427-1430 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S8CARADLT7_CAD2: S8 CarAdlt: Num adults talk about problems with

Based upon 849 valid cases out of 1,354 total cases.

- Mean: 1.95
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.71

Location: 1431-1434 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S8CARADLT7_CAD4: S8 CarAdlt: Category of adult talk about problems with

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	378	27.9 %
2	Father/Stepfather	109	8.1 %
3	Older Sister	44	3.2 %
4	Older Brother	42	3.1 %
5	Other female relative	84	6.2 %
6	Other male relative	47	3.5 %
7	Other female adult in community	32	2.4 %
8	Other male adult in community	35	2.6 %
96	Other	77	5.7 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	No adults subject admires - question skipped	356	26.3 %
-99	Dont know	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 848 valid cases out of 1,354 total cases.

Location: 1435-1438 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S8CARADLT7_CAD5: S8 CarAdlt: Age of this person

Based upon 400 valid cases out of 1,354 total cases.

- Mean: 42.21
- Median: 42.00
- Mode: 42.00
- Minimum: 19.00
- Maximum: 85.00
- Standard Deviation: 11.60

Location: 1439-1441 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S8CARADLT8_CAD1: S8 CarAdlt: Any adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Yes	894	66.0 %
5	No	304	22.5 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	7	0.5 %
	Total	**1,354**	**100%**

Based upon 1,198 valid cases out of 1,354 total cases.

Location: 1442-1445 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S8CARADLT8_CAD2: S8 CarAdlt: Num adults care how you feel

Based upon 893 valid cases out of 1,354 total cases.

- Mean: 2.80
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00

- Standard Deviation: 3.49

Location: 1446-1449 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S8CARADLT8_CAD4: S8 CarAdlt: Category of adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	494	36.5 %
2	Father/Stepfather	99	7.3 %
3	Older Sister	44	3.2 %
4	Older Brother	19	1.4 %
5	Other female relative	95	7.0 %
6	Other male relative	32	2.4 %
7	Other female adult in community	22	1.6 %
8	Other male adult in community	18	1.3 %
96	Other	68	5.0 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	No adults subject admires - question skipped	311	23.0 %
-99	Dont know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 891 valid cases out of 1,354 total cases.

Location: 1450-1453 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S8CARADLT8_CAD5: S8 CarAdlt: Age of this person

Based upon 421 valid cases out of 1,354 total cases.

- Mean: 44.04
- Median: 43.00
- Mode: 42.00
- Minimum: 19.00
- Maximum: 85.00
- Standard Deviation: 11.32

Location: 1454-1456 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S8CADPRE: S8 CarAdlt: Domains of Social Support

Value	Label	Unweighted Frequency	%
0	-	186	13.7 %
1	-	46	3.4 %
2	-	42	3.1 %
3	-	46	3.4 %
4	-	39	2.9 %
5	-	49	3.6 %
6	-	133	9.8 %
7	-	409	30.2 %
8	-	255	18.8 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,205 valid cases out of 1,354 total cases.

Location: 1457-1460 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -9 , -8

S8CADFM: S8 CarAdlt: Domains of Social Support - Family

Value	Label	Unweighted Frequency	%
0	-	87	6.4 %
1	-	71	5.2 %
2	-	45	3.3 %
3	-	53	3.9 %
4	-	59	4.4 %
5	-	76	5.6 %
6	-	127	9.4 %
7	-	322	23.8 %
8	-	179	13.2 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Did not skip into CaringAdlt measure	186	13.7 %
	Total	**1,354**	**100%**

Based upon 1,019 valid cases out of 1,354 total cases.

Location: 1461-1464 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S8CADNFM: S8 CarAdlt: Domains of Social Support - Non-Family

Value	Label	Unweighted Frequency	%
0	-	721	53.2 %
1	-	90	6.6 %
2	-	60	4.4 %
3	-	34	2.5 %
4	-	25	1.8 %
5	-	22	1.6 %
6	-	22	1.6 %
7	-	35	2.6 %
8	-	10	0.7 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Did not skip into CaringAdlt measure	186	13.7 %
	Total	**1,354**	**100%**

Based upon 1,019 valid cases out of 1,354 total cases.

Location: 1465-1468 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S8CADETH: S8 CarAdlt: Domains with either Family or Non-Family support

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
1	-	46	3.4 %
2	-	41	3.0 %
3	-	46	3.4 %
4	-	40	3.0 %
5	-	50	3.7 %
6	-	132	9.7 %
7	-	409	30.2 %
8	-	254	18.8 %
	Missing Data		
-800	Data missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %

Value	Label	Unweighted Frequency	%
-100	Did not skip into CaringAdlt measure	186	13.7 %
	Total	**1,354**	**100%**

Based upon 1,019 valid cases out of 1,354 total cases.

Location: 1469-1472 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S8CADRNG: S8 CarAdlt: Total Number of Adults Mentioned

Based upon 1,019 valid cases out of 1,354 total cases.

- Mean: 13.95
- Median: 11.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 177.00
- Standard Deviation: 13.00

Location: 1473-1476 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S8CADMDV: S8 CarAdlt: Maximum Diversity within Domains

Based upon 1,019 valid cases out of 1,354 total cases.

- Mean: 3.59
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 5.09

Location: 1477-1480 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S8CADDIV: S8 CarAdlt: Diversity of Social Support

Value	Label	Unweighted Frequency	%
0	-	187	13.8 %
1	-	458	33.8 %
2	-	335	24.7 %
3	-	155	11.4 %
4	-	57	4.2 %
5	-	12	0.9 %
6	-	2	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,206 valid cases out of 1,354 total cases.

Location: 1481-1484 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S8DEPSUP: S8 CarAdlt: Depth of Social Support - Number of unique adults mentioned 3 or more times

Value	Label	Unweighted Frequency	%
0	-	326	24.1 %
1	-	804	59.4 %
2	-	76	5.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,206 valid cases out of 1,354 total cases.

Location: 1485-1488 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S8CADNFD: S8 CarAdlt: Diversity of Non-Family Social Support

Value	Label	Unweighted Frequency	%
0	-	910	67.2 %
1	-	225	16.6 %
2	-	58	4.3 %
3	-	12	0.9 %
4	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,206 valid cases out of 1,354 total cases.

Location: 1489-1492 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S8DEPNFS: S8 CarAdlt: Depth of Non-Family Social Support - Number of Adults mentioned more than 2 times

Value	Label	Unweighted Frequency	%
0	-	1074	79.3 %
1	-	126	9.3 %
2	-	6	0.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,206 valid cases out of 1,354 total cases.

Location: 1493-1496 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S9CARADLT1_CAD1: S9 CarAdlt: Any adults you admire

Value	Label	Unweighted Frequency	%
1	Yes	312	23.0 %
5	No	867	64.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1497-1500 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S9CARADLT1_CAD2: S9 CarAdlt: Num adults you admire

Based upon 312 valid cases out of 1,354 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 0.86

Location: 1501-1504 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S9CARADLT1_CAD4: S9 CarAdlt: Category of adult admire most

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	57	4.2 %
2	Father/Stepfather	83	6.1 %
3	Older Sister	9	0.7 %
4	Older Brother	28	2.1 %
5	Other female relative	26	1.9 %
6	Other male relative	45	3.3 %
7	Other female adult in community	10	0.7 %
8	Other male adult in community	34	2.5 %
96	Other	20	1.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	No adults subject admires - question skipped	867	64.0 %
	Total	**1,354**	**100%**

Based upon 312 valid cases out of 1,354 total cases.

Location: 1505-1508 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S9CARADLT1_CAD5: S9 CarAdlt: Age of this person

Based upon 304 valid cases out of 1,354 total cases.

- Mean: 43.43
- Median: 43.00
- Mode: 45.00
- Minimum: 19.00
- Maximum: 84.00
- Standard Deviation: 11.81

Location: 1509-1511 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S9CARADLT2_CAD1: S9 CarAdlt: Any adults go to for advice

Value	Label	Unweighted Frequency	%
1	Yes	776	57.3 %
5	No	403	29.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1512-1515 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S9CARADLT2_CAD2: S9 CarAdlt: Num adults go to for advice

Based upon 776 valid cases out of 1,354 total cases.

- Mean: 2.07
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.37

Location: 1516-1519 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S9CARADLT2_CAD4: S9 CarAdlt: Category of adult go to for advice

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	293	21.6 %
2	Father/Stepfather	115	8.5 %
3	Older Sister	42	3.1 %
4	Older Brother	41	3.0 %
5	Other female relative	107	7.9 %
6	Other male relative	57	4.2 %
7	Other female adult in community	17	1.3 %
8	Other male adult in community	52	3.8 %
96	Other	52	3.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	No adults subject admires - question skipped	403	29.8 %
	Total	**1,354**	**100%**

Based upon 776 valid cases out of 1,354 total cases.

Location: 1520-1523 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S9CARADLT2_CAD5: S9 CarAdlt: Age of this person

Based upon 756 valid cases out of 1,354 total cases.

- Mean: 43.23
- Median: 43.00
- Mode: 40.00
- Minimum: 20.00
- Maximum: 89.00
- Standard Deviation: 12.00

Location: 1524-1526 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S9CARADLT3_CAD1: S9 CarAdlt: Any adults go to w/ trouble at home

Value	Label	Unweighted Frequency	%
1	Yes	710	52.4 %
5	No	469	34.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1527-1530 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S9CARADLT3_CAD2: S9 CarAdlt: Num adults go to w/ trouble at home

Based upon 710 valid cases out of 1,354 total cases.

- Mean: 1.84
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 1.42

Location: 1531-1534 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S9CARADLT3_CAD4: S9 CarAdlt: Category adult go to trouble at home

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	276	20.4 %
2	Father/Stepfather	102	7.5 %
3	Older Sister	48	3.5 %
4	Older Brother	35	2.6 %
5	Other female relative	95	7.0 %
6	Other male relative	49	3.6 %
7	Other female adult in community	25	1.8 %
8	Other male adult in community	38	2.8 %
96	Other	42	3.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
-101	No adults subject admires - question skipped	469	34.6 %
	Total	**1,354**	**100%**

Based upon 710 valid cases out of 1,354 total cases.

Location: 1535-1538 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S9CARADLT3_CAD5: S9 CarAdlt: Age of this person

Based upon 691 valid cases out of 1,354 total cases.

- Mean: 43.24
- Median: 43.00
- Mode: 42.00
- Minimum: 20.00
- Maximum: 89.00
- Standard Deviation: 12.23

Location: 1539-1541 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S9CARADLT4_CAD1: S9 CarAdlt: Any adults tell if do well

Value	Label	Unweighted Frequency	%
1	Yes	741	54.7 %
5	No	438	32.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1542-1545 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S9CARADLT4_CAD2: S9 CarAdlt: Num adults tell if do well

Based upon 741 valid cases out of 1,354 total cases.

- Mean: 2.43
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 60.00
- Standard Deviation: 3.26

Location: 1546-1549 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S9CARADLT4_CAD4: S9 CarAdlt: Category of adult tell if do well

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	413	30.5 %
2	Father/Stepfather	102	7.5 %
3	Older Sister	22	1.6 %
4	Older Brother	22	1.6 %
5	Other female relative	90	6.6 %
6	Other male relative	28	2.1 %
7	Other female adult in community	20	1.5 %
8	Other male adult in community	17	1.3 %
96	Other	27	2.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	No adults subject admires - question skipped	438	32.3 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 1550-1553 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S9CARADLT4_CAD5: S9 CarAdlt: Age of this person

Based upon 720 valid cases out of 1,354 total cases.

- Mean: 45.46
- Median: 45.00
- Mode: 45.00
- Minimum: 20.00
- Maximum: 89.00
- Standard Deviation: 11.25

Location: 1554-1556 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S9CARADLT5_CAD1: S9 CarAdlt: Any adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Yes	784	57.9 %
5	No	395	29.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1557-1560 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S9CARADLT5_CAD2: S9 CarAdlt: Num adults talk to imp decisions

Based upon 784 valid cases out of 1,354 total cases.

- Mean: 1.93
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.33

Location: 1561-1564 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S9CARADLT5_CAD4: S9 CarAdlt: Category of adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	361	26.7 %
2	Father/Stepfather	116	8.6 %
3	Older Sister	33	2.4 %
4	Older Brother	34	2.5 %
5	Other female relative	101	7.5 %
6	Other male relative	46	3.4 %
7	Other female adult in community	19	1.4 %
8	Other male adult in community	22	1.6 %
96	Other	52	3.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	No adults subject admires - question skipped	395	29.2 %
	Total	**1,354**	**100%**

Based upon 784 valid cases out of 1,354 total cases.

Location: 1565-1568 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S9CARADLT5_CAD5: S9 CarAdlt: Age of this person

Based upon 764 valid cases out of 1,354 total cases.

- Mean: 44.44
- Median: 44.00
- Mode: 40.00

- Minimum: 21.00
- Maximum: 89.00
- Standard Deviation: 11.72

Location: 1569-1571 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S9CARADLT6_CAD1: S9 CarAdlt: Any adult depend on need help

Value	Label	Unweighted Frequency	%
1	Yes	809	59.7 %
5	No	370	27.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1572-1575 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S9CARADLT6_CAD2: S9 CarAdlt: Num adults depend on need help

Based upon 809 valid cases out of 1,354 total cases.

- Mean: 2.02
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 80.00
- Standard Deviation: 3.04

Location: 1576-1579 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S9CARADLT6_CAD4: S9 CarAdlt: Category of adult depend on need help

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	371	27.4 %
2	Father/Stepfather	129	9.5 %
3	Older Sister	36	2.7 %
4	Older Brother	38	2.8 %
5	Other female relative	106	7.8 %
6	Other male relative	47	3.5 %
7	Other female adult in community	14	1.0 %
8	Other male adult in community	32	2.4 %
96	Other	36	2.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	No adults subject admires - question skipped	370	27.3 %
	Total	**1,354**	**100%**

Based upon 809 valid cases out of 1,354 total cases.

Location: 1580-1583 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S9CARADLT6_CAD5: S9 CarAdlt: Age of this person

Based upon 786 valid cases out of 1,354 total cases.

- Mean: 44.64
- Median: 44.00
- Mode: 45.00
- Minimum: 20.00
- Maximum: 89.00
- Standard Deviation: 11.65

Location: 1584-1586 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S9CARADLT7_CAD1: S9 CarAdlt: Any adults talk about problems with

Value	Label	Unweighted Frequency	%
1	Yes	746	55.1 %
5	No	433	32.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1587-1590 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S9CARADLT7_CAD2: S9 CarAdlt: Num adults talk about problems with

Based upon 746 valid cases out of 1,354 total cases.

- Mean: 1.88
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00

- Standard Deviation: 1.30

Location: 1591-1594 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S9CARADLT7_CAD4: S9 CarAdlt: Category of adult talk about problems with

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	318	23.5 %
2	Father/Stepfather	111	8.2 %
3	Older Sister	37	2.7 %
4	Older Brother	40	3.0 %
5	Other female relative	93	6.9 %
6	Other male relative	48	3.5 %
7	Other female adult in community	19	1.4 %
8	Other male adult in community	31	2.3 %
96	Other	49	3.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	No adults subject admires - question skipped	433	32.0 %
	Total	**1,354**	**100%**

Based upon 746 valid cases out of 1,354 total cases.

Location: 1595-1598 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S9CARADLT7_CAD5: S9 CarAdlt: Age of this person

Based upon 728 valid cases out of 1,354 total cases.

- Mean: 43.07
- Median: 43.00
- Mode: 45.00
- Minimum: 20.00
- Maximum: 83.00
- Standard Deviation: 11.38

Location: 1599-1601 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S9CARADLT8_CAD1: S9 CarAdlt: Any adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Yes	823	60.8 %
5	No	355	26.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 1602-1605 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S9CARADLT8_CAD2: S9 CarAdlt: Num adults care how you feel

Based upon 823 valid cases out of 1,354 total cases.

- Mean: 2.57
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 33.00
- Standard Deviation: 2.96

Location: 1606-1609 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S9CARADLT8_CAD4: S9 CarAdlt: Category of adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	461	34.0 %
2	Father/Stepfather	93	6.9 %
3	Older Sister	29	2.1 %
4	Older Brother	22	1.6 %
5	Other female relative	98	7.2 %
6	Other male relative	31	2.3 %
7	Other female adult in community	17	1.3 %
8	Other male adult in community	22	1.6 %
96	Other	46	3.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	No adults subject admires - question skipped	356	26.3 %
-99	Dont know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 819 valid cases out of 1,354 total cases.

Location: 1610-1613 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

S9CARADLT8_CAD5: S9 CarAdlt: Age of this person

Based upon 797 valid cases out of 1,354 total cases.

- Mean: 44.85
- Median: 44.00
- Mode: 45.00
- Minimum: 20.00
- Maximum: 89.00
- Standard Deviation: 11.36

Location: 1614-1616 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S9CADPRE: S9 CarAdlt: Domains of Social Support

Value	Label	Unweighted Frequency	%
0	-	273	20.2 %
1	-	42	3.1 %
2	-	33	2.4 %
3	-	30	2.2 %
4	-	31	2.3 %
5	-	72	5.3 %
6	-	104	7.7 %
7	-	357	26.4 %
8	-	237	17.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1617-1620 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -9 , -8

S9CADFM: S9 CarAdlt: Domains of Social Support - Family

Value	Label	Unweighted Frequency	%
0	-	61	4.5 %
1	-	48	3.5 %
2	-	48	3.5 %
3	-	41	3.0 %
4	-	41	3.0 %
5	-	91	6.7 %

Value	Label	Unweighted Frequency	%
6	-	108	8.0 %
7	-	294	21.7 %
8	-	174	12.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Did not skip into CaringAdlt measure	273	20.2 %
	Total	**1,354**	**100%**

Based upon 906 valid cases out of 1,354 total cases.

Location: 1621-1624 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S9CADNFM: S9 CarAdlt: Domains of Social Support - Non-Family

Value	Label	Unweighted Frequency	%
0	-	678	50.1 %
1	-	78	5.8 %
2	-	37	2.7 %
3	-	37	2.7 %
4	-	15	1.1 %
5	-	15	1.1 %
6	-	18	1.3 %
7	-	17	1.3 %
8	-	11	0.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Did not skip into CaringAdlt measure	273	20.2 %
	Total	**1,354**	**100%**

Based upon 906 valid cases out of 1,354 total cases.

Location: 1625-1628 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S9CADETH: S9 CarAdlt: Domains with either Family or Non-Family support

Value	Label	Unweighted Frequency	%
1	-	42	3.1 %
2	-	33	2.4 %
3	-	30	2.2 %
4	-	31	2.3 %

Value	Label	Unweighted Frequency	%
5	-	74	5.5 %
6	-	104	7.7 %
7	-	355	26.2 %
8	-	237	17.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Did not skip into CaringAdlt measure	273	20.2 %
	Total	**1,354**	**100%**

Based upon 906 valid cases out of 1,354 total cases.

Location: 1629-1632 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S9CADRNG: S9 CarAdlt: Total Number of Adults Mentioned

Based upon 906 valid cases out of 1,354 total cases.

- Mean: 13.06
- Median: 10.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 91.00
- Standard Deviation: 10.30

Location: 1633-1636 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S9CADMDV: S9 CarAdlt: Maximum Diversity within Domains

Based upon 906 valid cases out of 1,354 total cases.

- Mean: 3.20
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 80.00
- Standard Deviation: 4.54

Location: 1637-1640 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

S9CADDIV: S9 CarAdlt: Diversity of Social Support

Value	Label	Unweighted Frequency	%
0	-	273	20.2 %
1	-	409	30.2 %

Value	Label	Unweighted Frequency	%
2	-	300	22.2 %
3	-	133	9.8 %
4	-	46	3.4 %
5	-	15	1.1 %
6	-	3	0.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1641-1644 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S9DEPSUP: S9 CarAdlt: Depth of Social Support - Number of unique adults mentioned 3 or more times

Value	Label	Unweighted Frequency	%
0	-	391	28.9 %
1	-	728	53.8 %
2	-	60	4.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1645-1648 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S9CADNFD: S9 CarAdlt: Diversity of Non-Family Social Support

Value	Label	Unweighted Frequency	%
0	-	951	70.2 %
1	-	166	12.3 %
2	-	51	3.8 %
3	-	9	0.7 %
4	-	2	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1649-1652 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

S9DEPNFS: S9 CarAdlt: Depth of Non-Family Social Support - Number of Adults mentioned more than 2 times

Value	Label	Unweighted Frequency	%
0	-	1083	80.0 %
1	-	92	6.8 %
2	-	4	0.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1653-1656 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

SACARADLT1_CAD1: SA CarAdlt: Any adults you admire

Value	Label	Unweighted Frequency	%
1	Yes	271	20.0 %
5	No	862	63.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 1657-1660 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

SACARADLT1_CAD2: SA CarAdlt: Num adults you admire

Based upon 271 valid cases out of 1,354 total cases.

- Mean: 1.39
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.69

Location: 1661-1664 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

SACARADLT1_CAD4: SA CarAdlt: Category of adult admire most

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	60	4.4 %
2	Father/Stepfather	62	4.6 %
3	Older Sister	9	0.7 %
4	Older Brother	21	1.6 %
5	Other female relative	17	1.3 %
6	Other male relative	52	3.8 %
7	Other female adult in community	5	0.4 %
8	Other male adult in community	33	2.4 %
96	Other	12	0.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	No adults subject admires - question skipped	862	63.7 %
	Total	**1,354**	**100%**

Based upon 271 valid cases out of 1,354 total cases.

Location: 1665-1668 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

SACARADLT1_CAD5: SA CarAdlt: Age of this person

Based upon 270 valid cases out of 1,354 total cases.

- Mean: 45.01
- Median: 45.00
- Mode: 50.00
- Minimum: 20.00
- Maximum: 87.00
- Standard Deviation: 12.21

Location: 1669-1671 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

SACARADLT2_CAD1: SA CarAdlt: Any adults go to for advice

Value	Label	Unweighted Frequency	%
1	Yes	684	50.5 %
5	No	449	33.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 1672-1675 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

SACARADLT2_CAD2: SA CarAdlt: Num adults go to for advice

Based upon 684 valid cases out of 1,354 total cases.

- Mean: 2.20
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 3.89

Location: 1676-1679 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

SACARADLT2_CAD4: SA CarAdlt: Category of adult go to for advice

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	279	20.6 %
2	Father/Stepfather	97	7.2 %
3	Older Sister	33	2.4 %
4	Older Brother	31	2.3 %
5	Other female relative	80	5.9 %
6	Other male relative	48	3.5 %
7	Other female adult in community	21	1.6 %
8	Other male adult in community	50	3.7 %
96	Other	45	3.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	No adults subject admires - question skipped	449	33.2 %
	Total	**1,354**	**100%**

Based upon 684 valid cases out of 1,354 total cases.

Location: 1680-1683 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

SACARADLT2_CAD5: SA CarAdlt: Age of this person

Based upon 683 valid cases out of 1,354 total cases.

- Mean: 44.81
- Median: 45.00
- Mode: 45.00
- Minimum: 18.00
- Maximum: 87.00
- Standard Deviation: 11.64

Location: 1684-1686 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

SACARADLT3_CAD1: SA CarAdlt: Any adults go to w/ trouble at home

Value	Label	Unweighted Frequency	%
1	Yes	598	44.2 %
5	No	534	39.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,132 valid cases out of 1,354 total cases.

Location: 1687-1690 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

SACARADLT3_CAD2: SA CarAdlt: Num adults go to w/ trouble at home

Based upon 598 valid cases out of 1,354 total cases.

- Mean: 1.77
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 3.76

Location: 1691-1694 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

SACARADLT3_CAD4: SA CarAdlt: Category adult go to trouble at home

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	251	18.5 %

Value	Label	Unweighted Frequency	%
2	Father/Stepfather	74	5.5 %
3	Older Sister	34	2.5 %
4	Older Brother	26	1.9 %
5	Other female relative	76	5.6 %
6	Other male relative	35	2.6 %
7	Other female adult in community	25	1.8 %
8	Other male adult in community	36	2.7 %
96	Other	41	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	No adults subject admires - question skipped	535	39.5 %
	Total	**1,354**	**100%**

Based upon 598 valid cases out of 1,354 total cases.

Location: 1695-1698 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

SACARADLT3_CAD5: SA CarAdlt: Age of this person

Based upon 593 valid cases out of 1,354 total cases.

- Mean: 43.91
- Median: 44.00
- Mode: 45.00
- Minimum: 18.00
- Maximum: 96.00
- Standard Deviation: 11.96

Location: 1699-1701 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

SACARADLT4_CAD1: SA CarAdlt: Any adults tell if do well

Value	Label	Unweighted Frequency	%
1	Yes	663	49.0 %
5	No	470	34.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 1702-1705 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

SACARADLT4_CAD2: SA CarAdlt: Num adults tell if do well

Based upon 658 valid cases out of 1,354 total cases.

- Mean: 2.47
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 4.32

Location: 1706-1709 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

SACARADLT4_CAD4: SA CarAdlt: Category of adult tell if do well

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	357	26.4 %
2	Father/Stepfather	88	6.5 %
3	Older Sister	26	1.9 %
4	Older Brother	16	1.2 %
5	Other female relative	67	4.9 %
6	Other male relative	30	2.2 %
7	Other female adult in community	14	1.0 %
8	Other male adult in community	26	1.9 %
96	Other	39	2.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	No adults subject admires - question skipped	470	34.7 %
	Total	**1,354**	**100%**

Based upon 663 valid cases out of 1,354 total cases.

Location: 1710-1713 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

SACARADLT4_CAD5: SA CarAdlt: Age of this person

Based upon 661 valid cases out of 1,354 total cases.

- Mean: 45.85
- Median: 45.00
- Mode: 45.00

- Minimum: 18.00
- Maximum: 96.00
- Standard Deviation: 11.51

Location: 1714-1716 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

SACARADLT5_CAD1: SA CarAdlt: Any adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Yes	702	51.8 %
5	No	431	31.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 1717-1720 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

SACARADLT5_CAD2: SA CarAdlt: Num adults talk to imp decisions

Based upon 702 valid cases out of 1,354 total cases.

- Mean: 1.99
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 3.67

Location: 1721-1724 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

SACARADLT5_CAD4: SA CarAdlt: Category of adult talk to imp decisions

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	338	25.0 %
2	Father/Stepfather	97	7.2 %
3	Older Sister	31	2.3 %
4	Older Brother	27	2.0 %
5	Other female relative	68	5.0 %
6	Other male relative	47	3.5 %
7	Other female adult in community	14	1.0 %
8	Other male adult in community	35	2.6 %

Value	Label	Unweighted Frequency	%
96	Other	45	3.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	No adults subject admires - question skipped	431	31.8 %
	Total	**1,354**	**100%**

Based upon 702 valid cases out of 1,354 total cases.

Location: 1725-1728 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

SACARADLT5_CAD5: SA CarAdlt: Age of this person

Based upon 700 valid cases out of 1,354 total cases.

- Mean: 44.86
- Median: 45.00
- Mode: 45.00
- Minimum: 18.00
- Maximum: 87.00
- Standard Deviation: 11.28

Location: 1729-1731 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

SACARADLT6_CAD1: SA CarAdlt: Any adult depend on need help

Value	Label	Unweighted Frequency	%
1	Yes	740	54.7 %
5	No	393	29.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 1732-1735 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

SACARADLT6_CAD2: SA CarAdlt: Num adults depend on need help

Based upon 740 valid cases out of 1,354 total cases.

- Mean: 1.96

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 3.53

Location: 1736-1739 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

SACARADLT6_CAD4: SA CarAdlt: Category of adult depend on need help

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	348	25.7 %
2	Father/Stepfather	115	8.5 %
3	Older Sister	30	2.2 %
4	Older Brother	29	2.1 %
5	Other female relative	80	5.9 %
6	Other male relative	45	3.3 %
7	Other female adult in community	16	1.2 %
8	Other male adult in community	40	3.0 %
96	Other	37	2.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	No adults subject admires - question skipped	393	29.0 %
	Total	**1,354**	**100%**

Based upon 740 valid cases out of 1,354 total cases.

Location: 1740-1743 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

SACARADLT6_CAD5: SA CarAdlt: Age of this person

Based upon 737 valid cases out of 1,354 total cases.

- Mean: 45.46
- Median: 45.00
- Mode: 45.00
- Minimum: 21.00
- Maximum: 89.00
- Standard Deviation: 11.27

Location: 1744-1746 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

SACARADLT7_CAD1: SA CarAdlt: Any adults talk about problems with

Value	Label	Unweighted Frequency	%
1	Yes	659	48.7 %
5	No	474	35.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 1747-1750 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

SACARADLT7_CAD2: SA CarAdlt: Num adults talk about problems with

Based upon 659 valid cases out of 1,354 total cases.

- Mean: 1.70
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.08

Location: 1751-1754 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

SACARADLT7_CAD4: SA CarAdlt: Category of adult talk about problems with

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	291	21.5 %
2	Father/Stepfather	91	6.7 %
3	Older Sister	38	2.8 %
4	Older Brother	28	2.1 %
5	Other female relative	75	5.5 %
6	Other male relative	40	3.0 %
7	Other female adult in community	22	1.6 %
8	Other male adult in community	34	2.5 %
96	Other	40	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	No adults subject admires - question skipped	474	35.0 %
	Total	**1,354**	**100%**

Based upon 659 valid cases out of 1,354 total cases.

Location: 1755-1758 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

SACARADLT7_CAD5: SA CarAdlt: Age of this person

Based upon 656 valid cases out of 1,354 total cases.

- Mean: 44.19
- Median: 44.00
- Mode: 45.00
- Minimum: 18.00
- Maximum: 87.00
- Standard Deviation: 11.55

Location: 1759-1761 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

SACARADLT8_CAD1: SA CarAdlt: Any adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Yes	741	54.7 %
5	No	392	29.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 1762-1765 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

SACARADLT8_CAD2: SA CarAdlt: Num adults care how you feel

Based upon 739 valid cases out of 1,354 total cases.

- Mean: 2.70
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 4.84

Location: 1766-1769 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

SACARADLT8_CAD4: SA CarAdlt: Category of adult cares how you feel

Value	Label	Unweighted Frequency	%
1	Mother/Stepmother	410	30.3 %
2	Father/Stepfather	90	6.6 %
3	Older Sister	30	2.2 %
4	Older Brother	15	1.1 %
5	Other female relative	77	5.7 %
6	Other male relative	35	2.6 %
7	Other female adult in community	18	1.3 %
8	Other male adult in community	23	1.7 %
96	Other	40	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	No adults subject admires - question skipped	392	29.0 %
-99	Dont know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 738 valid cases out of 1,354 total cases.

Location: 1770-1773 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -99 , -98

SACARADLT8_CAD5: SA CarAdlt: Age of this person

Based upon 734 valid cases out of 1,354 total cases.

- Mean: 45.75
- Median: 45.00
- Mode: 45.00
- Minimum: 19.00
- Maximum: 89.00
- Standard Deviation: 11.04

Location: 1774-1776 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

SACADPRE: SA CarAdlt: Domains of Social Support

Value	Label	Unweighted Frequency	%
0	-	316	23.3 %
1	-	43	3.2 %
2	-	29	2.1 %
3	-	31	2.3 %
4	-	31	2.3 %
5	-	77	5.7 %

Value	Label	Unweighted Frequency	%
6	-	96	7.1 %
7	-	301	22.2 %
8	-	209	15.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 1777-1780 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -9 , -8

SACADFM: SA CarAdlt: Domains of Social Support - Family

Value	Label	Unweighted Frequency	%
0	-	65	4.8 %
1	-	52	3.8 %
2	-	42	3.1 %
3	-	36	2.7 %
4	-	46	3.4 %
5	-	84	6.2 %
6	-	95	7.0 %
7	-	250	18.5 %
8	-	147	10.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Did not skip into CaringAdlt measure	316	23.3 %
	Total	**1,354**	**100%**

Based upon 817 valid cases out of 1,354 total cases.

Location: 1781-1784 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

SACADNFM: SA CarAdlt: Domains of Social Support - Non-Family

Value	Label	Unweighted Frequency	%
0	-	599	44.2 %
1	-	83	6.1 %
2	-	29	2.1 %

Value	Label	Unweighted Frequency	%
3	-	25	1.8 %
4	-	11	0.8 %
5	-	12	0.9 %
6	-	23	1.7 %
7	-	27	2.0 %
8	-	8	0.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Did not skip into CaringAdlt measure	316	23.3 %
	Total	**1,354**	**100%**

Based upon 817 valid cases out of 1,354 total cases.

Location: 1785-1788 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

SACADETH: SA CarAdlt: Domains with either Family or Non-Family support

Value	Label	Unweighted Frequency	%
1	-	43	3.2 %
2	-	29	2.1 %
3	-	31	2.3 %
4	-	31	2.3 %
5	-	77	5.7 %
6	-	98	7.2 %
7	-	300	22.2 %
8	-	208	15.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Did not skip into CaringAdlt measure	316	23.3 %
	Total	**1,354**	**100%**

Based upon 817 valid cases out of 1,354 total cases.

Location: 1789-1792 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

SACADRNG: SA CarAdlt: Total Number of Adults Mentioned

Based upon 817 valid cases out of 1,354 total cases.

- Mean: 12.89
- Median: 10.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 541.00
- Standard Deviation: 20.80

Location: 1793-1796 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

SACADMDV: SA CarAdlt: Maximum Diversity within Domains

Based upon 817 valid cases out of 1,354 total cases.

- Mean: 3.28
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 5.04

Location: 1797-1800 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -300 , -202 , -201 , -100 , -99 , -98

SACADDIV: SA CarAdlt: Diversity of Social Support

Value	Label	Unweighted Frequency	%
0	-	316	23.3 %
1	-	396	29.2 %
2	-	256	18.9 %
3	-	119	8.8 %
4	-	32	2.4 %
5	-	12	0.9 %
6	-	2	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 1801-1804 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

SADEPSUP: SA CarAdlt: Depth of Social Support - Number of unique adults mentioned 3 or more times

Value	Label	Unweighted Frequency	%
0	-	430	31.8 %
1	-	649	47.9 %
2	-	54	4.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 1805-1808 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

SACADNFD: SA CarAdlt: Diversity of Non-Family Social Support

Value	Label	Unweighted Frequency	%
0	-	916	67.7 %
1	-	167	12.3 %
2	-	39	2.9 %
3	-	10	0.7 %
4	-	1	0.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 1809-1812 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201

SADEPNFS: SA CarAdlt: Depth of Non-Family Social Support - Number of Adults mentioned more than 2 times

Value	Label	Unweighted Frequency	%
0	-	1037	76.6 %
1	-	92	6.8 %
2	-	4	0.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 1813-1816 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201