ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Characteristics of Friends

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Characteristics of Friends

CASEID: S1 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0REL253: S0 CharFriends: Number of close friends

Based upon 1,353 valid cases out of 1,354 total cases.

- Mean: 4.68
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 7.20

Location: 6-7 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S0REL254: S0 CharFriends: Number of close friends (truncated to 16)

Value	Label	Unweighted Frequency	%
0	-	49	3.6 %
1	-	231	17.1 %
2	-	294	21.7 %
3	-	248	18.3 %
4	-	141	10.4 %
5	-	109	8.1 %
6	-	49	3.6 %
7	-	38	2.8 %
8	-	31	2.3 %
9	-	12	0.9 %
10	-	56	4.1 %
11	-	3	0.2 %
12	-	17	1.3 %
13	-	5	0.4 %
15	-	16	1.2 %
16	-	54	4.0 %
	Missing Data		
-98	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 8-10 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -99 , -98

S0REL255: S0 CharFriends: Number of close friends (truncated to 4)

Value	Label	Unweighted Frequency	%
0	-	49	3.6 %
1	-	231	17.1 %
2	-	294	21.7 %
3	-	248	18.3 %
4	-	531	39.2 %
	Missing Data		
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 11-12 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0AGEFR: S0 CharFriends: Friend 1 - age

Based upon 1,297 valid cases out of 1,354 total cases.

- Mean: 17.80
- Median: 17.00
- Mode: 16.00
- Minimum: 6.00
- Maximum: 74.00
- Standard Deviation: 5.52

Location: 13-16 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -997 , -102 , -101

S0ARRFR: S0 CharFriends: Friend 1 - ever arrested

Value	Label	Unweighted Frequency	%
1	Yes	601	44.4 %
5	No	692	51.1 %
	Missing Data		
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	10	0.7 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,293 valid cases out of 1,354 total cases.

Location: 17-20 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0JAIFR: S0 CharFriends: Friend 1 - ever in jail

Value	Label	Unweighted Frequency	%
1	Yes	368	27.2 %
5	No	231	17.1 %
	Missing Data		
-103	Skipped: Friend was never arrested	703	51.9 %
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 599 valid cases out of 1,354 total cases.

Location: 21-24 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -103 , -102 , -101 , -9 , -8

S0GENFR: S0 CharFriends: Friend 1 - gender

Value	Label	Unweighted Frequency	%
1	Male	966	71.3 %
2	Female	338	25.0 %
	Missing Data		
-101	Skipped: Subject has zero friends	50	3.7 %
	Total	**1,354**	**100%**

Based upon 1,304 valid cases out of 1,354 total cases.

Location: 25-28 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0MHOSFR: S0 CharFriends: Friend 1 - ever in a mental hosp

Value	Label	Unweighted Frequency	%
1	Yes	20	1.5 %
5	No	1277	94.3 %
	Missing Data		
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	7	0.5 %
	Total	**1,354**	**100%**

Based upon 1,297 valid cases out of 1,354 total cases.

Location: 29-32 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0CONTFR: S0 CharFriends: Friend 1 - frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	947	69.9 %
2	3 - 6 times per week	156	11.5 %
3	2 times per week	55	4.1 %
4	One time per week	50	3.7 %
5	Less weekly, more than monthly	22	1.6 %
6	1 time per month	24	1.8 %
7	Less than monthly	50	3.7 %
	Missing Data		
-101	Skipped: Subject has zero friends	50	3.7 %
	Total	**1,354**	**100%**

Based upon 1,304 valid cases out of 1,354 total cases.

Location: 33-36 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0AGEFR2: S0 CharFriends: Friend 2 - age

Based upon 1,071 valid cases out of 1,354 total cases.

- Mean: 17.90
- Median: 17.00
- Mode: 16.00
- Minimum: 5.00
- Maximum: 118.00
- Standard Deviation: 5.96

Location: 37-40 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -997 , -102 , -101

S0ARRFR2: S0 CharFriends: Friend 2 - ever arrested

Value	Label	Unweighted Frequency	%
1	Yes	488	36.0 %
5	No	577	42.6 %
	Missing Data		
-102	Skipped: No additional friends	231	17.1 %
-101	Skipped: Subject has zero friends	50	3.7 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	7	0.5 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,065 valid cases out of 1,354 total cases.

Location: 41-44 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0JAIFR2: S0 CharFriends: Friend 2 - ever in jail

Value	Label	Unweighted Frequency	%
1	Yes	307	22.7 %
5	No	179	13.2 %
	Missing Data		
-103	Skipped: Friend was never arrested	585	43.2 %
-102	Skipped: No additional friends	231	17.1 %
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 486 valid cases out of 1,354 total cases.

Location: 45-48 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -103 , -102 , -101 , -9 , -8

S0GENFR2: S0 CharFriends: Friend 2 - gender

Value	Label	Unweighted Frequency	%
1	Male	831	61.4 %
2	Female	242	17.9 %
	Missing Data		
-102	Skipped: No additional friends	231	17.1 %
-101	Skipped: Subject has zero friends	50	3.7 %
	Total	**1,354**	**100%**

Based upon 1,073 valid cases out of 1,354 total cases.

Location: 49-52 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0MHOSF2: S0 CharFriends: Friend 2 - ever in a mental hosp

Value	Label	Unweighted Frequency	%
1	Yes	17	1.3 %
5	No	1051	77.6 %
	Missing Data		
-102	Skipped: No additional friends	231	17.1 %
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,068 valid cases out of 1,354 total cases.

Location: 53-56 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0CONTF2: S0 CharFriends: Friend 2 - frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	696	51.4 %
2	3 - 6 times per week	171	12.6 %
3	2 times per week	60	4.4 %
4	One time per week	60	4.4 %
5	Less weekly, more than monthly	24	1.8 %
6	1 time per month	28	2.1 %
7	Less than monthly	34	2.5 %
	Missing Data		
-102	Skipped: No additional friends	231	17.1 %
-101	Skipped: Subject has zero friends	50	3.7 %
	Total	**1,354**	**100%**

Based upon 1,073 valid cases out of 1,354 total cases.

Location: 57-60 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0AGEFR3: S0 CharFriends: Friend 3 - age

Based upon 777 valid cases out of 1,354 total cases.

- Mean: 18.15
- Median: 17.00
- Mode: 16.00
- Minimum: 1.00
- Maximum: 72.00
- Standard Deviation: 5.81

Location: 61-64 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -999 , -998 , -997 , -102 , -101

S0ARRFR3: S0 CharFriends: Friend 3 - ever arrested

Value	Label	Unweighted Frequency	%
1	Yes	356	26.3 %
5	No	416	30.7 %
	Missing Data		
-102	Skipped: No additional friends	525	38.8 %
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	6	0.4 %
-8	Refuse	1	0.1 %
	Total	**1,354**	**100%**

Based upon 772 valid cases out of 1,354 total cases.

Location: 65-68 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0JAIFR3: S0 CharFriends: Friend 3 - ever in jail

Value	Label	Unweighted Frequency	%
1	Yes	228	16.8 %
5	No	127	9.4 %
	Missing Data		
-103	Skipped: Friend was never arrested	423	31.2 %
-102	Skipped: No additional friends	525	38.8 %
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 355 valid cases out of 1,354 total cases.

Location: 69-72 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -103 , -102 , -101 , -9 , -8

S0GENFR3: S0 CharFriends: Friend 3 - gender

Value	Label	Unweighted Frequency	%
1	Male	573	42.3 %
2	Female	206	15.2 %
	Missing Data		
-102	Skipped: No additional friends	525	38.8 %
-101	Skipped: Subject has zero friends	50	3.7 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 779 valid cases out of 1,354 total cases.

Location: 73-76 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0MHOSF3: S0 CharFriends: Friend 3 - ever in a mental hosp

Value	Label	Unweighted Frequency	%
1	Yes	16	1.2 %
5	No	757	55.9 %
	Missing Data		
-102	Skipped: No additional friends	525	38.8 %
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	6	0.4 %
	Total	**1,354**	**100%**

Based upon 773 valid cases out of 1,354 total cases.

Location: 77-80 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0CONTF3: S0 CharFriends: Friend 3 - frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	479	35.4 %
2	3 - 6 times per week	118	8.7 %
3	2 times per week	65	4.8 %
4	One time per week	37	2.7 %
5	Less weekly, more than monthly	16	1.2 %
6	1 time per month	26	1.9 %
7	Less than monthly	38	2.8 %
	Missing Data		
-102	Skipped: No additional friends	525	38.8 %
-101	Skipped: Subject has zero friends	50	3.7 %
	Total	**1,354**	**100%**

Based upon 779 valid cases out of 1,354 total cases.

Location: 81-84 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0AGEFR4: S0 CharFriends: Friend 4 - age

Based upon 531 valid cases out of 1,354 total cases.

- Mean: 18.20
- Median: 17.00
- Mode: 16.00
- Minimum: 8.00
- Maximum: 59.00
- Standard Deviation: 5.93

Location: 85-88 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -997 , -102 , -101

S0ARRFR4: S0 CharFriends: Friend 4 - ever arrested

Value	Label	Unweighted Frequency	%
1	Yes	236	17.4 %
5	No	293	21.6 %
	Missing Data		
-102	Skipped: No additional friends	773	57.1 %
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 529 valid cases out of 1,354 total cases.

Location: 89-92 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0JAIFR4: S0 CharFriends: Friend 4 - ever in jail

Value	Label	Unweighted Frequency	%
1	Yes	153	11.3 %
5	No	82	6.1 %
	Missing Data		
-103	Skipped: Friend was never arrested	295	21.8 %
-102	Skipped: No additional friends	773	57.1 %
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 235 valid cases out of 1,354 total cases.

Location: 93-96 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -103 , -102 , -101 , -9 , -8

S0GENFR4: S0 CharFriends: Friend 4 - gender

Value	Label	Unweighted Frequency	%
1	Male	385	28.4 %
2	Female	146	10.8 %
	Missing Data		
-102	Skipped: No additional friends	773	57.1 %
-101	Skipped: Subject has zero friends	50	3.7 %
	Total	**1,354**	**100%**

Based upon 531 valid cases out of 1,354 total cases.

Location: 97-100 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0MHOSF4: S0 CharFriends: Friend 4 - ever in a mental hosp

Value	Label	Unweighted Frequency	%
1	Yes	13	1.0 %
5	No	517	38.2 %
	Missing Data		
-102	Skipped: No additional friends	773	57.1 %
-101	Skipped: Subject has zero friends	50	3.7 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 530 valid cases out of 1,354 total cases.

Location: 101-104 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0CONTF4: S0 CharFriends: Friend 4 - frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	315	23.3 %
2	3 - 6 times per week	87	6.4 %
3	2 times per week	43	3.2 %
4	One time per week	38	2.8 %
5	Less weekly, more than monthly	15	1.1 %
6	1 time per month	12	0.9 %
7	Less than monthly	21	1.6 %
	Missing Data		
-102	Skipped: No additional friends	773	57.1 %

Value	Label	Unweighted Frequency	%
-101	Skipped: Subject has zero friends	50	3.7 %
	Total	**1,354**	**100%**

Based upon 531 valid cases out of 1,354 total cases.

Location: 105-108 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0FRARR: S0 CharFriends: Count of 4 closest friends arrested

Value	Label	Unweighted Frequency	%
0	-	389	28.7 %
1	-	431	31.8 %
2	-	266	19.6 %
3	-	154	11.4 %
4	-	64	4.7 %
	Missing Data		
-100	Skipped: Subject had zero friends	50	3.7 %
	Total	**1,354**	**100%**

Based upon 1,304 valid cases out of 1,354 total cases.

Location: 109-112 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -100 , -9 , -8

S0ARRDEN: S0 CharFriends: Denominator for number of friends mentioned-arrest

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
1	-	231	17.1 %
2	-	294	21.7 %
3	-	247	18.2 %
4	-	531	39.2 %
	Missing Data		
-100	Skipped: Subject had zero friends	50	3.7 %
	Total	**1,354**	**100%**

Based upon 1,304 valid cases out of 1,354 total cases.

Location: 113-116 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -100 , -9 , -8

S0PFRARR: S0 CharFriends: Proportion of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0.0000000000	-	388	28.7 %
0.2500000000	-	131	9.7 %
0.3333333333	-	86	6.4 %
0.5000000000	-	239	17.7 %
0.6666666667	-	58	4.3 %
0.7500000000	-	114	8.4 %
1.0000000000	-	287	21.2 %
	Missing Data		
-300.0000000000	Too few answers for computation	1	0.1 %
-100.0000000000	Skipped: Subject had zero friends	50	3.7 %
	Total	**1,354**	**100%**

Based upon 1,303 valid cases out of 1,354 total cases.

Location: 117-131 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S0FRJAIL: S0 CharFriends: Count of 4 closest friends jailed

Value	Label	Unweighted Frequency	%
0	-	544	40.2 %
1	-	407	30.1 %
2	-	165	12.2 %
3	-	69	5.1 %
4	-	28	2.1 %
	Missing Data		
-100	Skipped: Subject did not skip into question	141	10.4 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 132-135 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -100 , -9 , -8

S0JAIDEN: S0 CharFriends: Denominator for number of friends mentioned-jail

Value	Label	Unweighted Frequency	%
0	-	298	22.0 %
1	-	431	31.8 %
2	-	266	19.6 %
3	-	154	11.4 %
4	-	64	4.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-100	Skipped: Subject did not skip into question	141	10.4 %
	Total	**1,354**	**100%**

Based upon 1,213 valid cases out of 1,354 total cases.

Location: 136-139 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -100 , -9 , -8

S0PFRJAI: S0 CharFriends: Proportion of 4 closest friends ever jailed

Value	Label	Unweighted Frequency	%
0.0000000000	-	246	18.2 %
0.2500000000	-	10	0.7 %
0.3333333333	-	32	2.4 %
0.5000000000	-	112	8.3 %
0.6666666667	-	49	3.6 %
0.7500000000	-	14	1.0 %
1.0000000000	-	452	33.4 %
	Missing Data		
-300.0000000000	Too few answers for computation	298	22.0 %
-100.0000000000	Skipped: Subject did not skip into question	141	10.4 %
	Total	**1,354**	**100%**

Based upon 915 valid cases out of 1,354 total cases.

Location: 140-154 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S0FRMHOS: S0 CharFriends: Count of 4 closest friends in mental hosp

Value	Label	Unweighted Frequency	%
0	-	1241	91.7 %
1	-	61	4.5 %
2	-	1	0.1 %
3	-	1	0.1 %
	Missing Data		
-100	Skipped: Subject had zero friends	50	3.7 %
	Total	**1,354**	**100%**

Based upon 1,304 valid cases out of 1,354 total cases.

Location: 155-158 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -300 , -100 , -9 , -8

S0MHODEN: S0 CharFriends: Denominator for number of friends mentioned-mental hospital

Value	Label	Unweighted Frequency	%
1	-	231	17.1 %
2	-	294	21.7 %
3	-	248	18.3 %
4	-	531	39.2 %
	Missing Data		
-100	Skipped: Subject had zero friends	50	3.7 %
	Total	**1,354**	**100%**

Based upon 1,304 valid cases out of 1,354 total cases.

Location: 159-162 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -100 , -9 , -8

S0PFRMHO: S0 CharFriends: Proportion of 4 closest friends ever in mental hospital

Value	Label	Unweighted Frequency	%
0.0000000000	-	1241	91.7 %
0.2500000000	-	34	2.5 %
0.3333333333	-	14	1.0 %
0.5000000000	-	8	0.6 %
0.6666666667	-	1	0.1 %
0.7500000000	-	1	0.1 %
1.0000000000	-	5	0.4 %
	Missing Data		
-100.0000000000	Skipped: Subject had zero friends	50	3.7 %
	Total	**1,354**	**100%**

Based upon 1,304 valid cases out of 1,354 total cases.

Location: 163-177 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S1PEERCHAR_NFRND: S1 CharFriends: Number of close friends

Based upon 1,262 valid cases out of 1,354 total cases.

- Mean: 4.35
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 95.00

- Standard Deviation: 7.83

Location: 178-181 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1PEERCHAR_NFRNA: S1 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	82	6.1 %
1	-	260	19.2 %
2	-	240	17.7 %
3	-	206	15.2 %
4	-	474	35.0 %
	Missing Data		
-5	Blank	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 182-183 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S1FRIENDS1_SAMEAS: S1 CharFriends: Friend1 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	379	28.0 %
2	Same friend as friend 2 from previous interview	140	10.3 %
3	Same friend as friend 3 from previous interview	52	3.8 %
4	Same friend as friend 4 from previous interview	22	1.6 %
5	No, this is not one of those people (this is a new friend)	586	43.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skipped: Subject reported zero friends	82	6.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 184-187 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1FRIENDS1_AGEFR: S1 CharFriends: Friend1 - Age

Based upon 1,177 valid cases out of 1,354 total cases.

- Mean: 18.47
- Median: 17.00
- Mode: 17.00
- Minimum: 1.00
- Maximum: 78.00
- Standard Deviation: 5.95

Location: 188-191 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S1FR1_ARRESTREC: S1 CharFriends: Friend1 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	600	44.3 %
5	No - friend has never been arrested	574	42.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-100	Subject does not have this many friends	82	6.1 %
-9	Subject DK if friend was ever arrested	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,174 valid cases out of 1,354 total cases.

Location: 192-195 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S1FR1_JAILEDREC: S1 CharFriends: Friend1 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	422	31.2 %
5	No - friend has never been in jail	715	52.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-100	Subject does not have this many friends	82	6.1 %
-9	Subject DK if friend was ever in jail	43	3.2 %
	Total	**1,354**	**100%**

Based upon 1,137 valid cases out of 1,354 total cases.

Location: 196-199 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S1FRIENDS1_GENFR: S1 CharFriends: Friend1 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	876	64.7 %
2	Female	304	22.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skipped: Subject reported zero friends	82	6.1 %
	Total	**1,354**	**100%**

Based upon 1,180 valid cases out of 1,354 total cases.

Location: 200-203 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1FR1_MHRECORD: S1 CharFriends: Friend1 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	MH question not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 204-207 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100 , -9

S1FRIENDS1_CONT: S1 CharFriends: Friend1 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	539	39.8 %
2	3-6 times per week	138	10.2 %
3	2 times per week	82	6.1 %
4	1 time per week	125	9.2 %
5	Less weekly, more than monthly	65	4.8 %
6	1 time per month	65	4.8 %
7	Less than monthly	165	12.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %

Value	Label	Unweighted Frequency	%
-101	Skipped: Subject reported zero friends	82	6.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 208-211 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1FR1_DRUGUSEREC: S1 CharFriends: Friend1 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	Variable not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 212-215 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100

S1FRIENDS2_SAMEAS: S1 CharFriends: Friend2 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	125	9.2 %
2	Same friend as friend 2 from previous interview	134	9.9 %
3	Same friend as friend 3 from previous interview	60	4.4 %
4	Same friend as friend 4 from previous interview	32	2.4 %
5	No, this is not one of those people (this is a new friend)	568	41.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Skipped: No additional friends	260	19.2 %
-101	Skipped: Subject reported zero friends	82	6.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 919 valid cases out of 1,354 total cases.

Location: 216-219 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1FRIENDS2_AGEFR: S1 CharFriends: Friend2 - Age

Based upon 917 valid cases out of 1,354 total cases.

- Mean: 18.45
- Median: 17.00
- Mode: 17.00
- Minimum: 1.00
- Maximum: 58.00
- Standard Deviation: 5.66

Location: 220-223 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S1FR2_ARRESTREC: S1 CharFriends: Friend2 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	424	31.3 %
5	No - friend has never been arrested	490	36.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-100	Subject does not have this many friends	342	25.3 %
-9	Subject DK if friend was ever arrested	6	0.4 %
	Total	**1,354**	**100%**

Based upon 914 valid cases out of 1,354 total cases.

Location: 224-227 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S1FR2_JAILEDREC: S1 CharFriends: Friend2 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	306	22.6 %
5	No - friend has never been in jail	558	41.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-100	Subject does not have this many friends	342	25.3 %
-9	Subject DK if friend was ever in jail	56	4.1 %
	Total	**1,354**	**100%**

Based upon 864 valid cases out of 1,354 total cases.

Location: 228-231 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S1FRIENDS2_GENFR: S1 CharFriends: Friend2 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	696	51.4 %
2	Female	224	16.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Skipped: No additional friends	260	19.2 %
-101	Skipped: Subject reported zero friends	82	6.1 %
	Total	**1,354**	**100%**

Based upon 920 valid cases out of 1,354 total cases.

Location: 232-235 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1FR2_MHRECORD: S1 CharFriends: Friend2 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	MH question not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 236-239 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100 , -9

S1FRIENDS2_CONT: S1 CharFriends: Friend2 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	361	26.7 %
2	3-6 times per week	131	9.7 %
3	2 times per week	75	5.5 %
4	1 time per week	116	8.6 %
5	Less weekly, more than monthly	61	4.5 %

Value	Label	Unweighted Frequency	%
6	1 time per month	54	4.0 %
7	Less than monthly	121	8.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Skipped: No additional friends	260	19.2 %
-101	Skipped: Subject reported zero friends	82	6.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 919 valid cases out of 1,354 total cases.

Location: 240-243 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1FR2_DRUGUSEREC: S1 CharFriends: Friend2 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	Variable not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 244-247 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100

S1FRIENDS3_SAMEAS: S1 CharFriends: Friend3 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	65	4.8 %
2	Same friend as friend 2 from previous interview	64	4.7 %
3	Same friend as friend 3 from previous interview	63	4.7 %
4	Same friend as friend 4 from previous interview	24	1.8 %
5	No, this is not one of those people (this is a new friend)	464	34.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Skipped: No additional friends	500	36.9 %

Value	Label	Unweighted Frequency	%
-101	Skipped: Subject reported zero friends	82	6.1 %
	Total	**1,354**	**100%**

Based upon 680 valid cases out of 1,354 total cases.

Location: 248-251 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1FRIENDS3_AGEFR: S1 CharFriends: Friend3 - Age

Based upon 677 valid cases out of 1,354 total cases.

- Mean: 18.58
- Median: 17.00
- Mode: 17.00
- Minimum: 5.00
- Maximum: 77.00
- Standard Deviation: 6.51

Location: 252-255 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S1FR3_ARRESTREC: S1 CharFriends: Friend3 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	297	21.9 %
5	No - friend has never been arrested	375	27.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-100	Subject does not have this many friends	582	43.0 %
-9	Subject DK if friend was ever arrested	7	0.5 %
-8	Subject refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 672 valid cases out of 1,354 total cases.

Location: 256-259 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S1FR3_JAILEDREC: S1 CharFriends: Friend3 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	200	14.8 %
5	No - friend has never been in jail	437	32.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-100	Subject does not have this many friends	582	43.0 %
-9	Subject DK if friend was ever in jail	42	3.1 %
-8	Subject refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 637 valid cases out of 1,354 total cases.

Location: 260-263 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S1FRIENDS3_GENFR: S1 CharFriends: Friend3 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	518	38.3 %
2	Female	162	12.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Skipped: No additional friends	500	36.9 %
-101	Skipped: Subject reported zero friends	82	6.1 %
	Total	**1,354**	**100%**

Based upon 680 valid cases out of 1,354 total cases.

Location: 264-267 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1FR3_MHRECORD: S1 CharFriends: Friend3 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	MH question not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 268-271 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100 , -9

S1FRIENDS3_CONT: S1 CharFriends: Friend3 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	243	17.9 %
2	3-6 times per week	98	7.2 %
3	2 times per week	59	4.4 %
4	1 time per week	72	5.3 %
5	Less weekly, more than monthly	53	3.9 %
6	1 time per month	52	3.8 %
7	Less than monthly	102	7.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Skipped: No additional friends	500	36.9 %
-101	Skipped: Subject reported zero friends	82	6.1 %
-8	Refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 679 valid cases out of 1,354 total cases.

Location: 272-275 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1FR3_DRUGUSEREC: S1 CharFriends: Friend3 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	Variable not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 276-279 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100

S1FRIENDS4_SAMEAS: S1 CharFriends: Friend4 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	24	1.8 %
2	Same friend as friend 2 from previous interview	32	2.4 %
3	Same friend as friend 3 from previous interview	26	1.9 %
4	Same friend as friend 4 from previous interview	28	2.1 %
5	No, this is not one of those people (this is a new friend)	363	26.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Skipped: No additional friends	706	52.1 %
-101	Skipped: Subject reported zero friends	82	6.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 473 valid cases out of 1,354 total cases.

Location: 280-283 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1FRIENDS4_AGEFR: S1 CharFriends: Friend4 - Age

Based upon 473 valid cases out of 1,354 total cases.

- Mean: 18.28
- Median: 17.00
- Mode: 17.00
- Minimum: 1.00
- Maximum: 60.00
- Standard Deviation: 5.90

Location: 284-287 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S1FR4_ARRESTREC: S1 CharFriends: Friend4 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	199	14.7 %
5	No - friend has never been arrested	270	19.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-100	Subject does not have this many friends	788	58.2 %
-9	Subject DK if friend was ever arrested	5	0.4 %
	Total	**1,354**	**100%**

Based upon 469 valid cases out of 1,354 total cases.

Location: 288-291 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S1FR4_JAILEDREC: S1 CharFriends: Friend4 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	144	10.6 %
5	No - friend has never been in jail	283	20.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-100	Subject does not have this many friends	788	58.2 %
-9	Subject DK if friend was ever in jail	47	3.5 %
	Total	**1,354**	**100%**

Based upon 427 valid cases out of 1,354 total cases.

Location: 292-295 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S1FRIENDS4_GENFR: S1 CharFriends: Friend4 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	365	27.0 %
2	Female	109	8.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Skipped: No additional friends	706	52.1 %
-101	Skipped: Subject reported zero friends	82	6.1 %
	Total	**1,354**	**100%**

Based upon 474 valid cases out of 1,354 total cases.

Location: 296-299 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1FR4_MHRECORD: S1 CharFriends: Friend4 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %

Value	Label	Unweighted Frequency	%
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	MH question not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 300-303 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100 , -9

S1FRIENDS4_CONT: S1 CharFriends: Friend4 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	145	10.7 %
2	3-6 times per week	72	5.3 %
3	2 times per week	48	3.5 %
4	1 time per week	67	4.9 %
5	Less weekly, more than monthly	40	3.0 %
6	1 time per month	31	2.3 %
7	Less than monthly	71	5.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-102	Skipped: No additional friends	706	52.1 %
-101	Skipped: Subject reported zero friends	82	6.1 %
	Total	**1,354**	**100%**

Based upon 474 valid cases out of 1,354 total cases.

Location: 304-307 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S1FR4_DRUGUSEREC: S1 CharFriends: Friend4 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	Variable not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 308-311 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100

S1FRARR: S1 CharFriends: Count of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0	-	362	26.7 %
1	-	377	27.8 %
2	-	241	17.8 %
3	-	135	10.0 %
4	-	64	4.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-100	Skipped: Subject reported zero friends	82	6.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 312-315 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S1ARRDEN: S1 CharFriends: Denominator for number of friends mentioned-arrest

Value	Label	Unweighted Frequency	%
1	-	260	19.2 %
2	-	240	17.7 %
3	-	207	15.3 %
4	-	473	34.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-100	Skipped: Subject reported zero friends	82	6.1 %
	Total	**1,354**	**100%**

Based upon 1,180 valid cases out of 1,354 total cases.

Location: 316-319 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S1PFRARR: S1 CharFriends: Proportion of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0.0000000000	-	362	26.7 %
0.2500000000	-	106	7.8 %
0.3333333333	-	57	4.2 %
0.5000000000	-	195	14.4 %
0.6666666667	-	56	4.1 %
0.7500000000	-	96	7.1 %
1.0000000000	-	307	22.7 %
	Missing Data		
-300.0000000000	Too few answers for computation	1	0.1 %
-202.0000000000	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201.0000000000	IntCompStat = 4 missed interview	89	6.6 %
-100.0000000000	Skipped: Subject reported zero friends	82	6.1 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 320-334 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S1FRJAIL: S1 CharFriends: Count of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0	-	524	38.7 %
1	-	363	26.8 %
2	-	182	13.4 %
3	-	71	5.2 %
4	-	33	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-100	Skipped: Subject reported zero friends	82	6.1 %
-9	Dont Know	7	0.5 %
	Total	**1,354**	**100%**

Based upon 1,173 valid cases out of 1,354 total cases.

Location: 335-338 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S1JAIDEN: S1 CharFriends: Denominator for number of friends mentioned-jailed

Value	Label	Unweighted Frequency	%
1	-	260	19.2 %
2	-	240	17.7 %
3	-	207	15.3 %
4	-	473	34.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-100	Skipped: Subject reported zero friends	82	6.1 %
	Total	**1,354**	**100%**

Based upon 1,180 valid cases out of 1,354 total cases.

Location: 339-342 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S1PFRJAI: S1 CharFriends: Proportion of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0.0000000000	-	524	38.7 %
0.2500000000	-	133	9.8 %
0.3333333333	-	56	4.1 %
0.5000000000	-	166	12.3 %
0.6666666667	-	37	2.7 %
0.7500000000	-	53	3.9 %
1.0000000000	-	204	15.1 %
	Missing Data		
-300.0000000000	Too few answers for computation	7	0.5 %
-202.0000000000	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201.0000000000	IntCompStat = 4 missed interview	89	6.6 %
-100.0000000000	Skipped: Subject reported zero friends	82	6.1 %
	Total	**1,354**	**100%**

Based upon 1,173 valid cases out of 1,354 total cases.

Location: 343-357 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S1FRDRUG: S1 CharFriends: Count of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
	Missing Data		

Value	Label	Unweighted Frequency	%
-400	Drug question not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 358-361 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S1DRUDEN: S1 CharFriends: Denominator for number of friends mentioned-drugs

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Drug question not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 362-365 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S1PFRDRU: S1 CharFriends: Proportion of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Drug question not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 366-369 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S1FRMHOS: S1 CharFriends: Count of 4 closest friends ever in a mental health facility

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	MH question not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 370-373 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S1MHODEN: S1 CharFriends: Denominator for number of friends mentioned-mental health facility

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	MH question not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 374-377 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S1PFRMHO: S1 CharFriends: Proportion of 4 closest friends ever in mental health facility

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	MH question not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 378-381 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S2PEERCHAR_NFRND: S2 CharFriends: Number of close friends

Based upon 1,261 valid cases out of 1,354 total cases.

- Mean: 3.95
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 5.93

Location: 382-385 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2PEERCHAR_NFRNA: S2 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	66	4.9 %
1	-	247	18.2 %
2	-	284	21.0 %
3	-	231	17.1 %
4	-	433	32.0 %
	Missing Data		
-5	Blank	93	6.9 %
	Total	**1,354**	**100%**

Based upon 1,261 valid cases out of 1,354 total cases.

Location: 386-387 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S2FRIENDS1_SAMEAS: S2 CharFriends: Friend1 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	374	27.6 %
2	Same friend as friend 2 from previous interview	128	9.5 %
3	Same friend as friend 3 from previous interview	52	3.8 %
4	Same friend as friend 4 from previous interview	29	2.1 %
5	No, this is not one of those people (this is a new friend)	612	45.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skipped: Subject reported zero friends	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 388-391 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2FRIENDS1_AGEFR: S2 CharFriends: Friend1 - Age

Based upon 1,193 valid cases out of 1,354 total cases.

- Mean: 18.87
- Median: 18.00
- Mode: 17.00
- Minimum: 2.00
- Maximum: 60.00
- Standard Deviation: 5.26

Location: 392-395 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S2FR1_ARRESTREC: S2 CharFriends: Friend1 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	606	44.8 %
5	No - friend has never been arrested	584	43.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-100	Subject does not have this many friends	66	4.9 %
-9	Subject DK if friend was ever arrested	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,190 valid cases out of 1,354 total cases.

Location: 396-399 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S2FR1_JAILEDREC: S2 CharFriends: Friend1 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	462	34.1 %
5	No - friend has never been in jail	727	53.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-100	Subject does not have this many friends	66	4.9 %
-9	Subject DK if friend was ever in jail	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,189 valid cases out of 1,354 total cases.

Location: 400-403 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S2FRIENDS1_GENFR: S2 CharFriends: Friend1 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	888	65.6 %
2	Female	307	22.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-101	Skipped: Subject reported zero friends	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 404-407 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2FR1_MHRECORD: S2 CharFriends: Friend1 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	MH question not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 408-411 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100 , -9

S2FRIENDS1_CONT: S2 CharFriends: Friend1 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	638	47.1 %
2	3-6 times per week	150	11.1 %
3	2 times per week	85	6.3 %
4	1 time per week	116	8.6 %
5	Less weekly, more than monthly	46	3.4 %
6	1 time per month	59	4.4 %
7	Less than monthly	100	7.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skipped: Subject reported zero friends	66	4.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,194 valid cases out of 1,354 total cases.

Location: 412-415 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2FR1_DRUGUSEREC: S2 CharFriends: Friend1 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	Variable not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 416-419 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100

S2FRIENDS2_SAMEAS: S2 CharFriends: Friend2 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	131	9.7 %
2	Same friend as friend 2 from previous interview	145	10.7 %
3	Same friend as friend 3 from previous interview	62	4.6 %
4	Same friend as friend 4 from previous interview	39	2.9 %
5	No, this is not one of those people (this is a new friend)	571	42.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Skipped: No additional friends	247	18.2 %
-101	Skipped: Subject reported zero friends	66	4.9 %
	Total	**1,354**	**100%**

Based upon 948 valid cases out of 1,354 total cases.

Location: 420-423 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2FRIENDS2_AGEFR: S2 CharFriends: Friend2 - Age

Based upon 946 valid cases out of 1,354 total cases.

- Mean: 18.88
- Median: 18.00
- Mode: 17.00

- Minimum: 1.00
- Maximum: 65.00
- Standard Deviation: 5.87

Location: 424-427 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S2FR2_ARRESTREC: S2 CharFriends: Friend2 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	494	36.5 %
5	No - friend has never been arrested	452	33.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-100	Subject does not have this many friends	313	23.1 %
-9	Subject DK if friend was ever arrested	2	0.1 %
	Total	**1,354**	**100%**

Based upon 946 valid cases out of 1,354 total cases.

Location: 428-431 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S2FR2_JAILEDREC: S2 CharFriends: Friend2 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	360	26.6 %
5	No - friend has never been in jail	584	43.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-100	Subject does not have this many friends	313	23.1 %
-9	Subject DK if friend was ever in jail	4	0.3 %
	Total	**1,354**	**100%**

Based upon 944 valid cases out of 1,354 total cases.

Location: 432-435 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S2FRIENDS2_GENFR: S2 CharFriends: Friend2 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	726	53.6 %

Value	Label	Unweighted Frequency	%
2	Female	222	16.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Skipped: No additional friends	247	18.2 %
-101	Skipped: Subject reported zero friends	66	4.9 %
	Total	**1,354**	**100%**

Based upon 948 valid cases out of 1,354 total cases.

Location: 436-439 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2FR2_MHRECORD: S2 CharFriends: Friend2 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	MH question not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 440-443 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100 , -9

S2FRIENDS2_CONT: S2 CharFriends: Friend2 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	441	32.6 %
2	3-6 times per week	149	11.0 %
3	2 times per week	86	6.4 %
4	1 time per week	93	6.9 %
5	Less weekly, more than monthly	46	3.4 %
6	1 time per month	46	3.4 %
7	Less than monthly	87	6.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %

Value	Label	Unweighted Frequency	%
-102	Skipped: No additional friends	247	18.2 %
-101	Skipped: Subject reported zero friends	66	4.9 %
	Total	**1,354**	**100%**

Based upon 948 valid cases out of 1,354 total cases.

Location: 444-447 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2FR2_DRUGUSEREC: S2 CharFriends: Friend2 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	Variable not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 448-451 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100

S2FRIENDS3_SAMEAS: S2 CharFriends: Friend3 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	57	4.2 %
2	Same friend as friend 2 from previous interview	52	3.8 %
3	Same friend as friend 3 from previous interview	52	3.8 %
4	Same friend as friend 4 from previous interview	32	2.4 %
5	No, this is not one of those people (this is a new friend)	470	34.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Skipped: No additional friends	531	39.2 %
-101	Skipped: Subject reported zero friends	66	4.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 663 valid cases out of 1,354 total cases.

Location: 452-455 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2FRIENDS3_AGEFR: S2 CharFriends: Friend3 - Age

Based upon 662 valid cases out of 1,354 total cases.

- Mean: 18.84
- Median: 17.00
- Mode: 17.00
- Minimum: 3.00
- Maximum: 74.00
- Standard Deviation: 5.84

Location: 456-459 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S2FR3_ARRESTREC: S2 CharFriends: Friend3 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	321	23.7 %
5	No - friend has never been arrested	336	24.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-100	Subject does not have this many friends	597	44.1 %
-9	Subject DK if friend was ever arrested	7	0.5 %
	Total	**1,354**	**100%**

Based upon 657 valid cases out of 1,354 total cases.

Location: 460-463 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S2FR3_JAILEDREC: S2 CharFriends: Friend3 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	246	18.2 %
5	No - friend has never been in jail	409	30.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-100	Subject does not have this many friends	597	44.1 %
-9	Subject DK if friend was ever in jail	9	0.7 %
	Total	**1,354**	**100%**

Based upon 655 valid cases out of 1,354 total cases.

Location: 464-467 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S2FRIENDS3_GENFR: S2 CharFriends: Friend3 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	504	37.2 %
2	Female	160	11.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Skipped: No additional friends	531	39.2 %
-101	Skipped: Subject reported zero friends	66	4.9 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 468-471 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2FR3_MHRECORD: S2 CharFriends: Friend3 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	MH question not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 472-475 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100 , -9

S2FRIENDS3_CONT: S2 CharFriends: Friend3 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	286	21.1 %
2	3-6 times per week	104	7.7 %
3	2 times per week	69	5.1 %
4	1 time per week	52	3.8 %
5	Less weekly, more than monthly	43	3.2 %

Value	Label	Unweighted Frequency	%
6	1 time per month	41	3.0 %
7	Less than monthly	69	5.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Skipped: No additional friends	531	39.2 %
-101	Skipped: Subject reported zero friends	66	4.9 %
	Total	**1,354**	**100%**

Based upon 664 valid cases out of 1,354 total cases.

Location: 476-479 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2FR3_DRUGUSEREC: S2 CharFriends: Friend3 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	Variable not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 480-483 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100

S2FRIENDS4_SAMEAS: S2 CharFriends: Friend4 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	35	2.6 %
2	Same friend as friend 2 from previous interview	31	2.3 %
3	Same friend as friend 3 from previous interview	41	3.0 %
4	Same friend as friend 4 from previous interview	22	1.6 %
5	No, this is not one of those people (this is a new friend)	303	22.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Skipped: No additional friends	762	56.3 %
-101	Skipped: Subject reported zero friends	66	4.9 %

Value	Label	Unweighted Frequency	%
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 432 valid cases out of 1,354 total cases.

Location: 484-487 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2FRIENDS4_AGEFR: S2 CharFriends: Friend4 - Age

Based upon 432 valid cases out of 1,354 total cases.

- Mean: 19.14
- Median: 18.00
- Mode: 17.00
- Minimum: 1.00
- Maximum: 70.00
- Standard Deviation: 6.87

Location: 488-491 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S2FR4_ARRESTREC: S2 CharFriends: Friend4 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	207	15.3 %
5	No - friend has never been arrested	223	16.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-100	Subject does not have this many friends	828	61.2 %
-9	Subject DK if friend was ever arrested	3	0.2 %
	Total	**1,354**	**100%**

Based upon 430 valid cases out of 1,354 total cases.

Location: 492-495 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S2FR4_JAILEDREC: S2 CharFriends: Friend4 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	156	11.5 %
5	No - friend has never been in jail	271	20.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-100	Subject does not have this many friends	828	61.2 %
-9	Subject DK if friend was ever in jail	6	0.4 %
	Total	**1,354**	**100%**

Based upon 427 valid cases out of 1,354 total cases.

Location: 496-499 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S2FRIENDS4_GENFR: S2 CharFriends: Friend4 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	341	25.2 %
2	Female	92	6.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Skipped: No additional friends	762	56.3 %
-101	Skipped: Subject reported zero friends	66	4.9 %
	Total	**1,354**	**100%**

Based upon 433 valid cases out of 1,354 total cases.

Location: 500-503 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2FR4_MHRECORD: S2 CharFriends: Friend4 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	MH question not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 504-507 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100 , -9

S2FRIENDS4_CONT: S2 CharFriends: Friend4 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	188	13.9 %
2	3-6 times per week	69	5.1 %
3	2 times per week	37	2.7 %
4	1 time per week	38	2.8 %
5	Less weekly, more than monthly	31	2.3 %
6	1 time per month	29	2.1 %
7	Less than monthly	41	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-102	Skipped: No additional friends	762	56.3 %
-101	Skipped: Subject reported zero friends	66	4.9 %
	Total	**1,354**	**100%**

Based upon 433 valid cases out of 1,354 total cases.

Location: 508-511 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S2FR4_DRUGUSEREC: S2 CharFriends: Friend4 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	Variable not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 512-515 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100

S2FRARR: S2 CharFriends: Count of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0	-	321	23.7 %
1	-	412	30.4 %
2	-	235	17.4 %

Value	Label	Unweighted Frequency	%
3	-	162	12.0 %
4	-	65	4.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-100	Skipped: Subject reported zero friends	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 516-519 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S2ARRDEN: S2 CharFriends: Denominator for number of friends mentioned-arrest

Value	Label	Unweighted Frequency	%
1	-	247	18.2 %
2	-	284	21.0 %
3	-	231	17.1 %
4	-	433	32.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-100	Skipped: Subject reported zero friends	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 520-523 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S2PFRARR: S2 CharFriends: Proportion of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0.0000000000	-	321	23.7 %
0.2500000000	-	97	7.2 %
0.3333333333	-	71	5.2 %
0.5000000000	-	197	14.5 %
0.6666666667	-	67	4.9 %
0.7500000000	-	119	8.8 %
1.0000000000	-	323	23.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202.0000000000	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201.0000000000	IntCompStat = 4 missed interview	92	6.8 %
-100.0000000000	Skipped: Subject reported zero friends	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 524-538 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S2FRJAIL: S2 CharFriends: Count of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0	-	465	34.3 %
1	-	416	30.7 %
2	-	176	13.0 %
3	-	96	7.1 %
4	-	42	3.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-100	Skipped: Subject reported zero friends	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 539-542 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S2JAIDEN: S2 CharFriends: Denominator for number of friends mentioned-jailed

Value	Label	Unweighted Frequency	%
1	-	247	18.2 %
2	-	284	21.0 %
3	-	231	17.1 %
4	-	433	32.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-100	Skipped: Subject reported zero friends	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 543-546 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S2PFRJAI: S2 CharFriends: Proportion of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0.0000000000	-	465	34.3 %
0.2500000000	-	112	8.3 %
0.3333333333	-	83	6.1 %
0.5000000000	-	190	14.0 %
0.6666666667	-	46	3.4 %
0.7500000000	-	72	5.3 %
1.0000000000	-	227	16.8 %
	Missing Data		
-202.0000000000	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201.0000000000	IntCompStat = 4 missed interview	92	6.8 %
-100.0000000000	Skipped: Subject reported zero friends	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,195 valid cases out of 1,354 total cases.

Location: 547-561 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S2FRDRUG: S2 CharFriends: Count of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Drug question not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 562-565 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S2DRUDEN: S2 CharFriends: Denominator for number of friends mentioned-drugs

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Drug question not asked in this version	1262	93.2 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 566-569 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S2PFRDRU: S2 CharFriends: Proportion of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Drug question not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 570-573 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S2FRMHOS: S2 CharFriends: Count of 4 closest friends ever in a mental health facility

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	MH question not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 574-577 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S2MHODEN: S2 CharFriends: Denominator for number of friends mentioned-mental health facility

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	MH question not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 578-581 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S2PFRMHO: S2 CharFriends: Proportion of 4 closest friends ever in mental health facility

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	MH question not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 582-585 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S3PEERCHAR_NFRND: S3 CharFriends: Number of close friends

Based upon 1,228 valid cases out of 1,354 total cases.

- Mean: 3.21
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 4.44

Location: 586-589 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S3PEERCHAR_NFRNA: S3 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	86	6.4 %
1	-	277	20.5 %
2	-	289	21.3 %
3	-	222	16.4 %
4	-	354	26.1 %
	Missing Data		
-8	Refusal	1	0.1 %
-5	Blank	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,228 valid cases out of 1,354 total cases.

Location: 590-591 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S3FRIENDS1_SAMEAS: S3 CharFriends: Friend1 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	384	28.4 %
2	Same friend as friend 2 from previous interview	115	8.5 %
3	Same friend as friend 3 from previous interview	60	4.4 %
4	Same friend as friend 4 from previous interview	24	1.8 %
5	No, this is not one of those people (this is a new friend)	559	41.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 1,142 valid cases out of 1,354 total cases.

Location: 592-595 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3FRIENDS1_AGEFR: S3 CharFriends: Friend1 - Age

Based upon 1,138 valid cases out of 1,354 total cases.

- Mean: 19.52
- Median: 18.00
- Mode: 18.00
- Minimum: 3.00
- Maximum: 68.00
- Standard Deviation: 5.65

Location: 596-599 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S3FR1_ARRESTREC: S3 CharFriends: Friend1 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	577	42.6 %
5	No - friend has never been arrested	560	41.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-100	Subject does not have this many friends	87	6.4 %
-9	Subject DK if friend was ever arrested	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,137 valid cases out of 1,354 total cases.

Location: 600-603 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S3FR1_JAILEDREC: S3 CharFriends: Friend1 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	458	33.8 %
5	No - friend has never been in jail	679	50.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-100	Subject does not have this many friends	87	6.4 %
-9	Subject DK if friend was ever in jail	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,137 valid cases out of 1,354 total cases.

Location: 604-607 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S3FRIENDS1_GENFR: S3 CharFriends: Friend1 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	841	62.1 %
2	Female	301	22.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 1,142 valid cases out of 1,354 total cases.

Location: 608-611 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3FR1_MHRECORD: S3 CharFriends: Friend1 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	MH question not asked in this version	1229	90.8 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 612-615 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100 , -9

S3FRIENDS1_CONT: S3 CharFriends: Friend1 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	641	47.3 %
2	3-6 times per week	165	12.2 %
3	2 times per week	78	5.8 %
4	1 time per week	85	6.3 %
5	Less weekly, more than monthly	45	3.3 %
6	1 time per month	51	3.8 %
7	Less than monthly	77	5.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 1,142 valid cases out of 1,354 total cases.

Location: 616-619 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3FR1_DRUGUSEREC: S3 CharFriends: Friend1 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	Variable not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 620-623 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100

S3FRIENDS2_SAMEAS: S3 CharFriends: Friend2 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	122	9.0 %
2	Same friend as friend 2 from previous interview	132	9.7 %
3	Same friend as friend 3 from previous interview	68	5.0 %
4	Same friend as friend 4 from previous interview	29	2.1 %
5	No, this is not one of those people (this is a new friend)	514	38.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Skipped: No additional friends	277	20.5 %
-101	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 865 valid cases out of 1,354 total cases.

Location: 624-627 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3FRIENDS2_AGEFR: S3 CharFriends: Friend2 - Age

Based upon 863 valid cases out of 1,354 total cases.

- Mean: 20.02
- Median: 18.00
- Mode: 17.00
- Minimum: 7.00
- Maximum: 77.00
- Standard Deviation: 7.05

Location: 628-631 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S3FR2_ARRESTREC: S3 CharFriends: Friend2 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	428	31.6 %
5	No - friend has never been arrested	434	32.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-100	Subject does not have this many friends	364	26.9 %
-9	Subject DK if friend was ever arrested	3	0.2 %
	Total	**1,354**	**100%**

Based upon 862 valid cases out of 1,354 total cases.

Location: 632-635 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S3FR2_JAILEDREC: S3 CharFriends: Friend2 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	344	25.4 %
5	No - friend has never been in jail	516	38.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-100	Subject does not have this many friends	364	26.9 %
-9	Subject DK if friend was ever in jail	5	0.4 %
	Total	**1,354**	**100%**

Based upon 860 valid cases out of 1,354 total cases.

Location: 636-639 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S3FRIENDS2_GENFR: S3 CharFriends: Friend2 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	665	49.1 %
2	Female	200	14.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Skipped: No additional friends	277	20.5 %
-101	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 865 valid cases out of 1,354 total cases.

Location: 640-643 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3FR2_MHRECORD: S3 CharFriends: Friend2 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	MH question not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 644-647 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100 , -9

S3FRIENDS2_CONT: S3 CharFriends: Friend2 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	409	30.2 %
2	3-6 times per week	142	10.5 %
3	2 times per week	78	5.8 %
4	1 time per week	77	5.7 %
5	Less weekly, more than monthly	48	3.5 %
6	1 time per month	43	3.2 %
7	Less than monthly	68	5.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Skipped: No additional friends	277	20.5 %
-101	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 865 valid cases out of 1,354 total cases.

Location: 648-651 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3FR2_DRUGUSEREC: S3 CharFriends: Friend2 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	Variable not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 652-655 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100

S3FRIENDS3_SAMEAS: S3 CharFriends: Friend3 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	53	3.9 %
2	Same friend as friend 2 from previous interview	63	4.7 %
3	Same friend as friend 3 from previous interview	38	2.8 %
4	Same friend as friend 4 from previous interview	38	2.8 %
5	No, this is not one of those people (this is a new friend)	384	28.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Skipped: No additional friends	566	41.8 %
-101	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 576 valid cases out of 1,354 total cases.

Location: 656-659 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3FRIENDS3_AGEFR: S3 CharFriends: Friend3 - Age

Based upon 573 valid cases out of 1,354 total cases.

- Mean: 20.03
- Median: 18.00
- Mode: 18.00
- Minimum: 1.00
- Maximum: 69.00
- Standard Deviation: 7.04

Location: 660-663 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S3FR3_ARRESTREC: S3 CharFriends: Friend3 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	276	20.4 %
5	No - friend has never been arrested	298	22.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-100	Subject does not have this many friends	653	48.2 %
-9	Subject DK if friend was ever arrested	2	0.1 %
	Total	**1,354**	**100%**

Based upon 574 valid cases out of 1,354 total cases.

Location: 664-667 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S3FR3_JAILEDREC: S3 CharFriends: Friend3 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	212	15.7 %
5	No - friend has never been in jail	358	26.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-100	Subject does not have this many friends	653	48.2 %
-9	Subject DK if friend was ever in jail	6	0.4 %
	Total	**1,354**	**100%**

Based upon 570 valid cases out of 1,354 total cases.

Location: 668-671 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S3FRIENDS3_GENFR: S3 CharFriends: Friend3 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	440	32.5 %
2	Female	136	10.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Skipped: No additional friends	566	41.8 %
-101	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 576 valid cases out of 1,354 total cases.

Location: 672-675 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3FR3_MHRECORD: S3 CharFriends: Friend3 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	MH question not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 676-679 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100 , -9

S3FRIENDS3_CONT: S3 CharFriends: Friend3 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	262	19.4 %
2	3-6 times per week	85	6.3 %
3	2 times per week	50	3.7 %
4	1 time per week	54	4.0 %
5	Less weekly, more than monthly	29	2.1 %
6	1 time per month	37	2.7 %
7	Less than monthly	59	4.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Skipped: No additional friends	566	41.8 %
-101	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 576 valid cases out of 1,354 total cases.

Location: 680-683 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3FR3_DRUGUSEREC: S3 CharFriends: Friend3 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	Variable not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 684-687 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100

S3FRIENDS4_SAMEAS: S3 CharFriends: Friend4 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	23	1.7 %
2	Same friend as friend 2 from previous interview	28	2.1 %
3	Same friend as friend 3 from previous interview	11	0.8 %
4	Same friend as friend 4 from previous interview	19	1.4 %
5	No, this is not one of those people (this is a new friend)	273	20.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Skipped: No additional friends	788	58.2 %
-101	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 354 valid cases out of 1,354 total cases.

Location: 688-691 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3FRIENDS4_AGEFR: S3 CharFriends: Friend4 - Age

Based upon 353 valid cases out of 1,354 total cases.

- Mean: 20.26
- Median: 18.00
- Mode: 19.00
- Minimum: 1.00
- Maximum: 111.00
- Standard Deviation: 8.77

Location: 692-695 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S3FR4_ARRESTREC: S3 CharFriends: Friend4 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	171	12.6 %
5	No - friend has never been arrested	183	13.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-100	Subject does not have this many friends	875	64.6 %
	Total	**1,354**	**100%**

Based upon 354 valid cases out of 1,354 total cases.

Location: 696-699 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S3FR4_JAILEDREC: S3 CharFriends: Friend4 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	133	9.8 %
5	No - friend has never been in jail	221	16.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-100	Subject does not have this many friends	875	64.6 %
	Total	**1,354**	**100%**

Based upon 354 valid cases out of 1,354 total cases.

Location: 700-703 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S3FRIENDS4_GENFR: S3 CharFriends: Friend4 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	256	18.9 %
2	Female	98	7.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Skipped: No additional friends	788	58.2 %
-101	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 354 valid cases out of 1,354 total cases.

Location: 704-707 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3FR4_MHRECORD: S3 CharFriends: Friend4 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	MH question not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 708-711 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100 , -9

S3FRIENDS4_CONT: S3 CharFriends: Friend4 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	142	10.5 %
2	3-6 times per week	64	4.7 %
3	2 times per week	34	2.5 %
4	1 time per week	48	3.5 %
5	Less weekly, more than monthly	18	1.3 %
6	1 time per month	18	1.3 %
7	Less than monthly	30	2.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-102	Skipped: No additional friends	788	58.2 %
-101	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 354 valid cases out of 1,354 total cases.

Location: 712-715 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S3FR4_DRUGUSEREC: S3 CharFriends: Friend4 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	Variable not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 716-719 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100

S3FRARR: S3 CharFriends: Count of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0	-	342	25.3 %
1	-	390	28.8 %
2	-	219	16.2 %
3	-	140	10.3 %
4	-	51	3.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-100	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 1,142 valid cases out of 1,354 total cases.

Location: 720-723 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S3ARRDEN: S3 CharFriends: Denominator for number of friends mentioned-arrest

Value	Label	Unweighted Frequency	%
1	-	277	20.5 %
2	-	289	21.3 %
3	-	222	16.4 %
4	-	354	26.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-100	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 1,142 valid cases out of 1,354 total cases.

Location: 724-727 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S3PFRARR: S3 CharFriends: Proportion of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0.0000000000	-	342	25.3 %
0.2500000000	-	66	4.9 %
0.3333333333	-	76	5.6 %
0.5000000000	-	189	14.0 %
0.6666666667	-	58	4.3 %
0.7500000000	-	96	7.1 %
1.0000000000	-	315	23.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201.0000000000	IntCompStat = 4 missed interview	125	9.2 %
-100.0000000000	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 1,142 valid cases out of 1,354 total cases.

Location: 728-742 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S3FRJAIL: S3 CharFriends: Count of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0	-	465	34.3 %
1	-	373	27.5 %
2	-	171	12.6 %
3	-	100	7.4 %
4	-	33	2.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-100	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 1,142 valid cases out of 1,354 total cases.

Location: 743-746 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S3JAIDEN: S3 CharFriends: Denominator for number of friends mentioned-jailed

Value	Label	Unweighted Frequency	%
1	-	277	20.5 %
2	-	289	21.3 %
3	-	222	16.4 %
4	-	354	26.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
-100	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 1,142 valid cases out of 1,354 total cases.

Location: 747-750 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S3PFRJAI: S3 CharFriends: Proportion of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0.0000000000	-	465	34.3 %
0.2500000000	-	82	6.1 %
0.3333333333	-	77	5.7 %
0.5000000000	-	173	12.8 %
0.6666666667	-	38	2.8 %
0.7500000000	-	67	4.9 %
1.0000000000	-	240	17.7 %
	Missing Data		
-201.0000000000	IntCompStat = 4 missed interview	125	9.2 %
-100.0000000000	Skipped: Subject reported zero friends	87	6.4 %
	Total	**1,354**	**100%**

Based upon 1,142 valid cases out of 1,354 total cases.

Location: 751-765 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S3FRDRUG: S3 CharFriends: Count of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Drug question not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 766-769 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S3DRUDEN: S3 CharFriends: Denominator for number of friends mentioned-drugs

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Drug question not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 770-773 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S3PFRDRU: S3 CharFriends: Proportion of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	Drug question not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 774-777 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S3FRMHOS: S3 CharFriends: Count of 4 closest friends ever in a mental health facility

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	MH question not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 778-781 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S3MHODEN: S3 CharFriends: Denominator for number of friends mentioned-mental health facility

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	MH question not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 782-785 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S3PFRMHO: S3 CharFriends: Proportion of 4 closest friends ever in mental health facility

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	MH question not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 786-789 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S4PEERCHAR_NFRND: S4 CharFriends: Number of close friends

Based upon 1,230 valid cases out of 1,354 total cases.

- Mean: 3.12
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 5.04

Location: 790-793 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S4PEERCHAR_NFRNA: S4 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	119	8.8 %
1	-	247	18.2 %
2	-	311	23.0 %
3	-	212	15.7 %
4	-	341	25.2 %
	Missing Data		
-9	Dont Know	1	0.1 %
-5	Blank	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 794-795 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S4FRIENDS1_SAMEAS: S4 CharFriends: Friend1 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	362	26.7 %
2	Same friend as friend 2 from previous interview	145	10.7 %
3	Same friend as friend 3 from previous interview	46	3.4 %
4	Same friend as friend 4 from previous interview	34	2.5 %
5	No, this is not one of those people (this is a new friend)	524	38.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skipped: Subject reported zero friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,111 valid cases out of 1,354 total cases.

Location: 796-799 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4FRIENDS1_AGEFR: S4 CharFriends: Friend1 - Age

Based upon 1,106 valid cases out of 1,354 total cases.

- Mean: 20.23
- Median: 19.00
- Mode: 18.00
- Minimum: 0.00
- Maximum: 70.00
- Standard Deviation: 6.25

Location: 800-803 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S4FR1_ARRESTREC: S4 CharFriends: Friend1 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	565	41.7 %
5	No - friend has never been arrested	539	39.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Subject does not have this many friends	120	8.9 %
-9	Subject DK if friend was ever arrested	7	0.5 %
	Total	**1,354**	**100%**

Based upon 1,104 valid cases out of 1,354 total cases.

Location: 804-807 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S4FR1_JAILEDREC: S4 CharFriends: Friend1 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	460	34.0 %
5	No - friend has never been in jail	643	47.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Subject does not have this many friends	120	8.9 %
-9	Subject DK if friend was ever in jail	8	0.6 %
	Total	**1,354**	**100%**

Based upon 1,103 valid cases out of 1,354 total cases.

Location: 808-811 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S4FRIENDS1_GENFR: S4 CharFriends: Friend1 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	805	59.5 %
2	Female	306	22.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skipped: Subject reported zero friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,111 valid cases out of 1,354 total cases.

Location: 812-815 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4FR1_MHRECORD: S4 CharFriends: Friend1 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	MH question not asked in this version	1231	90.9 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 816-819 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100 , -9

S4FRIENDS1_CONT: S4 CharFriends: Friend1 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	610	45.1 %
2	3-6 times per week	174	12.9 %
3	2 times per week	72	5.3 %
4	1 time per week	94	6.9 %
5	Less weekly, more than monthly	42	3.1 %
6	1 time per month	42	3.1 %
7	Less than monthly	76	5.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skipped: Subject reported zero friends	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,110 valid cases out of 1,354 total cases.

Location: 820-823 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4FR1_DRUGUSEREC: S4 CharFriends: Friend1 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	3	0.2 %
5	No - friend has never used drugs	2	0.1 %
	Missing Data		
-400	Variable not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Did not have this many friends	1	0.1 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 824-827 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100

S4FRIENDS2_SAMEAS: S4 CharFriends: Friend2 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	152	11.2 %

Value	Label	Unweighted Frequency	%
2	Same friend as friend 2 from previous interview	131	9.7 %
3	Same friend as friend 3 from previous interview	56	4.1 %
4	Same friend as friend 4 from previous interview	23	1.7 %
5	No, this is not one of those people (this is a new friend)	502	37.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Skipped: No additional friends	247	18.2 %
-101	Skipped: Subject reported zero friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 864 valid cases out of 1,354 total cases.

Location: 828-831 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4FRIENDS2_AGEFR: S4 CharFriends: Friend2 - Age

Based upon 861 valid cases out of 1,354 total cases.

- Mean: 20.04
- Median: 19.00
- Mode: 18.00
- Minimum: 13.00
- Maximum: 77.00
- Standard Deviation: 5.68

Location: 832-835 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S4FR2_ARRESTREC: S4 CharFriends: Friend2 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	396	29.2 %
5	No - friend has never been arrested	464	34.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Subject does not have this many friends	367	27.1 %
-9	Subject DK if friend was ever arrested	4	0.3 %
	Total	**1,354**	**100%**

Based upon 860 valid cases out of 1,354 total cases.

Location: 836-839 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S4FR2_JAILEDREC: S4 CharFriends: Friend2 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	316	23.3 %
5	No - friend has never been in jail	540	39.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Subject does not have this many friends	367	27.1 %
-9	Subject DK if friend was ever in jail	8	0.6 %
	Total	**1,354**	**100%**

Based upon 856 valid cases out of 1,354 total cases.

Location: 840-843 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S4FRIENDS2_GENFR: S4 CharFriends: Friend2 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	631	46.6 %
2	Female	233	17.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Skipped: No additional friends	247	18.2 %
-101	Skipped: Subject reported zero friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 864 valid cases out of 1,354 total cases.

Location: 844-847 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4FR2_MHRECORD: S4 CharFriends: Friend2 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	MH question not asked in this version	1231	90.9 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 848-851 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100 , -9

S4FRIENDS2_CONT: S4 CharFriends: Friend2 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	393	29.0 %
2	3-6 times per week	158	11.7 %
3	2 times per week	84	6.2 %
4	1 time per week	68	5.0 %
5	Less weekly, more than monthly	45	3.3 %
6	1 time per month	54	4.0 %
7	Less than monthly	62	4.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Skipped: No additional friends	247	18.2 %
-101	Skipped: Subject reported zero friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 864 valid cases out of 1,354 total cases.

Location: 852-855 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4FR2_DRUGUSEREC: S4 CharFriends: Friend2 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	2	0.1 %
5	No - friend has never used drugs	3	0.2 %
	Missing Data		
-400	Variable not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Did not have this many friends	1	0.1 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 856-859 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100

S4FRIENDS3_SAMEAS: S4 CharFriends: Friend3 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	60	4.4 %
2	Same friend as friend 2 from previous interview	49	3.6 %
3	Same friend as friend 3 from previous interview	57	4.2 %
4	Same friend as friend 4 from previous interview	20	1.5 %
5	No, this is not one of those people (this is a new friend)	367	27.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Skipped: No additional friends	558	41.2 %
-101	Skipped: Subject reported zero friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 553 valid cases out of 1,354 total cases.

Location: 860-863 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4FRIENDS3_AGEFR: S4 CharFriends: Friend3 - Age

Based upon 553 valid cases out of 1,354 total cases.

- Mean: 20.25
- Median: 18.00
- Mode: 18.00
- Minimum: 3.00
- Maximum: 62.00
- Standard Deviation: 6.22

Location: 864-867 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S4FR3_ARRESTREC: S4 CharFriends: Friend3 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	259	19.1 %
5	No - friend has never been arrested	292	21.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Subject does not have this many friends	678	50.1 %
-9	Subject DK if friend was ever arrested	2	0.1 %
	Total	**1,354**	**100%**

Based upon 551 valid cases out of 1,354 total cases.

Location: 868-871 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S4FR3_JAILEDREC: S4 CharFriends: Friend3 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	206	15.2 %
5	No - friend has never been in jail	345	25.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Subject does not have this many friends	678	50.1 %
-9	Subject DK if friend was ever in jail	2	0.1 %
	Total	**1,354**	**100%**

Based upon 551 valid cases out of 1,354 total cases.

Location: 872-875 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S4FRIENDS3_GENFR: S4 CharFriends: Friend3 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	428	31.6 %
2	Female	125	9.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Skipped: No additional friends	558	41.2 %
-101	Skipped: Subject reported zero friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 553 valid cases out of 1,354 total cases.

Location: 876-879 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4FR3_MHRECORD: S4 CharFriends: Friend3 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	MH question not asked in this version	1231	90.9 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 880-883 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100 , -9

S4FRIENDS3_CONT: S4 CharFriends: Friend3 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	253	18.7 %
2	3-6 times per week	104	7.7 %
3	2 times per week	47	3.5 %
4	1 time per week	42	3.1 %
5	Less weekly, more than monthly	38	2.8 %
6	1 time per month	26	1.9 %
7	Less than monthly	42	3.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Skipped: No additional friends	558	41.2 %
-101	Skipped: Subject reported zero friends	120	8.9 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 552 valid cases out of 1,354 total cases.

Location: 884-887 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4FR3_DRUGUSEREC: S4 CharFriends: Friend3 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	1	0.1 %
5	No - friend has never used drugs	1	0.1 %
	Missing Data		
-400	Variable not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Did not have this many friends	4	0.3 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 888-891 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100

S4FRIENDS4_SAMEAS: S4 CharFriends: Friend4 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	22	1.6 %
2	Same friend as friend 2 from previous interview	27	2.0 %
3	Same friend as friend 3 from previous interview	21	1.6 %
4	Same friend as friend 4 from previous interview	15	1.1 %
5	No, this is not one of those people (this is a new friend)	256	18.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Skipped: No additional friends	770	56.9 %
-101	Skipped: Subject reported zero friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 341 valid cases out of 1,354 total cases.

Location: 892-895 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4FRIENDS4_AGEFR: S4 CharFriends: Friend4 - Age

Based upon 340 valid cases out of 1,354 total cases.

- Mean: 20.09
- Median: 18.00
- Mode: 17.00
- Minimum: 1.00
- Maximum: 60.00
- Standard Deviation: 6.89

Location: 896-899 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S4FR4_ARRESTREC: S4 CharFriends: Friend4 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	156	11.5 %
5	No - friend has never been arrested	185	13.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Subject does not have this many friends	890	65.7 %
	Total	**1,354**	**100%**

Based upon 341 valid cases out of 1,354 total cases.

Location: 900-903 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S4FR4_JAILEDREC: S4 CharFriends: Friend4 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	127	9.4 %
5	No - friend has never been in jail	214	15.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Subject does not have this many friends	890	65.7 %
	Total	**1,354**	**100%**

Based upon 341 valid cases out of 1,354 total cases.

Location: 904-907 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S4FRIENDS4_GENFR: S4 CharFriends: Friend4 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	273	20.2 %
2	Female	68	5.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Skipped: No additional friends	770	56.9 %
-101	Skipped: Subject reported zero friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 341 valid cases out of 1,354 total cases.

Location: 908-911 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4FR4_MHRECORD: S4 CharFriends: Friend4 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	0	0.0 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	MH question not asked in this version	1231	90.9 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 912-915 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100 , -9

S4FRIENDS4_CONT: S4 CharFriends: Friend4 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	146	10.8 %
2	3-6 times per week	62	4.6 %
3	2 times per week	32	2.4 %
4	1 time per week	35	2.6 %
5	Less weekly, more than monthly	13	1.0 %
6	1 time per month	20	1.5 %
7	Less than monthly	33	2.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-102	Skipped: No additional friends	770	56.9 %
-101	Skipped: Subject reported zero friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 341 valid cases out of 1,354 total cases.

Location: 916-919 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S4FR4_DRUGUSEREC: S4 CharFriends: Friend4 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	1	0.1 %
5	No - friend has never used drugs	0	0.0 %
	Missing Data		
-400	Variable not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Did not have this many friends	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 920-923 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -201 , -100

S4FRARR: S4 CharFriends: Count of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0	-	356	26.3 %

Value	Label	Unweighted Frequency	%
1	-	353	26.1 %
2	-	239	17.7 %
3	-	107	7.9 %
4	-	56	4.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Skipped: Subject reported zero friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,111 valid cases out of 1,354 total cases.

Location: 924-927 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S4ARRDEN: S4 CharFriends: Denominator for number of friends mentioned-arrest

Value	Label	Unweighted Frequency	%
1	-	247	18.2 %
2	-	311	23.0 %
3	-	212	15.7 %
4	-	341	25.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Skipped: Subject reported zero friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,111 valid cases out of 1,354 total cases.

Location: 928-931 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S4PFRARR: S4 CharFriends: Proportion of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0.0000000000	-	356	26.3 %
0.2500000000	-	65	4.8 %
0.3333333333	-	55	4.1 %
0.5000000000	-	204	15.1 %
0.6666666667	-	60	4.4 %
0.7500000000	-	66	4.9 %
1.0000000000	-	305	22.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201.0000000000	IntCompStat = 4 missed interview	123	9.1 %
-100.0000000000	Skipped: Subject reported zero friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,111 valid cases out of 1,354 total cases.

Location: 932-946 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S4FRJAIL: S4 CharFriends: Count of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0	-	451	33.3 %
1	-	361	26.7 %
2	-	188	13.9 %
3	-	72	5.3 %
4	-	39	2.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Skipped: Subject reported zero friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,111 valid cases out of 1,354 total cases.

Location: 947-950 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S4JAIDEN: S4 CharFriends: Denominator for number of friends mentioned-jailed

Value	Label	Unweighted Frequency	%
1	-	247	18.2 %
2	-	311	23.0 %
3	-	212	15.7 %
4	-	341	25.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Skipped: Subject reported zero friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,111 valid cases out of 1,354 total cases.

Location: 951-954 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S4PFRJAI: S4 CharFriends: Proportion of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0.0000000000	-	451	33.3 %
0.2500000000	-	91	6.7 %
0.3333333333	-	64	4.7 %
0.5000000000	-	176	13.0 %
0.6666666667	-	45	3.3 %
0.7500000000	-	42	3.1 %
1.0000000000	-	242	17.9 %
	Missing Data		
-201.0000000000	IntCompStat = 4 missed interview	123	9.1 %
-100.0000000000	Skipped: Subject reported zero friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,111 valid cases out of 1,354 total cases.

Location: 955-969 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S4FRDRUG: S4 CharFriends: Count of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
1	-	3	0.2 %
4	-	1	0.1 %
	Missing Data		
-400	Drug question not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Skipped: Subject reported zero friends	1	0.1 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 970-973 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S4DRUDEN: S4 CharFriends: Denominator for number of friends mentioned-drugs

Value	Label	Unweighted Frequency	%
2	-	3	0.2 %

Value	Label	Unweighted Frequency	%
3	-	1	0.1 %
4	-	1	0.1 %
	Missing Data		
-400	Drug question not asked in this version	1225	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-100	Skipped: Subject reported zero friends	1	0.1 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 974-977 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S4PFRDRU: S4 CharFriends: Proportion of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
0.0000000000	-	1	0.1 %
0.3333333333	-	1	0.1 %
0.5000000000	-	2	0.1 %
1.0000000000	-	1	0.1 %
	Missing Data		
-400.0000000000	Drug question not asked in this version	1225	90.5 %
-201.0000000000	IntCompStat = 4 missed interview	123	9.1 %
-100.0000000000	Skipped: Subject reported zero friends	1	0.1 %
	Total	**1,354**	**100%**

Based upon 5 valid cases out of 1,354 total cases.

Location: 978-992 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -800.0000000000 , -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S4FRMHOS: S4 CharFriends: Count of 4 closest friends ever in a mental health facility

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	MH question not asked in this version	1231	90.9 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 993-996 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S4MHODEN: S4 CharFriends: Denominator for number of friends mentioned-mental health facility

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	MH question not asked in this version	1231	90.9 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 997-1000 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S4PFRMHO: S4 CharFriends: Proportion of 4 closest friends ever in mental health facility

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	MH question not asked in this version	1231	90.9 %
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1001-1004 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S5PEERCHAR_NFRND: S5 CharFriends: Number of close friends

Based upon 1,231 valid cases out of 1,354 total cases.

- Mean: 2.55
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 3.68

Location: 1005-1008 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S5PEERCHAR_NFRNA: S5 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	166	12.3 %

Value	Label	Unweighted Frequency	%
1	-	278	20.5 %
2	-	299	22.1 %
3	-	224	16.5 %
4	-	264	19.5 %
	Missing Data		
-9	Dont Know	1	0.1 %
-8	Refusal	1	0.1 %
-5	Blank	121	8.9 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1009-1010 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S5FRIENDS1_SAMEAS: S5 CharFriends: Friend1 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	382	28.2 %
2	Same friend as friend 2 from previous interview	130	9.6 %
3	Same friend as friend 3 from previous interview	58	4.3 %
4	Same friend as friend 4 from previous interview	24	1.8 %
5	No, this is not one of those people (this is a new friend)	471	34.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,065 valid cases out of 1,354 total cases.

Location: 1011-1014 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5FRIENDS1_AGEFR: S5 CharFriends: Friend1 - Age

Based upon 1,063 valid cases out of 1,354 total cases.

- Mean: 21.23
- Median: 19.00
- Mode: 19.00
- Minimum: 8.00
- Maximum: 70.00
- Standard Deviation: 6.84

Location: 1015-1018 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S5FR1_ARRESTREC: S5 CharFriends: Friend1 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	519	38.3 %
5	No - friend has never been arrested	540	39.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Subject does not have this many friends	168	12.4 %
-9	Subject DK if friend was ever arrested	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,059 valid cases out of 1,354 total cases.

Location: 1019-1022 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S5FR1_JAILEDREC: S5 CharFriends: Friend1 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	427	31.5 %
5	No - friend has never been in jail	632	46.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Subject does not have this many friends	168	12.4 %
-9	Subject DK if friend was ever in jail	6	0.4 %
	Total	**1,354**	**100%**

Based upon 1,059 valid cases out of 1,354 total cases.

Location: 1023-1026 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S5FRIENDS1_GENFR: S5 CharFriends: Friend1 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	750	55.4 %
2	Female	315	23.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,065 valid cases out of 1,354 total cases.

Location: 1027-1030 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5FR1_MHRECORD: S5 CharFriends: Friend1 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	1	0.1 %
5	No - friend has never been in a mental hospital	33	2.4 %
	Missing Data		
-400	MH question not asked in this version	1187	87.7 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Subject does not have this many friends	13	1.0 %
	Total	**1,354**	**100%**

Based upon 34 valid cases out of 1,354 total cases.

Location: 1031-1034 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S5FRIENDS1_CONT: S5 CharFriends: Friend1 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	596	44.0 %
2	3-6 times per week	165	12.2 %
3	2 times per week	72	5.3 %
4	1 time per week	81	6.0 %
5	Less weekly, more than monthly	55	4.1 %
6	1 time per month	43	3.2 %
7	Less than monthly	53	3.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,065 valid cases out of 1,354 total cases.

Location: 1035-1038 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5FR1_DRUGUSEREC: S5 CharFriends: Friend1 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	62	4.6 %
5	No - friend has never used drugs	84	6.2 %
	Missing Data		
-400	Drug question not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Subject does not have this many friends	41	3.0 %
-9	Subject DK if friend has used drugs	1	0.1 %
	Total	**1,354**	**100%**

Based upon 146 valid cases out of 1,354 total cases.

Location: 1039-1042 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S5FRIENDS2_SAMEAS: S5 CharFriends: Friend2 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	135	10.0 %
2	Same friend as friend 2 from previous interview	140	10.3 %
3	Same friend as friend 3 from previous interview	59	4.4 %
4	Same friend as friend 4 from previous interview	17	1.3 %
5	No, this is not one of those people (this is a new friend)	436	32.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Skipped: No additional friends	278	20.5 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 787 valid cases out of 1,354 total cases.

Location: 1043-1046 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5FRIENDS2_AGEFR: S5 CharFriends: Friend2 - Age

Based upon 785 valid cases out of 1,354 total cases.

- Mean: 21.12
- Median: 19.00
- Mode: 18.00
- Minimum: 0.00
- Maximum: 79.00
- Standard Deviation: 7.71

Location: 1047-1050 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S5FR2_ARRESTREC: S5 CharFriends: Friend2 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	362	26.7 %
5	No - friend has never been arrested	422	31.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Subject does not have this many friends	446	32.9 %
-9	Subject DK if friend was ever arrested	3	0.2 %
	Total	**1,354**	**100%**

Based upon 784 valid cases out of 1,354 total cases.

Location: 1051-1054 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S5FR2_JAILEDREC: S5 CharFriends: Friend2 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	283	20.9 %
5	No - friend has never been in jail	501	37.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Subject does not have this many friends	446	32.9 %
-9	Subject DK if friend was ever in jail	3	0.2 %
	Total	**1,354**	**100%**

Based upon 784 valid cases out of 1,354 total cases.

Location: 1055-1058 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S5FRIENDS2_GENFR: S5 CharFriends: Friend2 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	580	42.8 %
2	Female	207	15.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Skipped: No additional friends	278	20.5 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 787 valid cases out of 1,354 total cases.

Location: 1059-1062 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5FR2_MHRECORD: S5 CharFriends: Friend2 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	1	0.1 %
5	No - friend has never been in a mental hospital	24	1.8 %
	Missing Data		
-400	MH question not asked in this version	1187	87.7 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Subject does not have this many friends	21	1.6 %
-9	Subject DK if friend has been in MH	1	0.1 %
	Total	**1,354**	**100%**

Based upon 25 valid cases out of 1,354 total cases.

Location: 1063-1066 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S5FRIENDS2_CONT: S5 CharFriends: Friend2 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	383	28.3 %
2	3-6 times per week	135	10.0 %
3	2 times per week	68	5.0 %
4	1 time per week	71	5.2 %
5	Less weekly, more than monthly	45	3.3 %
6	1 time per month	30	2.2 %
7	Less than monthly	55	4.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Skipped: No additional friends	278	20.5 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 787 valid cases out of 1,354 total cases.

Location: 1067-1070 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5FR2_DRUGUSEREC: S5 CharFriends: Friend2 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	49	3.6 %
5	No - friend has never used drugs	59	4.4 %
	Missing Data		
-400	Drug question not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Subject does not have this many friends	76	5.6 %
-9	Subject DK if friend has used drugs	4	0.3 %
	Total	**1,354**	**100%**

Based upon 108 valid cases out of 1,354 total cases.

Location: 1071-1074 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S5FRIENDS3_SAMEAS: S5 CharFriends: Friend3 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	43	3.2 %
2	Same friend as friend 2 from previous interview	55	4.1 %
3	Same friend as friend 3 from previous interview	56	4.1 %
4	Same friend as friend 4 from previous interview	18	1.3 %
5	No, this is not one of those people (this is a new friend)	316	23.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Skipped: No additional friends	577	42.6 %
-101	Skipped: Subject reported zero friends	168	12.4 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 488 valid cases out of 1,354 total cases.

Location: 1075-1078 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5FRIENDS3_AGEFR: S5 CharFriends: Friend3 - Age

Based upon 487 valid cases out of 1,354 total cases.

- Mean: 21.02
- Median: 19.00
- Mode: 19.00
- Minimum: 10.00
- Maximum: 77.00
- Standard Deviation: 7.10

Location: 1079-1082 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S5FR3_ARRESTREC: S5 CharFriends: Friend3 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	226	16.7 %
5	No - friend has never been arrested	260	19.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Subject does not have this many friends	745	55.0 %
-9	Subject DK if friend was ever arrested	2	0.1 %
	Total	**1,354**	**100%**

Based upon 486 valid cases out of 1,354 total cases.

Location: 1083-1086 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S5FR3_JAILEDREC: S5 CharFriends: Friend3 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	179	13.2 %
5	No - friend has never been in jail	306	22.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Subject does not have this many friends	745	55.0 %
-9	Subject DK if friend was ever in jail	3	0.2 %
	Total	**1,354**	**100%**

Based upon 485 valid cases out of 1,354 total cases.

Location: 1087-1090 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S5FRIENDS3_GENFR: S5 CharFriends: Friend3 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	375	27.7 %
2	Female	113	8.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Skipped: No additional friends	577	42.6 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 488 valid cases out of 1,354 total cases.

Location: 1091-1094 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5FR3_MHRECORD: S5 CharFriends: Friend3 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	1	0.1 %
5	No - friend has never been in a mental hospital	16	1.2 %
	Missing Data		
-400	MH question not asked in this version	1187	87.7 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Subject does not have this many friends	30	2.2 %
	Total	**1,354**	**100%**

Based upon 17 valid cases out of 1,354 total cases.

Location: 1095-1098 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S5FRIENDS3_CONT: S5 CharFriends: Friend3 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	233	17.2 %
2	3-6 times per week	84	6.2 %
3	2 times per week	51	3.8 %
4	1 time per week	42	3.1 %
5	Less weekly, more than monthly	25	1.8 %
6	1 time per month	20	1.5 %
7	Less than monthly	33	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Skipped: No additional friends	577	42.6 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 488 valid cases out of 1,354 total cases.

Location: 1099-1102 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5FR3_DRUGUSEREC: S5 CharFriends: Friend3 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	30	2.2 %
5	No - friend has never used drugs	38	2.8 %
	Missing Data		
-400	Drug question not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Subject does not have this many friends	120	8.9 %
	Total	**1,354**	**100%**

Based upon 68 valid cases out of 1,354 total cases.

Location: 1103-1106 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S5FRIENDS4_SAMEAS: S5 CharFriends: Friend4 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	12	0.9 %
2	Same friend as friend 2 from previous interview	28	2.1 %

Value	Label	Unweighted Frequency	%
3	Same friend as friend 3 from previous interview	13	1.0 %
4	Same friend as friend 4 from previous interview	13	1.0 %
5	No, this is not one of those people (this is a new friend)	198	14.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Skipped: No additional friends	801	59.2 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 264 valid cases out of 1,354 total cases.

Location: 1107-1110 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5FRIENDS4_AGEFR: S5 CharFriends: Friend4 - Age

Based upon 262 valid cases out of 1,354 total cases.

- Mean: 20.67
- Median: 19.00
- Mode: 17.00
- Minimum: 10.00
- Maximum: 61.00
- Standard Deviation: 5.52

Location: 1111-1114 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S5FR4_ARRESTREC: S5 CharFriends: Friend4 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	115	8.5 %
5	No - friend has never been arrested	147	10.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Subject does not have this many friends	969	71.6 %
-9	Subject DK if friend was ever arrested	2	0.1 %
	Total	**1,354**	**100%**

Based upon 262 valid cases out of 1,354 total cases.

Location: 1115-1118 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S5FR4_JAILEDREC: S5 CharFriends: Friend4 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	96	7.1 %
5	No - friend has never been in jail	165	12.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Subject does not have this many friends	969	71.6 %
-9	Subject DK if friend was ever in jail	3	0.2 %
	Total	**1,354**	**100%**

Based upon 261 valid cases out of 1,354 total cases.

Location: 1119-1122 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S5FRIENDS4_GENFR: S5 CharFriends: Friend4 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	206	15.2 %
2	Female	58	4.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Skipped: No additional friends	801	59.2 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 264 valid cases out of 1,354 total cases.

Location: 1123-1126 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5FR4_MHRECORD: S5 CharFriends: Friend4 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	1	0.1 %
5	No - friend has never been in a mental hospital	9	0.7 %
	Missing Data		
-400	MH question not asked in this version	1187	87.7 %
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
-100	Subject does not have this many friends	37	2.7 %
	Total	**1,354**	**100%**

Based upon 10 valid cases out of 1,354 total cases.

Location: 1127-1130 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S5FRIENDS4_CONT: S5 CharFriends: Friend4 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	113	8.3 %
2	3-6 times per week	48	3.5 %
3	2 times per week	25	1.8 %
4	1 time per week	29	2.1 %
5	Less weekly, more than monthly	20	1.5 %
6	1 time per month	6	0.4 %
7	Less than monthly	23	1.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-102	Skipped: No additional friends	801	59.2 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 264 valid cases out of 1,354 total cases.

Location: 1131-1134 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S5FR4_DRUGUSEREC: S5 CharFriends: Friend4 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	14	1.0 %
5	No - friend has never used drugs	25	1.8 %
	Missing Data		
-400	Drug question not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Subject does not have this many friends	149	11.0 %
	Total	**1,354**	**100%**

Based upon 39 valid cases out of 1,354 total cases.

Location: 1135-1138 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S5FRARR: S5 CharFriends: Count of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0	-	349	25.8 %
1	-	377	27.8 %
2	-	215	15.9 %
3	-	81	6.0 %
4	-	43	3.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,065 valid cases out of 1,354 total cases.

Location: 1139-1142 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S5ARRDEN: S5 CharFriends: Denominator for number of friends mentioned-arrest

Value	Label	Unweighted Frequency	%
1	-	278	20.5 %
2	-	299	22.1 %
3	-	224	16.5 %
4	-	264	19.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,065 valid cases out of 1,354 total cases.

Location: 1143-1146 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S5PFRARR: S5 CharFriends: Proportion of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0.0000000000	-	349	25.8 %
0.2500000000	-	61	4.5 %
0.3333333333	-	71	5.2 %
0.5000000000	-	168	12.4 %
0.6666666667	-	62	4.6 %
0.7500000000	-	45	3.3 %
1.0000000000	-	309	22.8 %
	Missing Data		
-202.0000000000	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201.0000000000	IntCompStat = 4 missed interview	120	8.9 %
-100.0000000000	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,065 valid cases out of 1,354 total cases.

Location: 1147-1161 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S5FRJAIL: S5 CharFriends: Count of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0	-	447	33.0 %
1	-	360	26.6 %
2	-	179	13.2 %
3	-	49	3.6 %
4	-	30	2.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,065 valid cases out of 1,354 total cases.

Location: 1162-1165 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S5JAIDEN: S5 CharFriends: Denominator for number of friends mentioned-jailed

Value	Label	Unweighted Frequency	%
1	-	278	20.5 %

Value	Label	Unweighted Frequency	%
2	-	299	22.1 %
3	-	224	16.5 %
4	-	264	19.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,065 valid cases out of 1,354 total cases.

Location: 1166-1169 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S5PFRJAI: S5 CharFriends: Proportion of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0.0000000000	-	447	33.0 %
0.2500000000	-	78	5.8 %
0.3333333333	-	66	4.9 %
0.5000000000	-	153	11.3 %
0.6666666667	-	53	3.9 %
0.7500000000	-	28	2.1 %
1.0000000000	-	240	17.7 %
	Missing Data		
-202.0000000000	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201.0000000000	IntCompStat = 4 missed interview	120	8.9 %
-100.0000000000	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,065 valid cases out of 1,354 total cases.

Location: 1170-1184 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S5FRDRUG: S5 CharFriends: Count of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
0	-	59	4.4 %
1	-	48	3.5 %
2	-	21	1.6 %

Value	Label	Unweighted Frequency	%
3	-	11	0.8 %
4	-	8	0.6 %
	Missing Data		
-400	Drug question not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Skipped: Subject reported zero friends	41	3.0 %
	Total	**1,354**	**100%**

Based upon 147 valid cases out of 1,354 total cases.

Location: 1185-1188 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S5DRUDEN: S5 CharFriends: Denominator for number of friends mentioned-drugs

Value	Label	Unweighted Frequency	%
1	-	35	2.6 %
2	-	44	3.2 %
3	-	29	2.1 %
4	-	39	2.9 %
	Missing Data		
-400	Drug question not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Skipped: Subject reported zero friends	41	3.0 %
	Total	**1,354**	**100%**

Based upon 147 valid cases out of 1,354 total cases.

Location: 1189-1192 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S5PFRDRU: S5 CharFriends: Proportion of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
0.0000000000	-	59	4.4 %
0.2500000000	-	9	0.7 %
0.3333333333	-	11	0.8 %
0.5000000000	-	17	1.3 %
0.6666666667	-	3	0.2 %
0.7500000000	-	5	0.4 %
1.0000000000	-	43	3.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-400.0000000000	Drug question not asked in this version	1046	77.3 %
-201.0000000000	IntCompStat = 4 missed interview	120	8.9 %
-100.0000000000	Skipped: Subject reported zero friends	41	3.0 %
	Total	**1,354**	**100%**

Based upon 147 valid cases out of 1,354 total cases.

Location: 1193-1207 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -800.0000000000 , -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S5FRMHOS: S5 CharFriends: Count of 4 closest friends ever in a mental health facility

Value	Label	Unweighted Frequency	%
0	-	31	2.3 %
1	-	2	0.1 %
2	-	1	0.1 %
	Missing Data		
-400	MH question not asked in this version	1187	87.7 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Skipped: Subject reported zero friends	13	1.0 %
	Total	**1,354**	**100%**

Based upon 34 valid cases out of 1,354 total cases.

Location: 1208-1211 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S5MHODEN: S5 CharFriends: Denominator for number of friends mentioned-mental health facility

Value	Label	Unweighted Frequency	%
1	-	8	0.6 %
2	-	9	0.7 %
3	-	7	0.5 %
4	-	10	0.7 %
	Missing Data		
-400	MH question not asked in this version	1187	87.7 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-100	Skipped: Subject reported zero friends	13	1.0 %
	Total	**1,354**	**100%**

Based upon 34 valid cases out of 1,354 total cases.

Location: 1212-1215 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S5PFRMHO: S5 CharFriends: Proportion of 4 closest friends ever in mental health facility

Value	Label	Unweighted Frequency	%
0.0000000000	-	31	2.3 %
0.2500000000	-	1	0.1 %
0.3333333333	-	1	0.1 %
0.5000000000	-	1	0.1 %
	Missing Data		
-400.0000000000	MH question not asked in this version	1187	87.7 %
-201.0000000000	IntCompStat = 4 missed interview	120	8.9 %
-100.0000000000	Skipped: Subject reported zero friends	13	1.0 %
	Total	**1,354**	**100%**

Based upon 34 valid cases out of 1,354 total cases.

Location: 1216-1230 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S6PEERCHAR_NFRND: S6 CharFriends: Number of close friends

Based upon 1,232 valid cases out of 1,354 total cases.

- Mean: 2.74
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 5.33

Location: 1231-1234 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S6PEERCHAR_NFRNA: S6 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	168	12.4 %
1	-	280	20.7 %
2	-	290	21.4 %
3	-	218	16.1 %
4	-	276	20.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-5	Blank	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1235-1236 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S6FRIENDS1_SAMEAS: S6 CharFriends: Friend1 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	337	24.9 %
2	Same friend as friend 2 from previous interview	136	10.0 %
3	Same friend as friend 3 from previous interview	48	3.5 %
4	Same friend as friend 4 from previous interview	14	1.0 %
5	No, this is not one of those people (this is a new friend)	529	39.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 1237-1240 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6FRIENDS1_AGEFR: S6 CharFriends: Friend1 - Age

Based upon 1,062 valid cases out of 1,354 total cases.

- Mean: 21.77
- Median: 20.00
- Mode: 18.00
- Minimum: 3.00
- Maximum: 70.00
- Standard Deviation: 7.17

Location: 1241-1244 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S6FR1_ARRESTREC: S6 CharFriends: Friend1 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	506	37.4 %
5	No - friend has never been arrested	549	40.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Subject does not have this many friends	168	12.4 %
-9	Subject DK if friend was ever arrested	8	0.6 %
-8	Subject refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,055 valid cases out of 1,354 total cases.

Location: 1245-1248 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S6FR1_JAILEDREC: S6 CharFriends: Friend1 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	418	30.9 %
5	No - friend has never been in jail	635	46.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Subject does not have this many friends	168	12.4 %
-9	Subject DK if friend was ever in jail	10	0.7 %
-8	Subject refused	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,053 valid cases out of 1,354 total cases.

Location: 1249-1252 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S6FRIENDS1_GENFR: S6 CharFriends: Friend1 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	746	55.1 %
2	Female	318	23.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 1253-1256 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6FR1_MHRECORD: S6 CharFriends: Friend1 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	3	0.2 %
5	No - friend has never been in a mental hospital	304	22.5 %
	Missing Data		
-400	MH question not asked in this version	857	63.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Subject does not have this many friends	63	4.7 %
-9	Subject DK if friend has been in MH	5	0.4 %
	Total	**1,354**	**100%**

Based upon 307 valid cases out of 1,354 total cases.

Location: 1257-1260 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S6FRIENDS1_CONT: S6 CharFriends: Friend1 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	583	43.1 %
2	3-6 times per week	154	11.4 %
3	2 times per week	97	7.2 %
4	1 time per week	88	6.5 %
5	Less weekly, more than monthly	35	2.6 %
6	1 time per month	44	3.2 %
7	Less than monthly	61	4.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skipped: Subject reported zero friends	168	12.4 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,062 valid cases out of 1,354 total cases.

Location: 1261-1264 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6FR1_DRUGUSEREC: S6 CharFriends: Friend1 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	206	15.2 %

Value	Label	Unweighted Frequency	%
5	No - friend has never used drugs	291	21.5 %
	Missing Data		
-400	Drug question not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Subject does not have this many friends	94	6.9 %
-9	Subject DK if friend has used drugs	14	1.0 %
	Total	**1,354**	**100%**

Based upon 497 valid cases out of 1,354 total cases.

Location: 1265-1268 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S6FRIENDS2_SAMEAS: S6 CharFriends: Friend2 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	136	10.0 %
2	Same friend as friend 2 from previous interview	118	8.7 %
3	Same friend as friend 3 from previous interview	56	4.1 %
4	Same friend as friend 4 from previous interview	28	2.1 %
5	No, this is not one of those people (this is a new friend)	446	32.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Skipped: No additional friends	280	20.7 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 784 valid cases out of 1,354 total cases.

Location: 1269-1272 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6FRIENDS2_AGEFR: S6 CharFriends: Friend2 - Age

Based upon 783 valid cases out of 1,354 total cases.

- Mean: 21.31
- Median: 20.00
- Mode: 18.00
- Minimum: 2.00
- Maximum: 56.00
- Standard Deviation: 6.08

Location: 1273-1276 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S6FR2_ARRESTREC: S6 CharFriends: Friend2 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	372	27.5 %
5	No - friend has never been arrested	407	30.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Subject does not have this many friends	448	33.1 %
-9	Subject DK if friend was ever arrested	5	0.4 %
	Total	**1,354**	**100%**

Based upon 779 valid cases out of 1,354 total cases.

Location: 1277-1280 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S6FR2_JAILEDREC: S6 CharFriends: Friend2 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	295	21.8 %
5	No - friend has never been in jail	482	35.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Subject does not have this many friends	448	33.1 %
-9	Subject DK if friend was ever in jail	7	0.5 %
	Total	**1,354**	**100%**

Based upon 777 valid cases out of 1,354 total cases.

Location: 1281-1284 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S6FRIENDS2_GENFR: S6 CharFriends: Friend2 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	596	44.0 %
2	Female	188	13.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Skipped: No additional friends	280	20.7 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 784 valid cases out of 1,354 total cases.

Location: 1285-1288 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6FR2_MHRECORD: S6 CharFriends: Friend2 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	3	0.2 %
5	No - friend has never been in a mental hospital	218	16.1 %
	Missing Data		
-400	MH question not asked in this version	857	63.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Subject does not have this many friends	151	11.2 %
-9	Subject DK if friend has been in MH	3	0.2 %
	Total	**1,354**	**100%**

Based upon 221 valid cases out of 1,354 total cases.

Location: 1289-1292 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S6FRIENDS2_CONT: S6 CharFriends: Friend2 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	371	27.4 %
2	3-6 times per week	139	10.3 %
3	2 times per week	83	6.1 %
4	1 time per week	62	4.6 %
5	Less weekly, more than monthly	44	3.2 %
6	1 time per month	34	2.5 %
7	Less than monthly	49	3.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Skipped: No additional friends	280	20.7 %
-101	Skipped: Subject reported zero friends	168	12.4 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 782 valid cases out of 1,354 total cases.

Location: 1293-1296 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6FR2_DRUGUSEREC: S6 CharFriends: Friend2 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	141	10.4 %
5	No - friend has never used drugs	217	16.0 %
	Missing Data		
-400	Drug question not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Subject does not have this many friends	236	17.4 %
-9	Subject DK if friend has used drugs	11	0.8 %
	Total	**1,354**	**100%**

Based upon 358 valid cases out of 1,354 total cases.

Location: 1297-1300 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S6FRIENDS3_SAMEAS: S6 CharFriends: Friend3 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	40	3.0 %
2	Same friend as friend 2 from previous interview	66	4.9 %
3	Same friend as friend 3 from previous interview	55	4.1 %
4	Same friend as friend 4 from previous interview	21	1.6 %
5	No, this is not one of those people (this is a new friend)	312	23.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Skipped: No additional friends	570	42.1 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 494 valid cases out of 1,354 total cases.

Location: 1301-1304 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6FRIENDS3_AGEFR: S6 CharFriends: Friend3 - Age

Based upon 493 valid cases out of 1,354 total cases.

- Mean: 21.27
- Median: 20.00
- Mode: 18.00
- Minimum: 1.00
- Maximum: 69.00

- Standard Deviation: 6.64

Location: 1305-1308 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S6FR3_ARRESTREC: S6 CharFriends: Friend3 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	219	16.2 %
5	No - friend has never been arrested	272	20.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Subject does not have this many friends	738	54.5 %
-9	Subject DK if friend was ever arrested	3	0.2 %
	Total	**1,354**	**100%**

Based upon 491 valid cases out of 1,354 total cases.

Location: 1309-1312 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S6FR3_JAILEDREC: S6 CharFriends: Friend3 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	190	14.0 %
5	No - friend has never been in jail	301	22.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Subject does not have this many friends	738	54.5 %
-9	Subject DK if friend was ever in jail	3	0.2 %
	Total	**1,354**	**100%**

Based upon 491 valid cases out of 1,354 total cases.

Location: 1313-1316 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S6FRIENDS3_GENFR: S6 CharFriends: Friend3 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	371	27.4 %
2	Female	123	9.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %

Value	Label	Unweighted Frequency	%
-102	Skipped: No additional friends	570	42.1 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 494 valid cases out of 1,354 total cases.

Location: 1317-1320 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6FR3_MHRECORD: S6 CharFriends: Friend3 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	4	0.3 %
5	No - friend has never been in a mental hospital	128	9.5 %
	Missing Data		
-400	MH question not asked in this version	857	63.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Subject does not have this many friends	242	17.9 %
-9	Subject DK if friend has been in MH	1	0.1 %
	Total	**1,354**	**100%**

Based upon 132 valid cases out of 1,354 total cases.

Location: 1321-1324 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S6FRIENDS3_CONT: S6 CharFriends: Friend3 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	195	14.4 %
2	3-6 times per week	100	7.4 %
3	2 times per week	48	3.5 %
4	1 time per week	57	4.2 %
5	Less weekly, more than monthly	29	2.1 %
6	1 time per month	30	2.2 %
7	Less than monthly	34	2.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Skipped: No additional friends	570	42.1 %
-101	Skipped: Subject reported zero friends	168	12.4 %
-9	Dont Know	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 493 valid cases out of 1,354 total cases.

Location: 1325-1328 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6FR3_DRUGUSEREC: S6 CharFriends: Friend3 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	100	7.4 %
5	No - friend has never used drugs	118	8.7 %
	Missing Data		
-400	Drug question not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Subject does not have this many friends	386	28.5 %
-9	Subject DK if friend has used drugs	1	0.1 %
	Total	**1,354**	**100%**

Based upon 218 valid cases out of 1,354 total cases.

Location: 1329-1332 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S6FRIENDS4_SAMEAS: S6 CharFriends: Friend4 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	29	2.1 %
2	Same friend as friend 2 from previous interview	23	1.7 %
3	Same friend as friend 3 from previous interview	19	1.4 %
4	Same friend as friend 4 from previous interview	18	1.3 %
5	No, this is not one of those people (this is a new friend)	187	13.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Skipped: No additional friends	788	58.2 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 276 valid cases out of 1,354 total cases.

Location: 1333-1336 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6FRIENDS4_AGEFR: S6 CharFriends: Friend4 - Age

Based upon 276 valid cases out of 1,354 total cases.

- Mean: 21.74
- Median: 19.00
- Mode: 18.00
- Minimum: 1.00
- Maximum: 61.00
- Standard Deviation: 7.13

Location: 1337-1340 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S6FR4_ARRESTREC: S6 CharFriends: Friend4 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	123	9.1 %
5	No - friend has never been arrested	150	11.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Subject does not have this many friends	956	70.6 %
-9	Subject DK if friend was ever arrested	3	0.2 %
	Total	**1,354**	**100%**

Based upon 273 valid cases out of 1,354 total cases.

Location: 1341-1344 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S6FR4_JAILEDREC: S6 CharFriends: Friend4 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	105	7.8 %
5	No - friend has never been in jail	168	12.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Subject does not have this many friends	956	70.6 %
-9	Subject DK if friend was ever in jail	3	0.2 %
	Total	**1,354**	**100%**

Based upon 273 valid cases out of 1,354 total cases.

Location: 1345-1348 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S6FRIENDS4_GENFR: S6 CharFriends: Friend4 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	215	15.9 %
2	Female	61	4.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Skipped: No additional friends	788	58.2 %
-101	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 276 valid cases out of 1,354 total cases.

Location: 1349-1352 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6FR4_MHRECORD: S6 CharFriends: Friend4 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	2	0.1 %
5	No - friend has never been in a mental hospital	72	5.3 %
	Missing Data		
-400	MH question not asked in this version	857	63.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Subject does not have this many friends	301	22.2 %
	Total	**1,354**	**100%**

Based upon 74 valid cases out of 1,354 total cases.

Location: 1353-1356 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S6FRIENDS4_CONT: S6 CharFriends: Friend4 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	113	8.3 %
2	3-6 times per week	57	4.2 %
3	2 times per week	24	1.8 %
4	1 time per week	32	2.4 %
5	Less weekly, more than monthly	17	1.3 %
6	1 time per month	17	1.3 %
7	Less than monthly	15	1.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-102	Skipped: No additional friends	788	58.2 %
-101	Skipped: Subject reported zero friends	168	12.4 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 275 valid cases out of 1,354 total cases.

Location: 1357-1360 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S6FR4_DRUGUSEREC: S6 CharFriends: Friend4 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	47	3.5 %
5	No - friend has never used drugs	68	5.0 %
	Missing Data		
-400	Drug question not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Subject does not have this many friends	489	36.1 %
-9	Subject DK if friend has used drugs	1	0.1 %
	Total	**1,354**	**100%**

Based upon 115 valid cases out of 1,354 total cases.

Location: 1361-1364 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S6FRARR: S6 CharFriends: Count of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0	-	367	27.1 %
1	-	357	26.4 %
2	-	204	15.1 %
3	-	89	6.6 %
4	-	47	3.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 1365-1368 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S6ARRDEN: S6 CharFriends: Denominator for number of friends mentioned-arrest

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
1	-	279	20.6 %
2	-	290	21.4 %
3	-	218	16.1 %
4	-	276	20.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 1369-1372 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S6PFRARR: S6 CharFriends: Proportion of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0.0000000000	-	366	27.0 %
0.2500000000	-	61	4.5 %
0.3333333333	-	64	4.7 %
0.5000000000	-	162	12.0 %
0.6666666667	-	65	4.8 %
0.7500000000	-	48	3.5 %
1.0000000000	-	297	21.9 %
	Missing Data		
-300.0000000000	Too few answers for computation	1	0.1 %
-201.0000000000	IntCompStat = 4 missed interview	122	9.0 %
-100.0000000000	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,063 valid cases out of 1,354 total cases.

Location: 1373-1387 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S6FRJAIL: S6 CharFriends: Count of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0	-	458	33.8 %
1	-	339	25.0 %
2	-	167	12.3 %
3	-	65	4.8 %
4	-	35	2.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 1388-1391 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S6JAIDEN: S6 CharFriends: Denominator for number of friends mentioned-jailed

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
1	-	279	20.6 %
2	-	290	21.4 %
3	-	218	16.1 %
4	-	276	20.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,064 valid cases out of 1,354 total cases.

Location: 1392-1395 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S6PFRJAI: S6 CharFriends: Proportion of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0.0000000000	-	457	33.8 %
0.2500000000	-	67	4.9 %
0.3333333333	-	62	4.6 %
0.5000000000	-	162	12.0 %

Value	Label	Unweighted Frequency	%
0.6666666667	-	54	4.0 %
0.7500000000	-	34	2.5 %
1.0000000000	-	227	16.8 %
	Missing Data		
-300.0000000000	Too few answers for computation	1	0.1 %
-201.0000000000	IntCompStat = 4 missed interview	122	9.0 %
-100.0000000000	Skipped: Subject reported zero friends	168	12.4 %
	Total	**1,354**	**100%**

Based upon 1,063 valid cases out of 1,354 total cases.

Location: 1396-1410 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S6FRDRUG: S6 CharFriends: Count of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
0	-	235	17.4 %
1	-	146	10.8 %
2	-	66	4.9 %
3	-	40	3.0 %
4	-	24	1.8 %
	Missing Data		
-400	Drug question not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Skipped: Subject reported zero friends	94	6.9 %
	Total	**1,354**	**100%**

Based upon 511 valid cases out of 1,354 total cases.

Location: 1411-1414 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S6DRUDEN: S6 CharFriends: Denominator for number of friends mentioned-drugs

Value	Label	Unweighted Frequency	%
1	-	142	10.5 %
2	-	150	11.1 %
3	-	103	7.6 %
4	-	116	8.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-400	Drug question not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Skipped: Subject reported zero friends	94	6.9 %
	Total	**1,354**	**100%**

Based upon 511 valid cases out of 1,354 total cases.

Location: 1415-1418 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S6PFRDRU: S6 CharFriends: Proportion of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
0.0000000000	-	235	17.4 %
0.2500000000	-	25	1.8 %
0.3333333333	-	27	2.0 %
0.5000000000	-	51	3.8 %
0.6666666667	-	24	1.8 %
0.7500000000	-	17	1.3 %
1.0000000000	-	132	9.7 %
	Missing Data		
-400.0000000000	Drug question not asked in this version	627	46.3 %
-201.0000000000	IntCompStat = 4 missed interview	122	9.0 %
-100.0000000000	Skipped: Subject reported zero friends	94	6.9 %
	Total	**1,354**	**100%**

Based upon 511 valid cases out of 1,354 total cases.

Location: 1419-1433 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -800.0000000000 , -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S6FRMHOS: S6 CharFriends: Count of 4 closest friends ever in a mental health facility

Value	Label	Unweighted Frequency	%
0	-	300	22.2 %
1	-	12	0.9 %
	Missing Data		
-400	MH question not asked in this version	857	63.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Skipped: Subject reported zero friends	63	4.7 %
	Total	**1,354**	**100%**

Based upon 312 valid cases out of 1,354 total cases.

Location: 1434-1437 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S6MHODEN: S6 CharFriends: Denominator for number of friends mentioned-mental health facility

Value	Label	Unweighted Frequency	%
1	-	88	6.5 %
2	-	91	6.7 %
3	-	59	4.4 %
4	-	74	5.5 %
	Missing Data		
-400	MH question not asked in this version	857	63.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-100	Skipped: Subject reported zero friends	63	4.7 %
	Total	**1,354**	**100%**

Based upon 312 valid cases out of 1,354 total cases.

Location: 1438-1441 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S6PFRMHO: S6 CharFriends: Proportion of 4 closest friends ever in mental health facility

Value	Label	Unweighted Frequency	%
0.0000000000	-	300	22.2 %
0.2500000000	-	4	0.3 %
0.3333333333	-	4	0.3 %
0.5000000000	-	3	0.2 %
1.0000000000	-	1	0.1 %
	Missing Data		
-400.0000000000	MH question not asked in this version	857	63.3 %
-201.0000000000	IntCompStat = 4 missed interview	122	9.0 %
-100.0000000000	Skipped: Subject reported zero friends	63	4.7 %
	Total	**1,354**	**100%**

Based upon 312 valid cases out of 1,354 total cases.

Location: 1442-1456 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S7PEERCHAR_NFRND: S7 CharFriends: Number of close friends

Based upon 1,212 valid cases out of 1,354 total cases.

- Mean: 2.31
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 2.87

Location: 1457-1460 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S7PEERCHAR_NFRNA: S7 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	235	17.4 %
1	-	271	20.0 %
2	-	272	20.1 %
3	-	186	13.7 %
4	-	248	18.3 %
	Missing Data		
-9	Dont Know	1	0.1 %
-8	Refusal	2	0.1 %
-5	Blank	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,212 valid cases out of 1,354 total cases.

Location: 1461-1462 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S7FRIENDS1_SAMEAS: S7 CharFriends: Friend1 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	264	19.5 %
2	Same friend as friend 2 from previous interview	100	7.4 %
3	Same friend as friend 3 from previous interview	48	3.5 %
4	Same friend as friend 4 from previous interview	16	1.2 %
5	No, this is not one of those people (this is a new friend)	549	40.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 1463-1466 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7FRIENDS1_AGEFR: S7 CharFriends: Friend1 - Age

Based upon 972 valid cases out of 1,354 total cases.

- Mean: 22.83
- Median: 21.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 66.00
- Standard Deviation: 7.37

Location: 1467-1470 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S7FR1_ARRESTREC: S7 CharFriends: Friend1 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	482	35.6 %
5	No - friend has never been arrested	492	36.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Subject does not have this many friends	238	17.6 %
-9	Subject DK if friend was ever arrested	3	0.2 %
	Total	**1,354**	**100%**

Based upon 974 valid cases out of 1,354 total cases.

Location: 1471-1474 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S7FR1_JAILEDREC: S7 CharFriends: Friend1 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	390	28.8 %
5	No - friend has never been in jail	582	43.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Subject does not have this many friends	238	17.6 %
-9	Subject DK if friend was ever in jail	5	0.4 %
	Total	**1,354**	**100%**

Based upon 972 valid cases out of 1,354 total cases.

Location: 1475-1478 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S7FRIENDS1_GENFR: S7 CharFriends: Friend1 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	673	49.7 %
2	Female	304	22.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 1479-1482 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7FR1_MHRECORD: S7 CharFriends: Friend1 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	12	0.9 %
5	No - friend has never been in a mental hospital	819	60.5 %
	Missing Data		
-400	MH question not asked in this version	172	12.7 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Subject does not have this many friends	207	15.3 %
-9	Subject DK if friend has been in MH	5	0.4 %
	Total	**1,354**	**100%**

Based upon 831 valid cases out of 1,354 total cases.

Location: 1483-1486 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S7FRIENDS1_CONT: S7 CharFriends: Friend1 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	538	39.7 %
2	3-6 times per week	152	11.2 %
3	2 times per week	82	6.1 %
4	1 time per week	78	5.8 %
5	Less weekly, more than monthly	40	3.0 %

Value	Label	Unweighted Frequency	%
6	1 time per month	38	2.8 %
7	Less than monthly	49	3.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 1487-1490 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7FR1_DRUGUSEREC: S7 CharFriends: Friend1 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	392	29.0 %
5	No - friend has never used drugs	568	41.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Subject does not have this many friends	238	17.6 %
-9	Subject DK if friend has used drugs	17	1.3 %
	Total	**1,354**	**100%**

Based upon 960 valid cases out of 1,354 total cases.

Location: 1491-1494 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S7FRIENDS2_SAMEAS: S7 CharFriends: Friend2 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	116	8.6 %
2	Same friend as friend 2 from previous interview	91	6.7 %
3	Same friend as friend 3 from previous interview	45	3.3 %
4	Same friend as friend 4 from previous interview	17	1.3 %
5	No, this is not one of those people (this is a new friend)	437	32.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Skipped: No additional friends	271	20.0 %
-101	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 706 valid cases out of 1,354 total cases.

Location: 1495-1498 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7FRIENDS2_AGEFR: S7 CharFriends: Friend2 - Age

Based upon 702 valid cases out of 1,354 total cases.

- Mean: 23.04
- Median: 21.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 76.00
- Standard Deviation: 7.85

Location: 1499-1502 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S7FR2_ARRESTREC: S7 CharFriends: Friend2 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	334	24.7 %
5	No - friend has never been arrested	370	27.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Subject does not have this many friends	509	37.6 %
-9	Subject DK if friend was ever arrested	2	0.1 %
	Total	**1,354**	**100%**

Based upon 704 valid cases out of 1,354 total cases.

Location: 1503-1506 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S7FR2_JAILEDREC: S7 CharFriends: Friend2 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	288	21.3 %
5	No - friend has never been in jail	416	30.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Subject does not have this many friends	509	37.6 %
-9	Subject DK if friend was ever in jail	2	0.1 %
	Total	**1,354**	**100%**

Based upon 704 valid cases out of 1,354 total cases.

Location: 1507-1510 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S7FRIENDS2_GENFR: S7 CharFriends: Friend2 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	522	38.6 %
2	Female	184	13.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Skipped: No additional friends	271	20.0 %
-101	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 706 valid cases out of 1,354 total cases.

Location: 1511-1514 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7FR2_MHRECORD: S7 CharFriends: Friend2 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	9	0.7 %
5	No - friend has never been in a mental hospital	587	43.4 %
	Missing Data		
-400	MH question not asked in this version	172	12.7 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Subject does not have this many friends	444	32.8 %
-9	Subject DK if friend has been in MH	3	0.2 %
	Total	**1,354**	**100%**

Based upon 596 valid cases out of 1,354 total cases.

Location: 1515-1518 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S7FRIENDS2_CONT: S7 CharFriends: Friend2 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	336	24.8 %
2	3-6 times per week	123	9.1 %
3	2 times per week	63	4.7 %
4	1 time per week	74	5.5 %

Value	Label	Unweighted Frequency	%
5	Less weekly, more than monthly	45	3.3 %
6	1 time per month	34	2.5 %
7	Less than monthly	31	2.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Skipped: No additional friends	271	20.0 %
-101	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 706 valid cases out of 1,354 total cases.

Location: 1519-1522 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7FR2_DRUGUSEREC: S7 CharFriends: Friend2 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	294	21.7 %
5	No - friend has never used drugs	403	29.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Subject does not have this many friends	509	37.6 %
-9	Subject DK if friend has used drugs	9	0.7 %
	Total	**1,354**	**100%**

Based upon 697 valid cases out of 1,354 total cases.

Location: 1523-1526 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S7FRIENDS3_SAMEAS: S7 CharFriends: Friend3 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	42	3.1 %
2	Same friend as friend 2 from previous interview	39	2.9 %
3	Same friend as friend 3 from previous interview	28	2.1 %
4	Same friend as friend 4 from previous interview	18	1.3 %
5	No, this is not one of those people (this is a new friend)	307	22.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Skipped: No additional friends	543	40.1 %
-101	Skipped: Subject reported zero friends	238	17.6 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 434 valid cases out of 1,354 total cases.

Location: 1527-1530 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7FRIENDS3_AGEFR: S7 CharFriends: Friend3 - Age

Based upon 433 valid cases out of 1,354 total cases.

- Mean: 23.12
- Median: 21.00
- Mode: 20.00
- Minimum: 2.00
- Maximum: 71.00
- Standard Deviation: 7.75

Location: 1531-1534 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S7FR3_ARRESTREC: S7 CharFriends: Friend3 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	212	15.7 %
5	No - friend has never been arrested	217	16.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Subject does not have this many friends	781	57.7 %
-9	Subject DK if friend was ever arrested	5	0.4 %
	Total	**1,354**	**100%**

Based upon 429 valid cases out of 1,354 total cases.

Location: 1535-1538 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S7FR3_JAILEDREC: S7 CharFriends: Friend3 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	184	13.6 %
5	No - friend has never been in jail	245	18.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Subject does not have this many friends	781	57.7 %

Value	Label	Unweighted Frequency	%
-9	Subject DK if friend was ever in jail	5	0.4 %
	Total	**1,354**	**100%**

Based upon 429 valid cases out of 1,354 total cases.

Location: 1539-1542 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S7FRIENDS3_GENFR: S7 CharFriends: Friend3 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	328	24.2 %
2	Female	106	7.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Skipped: No additional friends	543	40.1 %
-101	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 434 valid cases out of 1,354 total cases.

Location: 1543-1546 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7FR3_MHRECORD: S7 CharFriends: Friend3 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	8	0.6 %
5	No - friend has never been in a mental hospital	362	26.7 %
	Missing Data		
-400	MH question not asked in this version	172	12.7 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Subject does not have this many friends	672	49.6 %
-9	Subject DK if friend has been in MH	1	0.1 %
	Total	**1,354**	**100%**

Based upon 370 valid cases out of 1,354 total cases.

Location: 1547-1550 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S7FRIENDS3_CONT: S7 CharFriends: Friend3 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	196	14.5 %
2	3-6 times per week	78	5.8 %
3	2 times per week	47	3.5 %
4	1 time per week	43	3.2 %
5	Less weekly, more than monthly	25	1.8 %
6	1 time per month	20	1.5 %
7	Less than monthly	25	1.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Skipped: No additional friends	543	40.1 %
-101	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 434 valid cases out of 1,354 total cases.

Location: 1551-1554 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7FR3_DRUGUSEREC: S7 CharFriends: Friend3 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	200	14.8 %
5	No - friend has never used drugs	231	17.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Subject does not have this many friends	781	57.7 %
-9	Subject DK if friend has used drugs	3	0.2 %
	Total	**1,354**	**100%**

Based upon 431 valid cases out of 1,354 total cases.

Location: 1555-1558 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S7FRIENDS4_SAMEAS: S7 CharFriends: Friend4 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	15	1.1 %
2	Same friend as friend 2 from previous interview	12	0.9 %
3	Same friend as friend 3 from previous interview	23	1.7 %
4	Same friend as friend 4 from previous interview	17	1.3 %
5	No, this is not one of those people (this is a new friend)	180	13.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Skipped: No additional friends	729	53.8 %
-101	Skipped: Subject reported zero friends	238	17.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 247 valid cases out of 1,354 total cases.

Location: 1559-1562 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7FRIENDS4_AGEFR: S7 CharFriends: Friend4 - Age

Based upon 248 valid cases out of 1,354 total cases.

- Mean: 23.92
- Median: 21.00
- Mode: 20.00
- Minimum: 3.00
- Maximum: 88.00
- Standard Deviation: 9.17

Location: 1563-1566 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S7FR4_ARRESTREC: S7 CharFriends: Friend4 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	111	8.2 %
5	No - friend has never been arrested	136	10.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Subject does not have this many friends	967	71.4 %
-9	Subject DK if friend was ever arrested	1	0.1 %
	Total	**1,354**	**100%**

Based upon 247 valid cases out of 1,354 total cases.

Location: 1567-1570 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S7FR4_JAILEDREC: S7 CharFriends: Friend4 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	91	6.7 %
5	No - friend has never been in jail	156	11.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Subject does not have this many friends	967	71.4 %
-9	Subject DK if friend was ever in jail	1	0.1 %
	Total	**1,354**	**100%**

Based upon 247 valid cases out of 1,354 total cases.

Location: 1571-1574 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S7FRIENDS4_GENFR: S7 CharFriends: Friend4 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	175	12.9 %
2	Female	73	5.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Skipped: No additional friends	729	53.8 %
-101	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 248 valid cases out of 1,354 total cases.

Location: 1575-1578 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7FR4_MHRECORD: S7 CharFriends: Friend4 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	4	0.3 %
5	No - friend has never been in a mental hospital	205	15.1 %
	Missing Data		
-400	MH question not asked in this version	172	12.7 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Subject does not have this many friends	834	61.6 %
	Total	**1,354**	**100%**

Based upon 209 valid cases out of 1,354 total cases.

Location: 1579-1582 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S7FRIENDS4_CONT: S7 CharFriends: Friend4 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	112	8.3 %
2	3-6 times per week	52	3.8 %
3	2 times per week	19	1.4 %
4	1 time per week	26	1.9 %
5	Less weekly, more than monthly	14	1.0 %
6	1 time per month	11	0.8 %
7	Less than monthly	14	1.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-102	Skipped: No additional friends	729	53.8 %
-101	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 248 valid cases out of 1,354 total cases.

Location: 1583-1586 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S7FR4_DRUGUSEREC: S7 CharFriends: Friend4 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	107	7.9 %
5	No - friend has never used drugs	138	10.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Subject does not have this many friends	967	71.4 %
-9	Subject DK if friend has used drugs	3	0.2 %
	Total	**1,354**	**100%**

Based upon 245 valid cases out of 1,354 total cases.

Location: 1587-1590 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S7FRARR: S7 CharFriends: Count of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0	-	331	24.4 %
1	-	327	24.2 %
2	-	193	14.3 %
3	-	78	5.8 %
4	-	48	3.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 1591-1594 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S7ARRDEN: S7 CharFriends: Denominator for number of friends mentioned-arrest

Value	Label	Unweighted Frequency	%
1	-	271	20.0 %
2	-	272	20.1 %
3	-	186	13.7 %
4	-	248	18.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 1595-1598 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S7PFRARR: S7 CharFriends: Proportion of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0.0000000000	-	331	24.4 %
0.2500000000	-	59	4.4 %
0.3333333333	-	50	3.7 %
0.5000000000	-	150	11.1 %
0.6666666667	-	50	3.7 %
0.7500000000	-	39	2.9 %
1.0000000000	-	298	22.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201.0000000000	IntCompStat = 4 missed interview	139	10.3 %
-100.0000000000	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 1599-1613 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S7FRJAIL: S7 CharFriends: Count of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0	-	414	30.6 %
1	-	306	22.6 %
2	-	155	11.4 %
3	-	71	5.2 %
4	-	31	2.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 1614-1617 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S7JAIDEN: S7 CharFriends: Denominator for number of friends mentioned-jailed

Value	Label	Unweighted Frequency	%
1	-	271	20.0 %
2	-	272	20.1 %
3	-	186	13.7 %
4	-	248	18.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 1618-1621 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S7PFRJAI: S7 CharFriends: Proportion of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0.0000000000	-	414	30.6 %
0.2500000000	-	64	4.7 %
0.3333333333	-	53	3.9 %
0.5000000000	-	131	9.7 %
0.6666666667	-	36	2.7 %
0.7500000000	-	36	2.7 %
1.0000000000	-	243	17.9 %
	Missing Data		
-201.0000000000	IntCompStat = 4 missed interview	139	10.3 %
-100.0000000000	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 1622-1636 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S7FRDRUG: S7 CharFriends: Count of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
0	-	439	32.4 %
1	-	244	18.0 %
2	-	172	12.7 %
3	-	79	5.8 %
4	-	42	3.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Skipped: Subject reported zero friends	238	17.6 %
-9	Subject DK if friend has used drugs	1	0.1 %
	Total	**1,354**	**100%**

Based upon 976 valid cases out of 1,354 total cases.

Location: 1637-1640 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S7DRUDEN: S7 CharFriends: Denominator for number of friends mentioned-drugs

Value	Label	Unweighted Frequency	%
1	-	271	20.0 %
2	-	272	20.1 %
3	-	186	13.7 %
4	-	248	18.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 977 valid cases out of 1,354 total cases.

Location: 1641-1644 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S7PFRDRU: S7 CharFriends: Proportion of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
0.0000000000	-	439	32.4 %
0.2500000000	-	39	2.9 %
0.3333333333	-	36	2.7 %
0.5000000000	-	107	7.9 %
0.6666666667	-	40	3.0 %
0.7500000000	-	43	3.2 %
1.0000000000	-	272	20.1 %
	Missing Data		
-300.0000000000	Not enough values present to receive score	1	0.1 %
-201.0000000000	IntCompStat = 4 missed interview	139	10.3 %
-100.0000000000	Skipped: Subject reported zero friends	238	17.6 %
	Total	**1,354**	**100%**

Based upon 976 valid cases out of 1,354 total cases.

Location: 1645-1659 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -800.0000000000 , -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S7FRMHOS: S7 CharFriends: Count of 4 closest friends ever in a mental health facility

Value	Label	Unweighted Frequency	%
0	-	804	59.4 %
1	-	31	2.3 %
2	-	1	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-400	MH question not asked in this version	172	12.7 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Skipped: Subject reported zero friends	207	15.3 %
	Total	**1,354**	**100%**

Based upon 836 valid cases out of 1,354 total cases.

Location: 1660-1663 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S7MHODEN: S7 CharFriends: Denominator for number of friends mentioned-mental health facility

Value	Label	Unweighted Frequency	%
1	-	237	17.5 %
2	-	228	16.8 %
3	-	162	12.0 %
4	-	209	15.4 %
	Missing Data		
-400	MH question not asked in this version	172	12.7 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-100	Skipped: Subject reported zero friends	207	15.3 %
	Total	**1,354**	**100%**

Based upon 836 valid cases out of 1,354 total cases.

Location: 1664-1667 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S7PFRMHO: S7 CharFriends: Proportion of 4 closest friends ever in mental health facility

Value	Label	Unweighted Frequency	%
0.0000000000	-	804	59.4 %
0.2500000000	-	12	0.9 %
0.3333333333	-	7	0.5 %
0.5000000000	-	8	0.6 %
1.0000000000	-	5	0.4 %
	Missing Data		
-400.0000000000	MH question not asked in this version	172	12.7 %
-201.0000000000	IntCompStat = 4 missed interview	139	10.3 %
-100.0000000000	Skipped: Subject reported zero friends	207	15.3 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 836 valid cases out of 1,354 total cases.

Location: 1668-1682 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S8PEERCHAR_NFRND: S8 CharFriends: Number of close friends

Based upon 1,206 valid cases out of 1,354 total cases.

- Mean: 2.13
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 2.56

Location: 1683-1686 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S8PEERCHAR_NFRNA: S8 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	297	21.9 %
1	-	267	19.7 %
2	-	242	17.9 %
3	-	183	13.5 %
4	-	217	16.0 %
	Missing Data		
-5	Blank	148	10.9 %
	Total	**1,354**	**100%**

Based upon 1,206 valid cases out of 1,354 total cases.

Location: 1687-1688 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S8FRIENDS1_SAMEAS: S8 CharFriends: Friend1 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	256	18.9 %
2	Same friend as friend 2 from previous interview	97	7.2 %
3	Same friend as friend 3 from previous interview	32	2.4 %

Value	Label	Unweighted Frequency	%
4	Same friend as friend 4 from previous interview	18	1.3 %
5	No, this is not one of those people (this is a new friend)	506	37.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 1689-1692 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8FRIENDS1_AGEFR: S8 CharFriends: Friend1 - Age

Based upon 907 valid cases out of 1,354 total cases.

- Mean: 23.90
- Median: 22.00
- Mode: 21.00
- Minimum: 1.00
- Maximum: 71.00
- Standard Deviation: 7.08

Location: 1693-1696 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S8FR1_ARRESTREC: S8 CharFriends: Friend1 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	441	32.6 %
5	No - friend has never been arrested	465	34.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Subject does not have this many friends	297	21.9 %
-9	Subject DK if friend was ever arrested	3	0.2 %
	Total	**1,354**	**100%**

Based upon 906 valid cases out of 1,354 total cases.

Location: 1697-1700 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S8FR1_JAILEDREC: S8 CharFriends: Friend1 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	365	27.0 %
5	No - friend has never been in jail	541	40.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Subject does not have this many friends	297	21.9 %
-9	Subject DK if friend was ever in jail	3	0.2 %
	Total	**1,354**	**100%**

Based upon 906 valid cases out of 1,354 total cases.

Location: 1701-1704 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S8FRIENDS1_GENFR: S8 CharFriends: Friend1 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	637	47.0 %
2	Female	272	20.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 1705-1708 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8FR1_MHRECORD: S8 CharFriends: Friend1 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	21	1.6 %
5	No - friend has never been in a mental hospital	887	65.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Subject does not have this many friends	297	21.9 %
-9	Subject DK if friend has been in MH	1	0.1 %
	Total	**1,354**	**100%**

Based upon 908 valid cases out of 1,354 total cases.

Location: 1709-1712 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S8FRIENDS1_CONT: S8 CharFriends: Friend1 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	478	35.3 %
2	3-6 times per week	165	12.2 %
3	2 times per week	59	4.4 %
4	1 time per week	78	5.8 %
5	Less weekly, more than monthly	45	3.3 %
6	1 time per month	29	2.1 %
7	Less than monthly	55	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 1713-1716 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8FR1_DRUGUSEREC: S8 CharFriends: Friend1 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	429	31.7 %
5	No - friend has never used drugs	477	35.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Subject does not have this many friends	297	21.9 %
-9	Subject DK if friend has used drugs	3	0.2 %
	Total	**1,354**	**100%**

Based upon 906 valid cases out of 1,354 total cases.

Location: 1717-1720 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S8FRIENDS2_SAMEAS: S8 CharFriends: Friend2 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	86	6.4 %
2	Same friend as friend 2 from previous interview	92	6.8 %
3	Same friend as friend 3 from previous interview	26	1.9 %
4	Same friend as friend 4 from previous interview	15	1.1 %
5	No, this is not one of those people (this is a new friend)	423	31.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Skipped: No additional friends	267	19.7 %
-101	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 642 valid cases out of 1,354 total cases.

Location: 1721-1724 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8FRIENDS2_AGEFR: S8 CharFriends: Friend2 - Age

Based upon 641 valid cases out of 1,354 total cases.

- Mean: 24.06
- Median: 22.00
- Mode: 21.00
- Minimum: 1.00
- Maximum: 71.00
- Standard Deviation: 7.79

Location: 1725-1728 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S8FR2_ARRESTREC: S8 CharFriends: Friend2 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	316	23.3 %
5	No - friend has never been arrested	325	24.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Subject does not have this many friends	564	41.7 %
-9	Subject DK if friend was ever arrested	1	0.1 %
	Total	**1,354**	**100%**

Based upon 641 valid cases out of 1,354 total cases.

Location: 1729-1732 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S8FR2_JAILEDREC: S8 CharFriends: Friend2 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	271	20.0 %
5	No - friend has never been in jail	370	27.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Subject does not have this many friends	564	41.7 %
-9	Subject DK if friend was ever in jail	1	0.1 %
	Total	**1,354**	**100%**

Based upon 641 valid cases out of 1,354 total cases.

Location: 1733-1736 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S8FRIENDS2_GENFR: S8 CharFriends: Friend2 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	497	36.7 %
2	Female	145	10.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Skipped: No additional friends	267	19.7 %
-101	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 642 valid cases out of 1,354 total cases.

Location: 1737-1740 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8FR2_MHRECORD: S8 CharFriends: Friend2 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	15	1.1 %
5	No - friend has never been in a mental hospital	626	46.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Subject does not have this many friends	564	41.7 %
-9	Subject DK if friend has been in MH	1	0.1 %
	Total	**1,354**	**100%**

Based upon 641 valid cases out of 1,354 total cases.

Location: 1741-1744 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S8FRIENDS2_CONT: S8 CharFriends: Friend2 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	262	19.4 %
2	3-6 times per week	131	9.7 %
3	2 times per week	61	4.5 %
4	1 time per week	75	5.5 %
5	Less weekly, more than monthly	39	2.9 %
6	1 time per month	27	2.0 %
7	Less than monthly	47	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Skipped: No additional friends	267	19.7 %
-101	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 642 valid cases out of 1,354 total cases.

Location: 1745-1748 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8FR2_DRUGUSEREC: S8 CharFriends: Friend2 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	301	22.2 %
5	No - friend has never used drugs	341	25.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Subject does not have this many friends	564	41.7 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 642 valid cases out of 1,354 total cases.

Location: 1749-1752 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S8FRIENDS3_SAMEAS: S8 CharFriends: Friend3 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	32	2.4 %
2	Same friend as friend 2 from previous interview	33	2.4 %
3	Same friend as friend 3 from previous interview	35	2.6 %
4	Same friend as friend 4 from previous interview	15	1.1 %
5	No, this is not one of those people (this is a new friend)	285	21.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Skipped: No additional friends	509	37.6 %
-101	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 400 valid cases out of 1,354 total cases.

Location: 1753-1756 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8FRIENDS3_AGEFR: S8 CharFriends: Friend3 - Age

Based upon 399 valid cases out of 1,354 total cases.

- Mean: 23.71
- Median: 21.00
- Mode: 20.00
- Minimum: 12.00
- Maximum: 67.00
- Standard Deviation: 7.58

Location: 1757-1760 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S8FR3_ARRESTREC: S8 CharFriends: Friend3 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	189	14.0 %

Value	Label	Unweighted Frequency	%
5	No - friend has never been arrested	211	15.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Subject does not have this many friends	806	59.5 %
	Total	**1,354**	**100%**

Based upon 400 valid cases out of 1,354 total cases.

Location: 1761-1764 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S8FR3_JAILEDREC: S8 CharFriends: Friend3 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	150	11.1 %
5	No - friend has never been in jail	249	18.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Subject does not have this many friends	806	59.5 %
-9	Subject DK if friend was ever in jail	1	0.1 %
	Total	**1,354**	**100%**

Based upon 399 valid cases out of 1,354 total cases.

Location: 1765-1768 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S8FRIENDS3_GENFR: S8 CharFriends: Friend3 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	292	21.6 %
2	Female	108	8.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Skipped: No additional friends	509	37.6 %
-101	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 400 valid cases out of 1,354 total cases.

Location: 1769-1772 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8FR3_MHRECORD: S8 CharFriends: Friend3 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	5	0.4 %
5	No - friend has never been in a mental hospital	395	29.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Subject does not have this many friends	806	59.5 %
	Total	**1,354**	**100%**

Based upon 400 valid cases out of 1,354 total cases.

Location: 1773-1776 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S8FRIENDS3_CONT: S8 CharFriends: Friend3 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	164	12.1 %
2	3-6 times per week	67	4.9 %
3	2 times per week	36	2.7 %
4	1 time per week	47	3.5 %
5	Less weekly, more than monthly	29	2.1 %
6	1 time per month	26	1.9 %
7	Less than monthly	31	2.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Skipped: No additional friends	509	37.6 %
-101	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 400 valid cases out of 1,354 total cases.

Location: 1777-1780 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8FR3_DRUGUSEREC: S8 CharFriends: Friend3 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	194	14.3 %
5	No - friend has never used drugs	205	15.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Subject does not have this many friends	806	59.5 %
-9	Subject DK if friend has used drugs	1	0.1 %
	Total	**1,354**	**100%**

Based upon 399 valid cases out of 1,354 total cases.

Location: 1781-1784 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S8FRIENDS4_SAMEAS: S8 CharFriends: Friend4 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	14	1.0 %
2	Same friend as friend 2 from previous interview	14	1.0 %
3	Same friend as friend 3 from previous interview	13	1.0 %
4	Same friend as friend 4 from previous interview	11	0.8 %
5	No, this is not one of those people (this is a new friend)	165	12.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Skipped: No additional friends	692	51.1 %
-101	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 217 valid cases out of 1,354 total cases.

Location: 1785-1788 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8FRIENDS4_AGEFR: S8 CharFriends: Friend4 - Age

Based upon 216 valid cases out of 1,354 total cases.

- Mean: 23.28
- Median: 22.00
- Mode: 20.00
- Minimum: 5.00
- Maximum: 60.00
- Standard Deviation: 6.38

Location: 1789-1792 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S8FR4_ARRESTREC: S8 CharFriends: Friend4 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	90	6.6 %
5	No - friend has never been arrested	127	9.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Subject does not have this many friends	989	73.0 %
	Total	**1,354**	**100%**

Based upon 217 valid cases out of 1,354 total cases.

Location: 1793-1796 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S8FR4_JAILEDREC: S8 CharFriends: Friend4 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	81	6.0 %
5	No - friend has never been in jail	136	10.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Subject does not have this many friends	989	73.0 %
	Total	**1,354**	**100%**

Based upon 217 valid cases out of 1,354 total cases.

Location: 1797-1800 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S8FRIENDS4_GENFR: S8 CharFriends: Friend4 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	152	11.2 %
2	Female	65	4.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %

Value	Label	Unweighted Frequency	%
-102	Skipped: No additional friends	692	51.1 %
-101	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 217 valid cases out of 1,354 total cases.

Location: 1801-1804 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8FR4_MHRECORD: S8 CharFriends: Friend4 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	5	0.4 %
5	No - friend has never been in a mental hospital	212	15.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Subject does not have this many friends	989	73.0 %
	Total	**1,354**	**100%**

Based upon 217 valid cases out of 1,354 total cases.

Location: 1805-1808 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S8FRIENDS4_CONT: S8 CharFriends: Friend4 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	79	5.8 %
2	3-6 times per week	40	3.0 %
3	2 times per week	34	2.5 %
4	1 time per week	26	1.9 %
5	Less weekly, more than monthly	10	0.7 %
6	1 time per month	9	0.7 %
7	Less than monthly	19	1.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-102	Skipped: No additional friends	692	51.1 %
-101	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 217 valid cases out of 1,354 total cases.

Location: 1809-1812 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S8FR4_DRUGUSEREC: S8 CharFriends: Friend4 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	97	7.2 %
5	No - friend has never used drugs	120	8.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Subject does not have this many friends	989	73.0 %
	Total	**1,354**	**100%**

Based upon 217 valid cases out of 1,354 total cases.

Location: 1813-1816 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S8FRARR: S8 CharFriends: Count of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0	-	309	22.8 %
1	-	312	23.0 %
2	-	172	12.7 %
3	-	84	6.2 %
4	-	32	2.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 1817-1820 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S8ARRDEN: S8 CharFriends: Denominator for number of friends mentioned-arrest

Value	Label	Unweighted Frequency	%
1	-	267	19.7 %

Value	Label	Unweighted Frequency	%
2	-	242	17.9 %
3	-	183	13.5 %
4	-	217	16.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 1821-1824 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S8PFRARR: S8 CharFriends: Proportion of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0.0000000000	-	309	22.8 %
0.2500000000	-	52	3.8 %
0.3333333333	-	55	4.1 %
0.5000000000	-	136	10.0 %
0.6666666667	-	50	3.7 %
0.7500000000	-	46	3.4 %
1.0000000000	-	261	19.3 %
	Missing Data		
-202.0000000000	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201.0000000000	IntCompStat = 4 missed interview	147	10.9 %
-100.0000000000	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 1825-1839 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S8FRJAIL: S8 CharFriends: Count of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0	-	378	27.9 %
1	-	306	22.6 %
2	-	135	10.0 %

Value	Label	Unweighted Frequency	%
3	-	69	5.1 %
4	-	21	1.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 1840-1843 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S8JAIDEN: S8 CharFriends: Denominator for number of friends mentioned-jailed

Value	Label	Unweighted Frequency	%
1	-	267	19.7 %
2	-	242	17.9 %
3	-	183	13.5 %
4	-	217	16.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 1844-1847 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S8PFRJAI: S8 CharFriends: Proportion of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0.0000000000	-	378	27.9 %
0.2500000000	-	56	4.1 %
0.3333333333	-	59	4.4 %
0.5000000000	-	123	9.1 %
0.6666666667	-	39	2.9 %
0.7500000000	-	43	3.2 %
1.0000000000	-	211	15.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202.0000000000	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201.0000000000	IntCompStat = 4 missed interview	147	10.9 %
-100.0000000000	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 1848-1862 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S8FRDRUG: S8 CharFriends: Count of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
0	-	369	27.3 %
1	-	241	17.8 %
2	-	164	12.1 %
3	-	88	6.5 %
4	-	47	3.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 1863-1866 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S8DRUDEN: S8 CharFriends: Denominator for number of friends mentioned-drugs

Value	Label	Unweighted Frequency	%
1	-	267	19.7 %
2	-	242	17.9 %
3	-	183	13.5 %
4	-	217	16.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 1867-1870 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S8PFRDRU: S8 CharFriends: Proportion of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
0.0000000000	-	369	27.3 %
0.2500000000	-	26	1.9 %
0.3333333333	-	39	2.9 %
0.5000000000	-	103	7.6 %
0.6666666667	-	39	2.9 %
0.7500000000	-	42	3.1 %
1.0000000000	-	291	21.5 %
	Missing Data		
-202.0000000000	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201.0000000000	IntCompStat = 4 missed interview	147	10.9 %
-100.0000000000	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 1871-1885 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -800.0000000000 , -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S8FRMHOS: S8 CharFriends: Count of 4 closest friends ever in a mental health facility

Value	Label	Unweighted Frequency	%
0	-	866	64.0 %
1	-	40	3.0 %
2	-	3	0.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 1886-1889 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S8MHODEN: S8 CharFriends: Denominator for number of friends mentioned-mental health facility

Value	Label	Unweighted Frequency	%
1	-	267	19.7 %
2	-	242	17.9 %
3	-	183	13.5 %
4	-	217	16.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-100	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 1890-1893 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S8PFRMHO: S8 CharFriends: Proportion of 4 closest friends ever in mental health facility

Value	Label	Unweighted Frequency	%
0.0000000000	-	866	64.0 %
0.2500000000	-	15	1.1 %
0.3333333333	-	10	0.7 %
0.5000000000	-	8	0.6 %
0.6666666667	-	1	0.1 %
1.0000000000	-	9	0.7 %
	Missing Data		
-202.0000000000	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201.0000000000	IntCompStat = 4 missed interview	147	10.9 %
-100.0000000000	Skipped: Subject reported zero friends	297	21.9 %
	Total	**1,354**	**100%**

Based upon 909 valid cases out of 1,354 total cases.

Location: 1894-1908 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S9PEERCHAR_NFRND: S9 CharFriends: Number of close friends

Based upon 1,178 valid cases out of 1,354 total cases.

- Mean: 2.08
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 3.63

Location: 1909-1912 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

S9PEERCHAR_NFRNA: S9 CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	345	25.5 %
1	-	211	15.6 %
2	-	242	17.9 %
3	-	188	13.9 %
4	-	192	14.2 %
	Missing Data		
-9	Dont Know	1	0.1 %
-5	Blank	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,178 valid cases out of 1,354 total cases.

Location: 1913-1914 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

S9FRIENDS1_SAMEAS: S9 CharFriends: Friend1 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	244	18.0 %
2	Same friend as friend 2 from previous interview	96	7.1 %
3	Same friend as friend 3 from previous interview	34	2.5 %
4	Same friend as friend 4 from previous interview	14	1.0 %
5	No, this is not one of those people (this is a new friend)	445	32.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 1915-1918 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9FRIENDS1_AGEFR: S9 CharFriends: Friend1 - Age

Based upon 832 valid cases out of 1,354 total cases.

- Mean: 25.15
- Median: 23.00
- Mode: 22.00
- Minimum: 1.00
- Maximum: 71.00
- Standard Deviation: 7.43

Location: 1919-1922 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S9FR1_ARRESTREC: S9 CharFriends: Friend1 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	400	29.5 %
5	No - friend has never been arrested	432	31.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Subject does not have this many friends	346	25.6 %
-9	Subject DK if friend was ever arrested	1	0.1 %
	Total	**1,354**	**100%**

Based upon 832 valid cases out of 1,354 total cases.

Location: 1923-1926 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S9FR1_JAILEDREC: S9 CharFriends: Friend1 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	340	25.1 %
5	No - friend has never been in jail	493	36.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Subject does not have this many friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 1927-1930 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S9FRIENDS1_GENFR: S9 CharFriends: Friend1 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	582	43.0 %
2	Female	251	18.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 1931-1934 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9FR1_MHRECORD: S9 CharFriends: Friend1 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	15	1.1 %
5	No - friend has never been in a mental hospital	818	60.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Subject does not have this many friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 1935-1938 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S9FRIENDS1_CONT: S9 CharFriends: Friend1 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	442	32.6 %
2	3-6 times per week	132	9.7 %
3	2 times per week	64	4.7 %
4	1 time per week	73	5.4 %
5	Less weekly, more than monthly	40	3.0 %
6	1 time per month	37	2.7 %
7	Less than monthly	45	3.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 1939-1942 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9FR1_DRUGUSEREC: S9 CharFriends: Friend1 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	402	29.7 %
5	No - friend has never used drugs	431	31.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Subject does not have this many friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 1943-1946 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S9FRIENDS2_SAMEAS: S9 CharFriends: Friend2 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	85	6.3 %
2	Same friend as friend 2 from previous interview	86	6.4 %
3	Same friend as friend 3 from previous interview	48	3.5 %
4	Same friend as friend 4 from previous interview	6	0.4 %
5	No, this is not one of those people (this is a new friend)	397	29.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Skipped: No additional friends	211	15.6 %
-101	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 622 valid cases out of 1,354 total cases.

Location: 1947-1950 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9FRIENDS2_AGEFR: S9 CharFriends: Friend2 - Age

Based upon 621 valid cases out of 1,354 total cases.

- Mean: 24.97
- Median: 23.00
- Mode: 22.00

- Minimum: 1.00
- Maximum: 76.00
- Standard Deviation: 8.09

Location: 1951-1954 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S9FR2_ARRESTREC: S9 CharFriends: Friend2 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	305	22.5 %
5	No - friend has never been arrested	317	23.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Subject does not have this many friends	557	41.1 %
	Total	**1,354**	**100%**

Based upon 622 valid cases out of 1,354 total cases.

Location: 1955-1958 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S9FR2_JAILEDREC: S9 CharFriends: Friend2 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	262	19.4 %
5	No - friend has never been in jail	360	26.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Subject does not have this many friends	557	41.1 %
	Total	**1,354**	**100%**

Based upon 622 valid cases out of 1,354 total cases.

Location: 1959-1962 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S9FRIENDS2_GENFR: S9 CharFriends: Friend2 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	465	34.3 %
2	Female	157	11.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Skipped: No additional friends	211	15.6 %

Value	Label	Unweighted Frequency	%
-101	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 622 valid cases out of 1,354 total cases.

Location: 1963-1966 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9FR2_MHRECORD: S9 CharFriends: Friend2 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	13	1.0 %
5	No - friend has never been in a mental hospital	609	45.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Subject does not have this many friends	557	41.1 %
	Total	**1,354**	**100%**

Based upon 622 valid cases out of 1,354 total cases.

Location: 1967-1970 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S9FRIENDS2_CONT: S9 CharFriends: Friend2 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	290	21.4 %
2	3-6 times per week	96	7.1 %
3	2 times per week	56	4.1 %
4	1 time per week	65	4.8 %
5	Less weekly, more than monthly	37	2.7 %
6	1 time per month	42	3.1 %
7	Less than monthly	36	2.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Skipped: No additional friends	211	15.6 %
-101	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 622 valid cases out of 1,354 total cases.

Location: 1971-1974 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9FR2_DRUGUSEREC: S9 CharFriends: Friend2 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	314	23.2 %
5	No - friend has never used drugs	306	22.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Subject does not have this many friends	557	41.1 %
-9	Subject DK if friend has used drugs	2	0.1 %
	Total	**1,354**	**100%**

Based upon 620 valid cases out of 1,354 total cases.

Location: 1975-1978 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S9FRIENDS3_SAMEAS: S9 CharFriends: Friend3 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	30	2.2 %
2	Same friend as friend 2 from previous interview	42	3.1 %
3	Same friend as friend 3 from previous interview	28	2.1 %
4	Same friend as friend 4 from previous interview	10	0.7 %
5	No, this is not one of those people (this is a new friend)	270	19.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Skipped: No additional friends	453	33.5 %
-101	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 380 valid cases out of 1,354 total cases.

Location: 1979-1982 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9FRIENDS3_AGEFR: S9 CharFriends: Friend3 - Age

Based upon 379 valid cases out of 1,354 total cases.

- Mean: 25.13
- Median: 23.00
- Mode: 22.00
- Minimum: 12.00
- Maximum: 70.00

- Standard Deviation: 7.65

Location: 1983-1986 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S9FR3_ARRESTREC: S9 CharFriends: Friend3 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	178	13.1 %
5	No - friend has never been arrested	202	14.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Subject does not have this many friends	799	59.0 %
	Total	**1,354**	**100%**

Based upon 380 valid cases out of 1,354 total cases.

Location: 1987-1990 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S9FR3_JAILEDREC: S9 CharFriends: Friend3 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	157	11.6 %
5	No - friend has never been in jail	223	16.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Subject does not have this many friends	799	59.0 %
	Total	**1,354**	**100%**

Based upon 380 valid cases out of 1,354 total cases.

Location: 1991-1994 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S9FRIENDS3_GENFR: S9 CharFriends: Friend3 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	273	20.2 %
2	Female	107	7.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Skipped: No additional friends	453	33.5 %
-101	Skipped: Subject reported zero friends	346	25.6 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 380 valid cases out of 1,354 total cases.

Location: 1995-1998 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9FR3_MHRECORD: S9 CharFriends: Friend3 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	5	0.4 %
5	No - friend has never been in a mental hospital	375	27.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Subject does not have this many friends	799	59.0 %
	Total	**1,354**	**100%**

Based upon 380 valid cases out of 1,354 total cases.

Location: 1999-2002 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S9FRIENDS3_CONT: S9 CharFriends: Friend3 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	158	11.7 %
2	3-6 times per week	72	5.3 %
3	2 times per week	39	2.9 %
4	1 time per week	33	2.4 %
5	Less weekly, more than monthly	23	1.7 %
6	1 time per month	21	1.6 %
7	Less than monthly	34	2.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Skipped: No additional friends	453	33.5 %
-101	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 380 valid cases out of 1,354 total cases.

Location: 2003-2006 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9FR3_DRUGUSEREC: S9 CharFriends: Friend3 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	187	13.8 %
5	No - friend has never used drugs	193	14.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Subject does not have this many friends	799	59.0 %
	Total	**1,354**	**100%**

Based upon 380 valid cases out of 1,354 total cases.

Location: 2007-2010 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S9FRIENDS4_SAMEAS: S9 CharFriends: Friend4 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	9	0.7 %
2	Same friend as friend 2 from previous interview	7	0.5 %
3	Same friend as friend 3 from previous interview	8	0.6 %
4	Same friend as friend 4 from previous interview	11	0.8 %
5	No, this is not one of those people (this is a new friend)	157	11.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Skipped: No additional friends	641	47.3 %
-101	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 192 valid cases out of 1,354 total cases.

Location: 2011-2014 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9FRIENDS4_AGEFR: S9 CharFriends: Friend4 - Age

Based upon 192 valid cases out of 1,354 total cases.

- Mean: 26.14
- Median: 23.00
- Mode: 21.00
- Minimum: 12.00
- Maximum: 83.00
- Standard Deviation: 9.36

Location: 2015-2018 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

S9FR4_ARRESTREC: S9 CharFriends: Friend4 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	90	6.6 %
5	No - friend has never been arrested	99	7.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Subject does not have this many friends	987	72.9 %
-9	Subject DK if friend was ever arrested	3	0.2 %
	Total	**1,354**	**100%**

Based upon 189 valid cases out of 1,354 total cases.

Location: 2019-2022 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S9FR4_JAILEDREC: S9 CharFriends: Friend4 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	83	6.1 %
5	No - friend has never been in jail	107	7.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Subject does not have this many friends	987	72.9 %
-9	Subject DK if friend was ever in jail	2	0.1 %
	Total	**1,354**	**100%**

Based upon 190 valid cases out of 1,354 total cases.

Location: 2023-2026 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S9FRIENDS4_GENFR: S9 CharFriends: Friend4 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	150	11.1 %
2	Female	42	3.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Skipped: No additional friends	641	47.3 %
-101	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 192 valid cases out of 1,354 total cases.

Location: 2027-2030 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9FR4_MHRECORD: S9 CharFriends: Friend4 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	3	0.2 %
5	No - friend has never been in a mental hospital	188	13.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Subject does not have this many friends	987	72.9 %
-9	Subject DK if friend has been in MH	1	0.1 %
	Total	**1,354**	**100%**

Based upon 191 valid cases out of 1,354 total cases.

Location: 2031-2034 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S9FRIENDS4_CONT: S9 CharFriends: Friend4 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	72	5.3 %
2	3-6 times per week	38	2.8 %
3	2 times per week	18	1.3 %
4	1 time per week	20	1.5 %
5	Less weekly, more than monthly	14	1.0 %
6	1 time per month	9	0.7 %
7	Less than monthly	20	1.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-102	Skipped: No additional friends	641	47.3 %
-101	Skipped: Subject reported zero friends	346	25.6 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 191 valid cases out of 1,354 total cases.

Location: 2035-2038 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

S9FR4_DRUGUSEREC: S9 CharFriends: Friend4 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	92	6.8 %
5	No - friend has never used drugs	98	7.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Subject does not have this many friends	987	72.9 %
-9	Subject DK if friend has used drugs	2	0.1 %
	Total	**1,354**	**100%**

Based upon 190 valid cases out of 1,354 total cases.

Location: 2039-2042 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S9FRARR: S9 CharFriends: Count of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0	-	279	20.6 %
1	-	278	20.5 %
2	-	170	12.6 %
3	-	69	5.1 %
4	-	37	2.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 2043-2046 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S9ARRDEN: S9 CharFriends: Denominator for number of friends mentioned-arrest

Value	Label	Unweighted Frequency	%
1	-	211	15.6 %
2	-	242	17.9 %
3	-	188	13.9 %
4	-	192	14.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %

Value	Label	Unweighted Frequency	%
-100	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 2047-2050 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S9PFRARR: S9 CharFriends: Proportion of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0.0000000000	-	279	20.6 %
0.2500000000	-	39	2.9 %
0.3333333333	-	51	3.8 %
0.5000000000	-	139	10.3 %
0.6666666667	-	53	3.9 %
0.7500000000	-	34	2.5 %
1.0000000000	-	238	17.6 %
	Missing Data		
-201.0000000000	IntCompStat = 4 missed interview	175	12.9 %
-100.0000000000	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 2051-2065 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S9FRJAIL: S9 CharFriends: Count of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0	-	330	24.4 %
1	-	280	20.7 %
2	-	137	10.1 %
3	-	56	4.1 %
4	-	30	2.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 2066-2069 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S9JAIDEN: S9 CharFriends: Denominator for number of friends mentioned-jailed

Value	Label	Unweighted Frequency	%
1	-	211	15.6 %
2	-	242	17.9 %
3	-	188	13.9 %
4	-	192	14.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 2070-2073 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

S9PFRJAI: S9 CharFriends: Proportion of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0.0000000000	-	330	24.4 %
0.2500000000	-	48	3.5 %
0.3333333333	-	57	4.2 %
0.5000000000	-	128	9.5 %
0.6666666667	-	41	3.0 %
0.7500000000	-	27	2.0 %
1.0000000000	-	202	14.9 %
	Missing Data		
-201.0000000000	IntCompStat = 4 missed interview	175	12.9 %
-100.0000000000	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 2074-2088 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S9FRDRUG: S9 CharFriends: Count of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
0	-	320	23.6 %
1	-	220	16.2 %
2	-	157	11.6 %
3	-	83	6.1 %
4	-	53	3.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 2089-2092 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S9DRUDEN: S9 CharFriends: Denominator for number of friends mentioned-drugs

Value	Label	Unweighted Frequency	%
1	-	211	15.6 %
2	-	242	17.9 %
3	-	188	13.9 %
4	-	192	14.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 2093-2096 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

S9PFRDRU: S9 CharFriends: Proportion of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
0.0000000000	-	320	23.6 %
0.2500000000	-	26	1.9 %
0.3333333333	-	36	2.7 %
0.5000000000	-	99	7.3 %
0.6666666667	-	40	3.0 %
0.7500000000	-	32	2.4 %
1.0000000000	-	280	20.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-201.0000000000	IntCompStat = 4 missed interview	175	12.9 %
-100.0000000000	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 2097-2111 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -800.0000000000 , -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

S9FRMHOS: S9 CharFriends: Count of 4 closest friends ever in a mental health facility

Value	Label	Unweighted Frequency	%
0	-	798	58.9 %
1	-	34	2.5 %
2	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 2112-2115 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S9MHODEN: S9 CharFriends: Denominator for number of friends mentioned-mental health facility

Value	Label	Unweighted Frequency	%
1	-	211	15.6 %
2	-	242	17.9 %
3	-	188	13.9 %
4	-	192	14.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-100	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 2116-2119 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

S9PFRMHO: S9 CharFriends: Proportion of 4 closest friends ever in mental health facility

Value	Label	Unweighted Frequency	%
0.0000000000	-	798	58.9 %
0.2500000000	-	12	0.9 %
0.3333333333	-	9	0.7 %
0.5000000000	-	10	0.7 %
1.0000000000	-	4	0.3 %
	Missing Data		
-201.0000000000	IntCompStat = 4 missed interview	175	12.9 %
-100.0000000000	Skipped: Subject reported zero friends	346	25.6 %
	Total	**1,354**	**100%**

Based upon 833 valid cases out of 1,354 total cases.

Location: 2120-2134 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

SAPEERCHAR_NFRND: SA CharFriends: Number of close friends

Based upon 1,133 valid cases out of 1,354 total cases.

- Mean: 1.93
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 3.53

Location: 2135-2138 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -99 , -98

SAPEERCHAR_NFRNA: SA CharFriends: How many friends ask about

Value	Label	Unweighted Frequency	%
0	-	392	29.0 %
1	-	216	16.0 %
2	-	204	15.1 %
3	-	141	10.4 %
4	-	180	13.3 %
	Missing Data		
-5	Blank	221	16.3 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 2139-2140 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -5

SAFRIENDS1_SAMEAS: SA CharFriends: Friend1 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	216	16.0 %
2	Same friend as friend 2 from previous interview	77	5.7 %
3	Same friend as friend 3 from previous interview	36	2.7 %
4	Same friend as friend 4 from previous interview	7	0.5 %
5	No, this is not one of those people (this is a new friend)	405	29.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 2141-2144 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SAFRIENDS1_AGEFR: SA CharFriends: Friend1 - Age

Based upon 741 valid cases out of 1,354 total cases.

- Mean: 25.68
- Median: 24.00
- Mode: 23.00
- Minimum: 2.00
- Maximum: 86.00
- Standard Deviation: 7.18

Location: 2145-2148 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

SAFR1_ARRESTREC: SA CharFriends: Friend1 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	341	25.2 %
5	No - friend has never been arrested	399	29.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
-100	Subject does not have this many friends	392	29.0 %
-9	Subject DK if friend was ever arrested	1	0.1 %
	Total	**1,354**	**100%**

Based upon 740 valid cases out of 1,354 total cases.

Location: 2149-2152 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

SAFR1_JAILEDREC: SA CharFriends: Friend1 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	291	21.5 %
5	No - friend has never been in jail	449	33.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Subject does not have this many friends	392	29.0 %
-9	Subject DK if friend was ever in jail	1	0.1 %
	Total	**1,354**	**100%**

Based upon 740 valid cases out of 1,354 total cases.

Location: 2153-2156 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

SAFRIENDS1_GENFR: SA CharFriends: Friend1 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	506	37.4 %
2	Female	235	17.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 2157-2160 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SAFR1_MHRECORD: SA CharFriends: Friend1 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	17	1.3 %
5	No - friend has never been in a mental hospital	722	53.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Subject does not have this many friends	392	29.0 %
-9	Subject DK if friend has been in MH	2	0.1 %
	Total	**1,354**	**100%**

Based upon 739 valid cases out of 1,354 total cases.

Location: 2161-2164 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

SAFRIENDS1_CONT: SA CharFriends: Friend1 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	375	27.7 %
2	3-6 times per week	133	9.8 %
3	2 times per week	55	4.1 %
4	1 time per week	73	5.4 %
5	Less weekly, more than monthly	32	2.4 %
6	1 time per month	33	2.4 %
7	Less than monthly	40	3.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 2165-2168 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SAFR1_DRUGUSEREC: SA CharFriends: Friend1 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	391	28.9 %

Value	Label	Unweighted Frequency	%
5	No - friend has never used drugs	349	25.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Subject does not have this many friends	392	29.0 %
-9	Subject DK if friend has used drugs	1	0.1 %
	Total	**1,354**	**100%**

Based upon 740 valid cases out of 1,354 total cases.

Location: 2169-2172 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

SAFRIENDS2_SAMEAS: SA CharFriends: Friend2 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	80	5.9 %
2	Same friend as friend 2 from previous interview	71	5.2 %
3	Same friend as friend 3 from previous interview	31	2.3 %
4	Same friend as friend 4 from previous interview	11	0.8 %
5	No, this is not one of those people (this is a new friend)	332	24.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Skipped: No additional friends	216	16.0 %
-101	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 525 valid cases out of 1,354 total cases.

Location: 2173-2176 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SAFRIENDS2_AGEFR: SA CharFriends: Friend2 - Age

Based upon 525 valid cases out of 1,354 total cases.

- Mean: 25.52
- Median: 24.00
- Mode: 24.00
- Minimum: 2.00
- Maximum: 73.00
- Standard Deviation: 7.13

Location: 2177-2180 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

SAFR2_ARRESTREC: SA CharFriends: Friend2 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	257	19.0 %
5	No - friend has never been arrested	268	19.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Subject does not have this many friends	608	44.9 %
	Total	**1,354**	**100%**

Based upon 525 valid cases out of 1,354 total cases.

Location: 2181-2184 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

SAFR2_JAILEDREC: SA CharFriends: Friend2 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	222	16.4 %
5	No - friend has never been in jail	303	22.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Subject does not have this many friends	608	44.9 %
	Total	**1,354**	**100%**

Based upon 525 valid cases out of 1,354 total cases.

Location: 2185-2188 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

SAFRIENDS2_GENFR: SA CharFriends: Friend2 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	384	28.4 %
2	Female	141	10.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Skipped: No additional friends	216	16.0 %
-101	Skipped: Subject reported zero friends	392	29.0 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 525 valid cases out of 1,354 total cases.

Location: 2189-2192 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SAFR2_MHRECORD: SA CharFriends: Friend2 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	12	0.9 %
5	No - friend has never been in a mental hospital	513	37.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Subject does not have this many friends	608	44.9 %
	Total	**1,354**	**100%**

Based upon 525 valid cases out of 1,354 total cases.

Location: 2193-2196 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

SAFRIENDS2_CONT: SA CharFriends: Friend2 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	221	16.3 %
2	3-6 times per week	93	6.9 %
3	2 times per week	46	3.4 %
4	1 time per week	57	4.2 %
5	Less weekly, more than monthly	35	2.6 %
6	1 time per month	35	2.6 %
7	Less than monthly	38	2.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Skipped: No additional friends	216	16.0 %
-101	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 525 valid cases out of 1,354 total cases.

Location: 2197-2200 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SAFR2_DRUGUSEREC: SA CharFriends: Friend2 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	273	20.2 %
5	No - friend has never used drugs	251	18.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Subject does not have this many friends	608	44.9 %
-9	Subject DK if friend has used drugs	1	0.1 %
	Total	**1,354**	**100%**

Based upon 524 valid cases out of 1,354 total cases.

Location: 2201-2204 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

SAFRIENDS3_SAMEAS: SA CharFriends: Friend3 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	26	1.9 %
2	Same friend as friend 2 from previous interview	38	2.8 %
3	Same friend as friend 3 from previous interview	29	2.1 %
4	Same friend as friend 4 from previous interview	6	0.4 %
5	No, this is not one of those people (this is a new friend)	222	16.4 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Skipped: No additional friends	420	31.0 %
-101	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 321 valid cases out of 1,354 total cases.

Location: 2205-2208 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SAFRIENDS3_AGEFR: SA CharFriends: Friend3 - Age

Based upon 321 valid cases out of 1,354 total cases.

- Mean: 25.53
- Median: 24.00
- Mode: 23.00
- Minimum: 11.00
- Maximum: 60.00
- Standard Deviation: 6.93

Location: 2209-2212 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

SAFR3_ARRESTREC: SA CharFriends: Friend3 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	140	10.3 %
5	No - friend has never been arrested	179	13.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Subject does not have this many friends	812	60.0 %
-9	Subject DK if friend was ever arrested	2	0.1 %
	Total	**1,354**	**100%**

Based upon 319 valid cases out of 1,354 total cases.

Location: 2213-2216 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

SAFR3_JAILEDREC: SA CharFriends: Friend3 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	121	8.9 %
5	No - friend has never been in jail	198	14.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Subject does not have this many friends	812	60.0 %
-9	Subject DK if friend was ever in jail	2	0.1 %
	Total	**1,354**	**100%**

Based upon 319 valid cases out of 1,354 total cases.

Location: 2217-2220 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

SAFRIENDS3_GENFR: SA CharFriends: Friend3 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	222	16.4 %
2	Female	99	7.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Skipped: No additional friends	420	31.0 %
-101	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 321 valid cases out of 1,354 total cases.

Location: 2221-2224 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SAFR3_MHRECORD: SA CharFriends: Friend3 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	5	0.4 %
5	No - friend has never been in a mental hospital	316	23.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Subject does not have this many friends	812	60.0 %
	Total	**1,354**	**100%**

Based upon 321 valid cases out of 1,354 total cases.

Location: 2225-2228 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

SAFRIENDS3_CONT: SA CharFriends: Friend3 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	123	9.1 %
2	3-6 times per week	57	4.2 %
3	2 times per week	25	1.8 %
4	1 time per week	45	3.3 %
5	Less weekly, more than monthly	24	1.8 %
6	1 time per month	19	1.4 %
7	Less than monthly	28	2.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Skipped: No additional friends	420	31.0 %
-101	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 321 valid cases out of 1,354 total cases.

Location: 2229-2232 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SAFR3_DRUGUSEREC: SA CharFriends: Friend3 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	157	11.6 %
5	No - friend has never used drugs	163	12.0 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Subject does not have this many friends	812	60.0 %
-9	Subject DK if friend has used drugs	1	0.1 %
	Total	**1,354**	**100%**

Based upon 320 valid cases out of 1,354 total cases.

Location: 2233-2236 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

SAFRIENDS4_SAMEAS: SA CharFriends: Friend4 - Was this friend mentioned in last interview

Value	Label	Unweighted Frequency	%
1	Same friend as friend 1 from previous interview	17	1.3 %
2	Same friend as friend 2 from previous interview	11	0.8 %
3	Same friend as friend 3 from previous interview	13	1.0 %
4	Same friend as friend 4 from previous interview	13	1.0 %
5	No, this is not one of those people (this is a new friend)	126	9.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Skipped: No additional friends	561	41.4 %
-101	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 180 valid cases out of 1,354 total cases.

Location: 2237-2240 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SAFRIENDS4_AGEFR: SA CharFriends: Friend4 - Age

Based upon 179 valid cases out of 1,354 total cases.

- Mean: 27.27
- Median: 25.00
- Mode: 24.00
- Minimum: 11.00
- Maximum: 67.00
- Standard Deviation: 8.89

Location: 2241-2244 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -202 , -201 , -102 , -101

SAFR4_ARRESTREC: SA CharFriends: Friend4 - Has this friend EVER been arrested

Value	Label	Unweighted Frequency	%
1	Yes - friend has been arrested	73	5.4 %
5	No - friend has never been arrested	107	7.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Subject does not have this many friends	953	70.4 %
	Total	**1,354**	**100%**

Based upon 180 valid cases out of 1,354 total cases.

Location: 2245-2248 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

SAFR4_JAILEDREC: SA CharFriends: Friend4 - Has this friend EVER been in jail

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in jail	62	4.6 %
5	No - friend has never been in jail	118	8.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Subject does not have this many friends	953	70.4 %
	Total	**1,354**	**100%**

Based upon 180 valid cases out of 1,354 total cases.

Location: 2249-2252 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

SAFRIENDS4_GENFR: SA CharFriends: Friend4 - Gender (male/female)

Value	Label	Unweighted Frequency	%
1	Male	125	9.2 %
2	Female	55	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Skipped: No additional friends	561	41.4 %
-101	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 180 valid cases out of 1,354 total cases.

Location: 2253-2256 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SAFR4_MHRECORD: SA CharFriends: Friend4 - Has this friend EVER been in a mental health facility

Value	Label	Unweighted Frequency	%
1	Yes - friend has been in a mental hospital	5	0.4 %
5	No - friend has never been in a mental hospital	175	12.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Subject does not have this many friends	953	70.4 %
	Total	**1,354**	**100%**

Based upon 180 valid cases out of 1,354 total cases.

Location: 2257-2260 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

SAFRIENDS4_CONT: SA CharFriends: Friend4 - Frequency of contact

Value	Label	Unweighted Frequency	%
1	Daily	68	5.0 %
2	3-6 times per week	37	2.7 %
3	2 times per week	20	1.5 %
4	1 time per week	17	1.3 %

Value	Label	Unweighted Frequency	%
5	Less weekly, more than monthly	15	1.1 %
6	1 time per month	12	0.9 %
7	Less than monthly	11	0.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-102	Skipped: No additional friends	561	41.4 %
-101	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 180 valid cases out of 1,354 total cases.

Location: 2261-2264 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -102 , -101 , -9 , -8

SAFR4_DRUGUSEREC: SA CharFriends: Friend4 - Has this friend EVER used drugs

Value	Label	Unweighted Frequency	%
1	Yes - friend has used drugs	100	7.4 %
5	No - friend has never used drugs	80	5.9 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Subject does not have this many friends	953	70.4 %
	Total	**1,354**	**100%**

Based upon 180 valid cases out of 1,354 total cases.

Location: 2265-2268 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

SAFRARR: SA CharFriends: Count of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0	-	267	19.7 %
1	-	252	18.6 %
2	-	131	9.7 %
3	-	67	4.9 %
4	-	24	1.8 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %

Value	Label	Unweighted Frequency	%
-100	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 2269-2272 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

SAARRDEN: SA CharFriends: Denominator for number of friends mentioned-arrest

Value	Label	Unweighted Frequency	%
1	-	216	16.0 %
2	-	204	15.1 %
3	-	141	10.4 %
4	-	180	13.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 2273-2276 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

SAPFRARR: SA CharFriends: Proportion of 4 closest friends ever arrested

Value	Label	Unweighted Frequency	%
0.0000000000	-	267	19.7 %
0.2500000000	-	42	3.1 %
0.3333333333	-	40	3.0 %
0.5000000000	-	124	9.2 %
0.6666666667	-	32	2.4 %
0.7500000000	-	35	2.6 %
1.0000000000	-	201	14.8 %
	Missing Data		
-202.0000000000	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201.0000000000	IntCompStat = 4 missed interview	220	16.2 %
-100.0000000000	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 2277-2291 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

SAFRJAIL: SA CharFriends: Count of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0	-	322	23.8 %
1	-	237	17.5 %
2	-	110	8.1 %
3	-	49	3.6 %
4	-	23	1.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 2292-2295 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

SAJAIDEN: SA CharFriends: Denominator for number of friends mentioned-jailed

Value	Label	Unweighted Frequency	%
1	-	216	16.0 %
2	-	204	15.1 %
3	-	141	10.4 %
4	-	180	13.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 2296-2299 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -300 , -202 , -201 , -100 , -9 , -8

SAPFRJAI: SA CharFriends: Proportion of 4 closest friends ever in jail

Value	Label	Unweighted Frequency	%
0.0000000000	-	322	23.8 %
0.2500000000	-	41	3.0 %
0.3333333333	-	39	2.9 %
0.5000000000	-	124	9.2 %
0.6666666667	-	25	1.8 %
0.7500000000	-	23	1.7 %
1.0000000000	-	167	12.3 %
	Missing Data		
-202.0000000000	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201.0000000000	IntCompStat = 4 missed interview	220	16.2 %
-100.0000000000	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 2300-2314 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

SAFRDRUG: SA CharFriends: Count of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
0	-	266	19.6 %
1	-	214	15.8 %
2	-	132	9.7 %
3	-	73	5.4 %
4	-	56	4.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 2315-2318 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

SADRUDEN: SA CharFriends: Denominator for number of friends mentioned-drugs

Value	Label	Unweighted Frequency	%
1	-	216	16.0 %

Value	Label	Unweighted Frequency	%
2	-	204	15.1 %
3	-	141	10.4 %
4	-	180	13.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 2319-2322 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -400 , -300 , -202 , -201 , -100 , -9 , -8

SAPFRDRU: SA CharFriends: Proportion of 4 closest friends ever used drugs

Value	Label	Unweighted Frequency	%
0.0000000000	-	266	19.6 %
0.2500000000	-	28	2.1 %
0.3333333333	-	31	2.3 %
0.5000000000	-	76	5.6 %
0.6666666667	-	26	1.9 %
0.7500000000	-	33	2.4 %
1.0000000000	-	281	20.8 %
	Missing Data		
-202.0000000000	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201.0000000000	IntCompStat = 4 missed interview	220	16.2 %
-100.0000000000	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 2323-2337 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -800.0000000000 , -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000

SAFRMHOS: SA CharFriends: Count of 4 closest friends ever in a mental health facility

Value	Label	Unweighted Frequency	%
0	-	703	51.9 %
1	-	37	2.7 %
2	-	1	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 2338-2341 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

SAMHODEN: SA CharFriends: Denominator for number of friends mentioned-mental health facility

Value	Label	Unweighted Frequency	%
1	-	216	16.0 %
2	-	204	15.1 %
3	-	141	10.4 %
4	-	180	13.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-100	Skipped: Subject reported zero friends	392	29.0 %
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 2342-2345 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -400 , -300 , -202 , -201 , -100 , -9 , -8

SAPFRMHO: SA CharFriends: Proportion of 4 closest friends ever in mental health facility

Value	Label	Unweighted Frequency	%
0.0000000000	-	703	51.9 %
0.2500000000	-	16	1.2 %
0.3333333333	-	8	0.6 %
0.5000000000	-	11	0.8 %
1.0000000000	-	3	0.2 %
	Missing Data		
-202.0000000000	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201.0000000000	IntCompStat = 4 missed interview	220	16.2 %
-100.0000000000	Skipped: Subject reported zero friends	392	29.0 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 741 valid cases out of 1,354 total cases.

Location: 2346-2360 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -400.0000000000 , -300.0000000000 , -202.0000000000 , -201.0000000000 , -100.0000000000 , -9.0000000000 , -8.0000000000