ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Edward P. Mulvey
University of Pittsburgh

Codebook for Demographics [RESTRICTED]

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36800/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 36800

Research on Pathways to Desistance [Maricopa County, AZ and Philadelphia County, PA]: Subject Measures - Scales, 2000-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Demographics [RESTRICTED]

CASEID: S0 IntInfo: Subject ID

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

S0SGEND: S0 DEM: Subject gender

Value	Label	Unweighted Frequency	%
1	Male	1170	86.4 %
2	Female	184	13.6 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 6-6 (width: 1; decimal: 0)
Variable Type: numeric

S0BL_ETH: S0 DEM: Ethnicity

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Asian	2	0.1 %
4	Native American	27	2.0 %
5	Hispanic	454	33.5 %
96	Other	36	2.7 %
98	Refusal	0	0.0 %
99	Dont Know	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 7-9 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 998 , 999

S0DEM19: S0 Ethnicity: In what country were you born

Value	Label	Unweighted Frequency	%
1	United States	1271	93.9 %
96	Other (specify)	83	6.1 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 10-11 (width: 2; decimal: 0)
Variable Type: numeric

S0DEM20: S0 Ethnicity: In what country were you born (specify)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 12-30 (width: 19; decimal: 0)
Variable Type: character

S0DEM21: S0 Ethnicity: Do you consider yourself Hispanic

Value	Label	Unweighted Frequency	%
1	Yes	454	33.5 %
5	No	900	66.5 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 31-31 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

S0DEM22: S0 Ethnicity: To which Hispanic group do you belong

Value	Label	Unweighted Frequency	%
1	Mexican American (include Mexican and Chicano here)	334	24.7 %
2	Cuban American	5	0.4 %
3	Puerto Rican American	101	7.5 %
96	Other (specify)	14	1.0 %
	Missing Data		
97	Not Applicable	900	66.5 %
	Total	**1,354**	**100%**

Based upon 454 valid cases out of 1,354 total cases.

Location: 32-33 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S0DEM23: S0 Ethnicity: To which Hispanic group do you belong (specify)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 34-53 (width: 20; decimal: 0)
Variable Type: character

S0DEM24: S0 Ethnicity: Are you WH, AA, AS, Nat Amer,other

Value	Label	Unweighted Frequency	%
1	White	309	22.8 %
2	African American/Black	571	42.2 %
3	Asian	2	0.1 %
4	Native American	46	3.4 %
96	Other (specify)	425	31.4 %
	Missing Data		
99	Don't Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 54-55 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 98 , 99

S0DEM25: S0 Ethnicity: To which ethnic group do you belong (specify)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 56-75 (width: 20; decimal: 0)
Variable Type: character

S0REL75: S0 Children: How many children have you had

Value	Label	Unweighted Frequency	%
0	-	1232	91.0 %
1	-	110	8.1 %
2	-	11	0.8 %
	Missing Data		
-99	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,353 valid cases out of 1,354 total cases.

Location: 76-78 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -99 , -98

S0REL76: S0 Children: How many children have you had (trunc to 4)

Value	Label	Unweighted Frequency	%
1	-	110	8.1 %
2	-	11	0.8 %
	Missing Data		
-999999	Not Applicable	1	0.1 %
-101	Skipped: Subject has zero children	1232	91.0 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 121 valid cases out of 1,354 total cases.

Location: 79-85 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -102 , -101 , -9 , -8

S0AGECH: S0 Children: Child01 - Age

Value	Label	Unweighted Frequency	%
0	-	16	1.2 %
1	-	69	5.1 %
2	-	18	1.3 %
3	-	8	0.6 %
4	-	2	0.1 %
5	-	1	0.1 %
	Missing Data		
-999999	Not Applicable	1	0.1 %
-999	Dont Know	6	0.4 %
-997	Child is deceased	1	0.1 %
-101	Skipped: Subject has zero children	1232	91.0 %
	Total	**1,354**	**100%**

Based upon 114 valid cases out of 1,354 total cases.

Location: 86-92 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -997 , -102 , -101

S0CARECH: S0 Children: Child01 - Person child lives with

Value	Label	Unweighted Frequency	%
10	Self	13	1.0 %
11	Biological father	2	0.1 %
12	Biological mother	38	2.8 %
13	Biological sister	0	0.0 %
14	Biological brother	0	0.0 %
15	Biological grandmother	7	0.5 %
16	Biological grandfather	0	0.0 %
17	Stepfather	0	0.0 %
18	Stepmother	0	0.0 %
19	Stepsister	0	0.0 %
20	Stepbrother	0	0.0 %

Value	Label	Unweighted Frequency	%
21	Adoptive father	0	0.0 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	0	0.0 %
29	Aunt	0	0.0 %
30	Uncle	0	0.0 %
31	Female cousin	0	0.0 %
32	Male cousin	0	0.0 %
33	Nephew	0	0.0 %
34	Niece	0	0.0 %
35	Live-in boyfriend/girlfriend	5	0.4 %
36	Female friend	19	1.4 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	22	1.6 %
40	Male roommate	0	0.0 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
47	Foster care	0	0.0 %
95	Other relative	0	0.0 %
96	Other (not biologically related)	13	1.0 %
97	NA	1	0.1 %
	Missing Data		
-999999	Not Applicable	1	0.1 %
-111	Skipped: Child is deceased	1	0.1 %
-101	Skipped: Subject has zero children	1232	91.0 %
	Total	**1,354**	**100%**

Based upon 120 valid cases out of 1,354 total cases.

Location: 93-99 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -111 , -103 , -102 , -101 , -99 , -98

S0CONTCH: S0 Children: Child01 - Frequency of contact with child

Value	Label	Unweighted Frequency	%
1	Daily	55	4.1 %
2	3-6 times per week	13	1.0 %
3	2 times per week	7	0.5 %
4	1 time per week	8	0.6 %
5	Less weekly, more than monthly	7	0.5 %
6	1 time per month	0	0.0 %
7	Less than monthly	30	2.2 %
	Missing Data		
-999999	Not Applicable	1	0.1 %
-111	Skipped: Child is deceased	1	0.1 %
-101	Skipped: Subject has zero children	1232	91.0 %
	Total	**1,354**	**100%**

Based upon 120 valid cases out of 1,354 total cases.

Location: 100-106 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -111 , -103 , -102 , -101 , -9 , -8

S0AGECH2: S0 Children: Child02 - Age

Value	Label	Unweighted Frequency	%
0	-	3	0.2 %
1	-	4	0.3 %
2	-	2	0.1 %
3	-	1	0.1 %
4	-	1	0.1 %
	Missing Data		
-999999	Not Applicable	1	0.1 %
-103	Skipped: No additional children	110	8.1 %
-101	Skipped: Subject has zero children	1232	91.0 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 107-113 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -997 , -103 , -102 , -101

S0CAREC2: S0 Children: Child02 - Person child lives with

Value	Label	Unweighted Frequency	%
10	Self	0	0.0 %
11	Biological father	0	0.0 %
12	Biological mother	2	0.1 %
13	Biological sister	0	0.0 %
14	Biological brother	0	0.0 %
15	Biological grandmother	2	0.1 %
16	Biological grandfather	0	0.0 %
17	Stepfather	0	0.0 %
18	Stepmother	0	0.0 %
19	Stepsister	0	0.0 %
20	Stepbrother	0	0.0 %
21	Adoptive father	0	0.0 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	0	0.0 %
29	Aunt	0	0.0 %
30	Uncle	0	0.0 %
31	Female cousin	0	0.0 %
32	Male cousin	0	0.0 %
33	Nephew	0	0.0 %
34	Niece	0	0.0 %
35	Live-in boyfriend/girlfriend	0	0.0 %
36	Female friend	2	0.1 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	3	0.2 %
40	Male roommate	0	0.0 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
47	Foster care	1	0.1 %
95	Other relative	0	0.0 %

Value	Label	Unweighted Frequency	%
96	Other (not biologically related)	1	0.1 %
97	NA	0	0.0 %
	Missing Data		
-999999	Not Applicable	1	0.1 %
-103	Skipped: No additional children	110	8.1 %
-101	Skipped: Subject has zero children	1232	91.0 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 114-120 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -111 , -103 , -102 , -101 , -99 , -98

S0CONTC2: S0 Children: Child02 - Frequency of contact with child

Value	Label	Unweighted Frequency	%
1	Daily	4	0.3 %
2	3-6 times per week	1	0.1 %
3	2 times per week	0	0.0 %
4	1 time per week	1	0.1 %
5	Less weekly, more than monthly	1	0.1 %
6	1 time per month	1	0.1 %
7	Less than monthly	3	0.2 %
	Missing Data		
-999999	Not Applicable	1	0.1 %
-103	Skipped: No additional children	110	8.1 %
-101	Skipped: Subject has zero children	1232	91.0 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 121-127 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -111 , -103 , -102 , -101 , -9 , -8

S0AGECH3: S0 Children: Child03 - Age

Value	Label	Unweighted Frequency	%
	Missing Data		
-999999	Not Applicable	1	0.1 %
-103	Skipped: No additional children	121	8.9 %
-101	Skipped: Subject has zero children	1232	91.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 128-134 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -997 , -103 , -102 , -101

S0CAREC3: S0 Children: Child03 - Person child lives with

Value	Label	Unweighted Frequency	%
10	Self	0	0.0 %
11	Biological father	0	0.0 %
12	Biological mother	0	0.0 %
13	Biological sister	0	0.0 %
14	Biological brother	0	0.0 %
15	Biological grandmother	0	0.0 %
16	Biological grandfather	0	0.0 %
17	Stepfather	0	0.0 %
18	Stepmother	0	0.0 %
19	Stepsister	0	0.0 %
20	Stepbrother	0	0.0 %
21	Adoptive father	0	0.0 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	0	0.0 %
29	Aunt	0	0.0 %
30	Uncle	0	0.0 %
31	Female cousin	0	0.0 %
32	Male cousin	0	0.0 %
33	Nephew	0	0.0 %
34	Niece	0	0.0 %
35	Live-in boyfriend/girlfriend	0	0.0 %
36	Female friend	0	0.0 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	0	0.0 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %

Value	Label	Unweighted Frequency	%
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
47	Foster care	0	0.0 %
95	Other relative	0	0.0 %
96	Other (not biologically related)	0	0.0 %
97	NA	0	0.0 %
	Missing Data		
-999999	Not Applicable	1	0.1 %
-103	Skipped: No additional children	121	8.9 %
-101	Skipped: Subject has zero children	1232	91.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 135-141 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -111 , -103 , -102 , -101 , -99 , -98

S0CONTC3: S0 Children: Child03 - Frequency of contact with child

Value	Label	Unweighted Frequency	%
1	Daily	0	0.0 %
2	3-6 times per week	0	0.0 %
3	2 times per week	0	0.0 %
4	1 time per week	0	0.0 %
5	Less weekly, more than monthly	0	0.0 %
6	1 time per month	0	0.0 %
7	Less than monthly	0	0.0 %
	Missing Data		
-999999	Not Applicable	1	0.1 %
-103	Skipped: No additional children	121	8.9 %
-101	Skipped: Subject has zero children	1232	91.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 142-148 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -111 , -103 , -102 , -101 , -9 , -8

S0AGECH4: S0 Children: Child04 - Age

Value	Label	Unweighted Frequency	%
	Missing Data		
-999999	Not Applicable	1	0.1 %
-103	Skipped: No additional children	121	8.9 %
-101	Skipped: Subject has zero children	1232	91.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 149-155 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -997 , -103 , -102 , -101

S0CAREC4: S0 Children: Child04 - Person child lives with

Value	Label	Unweighted Frequency	%
10	Self	0	0.0 %
11	Biological father	0	0.0 %
12	Biological mother	0	0.0 %
13	Biological sister	0	0.0 %
14	Biological brother	0	0.0 %
15	Biological grandmother	0	0.0 %
16	Biological grandfather	0	0.0 %
17	Stepfather	0	0.0 %
18	Stepmother	0	0.0 %
19	Stepsister	0	0.0 %
20	Stepbrother	0	0.0 %
21	Adoptive father	0	0.0 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	0	0.0 %
29	Aunt	0	0.0 %
30	Uncle	0	0.0 %
31	Female cousin	0	0.0 %
32	Male cousin	0	0.0 %
33	Nephew	0	0.0 %
34	Niece	0	0.0 %
35	Live-in boyfriend/girlfriend	0	0.0 %

Value	Label	Unweighted Frequency	%
36	Female friend	0	0.0 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	0	0.0 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
47	Foster care	0	0.0 %
95	Other relative	0	0.0 %
96	Other (not biologically related)	0	0.0 %
97	NA	0	0.0 %
	Missing Data		
-999999	Not Applicable	1	0.1 %
-103	Skipped: No additional children	121	8.9 %
-101	Skipped: Subject has zero children	1232	91.0 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 156-162 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -111 , -103 , -102 , -101 , -99 , -98

S0CONTC4: S0 Children: Child04 - Frequency of contact with child

Value	Label	Unweighted Frequency	%
1	Daily	0	0.0 %
2	3-6 times per week	0	0.0 %
3	2 times per week	0	0.0 %
4	1 time per week	0	0.0 %
5	Less weekly, more than monthly	0	0.0 %
6	1 time per month	0	0.0 %
7	Less than monthly	0	0.0 %
	Missing Data		
-999999	Not Applicable	1	0.1 %
-103	Skipped: No additional children	121	8.9 %
-101	Skipped: Subject has zero children	1232	91.0 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 163-169 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -111 , -103 , -102 , -101 , -9 , -8

S0REL84: S0 Children: Are all children to one mother/father

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
5	No	8	0.6 %
	Missing Data		
-999999	Not Applicable	1	0.1 %
-104	Skipped: Subject has only 1 child	110	8.1 %
-101	Skipped: Subject has zero children	1232	91.0 %
	Total	**1,354**	**100%**

Based upon 11 valid cases out of 1,354 total cases.

Location: 170-176 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -104 , -102 , -101 , -9 , -8

S0REL85: S0 Children: Number different mothers/fathers to subjects children

Value	Label	Unweighted Frequency	%
2	-	8	0.6 %
	Missing Data		
-105	Skipped: Children are all to the same mom/dad	4	0.3 %
-104	Skipped: Subject has only 1 child	110	8.1 %
-101	Skipped: Subject has zero children	1232	91.0 %
	Total	**1,354**	**100%**

Based upon 8 valid cases out of 1,354 total cases.

Location: 177-180 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -105 , -104 , -102 , -101 , -99 , -98

S0REL86: S0 Children: Length of time knew mother/father before became pregnant (number)

Based upon 121 valid cases out of 1,354 total cases.

Location: 181-187 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999 , -998 , -102 , -101

S0REL86A: S0 Children: Length of time knew mother/father before became pregnant (units)

Value	Label	Unweighted Frequency	%
1	Days	3	0.2 %
2	Weeks	1	0.1 %
3	Months	28	2.1 %
4	Years	89	6.6 %
	Missing Data		
-999999	Not Applicable	1	0.1 %
-101	Skipped: Subject has zero children	1232	91.0 %
	Total	**1,354**	**100%**

Based upon 121 valid cases out of 1,354 total cases.

Location: 188-194 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -102 , -101 , -9 , -8

S0NDAY4: S0 Children: Length of time knew mother/father before became pregnant - converted to days

Based upon 121 valid cases out of 1,354 total cases.

- Mean: 871.57
- Median: 730.00
- Mode: 365.00
- Minimum: 1.00
- Maximum: 4745.00
- Standard Deviation: 874.80

Location: 195-201 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , -999998 , -102 , -101

S0REL89: S0 Children: Frequency of contact with children

Value	Label	Unweighted Frequency	%
1	Daily	0	0.0 %
2	3-6 times per week	0	0.0 %
3	2 times per week	0	0.0 %
4	1 time per week	0	0.0 %
5	Less weekly, more than monthly	0	0.0 %
6	1 time per month	0	0.0 %
7	Less than monthly	1	0.1 %
8	Refusal	0	0.0 %
9	Don't Know	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	1353	99.9 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 202-203 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

S0REL91: S0 Children: Currently pregnant

Value	Label	Unweighted Frequency	%
1	Yes	11	0.8 %
5	No	173	12.8 %
7	Pregnancy suspected but not confirmed	0	0.0 %
	Missing Data		
-106	Skipped: Subject is male	1170	86.4 %
	Total	**1,354**	**100%**

Based upon 184 valid cases out of 1,354 total cases.

Location: 204-207 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -106 , -9 , -8

S0REL91A: S0 Children: Been pregnant in the past 6 months

Value	Label	Unweighted Frequency	%
1	Yes	21	1.6 %
5	No	152	11.2 %
	Missing Data		
-107	Skipped: Currently pregnant	11	0.8 %
-106	Skipped: Subject is male	1170	86.4 %
	Total	**1,354**	**100%**

Based upon 173 valid cases out of 1,354 total cases.

Location: 208-211 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -107 , -106 , -9 , -8

S0REL92: S0 Children: Any girlfriends currently pregnant with your child

Value	Label	Unweighted Frequency	%
1	Yes	82	6.1 %
5	No	1073	79.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-200	Data missing	1	0.1 %
-109	Skipped: Subject is female	184	13.6 %
-9	Dont Know	14	1.0 %
	Total	**1,354**	**100%**

Based upon 1,155 valid cases out of 1,354 total cases.

Location: 212-215 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -109 , -9 , -8

S0REL92A: S0 Children: Number of girlfriends currently pregnant

Value	Label	Unweighted Frequency	%
1	-	78	5.8 %
2	-	4	0.3 %
	Missing Data		
-200	Data missing	1	0.1 %
-110	Skipped: No girlfriends currently pregnant	1087	80.3 %
-109	Skipped: Subject is female	184	13.6 %
	Total	**1,354**	**100%**

Based upon 82 valid cases out of 1,354 total cases.

Location: 216-219 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -200 , -110 , -109

S0REL93: S0 Children: How many months pregnant

Value	Label	Unweighted Frequency	%
1	1-3 months	35	2.6 %
2	4-6 months	32	2.4 %
3	7-9 months	26	1.9 %
	Missing Data		
-200	Data missing	1	0.1 %
-110	Skipped; No girlfriends currently pregnant	1087	80.3 %
-108	Skipped: Not currently or in past 6m pregnant	173	12.8 %
	Total	**1,354**	**100%**

Based upon 93 valid cases out of 1,354 total cases.

Location: 220-223 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -200 , -110 , -108 , -9 , -8

S0REL113: S0 DEM: This address considered public housing

Value	Label	Unweighted Frequency	%
1	Yes -- a housing project	65	4.8 %
2	Yes -- section 8 housing (not a housing project)	120	8.9 %
3	No -- not public housing	1127	83.2 %
	Missing Data		
-9	Dont Know	42	3.1 %
	Total	**1,354**	**100%**

Based upon 1,312 valid cases out of 1,354 total cases.

Location: 224-225 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0NUMBER: S0 DEM: How far to nearest public housing (number)

Based upon 775 valid cases out of 1,354 total cases.

Location: 226-229 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998 , -102 , -101

S0UNITS: S0 DEM: How far to nearest public housing (blocks or miles - references S0Number)

Value	Label	Unweighted Frequency	%
1	Blocks	983	72.6 %
2	Miles	306	22.6 %
	Missing Data		
-101	Skipped: Address is public housing	65	4.8 %
	Total	**1,354**	**100%**

Based upon 1,289 valid cases out of 1,354 total cases.

Location: 230-233 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -102 , -101 , -9 , -8

S0HHPP01: S0 FamStr: Relationship code person 1 at subjects household

Value	Label	Unweighted Frequency	%
11	Bio father	240	17.7 %
12	Bio mother	815	60.2 %
13	Bio sister	40	3.0 %
14	Bio brother	34	2.5 %
15	Bio grandmom	84	6.2 %
16	Bio granddad	5	0.4 %

Value	Label	Unweighted Frequency	%
17	Stepfather	9	0.7 %
18	Stepmother	3	0.2 %
19	Stepsister	0	0.0 %
20	Stepbrother	0	0.0 %
21	Adoptive father	8	0.6 %
22	Adoptive mother	7	0.5 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	2	0.1 %
28	Daughter	0	0.0 %
29	Aunt	48	3.5 %
30	Uncle	8	0.6 %
31	Female cousin	5	0.4 %
32	Male cousin	2	0.1 %
33	Nephew	0	0.0 %
34	Niece	2	0.1 %
35	Live-in bf/gf	10	0.7 %
36	Female friend	1	0.1 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	1	0.1 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	4	0.3 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
95	Other relative	1	0.1 %
96	Other (not biologically related)	8	0.6 %
97	NA	17	1.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 234-237 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -305 , -99 , -98

S0HHPP02: S0 FamStr: Relationship code person 2 at subjects household

Value	Label	Unweighted Frequency	%
11	Bio father	59	4.4 %
12	Bio mother	153	11.3 %
13	Bio sister	321	23.7 %
14	Bio brother	222	16.4 %
15	Bio grandmom	58	4.3 %
16	Bio granddad	34	2.5 %
17	Stepfather	145	10.7 %
18	Stepmother	39	2.9 %
19	Stepsister	0	0.0 %
20	Stepbrother	2	0.1 %
21	Adoptive father	2	0.1 %
22	Adoptive mother	8	0.6 %
23	Adoptive sister	1	0.1 %
24	Adoptive brother	1	0.1 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	2	0.1 %
28	Daughter	2	0.1 %
29	Aunt	35	2.6 %
30	Uncle	37	2.7 %
31	Female cousin	16	1.2 %
32	Male cousin	13	1.0 %
33	Nephew	12	0.9 %
34	Niece	5	0.4 %
35	Live-in bf/gf	13	1.0 %
36	Female friend	2	0.1 %
37	Male friend	3	0.2 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	1	0.1 %
40	Male roommate	3	0.2 %
41	Female roommate	2	0.1 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	4	0.3 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
95	Other relative	4	0.3 %

Value	Label	Unweighted Frequency	%
96	Other (not biologically related)	34	2.5 %
97	NA	0	0.0 %
	Missing Data		
-305	Not endorsed	121	8.9 %
	Total	**1,354**	**100%**

Based upon 1,233 valid cases out of 1,354 total cases.

Location: 238-241 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -305 , -99 , -98

S0HHPP03: S0 FamStr: Relationship code person 3 at subjects household

Value	Label	Unweighted Frequency	%
11	Bio father	11	0.8 %
12	Bio mother	19	1.4 %
13	Bio sister	263	19.4 %
14	Bio brother	273	20.2 %
15	Bio grandmom	24	1.8 %
16	Bio granddad	11	0.8 %
17	Stepfather	49	3.6 %
18	Stepmother	3	0.2 %
19	Stepsister	11	0.8 %
20	Stepbrother	17	1.3 %
21	Adoptive father	1	0.1 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	2	0.1 %
24	Adoptive brother	1	0.1 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	4	0.3 %
28	Daughter	5	0.4 %
29	Aunt	19	1.4 %
30	Uncle	31	2.3 %
31	Female cousin	21	1.6 %
32	Male cousin	23	1.7 %
33	Nephew	22	1.6 %
34	Niece	25	1.8 %
35	Live-in bf/gf	16	1.2 %
36	Female friend	5	0.4 %

Value	Label	Unweighted Frequency	%
37	Male friend	5	0.4 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	1	0.1 %
41	Female roommate	1	0.1 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	3	0.2 %
46	Foster sister	1	0.1 %
95	Other relative	8	0.6 %
96	Other (not biologically related)	33	2.4 %
97	NA	0	0.0 %
	Missing Data		
-305	Not endorsed	446	32.9 %
	Total	**1,354**	**100%**

Based upon 908 valid cases out of 1,354 total cases.

Location: 242-245 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -305 , -99 , -98

S0HHPP04: S0 FamStr: Relationship code person 4 at subjects household

Value	Label	Unweighted Frequency	%
11	Bio father	4	0.3 %
12	Bio mother	8	0.6 %
13	Bio sister	59	4.4 %
14	Bio brother	126	9.3 %
15	Bio grandmom	12	0.9 %
16	Bio granddad	13	1.0 %
17	Stepfather	37	2.7 %
18	Stepmother	1	0.1 %
19	Stepsister	14	1.0 %
20	Stepbrother	8	0.6 %
21	Adoptive father	0	0.0 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	1	0.1 %
24	Adoptive brother	2	0.1 %
25	Wife	0	0.0 %

Value	Label	Unweighted Frequency	%
26	Husband	0	0.0 %
27	Son	1	0.1 %
28	Daughter	5	0.4 %
29	Aunt	12	0.9 %
30	Uncle	23	1.7 %
31	Female cousin	28	2.1 %
32	Male cousin	27	2.0 %
33	Nephew	24	1.8 %
34	Niece	21	1.6 %
35	Live-in bf/gf	17	1.3 %
36	Female friend	3	0.2 %
37	Male friend	4	0.3 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	0	0.0 %
41	Female roommate	1	0.1 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	2	0.1 %
46	Foster sister	2	0.1 %
95	Other relative	6	0.4 %
96	Other (not biologically related)	35	2.6 %
97	NA	0	0.0 %
	Missing Data		
-305	Not endorsed	858	63.4 %
	Total	**1,354**	**100%**

Based upon 496 valid cases out of 1,354 total cases.

Location: 246-249 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -305 , -99 , -98

S0HHPP05: S0 FamStr: Relationship code person 5 at subjects household

Value	Label	Unweighted Frequency	%
11	Bio father	0	0.0 %
12	Bio mother	1	0.1 %
13	Bio sister	8	0.6 %
14	Bio brother	12	0.9 %

Value	Label	Unweighted Frequency	%
15	Bio grandmom	4	0.3 %
16	Bio granddad	2	0.1 %
17	Stepfather	4	0.3 %
18	Stepmother	0	0.0 %
19	Stepsister	5	0.4 %
20	Stepbrother	11	0.8 %
21	Adoptive father	1	0.1 %
22	Adoptive mother	1	0.1 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	1	0.1 %
28	Daughter	5	0.4 %
29	Aunt	7	0.5 %
30	Uncle	12	0.9 %
31	Female cousin	15	1.1 %
32	Male cousin	21	1.6 %
33	Nephew	15	1.1 %
34	Niece	24	1.8 %
35	Live-in bf/gf	7	0.5 %
36	Female friend	2	0.1 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	0	0.0 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
95	Other relative	5	0.4 %
96	Other (not biologically related)	15	1.1 %
97	NA	0	0.0 %
	Missing Data		
-305	Not endorsed	1176	86.9 %
	Total	**1,354**	**100%**

Based upon 178 valid cases out of 1,354 total cases.

Location: 250-253 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -305 , -99 , -98

S0HHPP06: S0 FamStr: Relationship code person 6 at subjects household

Value	Label	Unweighted Frequency	%
11	Bio father	0	0.0 %
12	Bio mother	0	0.0 %
13	Bio sister	6	0.4 %
14	Bio brother	1	0.1 %
15	Bio grandmom	1	0.1 %
16	Bio granddad	0	0.0 %
17	Stepfather	0	0.0 %
18	Stepmother	0	0.0 %
19	Stepsister	3	0.2 %
20	Stepbrother	1	0.1 %
21	Adoptive father	0	0.0 %
22	Adoptive mother	1	0.1 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	1	0.1 %
28	Daughter	0	0.0 %
29	Aunt	2	0.1 %
30	Uncle	1	0.1 %
31	Female cousin	6	0.4 %
32	Male cousin	11	0.8 %
33	Nephew	9	0.7 %
34	Niece	8	0.6 %
35	Live-in bf/gf	3	0.2 %
36	Female friend	0	0.0 %
37	Male friend	1	0.1 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	0	0.0 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %

Value	Label	Unweighted Frequency	%
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
95	Other relative	0	0.0 %
96	Other (not biologically related)	6	0.4 %
97	NA	0	0.0 %
	Missing Data		
-305	Not endorsed	1293	95.5 %
	Total	**1,354**	**100%**

Based upon 61 valid cases out of 1,354 total cases.

Location: 254-257 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -305 , -99 , -98

S0HHPP07: S0 FamStr: Relationship code person 7 at subjects household

Value	Label	Unweighted Frequency	%
11	Bio father	1	0.1 %
12	Bio mother	0	0.0 %
13	Bio sister	0	0.0 %
14	Bio brother	1	0.1 %
15	Bio grandmom	1	0.1 %
16	Bio granddad	1	0.1 %
17	Stepfather	0	0.0 %
18	Stepmother	0	0.0 %
19	Stepsister	1	0.1 %
20	Stepbrother	1	0.1 %
21	Adoptive father	1	0.1 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	0	0.0 %
29	Aunt	0	0.0 %
30	Uncle	4	0.3 %
31	Female cousin	3	0.2 %
32	Male cousin	2	0.1 %

Value	Label	Unweighted Frequency	%
33	Nephew	1	0.1 %
34	Niece	2	0.1 %
35	Live-in bf/gf	1	0.1 %
36	Female friend	0	0.0 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	0	0.0 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
95	Other relative	1	0.1 %
96	Other (not biologically related)	6	0.4 %
97	NA	0	0.0 %
	Missing Data		
-305	Not endorsed	1327	98.0 %
	Total	**1,354**	**100%**

Based upon 27 valid cases out of 1,354 total cases.

Location: 258-261 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -305 , -99 , -98

S0HHPP08: S0 FamStr: Relationship code person 8 at subjects household

Value	Label	Unweighted Frequency	%
11	Bio father	0	0.0 %
12	Bio mother	0	0.0 %
13	Bio sister	0	0.0 %
14	Bio brother	0	0.0 %
15	Bio grandmom	0	0.0 %
16	Bio granddad	0	0.0 %
17	Stepfather	0	0.0 %
18	Stepmother	0	0.0 %
19	Stepsister	0	0.0 %
20	Stepbrother	0	0.0 %
21	Adoptive father	0	0.0 %

Value	Label	Unweighted Frequency	%
22	Adoptive mother	0	0.0 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	0	0.0 %
29	Aunt	0	0.0 %
30	Uncle	0	0.0 %
31	Female cousin	0	0.0 %
32	Male cousin	3	0.2 %
33	Nephew	1	0.1 %
34	Niece	1	0.1 %
35	Live-in bf/gf	0	0.0 %
36	Female friend	0	0.0 %
37	Male friend	1	0.1 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	0	0.0 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
95	Other relative	1	0.1 %
96	Other (not biologically related)	0	0.0 %
97	NA	0	0.0 %
	Missing Data		
-305	Not endorsed	1347	99.5 %
	Total	**1,354**	**100%**

Based upon 7 valid cases out of 1,354 total cases.

Location: 262-265 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -305 , -99 , -98

S0HHPP09: S0 FamStr: Relationship code person 9 at subjects household

Value	Label	Unweighted Frequency	%
11	Bio father	0	0.0 %
12	Bio mother	0	0.0 %
13	Bio sister	1	0.1 %
14	Bio brother	0	0.0 %
15	Bio grandmom	0	0.0 %
16	Bio granddad	0	0.0 %
17	Stepfather	0	0.0 %
18	Stepmother	0	0.0 %
19	Stepsister	0	0.0 %
20	Stepbrother	0	0.0 %
21	Adoptive father	0	0.0 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	0	0.0 %
29	Aunt	1	0.1 %
30	Uncle	0	0.0 %
31	Female cousin	0	0.0 %
32	Male cousin	0	0.0 %
33	Nephew	0	0.0 %
34	Niece	0	0.0 %
35	Live-in bf/gf	0	0.0 %
36	Female friend	0	0.0 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	0	0.0 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
95	Other relative	1	0.1 %
96	Other (not biologically related)	0	0.0 %
97	NA	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-305	Not endorsed	1351	99.8 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 266-269 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -305 , -99 , -98

S0HHPP10: S0 FamStr: Relationship code person 10 at subjects household

Value	Label	Unweighted Frequency	%
11	Bio father	0	0.0 %
12	Bio mother	0	0.0 %
13	Bio sister	0	0.0 %
14	Bio brother	0	0.0 %
15	Bio grandmom	0	0.0 %
16	Bio granddad	0	0.0 %
17	Stepfather	0	0.0 %
18	Stepmother	0	0.0 %
19	Stepsister	0	0.0 %
20	Stepbrother	0	0.0 %
21	Adoptive father	0	0.0 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	0	0.0 %
29	Aunt	0	0.0 %
30	Uncle	1	0.1 %
31	Female cousin	0	0.0 %
32	Male cousin	0	0.0 %
33	Nephew	0	0.0 %
34	Niece	0	0.0 %
35	Live-in bf/gf	0	0.0 %
36	Female friend	0	0.0 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %

Value	Label	Unweighted Frequency	%
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	0	0.0 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
95	Other relative	0	0.0 %
96	Other (not biologically related)	1	0.1 %
97	NA	0	0.0 %
	Missing Data		
-305	Not endorsed	1352	99.9 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 270-273 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -305 , -99 , -98

S0HHPP11: S0 FamStr: Relationship code person 11 at subjects household

Value	Label	Unweighted Frequency	%
11	Bio father	0	0.0 %
12	Bio mother	0	0.0 %
13	Bio sister	0	0.0 %
14	Bio brother	0	0.0 %
15	Bio grandmom	0	0.0 %
16	Bio granddad	0	0.0 %
17	Stepfather	0	0.0 %
18	Stepmother	0	0.0 %
19	Stepsister	0	0.0 %
20	Stepbrother	0	0.0 %
21	Adoptive father	0	0.0 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %

Value	Label	Unweighted Frequency	%
28	Daughter	0	0.0 %
29	Aunt	0	0.0 %
30	Uncle	0	0.0 %
31	Female cousin	1	0.1 %
32	Male cousin	0	0.0 %
33	Nephew	0	0.0 %
34	Niece	0	0.0 %
35	Live-in bf/gf	0	0.0 %
36	Female friend	0	0.0 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	0	0.0 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
95	Other relative	0	0.0 %
96	Other (not biologically related)	0	0.0 %
97	NA	0	0.0 %
	Missing Data		
-305	Not endorsed	1353	99.9 %
	Total	**1,354**	**100%**

Based upon 1 valid cases out of 1,354 total cases.

Location: 274-277 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -305 , -99 , -98

S0REL117: S0 FamStr: Total number people living in subj household

Based upon 1,354 valid cases out of 1,354 total cases.

- Mean: 3.92
- Median: 4.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 2.17

Location: 278-280 (width: 3; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -99 , -98

S0REL118: S0 FamStr: Total number people living in subj household (trunc to 10)

Value	Label	Unweighted Frequency	%
0	-	17	1.3 %
1	-	98	7.2 %
2	-	248	18.3 %
3	-	280	20.7 %
4	-	279	20.6 %
5	-	177	13.1 %
6	-	106	7.8 %
7	-	67	4.9 %
8	-	37	2.7 %
9	-	18	1.3 %
10	-	27	2.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 281-282 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 98 , 99

S0AGEHH: S0 FamStr: Person 1 - age

Based upon 1,294 valid cases out of 1,354 total cases.

- Mean: 40.74
- Median: 40.00
- Mode: 40.00
- Minimum: 5.00
- Maximum: 97.00
- Standard Deviation: 10.28

Location: 283-285 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S0RELHH: S0 FamStr: Person 1 - relationship

Value	Label	Unweighted Frequency	%
11	Biological father	208	15.4 %
12	Biological mother	838	61.9 %
13	Biological sister	29	2.1 %
14	Biological brother	17	1.3 %
15	Biological grandmother	89	6.6 %
16	Biological grandfather	12	0.9 %

Value	Label	Unweighted Frequency	%
17	Stepfather	23	1.7 %
18	Stepmother	2	0.1 %
19	Stepsister	2	0.1 %
20	Stepbrother	1	0.1 %
21	Adoptive father	6	0.4 %
22	Adoptive mother	12	0.9 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	1	0.1 %
28	Daughter	0	0.0 %
29	Aunt	47	3.5 %
30	Uncle	12	0.9 %
31	Female cousin	4	0.3 %
32	Male cousin	3	0.2 %
33	Nephew	1	0.1 %
34	Niece	0	0.0 %
35	Live-in boyfriend/girlfriend	13	1.0 %
36	Female friend	1	0.1 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	1	0.1 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	3	0.2 %
44	Foster father	1	0.1 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
95	Other relative	3	0.2 %
96	Other (not biologically related)	8	0.6 %
	Missing Data		
97	Missing	17	1.3 %
	Total	**1,354**	**100%**

Based upon 1,337 valid cases out of 1,354 total cases.

Location: 286-287 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S0ORELHH: S0 FamStr: Person 1 - relationship (other)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 288-325 (width: 38; decimal: 0)
Variable Type: character

S0AGEHH2: S0 FamStr: Person 2 - age

Based upon 1,184 valid cases out of 1,354 total cases.

- Mean: 31.89
- Median: 33.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 17.45

Location: 326-328 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S0RELHH2: S0 FamStr: Person 2 - relationship

Value	Label	Unweighted Frequency	%
11	Biological father	96	7.1 %
12	Biological mother	141	10.4 %
13	Biological sister	235	17.4 %
14	Biological brother	201	14.8 %
15	Biological grandmother	65	4.8 %
16	Biological grandfather	33	2.4 %
17	Stepfather	188	13.9 %
18	Stepmother	42	3.1 %
19	Stepsister	3	0.2 %
20	Stepbrother	0	0.0 %
21	Adoptive father	6	0.4 %
22	Adoptive mother	5	0.4 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	2	0.1 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	4	0.3 %
28	Daughter	5	0.4 %
29	Aunt	37	2.7 %
30	Uncle	46	3.4 %
31	Female cousin	11	0.8 %
32	Male cousin	11	0.8 %
33	Nephew	7	0.5 %

Value	Label	Unweighted Frequency	%
34	Niece	2	0.1 %
35	Live-in boyfriend/girlfriend	21	1.6 %
36	Female friend	2	0.1 %
37	Male friend	3	0.2 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	1	0.1 %
40	Male roommate	4	0.3 %
41	Female roommate	2	0.1 %
42	Professional relationship	0	0.0 %
43	Foster mother	1	0.1 %
44	Foster father	3	0.2 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
95	Other relative	6	0.4 %
96	Other (not biologically related)	55	4.1 %
	Missing Data		
97	Missing	115	8.5 %
99	Don't Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,238 valid cases out of 1,354 total cases.

Location: 329-330 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S0ORELH2: S0 FamStr: Person 2 - relationship (other)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 331-362 (width: 32; decimal: 0)
Variable Type: character

S0AGEHH3: S0 FamStr: Person 3 - age

Based upon 967 valid cases out of 1,354 total cases.

- Mean: 17.34
- Median: 14.00
- Mode: 13.00
- Minimum: 1.00
- Maximum: 85.00
- Standard Deviation: 13.05

Location: 363-365 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S0RELHH3: S0 FamStr: Person 3 - relationship

Value	Label	Unweighted Frequency	%
11	Biological father	4	0.3 %
12	Biological mother	5	0.4 %
13	Biological sister	357	26.4 %
14	Biological brother	336	24.8 %
15	Biological grandmother	18	1.3 %
16	Biological grandfather	13	1.0 %
17	Stepfather	15	1.1 %
18	Stepmother	2	0.1 %
19	Stepsister	6	0.4 %
20	Stepbrother	18	1.3 %
21	Adoptive father	0	0.0 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	2	0.1 %
24	Adoptive brother	2	0.1 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	2	0.1 %
28	Daughter	3	0.2 %
29	Aunt	26	1.9 %
30	Uncle	28	2.1 %
31	Female cousin	20	1.5 %
32	Male cousin	26	1.9 %
33	Nephew	14	1.0 %
34	Niece	22	1.6 %
35	Live-in boyfriend/girlfriend	13	1.0 %
36	Female friend	2	0.1 %
37	Male friend	3	0.2 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	2	0.1 %
41	Female roommate	1	0.1 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	4	0.3 %
46	Foster sister	0	0.0 %
95	Other relative	7	0.5 %

Value	Label	Unweighted Frequency	%
96	Other (not biologically related)	39	2.9 %
	Missing Data		
97	Missing	363	26.8 %
99	Don't Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 990 valid cases out of 1,354 total cases.

Location: 366-367 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S0ORELH3: S0 FamStr: Person 3 - relationship (other)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 368-406 (width: 39; decimal: 0)
Variable Type: character

S0AGEHH4: S0 FamStr: Person 4 - age

Based upon 694 valid cases out of 1,354 total cases.

- Mean: 14.54
- Median: 13.00
- Mode: 13.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 10.95

Location: 407-409 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S0RELHH4: S0 FamStr: Person 4 - relationship

Value	Label	Unweighted Frequency	%
11	Biological father	2	0.1 %
12	Biological mother	2	0.1 %
13	Biological sister	232	17.1 %
14	Biological brother	240	17.7 %
15	Biological grandmother	6	0.4 %
16	Biological grandfather	4	0.3 %
17	Stepfather	11	0.8 %
18	Stepmother	0	0.0 %
19	Stepsister	17	1.3 %
20	Stepbrother	9	0.7 %
21	Adoptive father	0	0.0 %

Value	Label	Unweighted Frequency	%
22	Adoptive mother	0	0.0 %
23	Adoptive sister	3	0.2 %
24	Adoptive brother	1	0.1 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	3	0.2 %
29	Aunt	12	0.9 %
30	Uncle	17	1.3 %
31	Female cousin	28	2.1 %
32	Male cousin	29	2.1 %
33	Nephew	16	1.2 %
34	Niece	21	1.6 %
35	Live-in boyfriend/girlfriend	5	0.4 %
36	Female friend	5	0.4 %
37	Male friend	3	0.2 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	1	0.1 %
41	Female roommate	1	0.1 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	3	0.2 %
46	Foster sister	2	0.1 %
95	Other relative	5	0.4 %
96	Other (not biologically related)	32	2.4 %
	Missing Data		
97	Missing	643	47.5 %
99	Don't Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 710 valid cases out of 1,354 total cases.

Location: 410-411 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S0ORELH4: S0 FamStr: Person 4 - relationship (other)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 412-445 (width: 34; decimal: 0)

Variable Type: character

S0AGEHH5: S0 FamStr: Person 5 - age

Based upon 426 valid cases out of 1,354 total cases.

- Mean: 14.17
- Median: 12.00
- Mode: 13.00
- Minimum: 0.00
- Maximum: 82.00
- Standard Deviation: 11.52

Location: 446-448 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S0RELHH5: S0 FamStr: Person 5 - relationship

Value	Label	Unweighted Frequency	%
11	Biological father	1	0.1 %
12	Biological mother	2	0.1 %
13	Biological sister	116	8.6 %
14	Biological brother	130	9.6 %
15	Biological grandmother	1	0.1 %
16	Biological grandfather	3	0.2 %
17	Stepfather	2	0.1 %
18	Stepmother	0	0.0 %
19	Stepsister	4	0.3 %
20	Stepbrother	13	1.0 %
21	Adoptive father	0	0.0 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	2	0.1 %
24	Adoptive brother	1	0.1 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	2	0.1 %
28	Daughter	2	0.1 %
29	Aunt	7	0.5 %
30	Uncle	17	1.3 %
31	Female cousin	22	1.6 %
32	Male cousin	23	1.7 %
33	Nephew	21	1.6 %
34	Niece	15	1.1 %
35	Live-in boyfriend/girlfriend	6	0.4 %
36	Female friend	3	0.2 %

Value	Label	Unweighted Frequency	%
37	Male friend	2	0.1 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	1	0.1 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	3	0.2 %
46	Foster sister	0	0.0 %
95	Other relative	3	0.2 %
96	Other (not biologically related)	29	2.1 %
	Missing Data		
97	Missing	922	68.1 %
99	Don't Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 431 valid cases out of 1,354 total cases.

Location: 449-450 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S0ORELH5: S0 FamStr: Person 5 - relationship (other)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 451-490 (width: 40; decimal: 0)
Variable Type: character

S0AGEHH6: S0 FamStr: Person 6 - age

Based upon 252 valid cases out of 1,354 total cases.

- Mean: 12.55
- Median: 10.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 87.00
- Standard Deviation: 12.30

Location: 491-493 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S0RELHH6: S0 FamStr: Person 6 - relationship

Value	Label	Unweighted Frequency	%
11	Biological father	2	0.1 %
12	Biological mother	2	0.1 %
13	Biological sister	48	3.5 %
14	Biological brother	76	5.6 %
15	Biological grandmother	3	0.2 %
16	Biological grandfather	0	0.0 %
17	Stepfather	3	0.2 %
18	Stepmother	0	0.0 %
19	Stepsister	6	0.4 %
20	Stepbrother	4	0.3 %
21	Adoptive father	0	0.0 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	2	0.1 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	3	0.2 %
29	Aunt	4	0.3 %
30	Uncle	4	0.3 %
31	Female cousin	21	1.6 %
32	Male cousin	14	1.0 %
33	Nephew	11	0.8 %
34	Niece	23	1.7 %
35	Live-in boyfriend/girlfriend	4	0.3 %
36	Female friend	1	0.1 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	1	0.1 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	1	0.1 %
95	Other relative	4	0.3 %
96	Other (not biologically related)	18	1.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
97	Missing	1099	81.2 %
	Total	**1,354**	**100%**

Based upon 255 valid cases out of 1,354 total cases.

Location: 494-495 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S0ORELH6: S0 FamStr: Person 6 - relationship (other)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 496-529 (width: 34; decimal: 0)
Variable Type: character

S0AGEHH7: S0 FamStr: Person 7 - age

Based upon 146 valid cases out of 1,354 total cases.

- Mean: 11.45
- Median: 9.00
- Minimum: 0.00
- Maximum: 87.00
- Standard Deviation: 12.38

Location: 530-532 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S0RELHH7: S0 FamStr: Person 7 - relationship

Value	Label	Unweighted Frequency	%
11	Biological father	1	0.1 %
12	Biological mother	3	0.2 %
13	Biological sister	29	2.1 %
14	Biological brother	35	2.6 %
15	Biological grandmother	1	0.1 %
16	Biological grandfather	1	0.1 %
17	Stepfather	0	0.0 %
18	Stepmother	0	0.0 %
19	Stepsister	1	0.1 %
20	Stepbrother	2	0.1 %
21	Adoptive father	0	0.0 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	1	0.1 %
24	Adoptive brother	1	0.1 %
25	Wife	0	0.0 %

Value	Label	Unweighted Frequency	%
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	0	0.0 %
29	Aunt	1	0.1 %
30	Uncle	2	0.1 %
31	Female cousin	16	1.2 %
32	Male cousin	13	1.0 %
33	Nephew	14	1.0 %
34	Niece	14	1.0 %
35	Live-in boyfriend/girlfriend	5	0.4 %
36	Female friend	0	0.0 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	1	0.1 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
95	Other relative	2	0.1 %
96	Other (not biologically related)	6	0.4 %
	Missing Data		
97	Missing	1205	89.0 %
	Total	**1,354**	**100%**

Based upon 149 valid cases out of 1,354 total cases.

Location: 533-534 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S0ORELH7: S0 FamStr: Person 7 - relationship (other)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 535-555 (width: 21; decimal: 0)
Variable Type: character

S0AGEHH8: S0 FamStr: Person 8 - age

Based upon 79 valid cases out of 1,354 total cases.

- Mean: 11.59
- Median: 9.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 10.43

Location: 556-558 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S0RELHH8: S0 FamStr: Person 8 - relationship

Value	Label	Unweighted Frequency	%
11	Biological father	1	0.1 %
12	Biological mother	0	0.0 %
13	Biological sister	13	1.0 %
14	Biological brother	15	1.1 %
15	Biological grandmother	0	0.0 %
16	Biological grandfather	0	0.0 %
17	Stepfather	0	0.0 %
18	Stepmother	0	0.0 %
19	Stepsister	1	0.1 %
20	Stepbrother	0	0.0 %
21	Adoptive father	0	0.0 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	1	0.1 %
28	Daughter	1	0.1 %
29	Aunt	0	0.0 %
30	Uncle	5	0.4 %
31	Female cousin	12	0.9 %
32	Male cousin	9	0.7 %
33	Nephew	9	0.7 %
34	Niece	4	0.3 %
35	Live-in boyfriend/girlfriend	1	0.1 %
36	Female friend	1	0.1 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	1	0.1 %

Value	Label	Unweighted Frequency	%
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
95	Other relative	1	0.1 %
96	Other (not biologically related)	7	0.5 %
	Missing Data		
97	Missing	1272	93.9 %
	Total	**1,354**	**100%**

Based upon 82 valid cases out of 1,354 total cases.

Location: 559-560 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S0ORELH8: S0 FamStr: Person 8 - relationship (other)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 561-596 (width: 36; decimal: 0)
Variable Type: character

S0AGEHH9: S0 FamStr: Person 9 - age

Based upon 44 valid cases out of 1,354 total cases.

- Mean: 12.30
- Median: 8.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 12.47

Location: 597-599 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S0RELHH9: S0 FamStr: Person 9 - relationship

Value	Label	Unweighted Frequency	%
11	Biological father	0	0.0 %
12	Biological mother	2	0.1 %
13	Biological sister	7	0.5 %
14	Biological brother	5	0.4 %
15	Biological grandmother	0	0.0 %

Value	Label	Unweighted Frequency	%
16	Biological grandfather	0	0.0 %
17	Stepfather	0	0.0 %
18	Stepmother	0	0.0 %
19	Stepsister	0	0.0 %
20	Stepbrother	0	0.0 %
21	Adoptive father	0	0.0 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	1	0.1 %
29	Aunt	0	0.0 %
30	Uncle	3	0.2 %
31	Female cousin	5	0.4 %
32	Male cousin	7	0.5 %
33	Nephew	7	0.5 %
34	Niece	3	0.2 %
35	Live-in boyfriend/girlfriend	0	0.0 %
36	Female friend	0	0.0 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	1	0.1 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
95	Other relative	0	0.0 %
96	Other (not biologically related)	4	0.3 %
	Missing Data		
97	Missing	1309	96.7 %
	Total	**1,354**	**100%**

Based upon 45 valid cases out of 1,354 total cases.

Location: 600-601 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

S0ORELH9: S0 FamStr: Person 9 - relationship (other)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 602-625 (width: 24; decimal: 0)
Variable Type: character

S0AGEH10: S0 FamStr: Person 10 - age

Based upon 27 valid cases out of 1,354 total cases.

- Mean: 10.89
- Median: 9.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 8.60

Location: 626-628 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

S0RELH10: S0 FamStr: Person 10 - relationship

Value	Label	Unweighted Frequency	%
11	Biological father	0	0.0 %
12	Biological mother	0	0.0 %
13	Biological sister	4	0.3 %
14	Biological brother	3	0.2 %
15	Biological grandmother	0	0.0 %
16	Biological grandfather	0	0.0 %
17	Stepfather	0	0.0 %
18	Stepmother	0	0.0 %
19	Stepsister	0	0.0 %
20	Stepbrother	1	0.1 %
21	Adoptive father	0	0.0 %
22	Adoptive mother	0	0.0 %
23	Adoptive sister	0	0.0 %
24	Adoptive brother	0	0.0 %
25	Wife	0	0.0 %
26	Husband	0	0.0 %
27	Son	0	0.0 %
28	Daughter	0	0.0 %
29	Aunt	1	0.1 %
30	Uncle	0	0.0 %
31	Female cousin	5	0.4 %
32	Male cousin	6	0.4 %

Value	Label	Unweighted Frequency	%
33	Nephew	4	0.3 %
34	Niece	1	0.1 %
35	Live-in boyfriend/girlfriend	0	0.0 %
36	Female friend	0	0.0 %
37	Male friend	0	0.0 %
38	Boyfriend (not live-in)	0	0.0 %
39	Girlfriend (not live-in)	0	0.0 %
40	Male roommate	0	0.0 %
41	Female roommate	0	0.0 %
42	Professional relationship	0	0.0 %
43	Foster mother	0	0.0 %
44	Foster father	0	0.0 %
45	Foster brother	0	0.0 %
46	Foster sister	0	0.0 %
95	Other relative	0	0.0 %
96	Other (not biologically related)	2	0.1 %
	Missing Data		
97	Missing	1327	98.0 %
	Total	**1,354**	**100%**

Based upon 27 valid cases out of 1,354 total cases.

Location: 629-630 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

S0OREL10: S0 FamStr: Person 10 - relationship (other)

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 631-648 (width: 18; decimal: 0)
Variable Type: character

S0REL149: S0 RunAway: Ever run away from where you were living

Value	Label	Unweighted Frequency	%
1	Yes	457	33.8 %
5	No	897	66.2 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 649-650 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0REL150: S0 RunAway: Number of times ran away

Value	Label	Unweighted Frequency	%
1	1 time	153	11.3 %
2	2-3 times	165	12.2 %
3	4 or more times	139	10.3 %
	Missing Data		
-101	Skipped: Never ran away	897	66.2 %
	Total	**1,354**	**100%**

Based upon 457 valid cases out of 1,354 total cases.

Location: 651-654 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -9 , -8

S0REL151: S0 RunAway: Age first time ran away

Based upon 457 valid cases out of 1,354 total cases.

Location: 655-658 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -101 , -99 , -98

S0REL152: S0 RunAway: Ever travel not knowing where going/where you would stay

Value	Label	Unweighted Frequency	%
1	Yes	199	14.7 %
5	No	1155	85.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 659-659 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

S0REL153: S0 RunAway: Age first time traveled around

Based upon 199 valid cases out of 1,354 total cases.

- Mean: 14.20
- Median: 14.00
- Minimum: 7.00
- Maximum: 17.00
- Standard Deviation: 1.91

Location: 660-666 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , 98 , 99

S0REL154: S0 RunAway: Where did you go when traveled around

Value	Label	Unweighted Frequency	%
1	Home of boyfriend/girlfriend	14	1.0 %
2	Home of friend	92	6.8 %
3	Home of relative	17	1.3 %
4	Streets	38	2.8 %
5	Shelter	3	0.2 %
96	Other (specify)	35	2.6 %
	Missing Data		
-999999	Not Applicable	1155	85.3 %
	Total	**1,354**	**100%**

Based upon 199 valid cases out of 1,354 total cases.

Location: 667-673 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , 98 , 99

S0REL156: S0 RunAway: How long were you gone (number)

Based upon 199 valid cases out of 1,354 total cases.

Location: 674-680 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , 998 , 999

S0REL157: S0 RunAway: How long were you gone (units)

Value	Label	Unweighted Frequency	%
1	Hours	4	0.3 %
2	Days	67	4.9 %
3	Weeks	50	3.7 %
4	Months	78	5.8 %
	Missing Data		
-999999	Not Applicable	1155	85.3 %
	Total	**1,354**	**100%**

Based upon 199 valid cases out of 1,354 total cases.

Location: 681-687 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , 8 , 9

S0NHRS: S0 RunAway: How long were you gone - converted to hours

Based upon 199 valid cases out of 1,354 total cases.

- Mean: 1923.50

- Median: 336.00
- Mode: 48.00
- Minimum: 3.00
- Maximum: 36000.00
- Standard Deviation: 4131.08

Location: 688-694 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , 999998 , 999999

S0REL159: S0 RunAway: Did you tell anyone where you were

Value	Label	Unweighted Frequency	%
1	Yes	71	5.2 %
5	No	128	9.5 %
	Missing Data		
-999999	Not Applicable	1155	85.3 %
	Total	**1,354**	**100%**

Based upon 199 valid cases out of 1,354 total cases.

Location: 695-701 (width: 7; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999999 , 8 , 9

S0AGE: S0 DEM: Subject Age at Baseline - Truncated

Value	Label	Unweighted Frequency	%
14	-	162	12.0 %
15	-	255	18.8 %
16	-	412	30.4 %
17	-	413	30.5 %
18	-	111	8.2 %
19	-	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 702-703 (width: 2; decimal: 0)
Variable Type: numeric

S0CTAGE: S0 DEM: Subject Age at Baseline - Continuous

Based upon 1,354 valid cases out of 1,354 total cases.

- Mean: 16.539479949894
- Minimum: 14.053388090349
- Maximum: 19.520876112252
- Standard Deviation: 1.104602421732

Location: 704-718 (width: 15; decimal: 12)

Variable Type: numeric

S0BIODAD: S0 FamStr: Biological father in house

Value	Label	Unweighted Frequency	%
0	Absent	1039	76.7 %
1	Present	315	23.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 719-720 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0BIOMOM: S0 FamStr: Biological mother in house

Value	Label	Unweighted Frequency	%
0	Absent	358	26.4 %
1	Present	996	73.6 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 721-722 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0BIOSIS: S0 FamStr: Biological sister in house

Value	Label	Unweighted Frequency	%
0	Absent	656	48.4 %
1	Present	698	51.6 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 723-724 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0BIOBRO: S0 FamStr: Biological brother in house

Value	Label	Unweighted Frequency	%
0	Absent	685	50.6 %
1	Present	669	49.4 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 725-726 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0GRANDMOM: S0 FamStr: Biological grandmother in house

Value	Label	Unweighted Frequency	%
0	Absent	1170	86.4 %
1	Present	184	13.6 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 727-728 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0GRANDDAD: S0 FamStr: Biological grandfather in house

Value	Label	Unweighted Frequency	%
0	Absent	1288	95.1 %
1	Present	66	4.9 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 729-730 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0STEPDAD: S0 FamStr: Stepdad in house

Value	Label	Unweighted Frequency	%
0	Absent	1110	82.0 %
1	Present	244	18.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 731-732 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0STEPMOM: S0 FamStr: Stepmom in house

Value	Label	Unweighted Frequency	%
0	Absent	1308	96.6 %
1	Present	46	3.4 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 733-734 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0STEPSIS: S0 FamStr: Stepsis in house

Value	Label	Unweighted Frequency	%
0	Absent	1320	97.5 %
1	Present	34	2.5 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 735-736 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0STEPBRO: S0 FamStr: Stepbro in house

Value	Label	Unweighted Frequency	%
0	Absent	1314	97.0 %
1	Present	40	3.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 737-738 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0ADOPTDAD: S0 FamStr: Adoptdad in house

Value	Label	Unweighted Frequency	%
0	Absent	1341	99.0 %
1	Present	13	1.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 739-740 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0ADOPTMOM: S0 FamStr: Adoptmom in house

Value	Label	Unweighted Frequency	%
0	Absent	1337	98.7 %
1	Present	17	1.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 741-742 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0ADOPTSIS: S0 FamStr: Adoptsis in house

Value	Label	Unweighted Frequency	%
0	Absent	1350	99.7 %
1	Present	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 743-744 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0ADOPTBRO: S0 FamStr: Adoptbro in house

Value	Label	Unweighted Frequency	%
0	Absent	1350	99.7 %
1	Present	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 745-746 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0WIFE: S0 FamStr: Wife in house

Value	Label	Unweighted Frequency	%
0	Absent	1354	100.0 %
1	Present	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 747-748 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0HUSBAND: S0 FamStr: Husband in house

Value	Label	Unweighted Frequency	%
0	Absent	1354	100.0 %
1	Present	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 749-750 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0SON: S0 FamStr: Son in house

Value	Label	Unweighted Frequency	%
0	Absent	1343	99.2 %
1	Present	11	0.8 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 751-752 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0DAUGHTER: S0 FamStr: Daughter in house

Value	Label	Unweighted Frequency	%
0	Absent	1337	98.7 %
1	Present	17	1.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 753-754 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0AUNT: S0 FamStr: Aunt in house

Value	Label	Unweighted Frequency	%
0	Absent	1230	90.8 %
1	Present	124	9.2 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 755-756 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0UNCLE: S0 FamStr: Uncle in house

Value	Label	Unweighted Frequency	%
0	Absent	1237	91.4 %
1	Present	117	8.6 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 757-758 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0GIRLCUZ: S0 FamStr: Femalecousin in house

Value	Label	Unweighted Frequency	%
0	Absent	1259	93.0 %
1	Present	95	7.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 759-760 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0BOYCUZ: S0 FamStr: Malecousin in house

Value	Label	Unweighted Frequency	%
0	Absent	1252	92.5 %
1	Present	102	7.5 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 761-762 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0NEPHEW: S0 FamStr: Newphew in house

Value	Label	Unweighted Frequency	%
0	Absent	1270	93.8 %
1	Present	84	6.2 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 763-764 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0NIECE: S0 FamStr: Niece in house

Value	Label	Unweighted Frequency	%
0	Absent	1266	93.5 %
1	Present	88	6.5 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 765-766 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0LIVEIN: S0 FamStr: LiveinBFGF in house

Value	Label	Unweighted Frequency	%
0	Absent	1287	95.1 %
1	Present	67	4.9 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 767-768 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0FEMFRND: S0 FamStr: Femalesfriend in house

Value	Label	Unweighted Frequency	%
0	Absent	1341	99.0 %
1	Present	13	1.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 769-770 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0MALEFRND: S0 FamStr: Malefriend in house

Value	Label	Unweighted Frequency	%
0	Absent	1340	99.0 %
1	Present	14	1.0 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 771-772 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0BOYFRND: S0 FamStr: Boyfriend in house

Value	Label	Unweighted Frequency	%
0	Absent	1354	100.0 %
1	Present	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 773-774 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0GIRLFRND: S0 FamStr: Girlfriend in house

Value	Label	Unweighted Frequency	%
0	Absent	1353	99.9 %
1	Present	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 775-776 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0MALEROOM: S0 FamStr: Maleroommate in house

Value	Label	Unweighted Frequency	%
0	Absent	1349	99.6 %
1	Present	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 777-778 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0FEMROOM: S0 FamStr: Femaleroommate in house

Value	Label	Unweighted Frequency	%
0	Absent	1350	99.7 %
1	Present	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 779-780 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0PROF: S0 FamStr: Profrelation in house

Value	Label	Unweighted Frequency	%
0	Absent	1354	100.0 %
1	Present	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 781-782 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0FOSTMOM: S0 FamStr: Fostermom in house

Value	Label	Unweighted Frequency	%
0	Absent	1350	99.7 %
1	Present	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 783-784 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0FOSTDAD: S0 FamStr: Fosterdad in house

Value	Label	Unweighted Frequency	%
0	Absent	1350	99.7 %
1	Present	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 785-786 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0FOSTBRO: S0 FamStr: Fosterbro in house

Value	Label	Unweighted Frequency	%
0	Absent	1349	99.6 %
1	Present	5	0.4 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 787-788 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0FOSTSIS: S0 FamStr: Fostersis in house

Value	Label	Unweighted Frequency	%
0	Absent	1351	99.8 %
1	Present	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 789-790 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0OTHERREL: S0 FamStr: OtherRelative in house

Value	Label	Unweighted Frequency	%
0	Absent	1327	98.0 %
1	Present	27	2.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 791-792 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0OTHER: S0 FamStr: Other in house

Value	Label	Unweighted Frequency	%
0	Absent	1216	89.8 %
1	Present	138	10.2 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 793-794 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0ADULTS: S0 FamStr: Number of Adults in home

Value	Label	Unweighted Frequency	%
0	-	64	4.7 %
1	-	575	42.5 %
2	-	611	45.1 %
3	-	85	6.3 %
4	-	17	1.3 %
5	-	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 795-796 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0FAMSTR: S0 FamStr: Family Structure

Value	Label	Unweighted Frequency	%
1	TWO BIO PARENTS	199	14.7 %
2	SINGLE BIO MOM, NEVER MARRIED	0	0.0 %
3	SINGLE BIO MOM, DIVORCED OR SEPARATED	0	0.0 %
4	SINGLE BIO MOM WIDOWED	0	0.0 %
5	BIO MOM AND STEPDAD	238	17.6 %
6	SINGLE BIO DAD	74	5.5 %
7	OTHER ADULT RELATIVE	164	12.1 %
8	BIO DAD AND STEPMOM	42	3.1 %
9	TWO ADOPTIVE PARENTS	10	0.7 %
10	NO ADULT IN HOME	64	4.7 %
11	OTHER	563	41.6 %
12	SINGLE BIO MOM, MARRIED, BIO DAD NOT PRESENT	0	0.0 %
13	SINGLE BIO MOM, MARITAL STATUS UNKNOWN	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 797-798 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

S0ETHCTY: S0 DEM: Subjects Ethnicity

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Asian	2	0.1 %
4	Native American	27	2.0 %
5	Hispanic	454	33.5 %
96	Other	36	2.7 %
98	Refusal	0	0.0 %
99	Dont Know	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 799-800 (width: 2; decimal: 0)
Variable Type: numeric

S0ETHN_R: S0 DEM: Subjects Ethnicity - Recoded

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Hispanic	454	33.5 %
4	Other	65	4.8 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 801-801 (width: 1; decimal: 0)
Variable Type: numeric

S0SITE: S0 DEM: Study Site Location

Value	Label	Unweighted Frequency	%
1	Philadelphia	700	51.7 %
2	Phoenix	654	48.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 802-802 (width: 1; decimal: 0)
Variable Type: numeric

S0NBPHOM: S0 FamStr: Number of biological parents living at home

Value	Label	Unweighted Frequency	%
0	-	243	17.9 %

Value	Label	Unweighted Frequency	%
1	-	912	67.4 %
2	-	199	14.7 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 803-803 (width: 1; decimal: 0)
Variable Type: numeric

S1BL_ETH: S1 DEM: Ethnicity stated at Baseline

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Asian	2	0.1 %
4	Native American	27	2.0 %
5	Hispanic	454	33.5 %
96	Other	36	2.7 %
98	Refusal	0	0.0 %
99	Dont Know	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 804-807 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998

S1JOBQ_MIL01: S1 Military: Been on active duty for military training/service during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 808-811 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S1JOBQ_MIL02: S1 Military: Attempted to enlist in the military during recall period but unable

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 812-815 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S1JOBQ_VOT01: S1 Voting: Is registered to vote

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 816-819 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S1JOBQ_VOT02: S1 Voting: Voted in any election during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Not asked in this version	1265	93.4 %
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 820-823 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -148 , -147 , -9 , -8

S1DEMO_PARDTH: S1 FamStr: Biological parents passed away during recall period

Value	Label	Unweighted Frequency	%
1	Yes - Mom	4	0.3 %
2	Yes - Dad	5	0.4 %
3	Yes - Both	1	0.1 %
5	No	1242	91.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-9	Dont Know	10	0.7 %
	Total	**1,354**	**100%**

Based upon 1,252 valid cases out of 1,354 total cases.

Location: 824-827 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1DEMO_PMONDTN: S1 FamStr: Primary caregiver pass away during recall period

Value	Label	Unweighted Frequency	%
1	Yes	9	0.7 %
5	No	983	72.6 %
	Missing Data		
-800	Missing due to data cleaning	1	0.1 %
-202	IntCompStat = 2 partial interview, data missing	3	0.2 %
-201	IntCompStat = 4 missed interview	89	6.6 %
-101	Skipped: Subject didnt have a primary caregiver	269	19.9 %
	Total	**1,354**	**100%**

Based upon 992 valid cases out of 1,354 total cases.

Location: 828-831 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S1SGEND: S1 DEM: Subject gender

Value	Label	Unweighted Frequency	%
1	Male	1094	80.8 %
2	Female	171	12.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,265 valid cases out of 1,354 total cases.

Location: 832-835 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S1ETHN_R: S1 DEM: Subjects Ethnicity - Recoded

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Hispanic	454	33.5 %
4	Other	65	4.8 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 836-836 (width: 1; decimal: 0)
Variable Type: numeric

S1SITE: S1 DEM: Study Site Location

Value	Label	Unweighted Frequency	%
1	Philadelphia	700	51.7 %
2	Phoenix	654	48.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 837-837 (width: 1; decimal: 0)
Variable Type: numeric

S1AGE: S1 DEM: Subject Age as of the interview date - Truncated

Value	Label	Unweighted Frequency	%
14	-	43	3.2 %
15	-	221	16.3 %
16	-	311	23.0 %
17	-	387	28.6 %
18	-	291	21.5 %
19	-	11	0.8 %
20	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	89	6.6 %
	Total	**1,354**	**100%**

Based upon 1,265 valid cases out of 1,354 total cases.

Location: 838-841 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -201

S1CTAGE: S1 DEM: Subject Age as of the interview date - Continuous

Based upon 1,265 valid cases out of 1,354 total cases.

- Mean: 17.0638054503
- Minimum: 14.5078713210
- Maximum: 20.2162902122
- Standard Deviation: 1.1069874137

Location: 842-856 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -201.0000000000

S2BL_ETH: S2 DEM: Ethnicity stated at Baseline

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Asian	2	0.1 %
4	Native American	27	2.0 %
5	Hispanic	454	33.5 %
96	Other	36	2.7 %
98	Refusal	0	0.0 %
99	Dont Know	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 857-860 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998

S2JOBQ_MIL01: S2 Military: Been on active duty for military training/service during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 861-864 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S2JOBQ_MIL02: S2 Military: Attempted to enlist in the military during recall period but unable

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 865-868 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S2JOBQ_VOT01: S2 Voting: Is registered to vote

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 869-872 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S2JOBQ_VOT02: S2 Voting: Voted in any election during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Not asked in this version	1262	93.2 %
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 873-876 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -148 , -147 , -9 , -8

S2DEMO_PARDTH: S2 FamStr: Biological parents passed away during recall period

Value	Label	Unweighted Frequency	%
1	Yes - Mom	4	0.3 %
2	Yes - Dad	4	0.3 %
3	Yes - Both	1	0.1 %
5	No	1249	92.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,258 valid cases out of 1,354 total cases.

Location: 877-880 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2DEMO_PMONDTN: S2 FamStr: Primary caregiver pass away during recall period

Value	Label	Unweighted Frequency	%
1	Yes	8	0.6 %
5	No	820	60.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	92	6.8 %
-101	Skipped: Subject didnt have a primary caregiver	433	32.0 %
	Total	**1,354**	**100%**

Based upon 828 valid cases out of 1,354 total cases.

Location: 881-884 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S2SGEND: S2 DEM: Subject gender

Value	Label	Unweighted Frequency	%
1	Male	1087	80.3 %
2	Female	175	12.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 885-888 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S2ETHN_R: S2 DEM: Subjects Ethnicity - Recoded

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Hispanic	454	33.5 %
4	Other	65	4.8 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 889-889 (width: 1; decimal: 0)
Variable Type: numeric

S2SITE: S2 DEM: Study Site Location

Value	Label	Unweighted Frequency	%
1	Philadelphia	700	51.7 %
2	Phoenix	654	48.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 890-890 (width: 1; decimal: 0)
Variable Type: numeric

S2AGE: S2 DEM: Subject Age as of the interview date - Truncated

Value	Label	Unweighted Frequency	%
15	-	150	11.1 %
16	-	243	17.9 %
17	-	383	28.3 %
18	-	370	27.3 %
19	-	115	8.5 %
20	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	92	6.8 %
	Total	**1,354**	**100%**

Based upon 1,262 valid cases out of 1,354 total cases.

Location: 891-894 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -201

S2CTAGE: S2 DEM: Subject Age as of the interview date - Continuous

Based upon 1,262 valid cases out of 1,354 total cases.

- Mean: 17.5428873913
- Minimum: 15.0499657769
- Maximum: 20.6160164271
- Standard Deviation: 1.1057463870

Location: 895-909 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -201.0000000000

S3BL_ETH: S3 DEM: Ethnicity stated at Baseline

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Asian	2	0.1 %
4	Native American	27	2.0 %
5	Hispanic	454	33.5 %
96	Other	36	2.7 %
98	Refusal	0	0.0 %
99	Dont Know	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 910-913 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998

S3JOBQ_MIL01: S3 Military: Been on active duty for military training/service during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 914-917 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S3JOBQ_MIL02: S3 Military: Attempted to enlist in the military during recall period but unable

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 918-921 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S3JOBQ_VOT01: S3 Voting: Is registered to vote

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 922-925 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S3JOBQ_VOT02: S3 Voting: Voted in any election during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-400	Not asked in this version	1229	90.8 %
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 926-929 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -400 , -202 , -201 , -148 , -147 , -9 , -8

S3DEMO_PARDTH: S3 FamStr: Biological parents passed away during recall period

Value	Label	Unweighted Frequency	%
1	Yes - Mom	4	0.3 %
2	Yes - Dad	6	0.4 %
3	Yes - Both	0	0.0 %
5	No	1219	90.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 930-933 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3DEMO_PMONDTN: S3 FamStr: Primary caregiver pass away during recall period

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	676	49.9 %
	Missing Data		
-800	Missing due to data cleaning	1	0.1 %
-201	IntCompStat = 4 missed interview	125	9.2 %
-101	Skipped: Subject didnt have a primary caregiver	550	40.6 %
	Total	**1,354**	**100%**

Based upon 678 valid cases out of 1,354 total cases.

Location: 934-937 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S3SGEND: S3 DEM: Subject gender

Value	Label	Unweighted Frequency	%
1	Male	1058	78.1 %
2	Female	171	12.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 938-941 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S3ETHN_R: S3 DEM: Subjects Ethnicity - Recoded

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Hispanic	454	33.5 %
4	Other	65	4.8 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 942-942 (width: 1; decimal: 0)
Variable Type: numeric

S3SITE: S3 DEM: Study Site Location

Value	Label	Unweighted Frequency	%
1	Philadelphia	700	51.7 %
2	Phoenix	654	48.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 943-943 (width: 1; decimal: 0)
Variable Type: numeric

S3AGE: S3 DEM: Subject Age as of the interview date - Truncated

Value	Label	Unweighted Frequency	%
15	-	44	3.2 %
16	-	217	16.0 %
17	-	313	23.1 %
18	-	379	28.0 %
19	-	265	19.6 %
20	-	10	0.7 %
21	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	125	9.2 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 944-947 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -201

S3CTAGE: S3 DEM: Subject Age as of the interview date - Continuous

Based upon 1,229 valid cases out of 1,354 total cases.

- Mean: 18.0270009117
- Minimum: 15.5756331280
- Maximum: 21.1170431212
- Standard Deviation: 1.1095027618

Location: 948-962 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -201.0000000000

S4BL_ETH: S4 DEM: Ethnicity stated at Baseline

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Asian	2	0.1 %
4	Native American	27	2.0 %
5	Hispanic	454	33.5 %
96	Other	36	2.7 %
98	Refusal	0	0.0 %
99	Dont Know	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 963-966 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998

S4JOBQ_MIL01: S4 Military: Been on active duty for military training/service during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	4	0.3 %
	Missing Data		
-400	Not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-147	Skipped: Subject under age 18	1	0.1 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 967-970 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S4JOBQ_MIL02: S4 Military: Attempted to enlist in the military during recall period but unable

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	4	0.3 %
	Missing Data		
-400	Not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-147	Skipped: Subject under age 18	1	0.1 %
	Total	**1,354**	**100%**

Based upon 4 valid cases out of 1,354 total cases.

Location: 971-974 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S4JOBQ_VOT01: S4 Voting: Is registered to vote

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
5	No	1	0.1 %
	Missing Data		
-400	Not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %
-147	Skipped: Subject under age 18	1	0.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 3 valid cases out of 1,354 total cases.

Location: 975-978 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S4JOBQ_VOT02: S4 Voting: Voted in any election during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	1	0.1 %
	Missing Data		
-400	Not asked in this version	1226	90.5 %
-201	IntCompStat = 4 missed interview	123	9.1 %

Value	Label	Unweighted Frequency	%
-148	Skipped: Not registered to vote	2	0.1 %
-147	Skipped: Subject under age 18	1	0.1 %
	Total	**1,354**	**100%**

Based upon 2 valid cases out of 1,354 total cases.

Location: 979-982 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -148 , -147 , -9 , -8

S4DEMO_PARDTH: S4 FamStr: Biological parents passed away during recall period

Value	Label	Unweighted Frequency	%
1	Yes - Mom	3	0.2 %
2	Yes - Dad	4	0.3 %
3	Yes - Both	0	0.0 %
5	No	1222	90.3 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,229 valid cases out of 1,354 total cases.

Location: 983-986 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4DEMO_PMONDTN: S4 FamStr: Primary caregiver pass away during recall period

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	553	40.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
-101	Skipped: Subject didnt have a primary caregiver	673	49.7 %
	Total	**1,354**	**100%**

Based upon 558 valid cases out of 1,354 total cases.

Location: 987-990 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S4SGEND: S4 DEM: Subject gender

Value	Label	Unweighted Frequency	%
1	Male	1061	78.4 %
2	Female	170	12.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 991-994 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S4ETHN_R: S4 DEM: Subjects Ethnicity - Recoded

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Hispanic	454	33.5 %
4	Other	65	4.8 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 995-995 (width: 1; decimal: 0)
Variable Type: numeric

S4SITE: S4 DEM: Study Site Location

Value	Label	Unweighted Frequency	%
1	Philadelphia	700	51.7 %
2	Phoenix	654	48.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 996-996 (width: 1; decimal: 0)
Variable Type: numeric

S4AGE: S4 DEM: Subject Age as of the interview date - Truncated

Value	Label	Unweighted Frequency	%
16	-	148	10.9 %
17	-	245	18.1 %
18	-	377	27.8 %
19	-	360	26.6 %

Value	Label	Unweighted Frequency	%
20	-	100	7.4 %
21	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	123	9.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 997-1000 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S4CTAGE: S4 DEM: Subject Age as of the interview date - Continuous

Based upon 1,231 valid cases out of 1,354 total cases.

- Mean: 18.5166342228
- Minimum: 16.0219028063
- Maximum: 21.6125941136
- Standard Deviation: 1.1039180217

Location: 1001-1015 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -201.0000000000

S5BL_ETH: S5 DEM: Ethnicity stated at Baseline

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Asian	2	0.1 %
4	Native American	27	2.0 %
5	Hispanic	454	33.5 %
96	Other	36	2.7 %
98	Refusal	0	0.0 %
99	Dont Know	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1016-1019 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998

S5JOBQ_MIL01: S5 Military: Been on active duty for military training/service during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	163	12.0 %
	Missing Data		
-400	Not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-147	Skipped: Subject under age 18	25	1.8 %
	Total	**1,354**	**100%**

Based upon 163 valid cases out of 1,354 total cases.

Location: 1020-1023 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S5JOBQ_MIL02: S5 Military: Attempted to enlist in the military during recall period but unable

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	156	11.5 %
	Missing Data		
-400	Not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-147	Skipped: Subject under age 18	25	1.8 %
	Total	**1,354**	**100%**

Based upon 163 valid cases out of 1,354 total cases.

Location: 1024-1027 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S5JOBQ_VOT01: S5 Voting: Is registered to vote

Value	Label	Unweighted Frequency	%
1	Yes	54	4.0 %
5	No	109	8.1 %
	Missing Data		
-400	Not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-147	Skipped: Subject under age 18	25	1.8 %
	Total	**1,354**	**100%**

Based upon 163 valid cases out of 1,354 total cases.

Location: 1028-1031 (width: 4; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S5JOBQ_VOT02: S5 Voting: Voted in any election during recall period

Value	Label	Unweighted Frequency	%
1	Yes	29	2.1 %
5	No	25	1.8 %
	Missing Data		
-400	Not asked in this version	1046	77.3 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-148	Skipped: Not registered to vote	109	8.1 %
-147	Skipped: Subject under age 18	25	1.8 %
	Total	**1,354**	**100%**

Based upon 54 valid cases out of 1,354 total cases.

Location: 1032-1035 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -148 , -147 , -9 , -8

S5DEMO_PARDTH: S5 FamStr: Biological parents passed away during recall period

Value	Label	Unweighted Frequency	%
1	Yes - Mom	1	0.1 %
2	Yes - Dad	2	0.1 %
3	Yes - Both	2	0.1 %
5	No	1226	90.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	120	8.9 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,231 valid cases out of 1,354 total cases.

Location: 1036-1039 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5SGEND: S5 DEM: Subject gender

Value	Label	Unweighted Frequency	%
1	Male	1061	78.4 %
2	Female	173	12.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	120	8.9 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,234 valid cases out of 1,354 total cases.

Location: 1040-1043 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S5ETHN_R: S5 DEM: Subjects Ethnicity - Recoded

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Hispanic	454	33.5 %
4	Other	65	4.8 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1044-1044 (width: 1; decimal: 0)
Variable Type: numeric

S5SITE: S5 DEM: Study Site Location

Value	Label	Unweighted Frequency	%
1	Philadelphia	700	51.7 %
2	Phoenix	654	48.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1045-1045 (width: 1; decimal: 0)
Variable Type: numeric

S5AGE: S5 DEM: Subject Age as of the interview date - Truncated

Value	Label	Unweighted Frequency	%
16	-	49	3.6 %
17	-	223	16.5 %
18	-	316	23.3 %
19	-	374	27.6 %
20	-	261	19.3 %
21	-	10	0.7 %
22	-	1	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	120	8.9 %
	Total	**1,354**	**100%**

Based upon 1,234 valid cases out of 1,354 total cases.

Location: 1046-1049 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S5CTAGE: S5 DEM: Subject Age as of the interview date - Continuous

Based upon 1,234 valid cases out of 1,354 total cases.

- Mean: 19.0033490971
- Minimum: 16.5530458590
- Maximum: 22.0889801506
- Standard Deviation: 1.1100298451

Location: 1050-1064 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -201.0000000000

S6BL_ETH: S6 DEM: Ethnicity stated at Baseline

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Asian	2	0.1 %
4	Native American	27	2.0 %
5	Hispanic	454	33.5 %
96	Other	36	2.7 %
98	Refusal	0	0.0 %
99	Dont Know	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1065-1068 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998

S6JOBQ_MIL01: S6 Military: Been on active duty for military training/service during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	549	40.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-400	Not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-147	Skipped: Subject under age 18	56	4.1 %
	Total	**1,354**	**100%**

Based upon 549 valid cases out of 1,354 total cases.

Location: 1069-1072 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S6JOBQ_MIL02: S6 Military: Attempted to enlist in the military during recall period but unable

Value	Label	Unweighted Frequency	%
1	Yes	21	1.6 %
5	No	527	38.9 %
	Missing Data		
-400	Not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-147	Skipped: Subject under age 18	56	4.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 548 valid cases out of 1,354 total cases.

Location: 1073-1076 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S6JOBQ_VOT01: S6 Voting: Is registered to vote

Value	Label	Unweighted Frequency	%
1	Yes	214	15.8 %
5	No	328	24.2 %
	Missing Data		
-400	Not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-147	Skipped: Subject under age 18	56	4.1 %
-9	Dont Know	7	0.5 %
	Total	**1,354**	**100%**

Based upon 542 valid cases out of 1,354 total cases.

Location: 1077-1080 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S6JOBQ_VOT02: S6 Voting: Voted in any election during recall period

Value	Label	Unweighted Frequency	%
1	Yes	104	7.7 %
5	No	109	8.1 %
	Missing Data		
-400	Not asked in this version	627	46.3 %
-201	IntCompStat = 4 missed interview	122	9.0 %
-148	Skipped: Not registered to vote	335	24.7 %
-147	Skipped: Subject under age 18	56	4.1 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 213 valid cases out of 1,354 total cases.

Location: 1081-1084 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -148 , -147 , -9 , -8

S6DEMO_PARDTH: S6 FamStr: Biological parents passed away during recall period

Value	Label	Unweighted Frequency	%
1	Yes - Mom	5	0.4 %
2	Yes - Dad	3	0.2 %
3	Yes - Both	1	0.1 %
5	No	1221	90.2 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-9	Dont Know	2	0.1 %
	Total	**1,354**	**100%**

Based upon 1,230 valid cases out of 1,354 total cases.

Location: 1085-1088 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6DEMO_PMONDTN: S6 FamStr: Primary caregiver pass away during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	344	25.4 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
-101	Skipped: Subject didnt have a primary caregiver	887	65.5 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 345 valid cases out of 1,354 total cases.

Location: 1089-1092 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S6SGEND: S6 DEM: Subject gender

Value	Label	Unweighted Frequency	%
1	Male	1056	78.0 %
2	Female	176	13.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1093-1096 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S6ETHN_R: S6 DEM: Subjects Ethnicity - Recoded

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Hispanic	454	33.5 %
4	Other	65	4.8 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1097-1097 (width: 1; decimal: 0)
Variable Type: numeric

S6SITE: S6 DEM: Study Site Location

Value	Label	Unweighted Frequency	%
1	Philadelphia	700	51.7 %
2	Phoenix	654	48.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1098-1098 (width: 1; decimal: 0)
Variable Type: numeric

S6AGE: S6 DEM: Subject Age as of the interview date - Truncated

Value	Label	Unweighted Frequency	%
17	-	153	11.3 %
18	-	241	17.8 %
19	-	377	27.8 %
20	-	363	26.8 %
21	-	97	7.2 %
22	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	122	9.0 %
	Total	**1,354**	**100%**

Based upon 1,232 valid cases out of 1,354 total cases.

Location: 1099-1102 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S6CTAGE: S6 DEM: Subject Age as of the interview date - Continuous

Based upon 1,232 valid cases out of 1,354 total cases.

- Mean: 19.5061690534
- Minimum: 17.0841889117
- Maximum: 22.6858316222
- Standard Deviation: 1.1109194236

Location: 1103-1117 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -201.0000000000

S7BL_ETH: S7 DEM: Ethnicity stated at Baseline

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Asian	2	0.1 %
4	Native American	27	2.0 %
5	Hispanic	454	33.5 %
96	Other	36	2.7 %
98	Refusal	0	0.0 %
99	Dont Know	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1118-1121 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -999 , -998

S7JOBQ_MIL01: S7 Military: Been on active duty for military training/service during recall period

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	1207	89.1 %
	Missing Data		
-700	Missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 1122-1125 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S7JOBQ_MIL02: S7 Military: Attempted to enlist in the military during recall period but unable

Value	Label	Unweighted Frequency	%
1	Yes	82	6.1 %
5	No	1132	83.6 %
	Missing Data		
-700	Missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 1126-1129 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S7JOBQ_VOT01: S7 Voting: Is registered to vote

Value	Label	Unweighted Frequency	%
1	Yes	540	39.9 %
5	No	667	49.3 %
	Missing Data		
-700	Missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	7	0.5 %
	Total	**1,354**	**100%**

Based upon 1,207 valid cases out of 1,354 total cases.

Location: 1130-1133 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S7JOBQ_VOT02: S7 Voting: Voted in any election during recall period

Value	Label	Unweighted Frequency	%
1	Yes	184	13.6 %
5	No	356	26.3 %
	Missing Data		
-700	Missing due to bug in interview	1	0.1 %
-201	IntCompStat = 4 missed interview	139	10.3 %
-148	Skipped: Not registered to vote	674	49.8 %
	Total	**1,354**	**100%**

Based upon 540 valid cases out of 1,354 total cases.

Location: 1134-1137 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -148 , -147 , -9 , -8

S7DEMO_PARDTH: S7 FamStr: Biological parents passed away during recall period

Value	Label	Unweighted Frequency	%
1	Yes - Mom	8	0.6 %
2	Yes - Dad	4	0.3 %
3	Yes - Both	0	0.0 %
5	No	1202	88.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
-9	Dont Know	1	0.1 %
	Total	**1,354**	**100%**

Based upon 1,214 valid cases out of 1,354 total cases.

Location: 1138-1141 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7DEMO_PMONDTN: S7 FamStr: Primary caregiver pass away during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	111	8.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-201	IntCompStat = 4 missed interview	139	10.3 %
-101	Skipped: Subject didnt have a primary caregiver	1104	81.5 %
	Total	**1,354**	**100%**

Based upon 111 valid cases out of 1,354 total cases.

Location: 1142-1145 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S7SGEND: S7 DEM: Subject gender

Value	Label	Unweighted Frequency	%
1	Male	1042	77.0 %
2	Female	173	12.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1146-1149 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S7ETHN_R: S7 DEM: Subjects Ethnicity - Recoded

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Hispanic	454	33.5 %
4	Other	65	4.8 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1150-1150 (width: 1; decimal: 0)
Variable Type: numeric

S7SITE: S7 DEM: Study Site Location

Value	Label	Unweighted Frequency	%
1	Philadelphia	700	51.7 %
2	Phoenix	654	48.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1151-1151 (width: 1; decimal: 0)
Variable Type: numeric

S7AGE: S7 DEM: Subject Age as of the interview date - Truncated

Value	Label	Unweighted Frequency	%
18	-	149	11.0 %
19	-	236	17.4 %
20	-	367	27.1 %
21	-	362	26.7 %
22	-	99	7.3 %
23	-	2	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	139	10.3 %
	Total	**1,354**	**100%**

Based upon 1,215 valid cases out of 1,354 total cases.

Location: 1152-1155 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S7CTAGE: S7 DEM: Subject Age as of the interview date - Continuous

Based upon 1,215 valid cases out of 1,354 total cases.

- Mean: 20.5129763424
- Minimum: 18.0232717317
- Maximum: 23.7426420260
- Standard Deviation: 1.1132775676

Location: 1156-1170 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -201.0000000000

S8BL_ETH: S8 DEM: Ethnicity stated at Baseline

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Asian	2	0.1 %
4	Native American	27	2.0 %
5	Hispanic	454	33.5 %
96	Other	36	2.7 %
98	Refusal	0	0.0 %
99	Dont Know	0	0.0 %

Value	Label	Unweighted Frequency	%
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1171-1174 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998

S8JOBQ_MIL01: S8 Military: Been on active duty for military training/service during recall period

Value	Label	Unweighted Frequency	%
1	Yes	7	0.5 %
5	No	1199	88.6 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,206 valid cases out of 1,354 total cases.

Location: 1175-1178 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S8JOBQ_MIL02: S8 Military: Attempted to enlist in the military during recall period but unable

Value	Label	Unweighted Frequency	%
1	Yes	54	4.0 %
5	No	1152	85.1 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,206 valid cases out of 1,354 total cases.

Location: 1179-1182 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S8JOBQ_VOT01: S8 Voting: Is registered to vote

Value	Label	Unweighted Frequency	%
1	Yes	544	40.2 %
5	No	658	48.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,202 valid cases out of 1,354 total cases.

Location: 1183-1186 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S8JOBQ_VOT02: S8 Voting: Voted in any election during recall period

Value	Label	Unweighted Frequency	%
1	Yes	130	9.6 %
5	No	414	30.6 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-148	Skipped: Not registered to vote	663	49.0 %
	Total	**1,354**	**100%**

Based upon 544 valid cases out of 1,354 total cases.

Location: 1187-1190 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -148 , -147 , -9 , -8

S8DEMO_PARDTH: S8 FamStr: Biological parents passed away during recall period

Value	Label	Unweighted Frequency	%
1	Yes - Mom	7	0.5 %
2	Yes - Dad	11	0.8 %
3	Yes - Both	1	0.1 %
5	No	1187	87.7 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,206 valid cases out of 1,354 total cases.

Location: 1191-1194 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8DEMO_PMONDTN: S8 FamStr: Primary caregiver pass away during recall period

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
5	No	26	1.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
-101	Skipped: Subject didnt have a primary caregiver	1180	87.1 %
	Total	**1,354**	**100%**

Based upon 27 valid cases out of 1,354 total cases.

Location: 1195-1198 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S8SGEND: S8 DEM: Subject gender

Value	Label	Unweighted Frequency	%
1	Male	1031	76.1 %
2	Female	176	13.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,207 valid cases out of 1,354 total cases.

Location: 1199-1202 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S8ETHN_R: S8 DEM: Subjects Ethnicity - Recoded

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Hispanic	454	33.5 %
4	Other	65	4.8 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1203-1203 (width: 1; decimal: 0)
Variable Type: numeric

S8SITE: S8 DEM: Study Site Location

Value	Label	Unweighted Frequency	%
1	Philadelphia	700	51.7 %
2	Phoenix	654	48.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1204-1204 (width: 1; decimal: 0)
Variable Type: numeric

S8AGE: S8 DEM: Subject Age as of the interview date - Truncated

Value	Label	Unweighted Frequency	%
18	-	1	0.1 %
19	-	144	10.6 %
20	-	241	17.8 %
21	-	367	27.1 %
22	-	356	26.3 %
23	-	96	7.1 %
24	-	2	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	147	10.9 %
	Total	**1,354**	**100%**

Based upon 1,207 valid cases out of 1,354 total cases.

Location: 1205-1208 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S8CTAGE: S8 DEM: Subject Age as of the interview date - Continuous

Based upon 1,207 valid cases out of 1,354 total cases.

- Mean: 21.5151520307
- Minimum: 18.9869952088
- Maximum: 24.6625598905
- Standard Deviation: 1.1093749639

Location: 1209-1223 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -201.0000000000

S9BL_ETH: S9 DEM: Ethnicity stated at Baseline

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %

Value	Label	Unweighted Frequency	%
3	Asian	2	0.1 %
4	Native American	27	2.0 %
5	Hispanic	454	33.5 %
96	Other	36	2.7 %
98	Refusal	0	0.0 %
99	Dont Know	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1224-1227 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998

S9JOBQ_MIL01: S9 Military: Been on active duty for military training/service during recall period

Value	Label	Unweighted Frequency	%
1	Yes	5	0.4 %
5	No	1174	86.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1228-1231 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S9JOBQ_MIL02: S9 Military: Attempted to enlist in the military during recall period but unable

Value	Label	Unweighted Frequency	%
1	Yes	45	3.3 %
5	No	1134	83.8 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1232-1235 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S9JOBQ_VOT01: S9 Voting: Is registered to vote

Value	Label	Unweighted Frequency	%
1	Yes	503	37.1 %
5	No	673	49.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-9	Dont Know	3	0.2 %
	Total	**1,354**	**100%**

Based upon 1,176 valid cases out of 1,354 total cases.

Location: 1236-1239 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

S9JOBQ_VOT02: S9 Voting: Voted in any election during recall period

Value	Label	Unweighted Frequency	%
1	Yes	141	10.4 %
5	No	362	26.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-148	Skipped: Not registered to vote	676	49.9 %
	Total	**1,354**	**100%**

Based upon 503 valid cases out of 1,354 total cases.

Location: 1240-1243 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -148 , -147 , -9 , -8

S9DEMO_PARDTH: S9 FamStr: Biological parents passed away during recall period

Value	Label	Unweighted Frequency	%
1	Yes - Mom	8	0.6 %
2	Yes - Dad	7	0.5 %
3	Yes - Both	0	0.0 %
5	No	1164	86.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1244-1247 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9DEMO_PMONDTN: S9 FamStr: Primary caregiver pass away during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
-101	Skipped: Subject didnt have a primary caregiver	1179	87.1 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1248-1251 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

S9SGEND: S9 DEM: Subject gender

Value	Label	Unweighted Frequency	%
1	Male	1004	74.2 %
2	Female	175	12.9 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1252-1255 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

S9ETHN_R: S9 DEM: Subjects Ethnicity - Recoded

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Hispanic	454	33.5 %
4	Other	65	4.8 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1256-1256 (width: 1; decimal: 0)
Variable Type: numeric

S9SITE: S9 DEM: Study Site Location

Value	Label	Unweighted Frequency	%
1	Philadelphia	700	51.7 %
2	Phoenix	654	48.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1257-1257 (width: 1; decimal: 0)
Variable Type: numeric

S9AGE: S9 DEM: Subject Age as of the interview date - Truncated

Value	Label	Unweighted Frequency	%
20	-	144	10.6 %
21	-	226	16.7 %
22	-	364	26.9 %
23	-	346	25.6 %
24	-	98	7.2 %
25	-	1	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	175	12.9 %
	Total	**1,354**	**100%**

Based upon 1,179 valid cases out of 1,354 total cases.

Location: 1258-1261 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

S9CTAGE: S9 DEM: Subject Age as of the interview date - Continuous

Based upon 1,179 valid cases out of 1,354 total cases.

- Mean: 22.5313624988
- Minimum: 20.0082135524
- Maximum: 25.6837782341
- Standard Deviation: 1.1086837321

Location: 1262-1276 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -201.0000000000

SABL_ETH: SA DEM: Ethnicity stated at Baseline

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Asian	2	0.1 %

Value	Label	Unweighted Frequency	%
4	Native American	27	2.0 %
5	Hispanic	454	33.5 %
96	Other	36	2.7 %
98	Refusal	0	0.0 %
99	Dont Know	0	0.0 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1277-1280 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -999 , -998

SAJOBQ_MIL01: SA Military: Been on active duty for military training/service during recall period

Value	Label	Unweighted Frequency	%
1	Yes	6	0.4 %
5	No	1127	83.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 1281-1284 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

SAJOBQ_MIL02: SA Military: Attempted to enlist in the military during recall period but unable

Value	Label	Unweighted Frequency	%
1	Yes	47	3.5 %
5	No	1086	80.2 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 1285-1288 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

SAJOBQ_VOT01: SA Voting: Is registered to vote

Value	Label	Unweighted Frequency	%
1	Yes	486	35.9 %
5	No	643	47.5 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
-9	Dont Know	4	0.3 %
	Total	**1,354**	**100%**

Based upon 1,129 valid cases out of 1,354 total cases.

Location: 1289-1292 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -147 , -9 , -8

SAJOBQ_VOT02: SA Voting: Voted in any election during recall period

Value	Label	Unweighted Frequency	%
1	Yes	235	17.4 %
5	No	251	18.5 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-148	Skipped: Not registered to vote	648	47.9 %
	Total	**1,354**	**100%**

Based upon 486 valid cases out of 1,354 total cases.

Location: 1293-1296 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -700 , -400 , -202 , -201 , -148 , -147 , -9 , -8

SADEMO_PARDTH: SA FamStr: Biological parents passed away during recall period

Value	Label	Unweighted Frequency	%
1	Yes - Mom	8	0.6 %
2	Yes - Dad	10	0.7 %
3	Yes - Both	1	0.1 %
5	No	1114	82.3 %
	Missing Data		
-202	IntCompStat = 2 partial interview, data missing	1	0.1 %
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,133 valid cases out of 1,354 total cases.

Location: 1297-1300 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SADEMO_PMONDTN: SA FamStr: Primary caregiver pass away during recall period

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
5	No	0	0.0 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
-101	Skipped: Subject didnt have a primary caregiver	1134	83.8 %
	Total	**1,354**	**100%**

Based upon 0 valid cases out of 1,354 total cases.

Location: 1301-1304 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -800 , -202 , -201 , -101 , -9 , -8

SASGEND: SA DEM: Subject gender

Value	Label	Unweighted Frequency	%
1	Male	962	71.0 %
2	Female	172	12.7 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,134 valid cases out of 1,354 total cases.

Location: 1305-1308 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -202 , -201 , -9 , -8

SAETHN_R: SA DEM: Subjects Ethnicity - Recoded

Value	Label	Unweighted Frequency	%
1	White	274	20.2 %
2	Black	561	41.4 %
3	Hispanic	454	33.5 %
4	Other	65	4.8 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1309-1309 (width: 1; decimal: 0)

Variable Type: numeric

SASITE: SA DEM: Study Site Location

Value	Label	Unweighted Frequency	%
1	Philadelphia	700	51.7 %
2	Phoenix	654	48.3 %
	Total	**1,354**	**100%**

Based upon 1,354 valid cases out of 1,354 total cases.

Location: 1310-1310 (width: 1; decimal: 0)
Variable Type: numeric

SAAGE: SA DEM: Subject Age as of the interview date - Truncated

Value	Label	Unweighted Frequency	%
20	-	1	0.1 %
21	-	137	10.1 %
22	-	217	16.0 %
23	-	353	26.1 %
24	-	330	24.4 %
25	-	94	6.9 %
26	-	2	0.1 %
	Missing Data		
-201	IntCompStat = 4 missed interview	220	16.2 %
	Total	**1,354**	**100%**

Based upon 1,134 valid cases out of 1,354 total cases.

Location: 1311-1314 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -201

SACTAGE: SA DEM: Subject Age as of the interview date - Continuous

Based upon 1,134 valid cases out of 1,354 total cases.

- Mean: 23.5240243992
- Minimum: 20.9719370294
- Maximum: 26.6940451746
- Standard Deviation: 1.1085819449

Location: 1315-1329 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: -201.0000000000